

# Kun-Yun Yeh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/273965/publications.pdf>

Version: 2024-02-01

71  
papers

970  
citations

430442

18  
h-index

552369

26  
g-index

77  
all docs

77  
docs citations

77  
times ranked

1493  
citing authors

#	ARTICLE	IF	CITATIONS
1	Omega-3 fatty acid-, micronutrient-, and probiotic-enriched nutrition helps body weight stabilization in head and neck cancer cachexia. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013, 116, 41-48.	0.2	59
2	Pretreatment serum interleukin-1 $\beta$ , interleukin-6, and tumor necrosis factor- $\alpha$ levels predict the progression of colorectal cancer. <i>Cancer Medicine</i> , 2016, 5, 426-433.	1.3	51
3	Progressive Sarcopenia in Patients With Colorectal Cancer Predicts Survival. <i>American Journal of Roentgenology</i> , 2018, 210, 526-532.	1.0	50
4	Analysis of the Effect of Serum Interleukin-6 (IL-6) and Soluble IL-6 Receptor Levels on Survival of Patients with Colorectal Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 580-587.	0.6	48
5	Pretreatment performance status and nutrition are associated with early mortality of locally advanced head and neck cancer patients undergoing concurrent chemoradiation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 1909-1915.	0.8	48
6	MicroRNA-21 Plays Multiple Oncometabolic Roles in the Process of NAFLD-Related Hepatocellular Carcinoma via PI3K/AKT, TGF- $\beta$ 2, and STAT3 Signaling. <i>Cancers</i> , 2021, 13, 940.	1.7	40
7	The application of the palliative prognostic index, charlson comorbidity index, and Glasgow prognostic score in predicting the life expectancy of patients with hematologic malignancies under palliative care. <i>BMC Palliative Care</i> , 2015, 14, 18.	0.8	31
8	Liver-directed microRNA-7a depletion induces nonalcoholic fatty liver disease by stabilizing YY1-mediated lipogenic pathways in zebrafish. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018, 1863, 844-856.	1.2	31
9	Impact of interactive situated and simulated teaching program on novice nursing practitioners' clinical competence, confidence, and stress. <i>Nurse Education Today</i> , 2017, 55, 11-16.	1.4	30
10	Culture supernatants of different colon cancer cell lines induce specific phenotype switching and functional alteration of THP-1 cells. <i>Cellular Immunology</i> , 2014, 290, 107-115.	1.4	28
11	Ovarian Metastasis Originating from Bronchioloalveolar Carcinoma: a Rare Presentation of Lung Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2003, 33, 404-407.	0.6	26
12	Impact of the pretreatment Glasgow prognostic score on treatment tolerance, toxicities, and survival in patients with advanced head and neck cancer undergoing concurrent chemoradiotherapy. <i>Head and Neck</i> , 2017, 39, 1990-1996.	0.9	26
13	Clinical Significance of Serum Glutamine Level in Patients with Colorectal Cancer. <i>Nutrients</i> , 2019, 11, 898.	1.7	25
14	Clinical Significance of Vulnerability Assessment in Patients with Primary Head and Neck Cancer Undergoing Definitive Concurrent Chemoradiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 108, 602-611.	0.4	25
15	Impact of early nutrition counseling in head and neck cancer patients with normal nutritional status. <i>Supportive Care in Cancer</i> , 2021, 29, 2777-2785.	1.0	24
16	The association between immune-related adverse events and survival outcomes in Asian patients with advanced melanoma receiving anti-PD-1 antibodies. <i>BMC Cancer</i> , 2020, 20, 1018.	1.1	23
17	The Combination of <i>Astragalus membranaceus</i> and <i>Angelica sinensis</i> Inhibits Lung Cancer and Cachexia through Its Immunomodulatory Function. <i>Journal of Oncology</i> , 2019, 2019, 1-15.	0.6	22
18	Early nutritional support in non-metastatic stage IV oral cavity cancer patients undergoing adjuvant concurrent chemoradiotherapy: analysis of treatment tolerance and outcome in an area endemic for betel quid chewing. <i>Supportive Care in Cancer</i> , 2012, 20, 1169-1174.	1.0	19

#	ARTICLE	IF	CITATIONS
19	The Prognostic Value of HER2-Positive Circulating Tumor Cells in Breast Cancer Patients: A Systematic Review and Meta-Analysis. <i>Clinical Breast Cancer</i> , 2017, 17, 341-349.	1.1	19
20	A comparison of the MNA-SF, MUST, and NRS-2002 nutritional tools in predicting treatment incompleteness of concurrent chemoradiotherapy in patients with head and neck cancer. <i>Supportive Care in Cancer</i> , 2021, 29, 5455-5462.	1.0	18
21	The $\sim 174$ G/C Polymorphism in Interleukin-6 (IL-6) Promoter Region is Associated with Serum IL-6 and Carcinoembryonic Antigen Levels in Patients with Colorectal Cancers in Taiwan. <i>Journal of Clinical Immunology</i> , 2010, 30, 53-59.	2.0	16
22	Low body mass index at 3 months following adjuvant chemoradiation affects survival of postoperative locally advanced oral cavity cancer patients. <i>Laryngoscope</i> , 2012, 122, 2193-2198.	1.1	16
23	MicroRNA-21 Plays Multiple Oncometabolic Roles in Colitis-Associated Carcinoma and Colorectal Cancer via the PI3K/AKT, STAT3, and PDCD4/TNF- $\alpha$ Signaling Pathways in Zebrafish. <i>Cancers</i> , 2021, 13, 5565.	1.7	16
24	The Roles of Immunoregulatory Networks in Severe Drug Hypersensitivity. <i>Frontiers in Immunology</i> , 2021, 12, 597761.	2.2	15
25	Lung Metastases in Patients with Stage IV Pancreatic Cancer: Prevalence, Risk Factors, and Survival Impact. <i>Journal of Clinical Medicine</i> , 2019, 8, 1402.	1.0	14
26	Validation and Comparison of the 7 <sup>th</sup> Edition of the American Joint Committee on Cancer Staging System and Other Prognostic Models to Predict Relapse-Free Survival in Asian Patients with Parotid Cancer. <i>Journal of Cancer</i> , 2016, 7, 1833-1841.	1.2	13
27	Impact of metformin on patients with advanced head and neck cancer undergoing concurrent chemoradiotherapy. <i>Head and Neck</i> , 2017, 39, 1573-1577.	0.9	12
28	High metastatic node number, not extranodal extension, as a node-related prognosticator in surgically treated patients with nodal metastatic salivary gland carcinoma. <i>Head and Neck</i> , 2019, 41, 1572-1582.	0.9	12
29	Colorectal cancer cell-derived interleukin-6 enhances the phagocytic capacity and migration of THP-1 cells. <i>Cytokine</i> , 2016, 79, 82-89.	1.4	11
30	Complementary role of the Memorial Sloan Kettering Cancer Center nomogram to the American Joint Committee on Cancer system for the prediction of relapse of major salivary gland carcinoma after surgery. <i>Head and Neck</i> , 2017, 39, 860-867.	0.9	11
31	Chemoradiotherapy in elderly patients with advanced head and neck cancer under intensive nutritional support. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2015, 11, 228-235.	0.7	10
32	Development and validation of a prognostic nomogram to predict survival in patients with advanced pancreatic cancer receiving second-line palliative chemotherapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1694-1703.	1.4	10
33	A prospective nutritional assessment using Mini Nutritional Assessment-short form among patients with head and neck cancer receiving concurrent chemoradiotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 1509-1518.	1.0	10
34	Relationship between pre-treatment nutritional status, serum glutamine, arginine levels and clinicopathological features in Taiwan colorectal cancer patients. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2015, 24, 598-604.	0.3	10
35	Effect of Comorbidity on Postoperative Survival Outcomes in Patients with Solid Cancers: A 6-Year Multicenter Study in Taiwan. <i>Journal of Cancer</i> , 2016, 7, 854-861.	1.2	9
36	Sequential Assessments of the Eastern Cooperative Oncology Group Performance Scale Enhance Prognostic Value in Patients With Terminally Ill Cancer Receiving Palliative Care. <i>American Journal of Hospice and Palliative Medicine</i> , 2016, 33, 471-476.	0.8	9

#	ARTICLE	IF	CITATIONS
37	Glasgow prognostic score after concurrent chemoradiotherapy is a prognostic factor in advanced head and neck cancer. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2017, 29, 172-178.	0.7	9
38	Prognostic Significance of Low Body Mass Index and Betel-Quid Use in the 5-Year Survival Rates of Esophageal Squamous Cell Carcinoma Patients. Nutrition and Cancer, 2018, 70, 1315-1321.	0.9	8
39	Abdominal obesity and hypertension are correlated with health-related quality of life in Taiwanese adults with metabolic syndrome. BMJ Open Diabetes Research and Care, 2020, 8, e000947.	1.2	8
40	Determining Malnutrition Assessment Criteria to Predict One-Year Mortality for Locally Advanced Head and Neck Cancer Patients Undergoing Concurrent Chemoradiotherapy. Nutrients, 2020, 12, 836.	1.7	8
41	Prognostic nutritional index relevance in chemoradiotherapy for advanced oral cavity, oropharyngeal and hypopharyngeal cancer. Asia Pacific Journal of Clinical Nutrition, 2018, 27, 996-1001.	0.3	8
42	Tumor growth inhibition of metastatic nasopharyngeal carcinoma cell lines by low dose of arsenic trioxide via alteration of cell cycle progression and induction of apoptosis. Head and Neck, 2011, 33, 734-742.	0.9	7
43	Body Mass Index-Adjusted Body Weight Loss Grading Predicts Overall Survival in Esophageal Squamous Cell Carcinoma Patients. Nutrition and Cancer, 2021, 73, 1130-1137.	0.9	7
44	Impact of Frailty on Treatment Outcome in Patients With Locally Advanced Esophageal Cancer Undergoing Concurrent Chemoradiotherapy. Anticancer Research, 2021, 41, 5213-5222.	0.5	7
45	Effect of Chemotherapy on Dual-Energy X-ray Absorptiometry (DXA) Body Composition Precision Error in Head and Neck Cancer Patients. Journal of Clinical Densitometry, 2019, 22, 437-443.	0.5	6
46	Clinical Significance of Frailty on Treatment Outcome in Nongeriatric Patients With Head and Neck Cancer and Esophageal Cancer Undergoing Curative-Intent Concurrent Chemoradiotherapy. Cancer Control, 2022, 29, 107327482110452.	0.7	6
47	Correlates Between Health Beliefs and Health-Promoting Lifestyle Profiles in the Development of Metabolic Syndrome in Taiwan. Asia-Pacific Journal of Public Health, 2019, 31, 30-38.	0.4	5
48	Role of the Appendicular Skeletal Muscle Index for Predicting the Recurrence-Free Survival of Head and Neck Cancer. Diagnostics, 2021, 11, 309.	1.3	5
49	The objective structured clinical examination as an assessment strategy for clinical competence in novice nursing practitioners in Taiwan. BMC Nursing, 2021, 20, 91.	0.9	5
50	Paclitaxel and Carboplatin versus Cisplatin and 5-Fluorouracil in Concurrent Chemoradiotherapy in Patients With Esophageal Cancer. In Vivo, 2021, 35, 3391-3399.	0.6	5
51	Impact of body mass index on long-term survival outcome in Asian populations with solid cancer who underwent curative-intent surgery: A six-year multicenter observational cohort study. Journal of Cancer, 2018, 9, 3316-3325.	1.2	4
52	Correlation Between the Glasgow Prognostic Score and the Serum Cytokine Profile in Taiwanese Patients with Colorectal Cancer. International Journal of Biological Markers, 2021, 36, 40-49.	0.7	4
53	Concurrent Chemoradiotherapy Induces Body Composition Changes in Locally Advanced Head and Neck Squamous Cell Carcinoma: Comparison between Oral Cavity and Non-Oral Cavity Cancer. Nutrients, 2021, 13, 2969.	1.7	4
54	Microangiopathic hemolytic anemia in a patient with recurrent anal cancer and liver metastasis. Chang Gung Medical Journal, 2002, 25, 706-10.	0.7	4

#	ARTICLE	IF	CITATIONS
55	A Muscle Biosignature Differentiating Between Limb-Girdle Muscular Dystrophy and Idiopathic Inflammatory Myopathy on Magnetic Resonance Imaging. <i>Frontiers in Neurology</i> , 2021, 12, 783095.	1.1	4
56	Validation and application of a prognostic model for patients with advanced pancreatic cancer receiving palliative chemotherapy. <i>Cancer Medicine</i> , 2019, 8, 5554-5563.	1.3	3
57	Inflammation Status and Body Composition Predict Two-Year Mortality of Patients with Locally Advanced Head and Neck Squamous Cell Carcinoma under Provision of Recommended Energy Intake during Concurrent Chemoradiotherapy. <i>Biomedicines</i> , 2022, 10, 388.	1.4	3
58	Body mass index above 24 is beneficial for the 6-month survival rate in hepatocellular carcinoma patients with extrahepatic metastases. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2017, 26, 637-641.	0.3	3
59	Choroid metastases revealing primary clear cell adenocarcinoma of the lung effectively treated with cisplatin and pemetrexed: a case report. <i>Journal of Medical Case Reports</i> , 2013, 7, 267.	0.4	1
60	Primary duodenal Burkitt lymphoma presenting as sessile, button-like bleeding polyps. <i>Advances in Digestive Medicine</i> , 2015, 2, 33-36.	0.1	1
61	External validation of the Besançon nomogram in Asian patients with advanced pancreatic cancer receiving second-line chemotherapy: A multi-institute experience in Taiwan. <i>Pancreatology</i> , 2020, 20, 116-124.	0.5	1
62	Integrating Muscle Health in Predicting the Risk of Asymptomatic Vertebral Fracture in Older Adults. <i>Journal of Clinical Medicine</i> , 2021, 10, 1129.	1.0	1
63	Comorbidity, Radiation Duration, and Pretreatment Body Muscle Mass Predict Early Treatment Failure in Taiwanese Patients with Locally Advanced Oral Cavity Squamous Cell Carcinoma after Completion of Adjuvant Concurrent Chemoradiotherapy. <i>Diagnostics</i> , 2021, 11, 1203.	1.3	1
64	Pretreatment Nutrition-Inflammation Biomarkers Correlated with Differential Cytokine Profiles in Taiwanese Patients with Colorectal Cancer. <i>Nutrition and Cancer</i> , 2021, , 1-11.	0.9	1
65	Treatment-Interval Changes in Serum Levels of Albumin and Histidine Correlated with Treatment Interruption in Patients with Locally Advanced Head and Neck Squamous Cell Carcinoma Completing Chemoradiotherapy under Recommended Calorie and Protein Provision. <i>Cancers</i> , 2022, 14, 3112.	1.7	1
66	PEP503 (NBTXR3), a radioenhancer, in combination with concurrent chemoradiation (CCRT) in locally advanced or recurrent head and neck squamous cell carcinoma (HNSCC): Dose-finding of a phase 1b/2 trial. <i>Journal of Clinical Oncology</i> , 2022, 40, e18041-e18041.	0.8	1
67	Association of early changes of circulating cancer stem-like cells with survival among patients with metastatic breast cancer. <i>Therapeutic Advances in Medical Oncology</i> , 2022, 14, 175883592211101.	1.4	1
68	In Reply to Chow et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 108, 832-834.	0.4	0
69	Development and validation of a prognostic score to predict the survival in adult patients with solid tumors and bone marrow metastases. <i>Journal of Clinical Oncology</i> , 2015, 33, e17730-e17730.	0.8	0
70	Pretreatment frailty is an independent prognostic factor among elderly patients with B-cell lymphoma undergoing immunochemotherapy: A prospective observational cohort study in Taiwan. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, , .	0.7	0
71	Primary intracranial malignant melanomas in solitary type: a tertiary center experience. <i>Journal of Clinical Neuroscience</i> , 2022, 101, 37-46.	0.8	0