Raanan Meyer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2739810/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Coupling of action potential activity between unmyelinated fibers in the peripheral nerve of monkey. Science, 1985, 227, 184-187. | 6.0 | 85 |
| 2 | A marked decrease in preterm deliveries during the coronavirus disease 2019 pandemic. American Journal of Obstetrics and Gynecology, 2021, 224, 234-237. | 0.7 | 56 |
| 3 | Laboratory characteristics of pregnant compared to non-pregnant women infected with SARS-CoV-2. Archives of Gynecology and Obstetrics, 2020, 302, 629-634. | 0.8 | 28 |
| 4 | Vaginal delivery in SARS-CoV-2-infected pregnant women in Israel: a multicenter prospective analysis. Archives of Gynecology and Obstetrics, 2021, 303, 1401-1405. | 0.8 | 17 |
| 5 | Trial of Labor After Cesarean in Adolescents – A Multicenter Study. Journal of Pediatric and Adolescent Gynecology, 2020, 33, 398-402. | 0.3 | 15 |
| 6 | Obstetric and Neonatal Outcomes following COVID-19 Vaccination in Pregnancy. Journal of Clinical Medicine, 2022, 11, 2540. | 1.0 | 15 |
| 7 | Outcomes of singleton versus twin pregnancies in the fifth and sixth decades. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 231, 255-261. | 0.5 | 14 |
| 8 | Implementation of machine learning models for the prediction of vaginal birth after cesarean delivery. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 3677-3683. | 0.7 | 14 |
| 9 | Does birthweight have a role in the effect of episiotomy on anal sphincter injury?. Archives of Gynecology and Obstetrics, 2020, 301, 171-177. | 0.8 | 12 |
| 10 | Sonographic fetal head circumference and the risk of obstetric anal sphincter injury following vaginal delivery. International Urogynecology Journal, 2020, 31, 2285-2290. | 0.7 | 12 |
| 11 | Neurodevelopmental outcome of fetal isolated ventricular asymmetry without dilation: a cohort study. Ultrasound in Obstetrics and Gynecology, 2018, 52, 467-472. | 0.9 | 11 |
| 12 | The role of fetal head circumference in the formation of obstetric anal sphincter injuries following vacuum deliveries among primiparous women. Archives of Gynecology and Obstetrics, 2020, 301, 1423-1429. | 0.8 | 11 |
| 13 | Impact of the COVID-19 Outbreak on Routine Obstetrical Management. Israel Medical Association Journal, 2020, 22, 483-488. | 0.1 | 11 |
| 14 | Risk factors for obstetric anal sphincter injury among parous women. Archives of Gynecology and Obstetrics, 2021, 303, 709-714. | 0.8 | 10 |
| 15 | Management of adnexal mass: A comparison of five national guidelines. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 265, 80-89. | 0.5 | 10 |
| 16 | Does antenatal steroids treatment in twin pregnancies prior to late preterm birth reduce neonatal morbidity? Evidence from a retrospective cohort study. Archives of Gynecology and Obstetrics, 2020, 302, 1121-1126. | 0.8 | 9 |
| 17 | Predictors of adverse neonatal outcome in pregnancies complicated by placenta previa. Placenta, 2021, 104, 119-123. | 0.7 | 9 |
| 18 | Prediction of adverse neonatal outcome among newborns born through meconiumâ€stained amniotic fluid. International Journal of Gynecology and Obstetrics, 2021, 154, 515-520. | 1.0 | 9 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Extremely early pregnancy (<6 mo) after sleeve gastrectomy: maternal and perinatal outcomes. Surgery for Obesity and Related Diseases, 2021, 17, 356-362. | 1.0 | 9 |
| 20 | Trial of labor after cesarean in older women who never delivered vaginally. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 245, 89-93. | 0.5 | 7 |
| 21 | Placenta accreta spectrum in subsequent pregnancy following myomectomy. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 4332-4337. | 0.7 | 7 |
| 22 | The perils of true knot of the umbilical cord: antepartum, intrapartum and postpartum complications and clinical implications. Archives of Gynecology and Obstetrics, 2022, 305, 573-579. | 0.8 | 7 |
| 23 | Nonsurgical Management of Interstitial Pregnancies: Feasibility and Predictors of Treatment Failure. Journal of Minimally Invasive Gynecology, 2020, 27, 625-632. | 0.3 | 6 |
| 24 | Risk of anal sphincter injury in trial of labor post cesarean section. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 147-153. | 1.3 | 6 |
| 25 | A dynamic prediction score for obstetric anal sphincter injury among nulliparous women delivering vaginally. International Journal of Gynecology and Obstetrics, 2022, 157, 271-276. | 1.0 | 6 |
| 26 | Impact of the mode of conception on gestational hypertensive disorders at very advanced maternal age. Reproductive BioMedicine Online, 2020, 40, 281-286. | 1.1 | 5 |
| 27 | Risk factors for third stage placental complications among primigravid women. Placenta, 2020, 99, 16-20. | 0.7 | 5 |
| 28 | Isolated oligohydramnios – should induction be offered after 36 weeks?. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 4507-4512. | 0.7 | 5 |
| 29 | Low volume forceps practice and anal sphincter injury rate. Archives of Gynecology and Obstetrics, 2020, 301, 1133-1138. | 0.8 | 5 |
| 30 | Chorioamnionitis at latent phase more than doubles the risk for cesarean delivery compared to chorioamnionitis at active phase. Archives of Gynecology and Obstetrics, 2021, 303, 905-910. | 0.8 | 5 |
| 31 | Hematologic adaptation to maskâ€wearing among pregnant women and obstetrical outcome during the coronavirus disease 2019 pandemic. International Journal of Gynecology and Obstetrics, 2021, 154, 297-303. | 1.0 | 5 |
| 32 | Trial of labor after cesarean in twin gestation with no prior vaginal delivery – evidence from largest cohort reported. International Journal of Gynecology and Obstetrics, 2022, , . | 1.0 | 5 |
| 33 | Sentinel lymph node mapping in endometrial cancer: A comparison of main national and international guidelines. International Journal of Gynecology and Obstetrics, 2023, 160, 220-225. | 1.0 | 5 |
| 34 | Biallelic CSGALNACT1-mutations cause a mild skeletal dysplasia. Bone, 2019, 127, 446-451. | 1.4 | 4 |
| 35 | Maternal morbidity following caesarean deliveries with barbed suture for uterine closure. Archives of Gynecology and Obstetrics, 2019, 300, 1245-1252. | 0.8 | 4 |
| 36 | Outcome of methotrexate treatment for ectopic pregnancies among obese women. Journal of Gynecology Obstetrics and Human Reproduction, 2020, 49, 101790. | 0.6 | 4 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The association of vacuum-assisted delivery and shoulder dystocia among macrosomic newborns: a retrospective study. Archives of Gynecology and Obstetrics, 2021, 304, 117-123. | 0.8 | 4 |
| 38 | Pregnancy and neonatal outcomes of twin pregnancies– the role of maternal age. Journal of Perinatal Medicine, 2021, 49, 559-565. | 0.6 | 4 |
| 39 | Prediction score for recurrent adnexal torsion in women with a previous adnexal torsion. International Journal of Gynecology and Obstetrics, 2021, 155, 411-416. | 1.0 | 4 |
| 40 | A validated predictive model for adnexal torsion pre-operative diagnosis. Archives of Gynecology and Obstetrics, 2022, 305, 1069-1077. | 0.8 | 4 |
| 41 | The association between vacuum-assisted vaginal delivery and anal sphincter injury. International Urogynecology Journal, 2020, 32, 1771-1777. | 0.7 | 3 |
| 42 | Single- versus multiple-dose methotrexate in cesarean scar pregnancies management: treatment and reproductive outcomes. Archives of Gynecology and Obstetrics, 2021, 303, 1255-1261. | 0.8 | 3 |
| 43 | Prediction of successful trial of labor after cesarean among grand-multiparous women. Archives of Gynecology and Obstetrics, 2021, , 1. | 0.8 | 3 |
| 44 | Incidental finding of meconiumâ€stained amniotic fluid in elective cesarean deliveries: Features and perils. International Journal of Gynecology and Obstetrics, 2022, 158, 418-423. | 1.0 | 3 |
| 45 | Office Operative Hysteroscopy for the Management of Retained Products of Conception. Reproductive Sciences, 2022, 29, 761. | 1.1 | 3 |
| 46 | Exceptionally low external cephalic version success rate should be addressed. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 432-432. | 1.3 | 2 |
| 47 | A double-blind randomized trial comparing lidocaine spray and placebo spray anesthesia prior to cervical laminaria insertion. Contraception, 2020, 102, 332-338. | 0.8 | 2 |
| 48 | Validation of the Wexner scale in a Hebrew-speaking population. International Urogynecology Journal, 2020, 31, 2583-2587. | 0.7 | 2 |
| 49 | Successful vaginal delivery after external cephalic version (ECV): does time interval from ECV to delivery make a difference? A multicenter study. Archives of Gynecology and Obstetrics, 2020, 302, 1361-1367. | 0.8 | 2 |
| 50 | Neonatal outcome of second-stage cesarean delivery versus vacuum extraction among neonates <34 weeks. Journal of Maternal-Fetal and Neonatal Medicine, 2020, , 1-8. | 0.7 | 2 |
| 51 | Cephalic extraction versus breech extraction in secondâ€stage caesarean section: a retrospective study. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1568-1574. | 1.1 | 2 |
| 52 | Prediction of successful vaginal birth after cesarean in women with diabetic disorders and no prior vaginal delivery. International Journal of Gynecology and Obstetrics, 2022, 157, 165-172. | 1.0 | 2 |
| 53 | Prediction of vaginal birth after cesarean for labor dystocia by sonographic estimated fetal weight. International Journal of Gynecology and Obstetrics, 2022, 158, 50-56. | 1.0 | 2 |
| 54 | The effect of fetal weight on the accuracy of sonographic weight estimation among women with diabetes. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 1747-1753. | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Clinical features of isolated Fallopian tube torsion: evidence from a large series. Human Fertility, 2022, , 1-7. | 0.7 | 2 |
| 56 | Risk factors for obstetric anal sphincter injury among nulliparous of advanced maternal age. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 9391-9397. | 0.7 | 2 |
| 57 | Late selective termination and the occurrence of placental-related pregnancy complications: A case control study. Placenta, 2022, 121, 23-31. | 0.7 | 2 |
| 58 | Should expectant management of heterotopic pregnancy be considered?. Archives of Gynecology and Obstetrics, 2022, 306, 1127-1133. | 0.8 | 2 |
| 59 | Is it the manual perineal support or the slowing of the fetal head descent that reduces anal sphincter injury?. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 557-557. | 1.3 | 1 |
| 60 | Reducing birth trauma programs – Diagnosis of anal sphincter injuries should be improved. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 679-679. | 1.3 | 1 |
| 61 | Outcome of two sequential singleton pregnancies and twin pregnancies among primiparous women at advanced age undergoing IVF. Archives of Gynecology and Obstetrics, 2020, 302, 1113-1119. | 0.8 | 1 |
| 62 | A clinical prediction model for adnexal torsion in pediatric and adolescent population. Journal of Pediatric Surgery, 2022, 57, 497-501. | 0.8 | 1 |
| 63 | Relaparotomy post-cesarean delivery: characteristics and risk factors. Archives of Gynecology and Obstetrics, 2021, 304, 1427-1432. | 0.8 | 1 |
| 64 | Risk factors for obstetric anal sphincter injury among women undergoing a trial of labor after cesarean. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 260, 37-41. | 0.5 | 1 |
| 65 | Response to Letter. Obstetrics and Gynecology, 2021, 138, 136-136. | 1.2 | 1 |
| 66 | Vaginal birth after cesarean in women with no prior vaginal delivery carrying a large for gestational age baby. Birth, 2021, , . | 1.1 | 1 |
| 67 | Prediction of successful preterm vaginal birth after cesarean among women who never delivered vaginally. Archives of Gynecology and Obstetrics, 2021, , 1. | 0.8 | 1 |
| 68 | Second stage expedite delivery of low birth weight neonates: Emergent cesarean delivery versus vacuum assisted delivery. Journal of Gynecology Obstetrics and Human Reproduction, 2021, 50, 102136. | 0.6 | 1 |
| 69 | Management of labor after external cephalic version. Journal of Perinatal Medicine, 2021, 49, 30-35. | 0.6 | 1 |
| 70 | Surgically confirmed adnexal torsion during pregnancy: Does the trimester make a difference?. Journal of Obstetrics and Gynaecology Research, 2021, 47, 4216-4223. | 0.6 | 1 |
| 71 | Pediatric and adolescent females are at higher risk of adnexal torsion recurrence—A largeâ€scale retrospective study. Journal of Obstetrics and Gynaecology Research, 2022, 48, 838-842. | 0.6 | 1 |
| 72 | Ritodrine versus salbutamol for external cephalic version. Minerva Obstetrics and Gynecology, 2022, , | 0.5 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Factors Associated with More Than 500 Grams Inaccuracy in Sonographic Fetal Weight Estimation. Israel Medical Association Journal, 2021, 23, 43-47. | 0.1 | 1 |
| 74 | Sonographic fetal head circumference is associated with trial of labor after cesarean section success. Archives of Gynecology and Obstetrics, 2022, 306, 1913-1921. | 0.8 | 1 |
| 75 | Trial of labor after cesarean in women with hypertensive disorders and no prior vaginal delivery. Archives of Gynecology and Obstetrics, 2023, 307, 771-777. | 0.8 | 1 |
| 76 | ls it safe to perform amnioinfusion in the presence of suspected intraamniotic infection?. International Journal of Gynecology and Obstetrics, 2020, 151, 225-230. | 1.0 | 0 |
| 77 | Between neo-classification of second-degree lacerations and paucity of retrospective data. Archives of Gynecology and Obstetrics, 2020, 301, 1589-1590. | 0.8 | 0 |
| 78 | The Significance of Fetal Brain Ventricular Asymmetry Without Dilation. Journal of Ultrasound in Medicine, 2021, 40, 2413-2419. | 0.8 | 0 |
| 79 | Re: Obstetric anal sphincter injuries (OASIS) in multiparous women with the use of epidural anaesthesia: A retrospective cohort study. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2021, 61, E20-E21. | 0.4 | 0 |
| 80 | The role of sonographic head circumference in the occurrence of subgaleal hemorrhage following vacuum delivery. Journal of Maternal-Fetal and Neonatal Medicine, 2021, , 1-6. | 0.7 | 0 |
| 81 | Adnexal torsion recurrence—is the adnexal twist degree a risk factor? A retrospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1511-1516. | 1.1 | 0 |
| 82 | Pregnancy outcomes following laparoscopy for suspected adnexal torsion during pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2024, 35, 6396-6402. | 0.7 | 0 |
| 83 | Trial of Labor After Cesarean of Small for Gestational Age Neonates Among Women with No Prior Vaginal Delivery — a Retrospective Study. Reproductive Sciences, 2021, , 1. | 1.1 | 0 |
| 84 | Neonatal morbidity in a low volume forceps practice. Journal of Maternal-Fetal and Neonatal Medicine, 2021, , 1-6. | 0.7 | 0 |
| 85 | Single-dose methotrexate-based protocol for the treatment of caesarean scar pregnancy and successive pregnancy outcomes. Human Fertility, 2021, , 1-7. | 0.7 | 0 |
| 86 | Predictors of successful vaginal birth after cesarean without an epidural among women with no prior vaginal delivery. Birth, 2021, , . | 1.1 | 0 |
| 87 | Risk factors for obstetric anal sphincter injury among adolescents. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 270, 151-155. | 0.5 | 0 |
| 88 | Maternal and perinatal outcome of induction at 39 weeks versus expectant management in labor after cesarean section. International Journal of Gynecology and Obstetrics, 2022, , . | 1.0 | 0 |
| 89 | Predictive value of new onset versus primary meconiumâ \in stained amniotic fluid. Birth, 2022, , . | 1.1 | 0 |