

Sang Kil Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2740095/sang-kil-lee-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

208
papers

4,014
citations

33
h-index

48
g-index

217
ext. papers

4,818
ext. citations

4
avg. IF

5.32
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 208 | Faecal microbiota transplantation reduces amounts of antibiotic resistance genes in patients with multidrug-resistant organisms.. <i>Antimicrobial Resistance and Infection Control</i> , 2022 , 11, 20 | 6.2 | 0 |
| 207 | Intestinal Type Gastric Cancer and Gastric Adenoma. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2022 , 22, 5-10 | 0.4 | |
| 206 | 2020 Seoul Consensus on the Diagnosis and Management of Gastroesophageal Reflux Disease. <i>Korean Journal of Medicine</i> , 2022 , 97, 70-92 | 0.5 | |
| 205 | lncRNAs UC.145 and PRKG1-AS1 Determine the Functional Output of DKK1 in Regulating the Wnt Signaling Pathway in Gastric Cancer. <i>Cancers</i> , 2022 , 14, 2369 | 6.6 | |
| 204 | Long-Term Outcomes and Prognostic Factors of Superficial Esophageal Cancer in Patients Aged ≥ 65 Years.. <i>Frontiers in Medicine</i> , 2021 , 8, 722141 | 4.9 | 0 |
| 203 | Comparison of the Efficacy of Polaprezinc Plus Proton Pump Inhibitor and Rebamipide Plus Proton Pump Inhibitor Treatments for Endoscopic Submucosal Dissection-induced Ulcers. <i>Journal of Clinical Gastroenterology</i> , 2021 , 55, 233-238 | 3 | 4 |
| 202 | 2020 Seoul Consensus on the Diagnosis and Management of Gastroesophageal Reflux Disease. <i>Journal of Neurogastroenterology and Motility</i> , 2021 , 27, 453-481 | 4.4 | 9 |
| 201 | Prediction model for bleeding after endoscopic submucosal dissection of gastric neoplasms from a high-volume center. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2217-2223 | 4 | 3 |
| 200 | A Systematic Review and Meta-analysis of Randomized Control Trials: Combination Treatment With Proton Pump Inhibitor Plus Prokinetic for Gastroesophageal Reflux Disease. <i>Journal of Neurogastroenterology and Motility</i> , 2021 , 27, 165-175 | 4.4 | 5 |
| 199 | HOTAIR Induces Methylation of PCDH10, a Tumor Suppressor Gene, by Regulating DNMT1 and Sponging with miR-148b in Gastric Adenocarcinoma. <i>Yonsei Medical Journal</i> , 2021 , 62, 118-128 | 3 | 7 |
| 198 | Long-Term Outcomes and Prognostic Factors of Endoscopic Submucosal Dissection for Early Gastric Cancer in Patients Aged ≥5 Years. <i>Cancers</i> , 2020 , 12, | 6.6 | 5 |
| 197 | Comparison of general anesthesia and conscious sedation in procedure-related complications during esophageal endoscopic submucosal dissection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 3560-3566 | 5.2 | 5 |
| 196 | Exploring Esophageal Microbiomes in Esophageal Diseases: A Systematic Review. <i>Journal of Neurogastroenterology and Motility</i> , 2020 , 26, 171-179 | 4.4 | 20 |
| 195 | Statins and metachronous recurrence after endoscopic resection of early gastric cancer: a nationwide Korean cohort study. <i>Gastric Cancer</i> , 2020 , 23, 659-666 | 7.6 | 4 |
| 194 | Therapeutic potential of FLANC, a novel primate-specific long non-coding RNA in colorectal cancer. <i>Gut</i> , 2020 , 69, 1818-1831 | 19.2 | 49 |
| 193 | LUCAT1 Epigenetically Downregulates the Tumor Suppressor Genes and in Gastric Cancer. <i>Yonsei Medical Journal</i> , 2020 , 61, 923-934 | 3 | 1 |
| 192 | Efficacy of Endoscopic Vacuum-Assisted Closure Treatment for Postoperative Anastomotic Leak in Gastric Cancer. <i>Gut and Liver</i> , 2020 , 14, 746-754 | 4.8 | 5 |

| | | | |
|-----|---|------|----|
| 191 | Stratification of Postsurgical Computed Tomography Surveillance Based on the Extragastric Recurrence of Early Gastric Cancer. <i>Annals of Surgery</i> , 2020 , 272, 319-325 | 7.8 | 7 |
| 190 | Treatment of non-erosive reflux disease and dynamics of the esophageal microbiome: a prospective multicenter study. <i>Scientific Reports</i> , 2020 , 10, 15154 | 4.9 | 6 |
| 189 | Fecal Microbiota Transplantation for multidrug-resistant organism: Efficacy and Response prediction. <i>Journal of Infection</i> , 2020 , 81, 719-725 | 18.9 | 8 |
| 188 | Randomised phase 3 trial: tegoprazan, a novel potassium-competitive acid blocker, vs. esomeprazole in patients with erosive oesophagitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 49, 864-872 | 6.1 | 23 |
| 187 | Prospective comparative study of endoscopic ultrasonography-guided fine-needle biopsy and unroofing biopsy. <i>Digestive and Liver Disease</i> , 2019 , 51, 831-836 | 3.3 | 4 |
| 186 | Noninvasive prediction model for diagnosing gastrointestinal stromal tumors using contrast-enhanced harmonic endoscopic ultrasound. <i>Digestive and Liver Disease</i> , 2019 , 51, 985-992 | 3.3 | 8 |
| 185 | Phase II trial of preoperative sequential chemotherapy followed by chemoradiotherapy for high-risk gastric cancer. <i>Radiotherapy and Oncology</i> , 2019 , 140, 143-149 | 5.3 | 3 |
| 184 | Prospective comparative study of endoscopic ultrasonography-guided fine-needle biopsy and unroofing biopsy.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 38-38 | 2.2 | 1 |
| 183 | Insulin Resistance Is Associated with Early Gastric Cancer: A Prospective Multicenter Case Control Study. <i>Gut and Liver</i> , 2019 , 13, 154-160 | 4.8 | 12 |
| 182 | Management of Clinical T1N0M0 Esophageal Cancer. <i>Gut and Liver</i> , 2019 , 13, 315-324 | 4.8 | 3 |
| 181 | The Clinical Efficacy of a Pure Alginate Formulation (Lamina G) for Controlling Symptoms in Individuals with Reflux Symptoms: A Randomized Clinical Study. <i>Gut and Liver</i> , 2019 , 13, 642-648 | 4.8 | 4 |
| 180 | Long Noncoding RNA N-BLR Upregulates the Migration and Invasion of Gastric Adenocarcinoma. <i>Gut and Liver</i> , 2019 , 13, 421-429 | 4.8 | 8 |
| 179 | Usefulness of Probe-Based Confocal Laser Endomicroscopy for Esophageal Squamous Cell Neoplasm. <i>Clinical Endoscopy</i> , 2019 , 52, 91-92 | 2.5 | 1 |
| 178 | 2584. Effects of Fecal Microbiota Transplantation for Decolonizing Multidrug-Resistant Organism. <i>Open Forum Infectious Diseases</i> , 2019 , 6, S897-S898 | 1 | 78 |
| 177 | HERES, a lncRNA that regulates canonical and noncanonical Wnt signaling pathways via interaction with EZH2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 24620-24629 | 11.5 | 31 |
| 176 | Role of probe-based confocal laser endomicroscopy-targeted biopsy in the molecular and histopathological study of gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 84-91 | 4 | 13 |
| 175 | Evaluation of gastric microbiome and metagenomic function in patients with intestinal metaplasia using 16S rRNA gene sequencing. <i>Helicobacter</i> , 2019 , 24, e12547 | 4.9 | 39 |
| 174 | Comparison of long-term clinical outcomes between endoscopic and surgical resection for early-stage adenocarcinoma of the esophagogastric junction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 3540-3547 | 5.2 | 8 |

| | | | |
|-----|---|------|----|
| 173 | Effectiveness of the polysaccharide hemostatic powder in non-variceal upper gastrointestinal bleeding: Using propensity score matching. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1500-1506 | 4 | 11 |
| 172 | The long noncoding RNA LUCAT1 promotes tumorigenesis by controlling ubiquitination and stability of DNA methyltransferase 1 in esophageal squamous cell carcinoma. <i>Cancer Letters</i> , 2018 , 417, 47-57 | 9.9 | 92 |
| 171 | Comparative study between endoscopic submucosal dissection and surgery in patients with early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 73-86 | 5.2 | 44 |
| 170 | Effect of the midazolam added with propofol-based sedation in esophagogastroduodenoscopy: A randomized trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 894-899 | 4 | 8 |
| 169 | Long-term outcomes of endoscopic submucosal dissection in comparison to surgery in undifferentiated-type intramucosal gastric cancer using propensity score analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 2046-2057 | 5.2 | 22 |
| 168 | Long-term outcomes after noncurative endoscopic resection of early gastric cancer: the optimal time for additional endoscopic treatment. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 1003-1013.e2 | 5.2 | 30 |
| 167 | Efficacy of hemostatic powder in preventing bleeding after gastric endoscopic submucosal dissection in high-risk patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 656-663 ⁴ | | 8 |
| 166 | Three-year colonoscopy surveillance after polypectomy in Korea: a Korean Association for the Study of Intestinal Diseases (KASID) multicenter prospective study. <i>Intestinal Research</i> , 2018 , 16, 126-133 ^{4.1} | | 9 |
| 165 | Application of Long Non-coding RNAs in Gastric Cancer. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2018 , 18, 174 | 0.4 | |
| 164 | Efficacy and Safety of UI05MSP015CT in Functional Dyspepsia: A Randomized, Controlled Trial. <i>Gut and Liver</i> , 2018 , 12, 516-522 | 4.8 | 5 |
| 163 | Prospective Single Arm Study on the Effect of Ilaprazole in Patients with Heartburn but No Reflux Esophagitis. <i>Yonsei Medical Journal</i> , 2018 , 59, 951-959 | 3 | 2 |
| 162 | Hemostatic powder application for control of acute upper gastrointestinal bleeding in patients with gastric malignancy. <i>Endoscopy International Open</i> , 2018 , 6, E700-E705 | 3 | 12 |
| 161 | MALAT1 promoted invasiveness of gastric adenocarcinoma. <i>BMC Cancer</i> , 2017 , 17, 46 | 4.8 | 43 |
| 160 | Additive endoscopic resection may be sufficient for patients with a positive lateral margin after endoscopic resection of early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2017 , 86, 849-856 | 5.2 | 14 |
| 159 | N-BLR, a primate-specific non-coding transcript leads to colorectal cancer invasion and migration. <i>Genome Biology</i> , 2017 , 18, 98 | 18.3 | 75 |
| 158 | Long non-coding RNA, steroid receptor RNA activator (SRA), induces tumor proliferation and invasion through the NOTCH pathway in cervical cancer cell lines. <i>Oncology Reports</i> , 2017 , 38, 3481-3488 ^{3.5} | | 33 |
| 157 | Gastric Mucosal Calcinosis. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2017 , 70, 208 | 0.6 | |
| 156 | Clinical Outcomes of Endoscopic Hemostasis for Bleeding in Patients with Unresectable Advanced Gastric Cancer. <i>Journal of Gastric Cancer</i> , 2017 , 17, 374-383 | 3.2 | 10 |

| | | | |
|-----|---|-----|----|
| 155 | Prediction model for non-curative resection of endoscopic submucosal dissection in patients with early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 976-983 | 5.2 | 23 |
| 154 | Patient satisfaction after endoscopic submucosal dissection under propofol-based sedation: a small premedication makes all the difference. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 2636-2644 | 5.2 | 7 |
| 153 | Additive treatment improves survival in elderly patients after non-curative endoscopic resection for early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 1376-1382 | 5.2 | 12 |
| 152 | Histologic purity of signet ring cell carcinoma is a favorable risk factor for lymph node metastasis in poorly cohesive, submucosa-invasive early gastric carcinoma. <i>Gastric Cancer</i> , 2017 , 20, 583-590 | 7.6 | 24 |
| 151 | Distinct expression profile of key molecules in crawling-type early gastric carcinoma. <i>Gastric Cancer</i> , 2017 , 20, 612-619 | 7.6 | 4 |
| 150 | Probe-based confocal laser endomicroscopy in the margin delineation of early gastric cancer for endoscopic submucosal dissection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1046-1054 | 4 | 12 |
| 149 | Complementary utility of targeted next-generation sequencing and immunohistochemistry panels as a screening platform to select targeted therapy for advanced gastric cancer. <i>Oncotarget</i> , 2017 , 8, 38389-38398 | 3.3 | 7 |
| 148 | Analysis of the Clinicopathological Characteristics of Gastric Cancer in Extremely Old Patients. <i>Cancer Research and Treatment</i> , 2017 , 49, 204-212 | 5.2 | 8 |
| 147 | Dose-Response Relationship between Radiation Dose and Loco-regional Control in Patients with Stage II-III Esophageal Cancer Treated with Definitive Chemoradiotherapy. <i>Cancer Research and Treatment</i> , 2017 , 49, 669-677 | 5.2 | 30 |
| 146 | Postoperative Infection as a Prognostic Factor for Gastric Cancer Patients after Curative Resection. <i>Gut and Liver</i> , 2017 , 11, 635-641 | 4.8 | 5 |
| 145 | Patients' Preferences for Primary Colorectal Cancer Screening: A Survey of the National Colorectal Cancer Screening Program in Korea. <i>Gut and Liver</i> , 2017 , 11, 821-827 | 4.8 | 12 |
| 144 | Endoscopic Management of Gastrointestinal Leaks and Perforation with Polyglycolic Acid Sheets. <i>Clinical Endoscopy</i> , 2017 , 50, 293-296 | 2.5 | 6 |
| 143 | Oxyntic Gland Adenoma Treated by Endoscopic Mucosal Resection. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2017 , 17, 94 | 0.4 | |
| 142 | Endoscopic Findings of Gastric Extranodal Marginal Zone B-Cell Mucosa-Associated Lymphoid Tissue Lymphoma. <i>Clinical Endoscopy</i> , 2017 , 50, 1-2 | 2.5 | |
| 141 | Is the recent WHO histological classification for gastric cancer helpful for application to endoscopic resection?. <i>Gastric Cancer</i> , 2016 , 19, 869-75 | 7.6 | 17 |
| 140 | Polyglycolic acid sheet application to prevent esophageal stricture after endoscopic submucosal dissection for recurrent esophageal cancer. <i>Endoscopy</i> , 2016 , 48, E319-E320 | 3.4 | 7 |
| 139 | The new modified ABCD method for gastric neoplasm screening. <i>Gastric Cancer</i> , 2016 , 19, 128-35 | 7.6 | 15 |
| 138 | A specific role of endoscopic ultrasonography for therapeutic decision-making in patients with gastric cardia cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 4193-9 | 5.2 | 6 |

| | | | |
|-----|--|-----|----|
| 137 | Clinical outcomes of and management strategy for perforations associated with endoscopic submucosal dissection of an upper gastrointestinal epithelial neoplasm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 5059-5067 | 5.2 | 10 |
| 136 | Incidence and impact of scheduled endoscopic surveillance on recurrence after curative endoscopic resection for early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 628-638.e1 | 5.2 | 31 |
| 135 | Impact of the Surveillance Interval on the Survival of Patients Who Undergo Curative Surgery for Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 539-45 | 3.1 | 11 |
| 134 | Noninvasive Prediction of Erosive Esophagitis Using a Controlled Attenuation Parameter (CAP)-Based Risk Estimation Model. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 507-16 | 4 | 2 |
| 133 | Periodic Endoscopies Might Not Increase the Detection of Early Gastric Cancer in a Young Population. <i>PLoS ONE</i> , 2016 , 11, e0159759 | 3.7 | 3 |
| 132 | Promoter methylation of PCDH10 by HOTAIR regulates the progression of gastrointestinal stromal tumors. <i>Oncotarget</i> , 2016 , 7, 75307-75318 | 3.3 | 26 |
| 131 | Receptor tyrosine kinase amplified gastric cancer: Clinicopathologic characteristics and proposed screening algorithm. <i>Oncotarget</i> , 2016 , 7, 72099-72112 | 3.3 | 11 |
| 130 | PIK3CA amplification is associated with poor prognosis among patients with curatively resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 30691-701 | 3.3 | 15 |
| 129 | Antral or Pyloric Deformity Is a Risk Factor for the Development of Postendoscopic Submucosal Dissection Pyloric Strictures. <i>Gut and Liver</i> , 2016 , 10, 757-63 | 4.8 | 2 |
| 128 | National Endoscopy Quality Improvement Program Remains Suboptimal in Korea. <i>Gut and Liver</i> , 2016 , 10, 699-705 | 4.8 | 13 |
| 127 | Feedback Survey of the Effect, Burden, and Cost of the National Endoscopic Quality Assessment Program during the Past 5 Years in Korea. <i>Clinical Endoscopy</i> , 2016 , 49, 542-547 | 2.5 | 5 |
| 126 | Clinicopathological Characteristics of Patients with Gastric Cancer according to the Expression of LIN28A. <i>Gut and Liver</i> , 2016 , 10, 714-8 | 4.8 | |
| 125 | Meeting Report and Special Issue Preface: International Digestive Endoscopy Network (IDEN) 2016. <i>Clinical Endoscopy</i> , 2016 , 49, 403 | 2.5 | |
| 124 | The Influence of Proton Pump Inhibitor Use on the Gut Microbiome. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2016 , 68, 288 | 0.6 | |
| 123 | Comprehensive expression profiles of gastric cancer molecular subtypes by immunohistochemistry: implications for individualized therapy. <i>Oncotarget</i> , 2016 , 7, 44608-44620 | 3.3 | 31 |
| 122 | Room for Quality Improvement in Endoscopist-Directed Sedation: Results from the First Nationwide Survey in Korea. <i>Gut and Liver</i> , 2016 , 10, 83-94 | 4.8 | 18 |
| 121 | Low Incidence of Synchronous or Metachronous Tumors after Endoscopic Submucosal Dissection for Early Gastric Cancer with Undifferentiated Histology. <i>PLoS ONE</i> , 2016 , 11, e0147874 | 3.7 | 10 |
| 120 | Investigation of Endoscopic and Pathologic Features for Safe Endoscopic Treatment of Superficial Spreading Early Gastric Cancer. <i>Medicine (United States)</i> , 2016 , 95, e3242 | 1.8 | 2 |

| | | | |
|-----|---|------|----|
| 119 | Endoscopic quality indicators for esophagogastroduodenoscopy in gastric cancer screening. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 38-46 | 4 | 19 |
| 118 | Early gastric cancer with mixed histology predominantly of differentiated type is a distinct subtype with different therapeutic outcomes of endoscopic resection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 1787-94 | 5.2 | 14 |
| 117 | What are the risk factors for residual tumor cells after endoscopic complete resection in gastric epithelial neoplasia?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 487-92 | 5.2 | 9 |
| 116 | Safety and feasibility of simultaneous endoscopic submucosal dissection for multiple gastric neoplasias. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 3690-7 | 5.2 | 7 |
| 115 | Impact of periodic endoscopy on incidentally diagnosed gastric gastrointestinal stromal tumors: findings in surgically resected and confirmed lesions. <i>Annals of Surgical Oncology</i> , 2015 , 22, 2933-9 | 3.1 | 16 |
| 114 | Treatment Strategy after Endoscopic Resection of Superficial Esophageal Squamous Cell Carcinoma: A Single Institution Experience. <i>Gut and Liver</i> , 2015 , 9, 714-9 | 4.8 | 6 |
| 113 | Learning curve for EUS in gastric cancer T staging by using cumulative sum analysis. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 898-905.e1 | 5.2 | 12 |
| 112 | Clinical predictors associated with proton pump inhibitor-induced hypomagnesemia. <i>American Journal of Therapeutics</i> , 2015 , 22, 14-21 | 1 | 22 |
| 111 | Feasibility of terahertz reflectometry for discrimination of human early gastric cancers. <i>Biomedical Optics Express</i> , 2015 , 6, 1398-406 | 3.5 | 47 |
| 110 | The optimal serum pepsinogen cut-off value for predicting histologically confirmed atrophic gastritis. <i>Digestive and Liver Disease</i> , 2015 , 47, 663-8 | 3.3 | 16 |
| 109 | Preventing metachronous gastric lesions after endoscopic submucosal dissection through <i>Helicobacter pylori</i> eradication. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 75-81 | 4 | 20 |
| 108 | Does Sedation Affect Examination of Esophagogastric Junction during Upper Endoscopy?. <i>Yonsei Medical Journal</i> , 2015 , 56, 1566-71 | 3 | 4 |
| 107 | The Korean guideline for gastric cancer screening. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 373 | 0.5 | 23 |
| 106 | <i>Helicobacter pylori</i> Eradication Reduces the Metachronous Recurrence of Gastric Neoplasms by Attenuating the Precancerous Process. <i>Journal of Gastric Cancer</i> , 2015 , 15, 246-55 | 3.2 | 12 |
| 105 | <i>Helicobacter pylori</i> Eradication on the Prevention of Metachronous Lesions after Endoscopic Resection of Gastric Neoplasm: A Meta-Analysis. <i>PLoS ONE</i> , 2015 , 10, e0124725 | 3.7 | 27 |
| 104 | Comparison of the efficacy and safety of sedation between dexmedetomidine-remifentaniol and propofol-remifentaniol during endoscopic submucosal dissection. <i>World Journal of Gastroenterology</i> , 2015 , 21, 3671-8 | 5.6 | 32 |
| 103 | Factors that affect visibility during endoscopic hemostasis for upper GI bleeding: a prospective study. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 1392-400 | 5.2 | 1 |
| 102 | Fluorescent iodized emulsion for pre- and intraoperative sentinel lymph node imaging: validation in a preclinical model. <i>Radiology</i> , 2015 , 275, 196-204 | 20.5 | 19 |

| | | | |
|-----|---|-----|----|
| 101 | Impact of carcinomatosis and ascites status on long-term outcomes of palliative treatment for patients with gastric outlet obstruction caused by unresectable gastric cancer: stent placement versus palliative gastrojejunostomy. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 321-32 | 5.2 | 33 |
| 100 | Assessing the stability and safety of procedure during endoscopic submucosal dissection according to sedation methods: a randomized trial. <i>PLoS ONE</i> , 2015 , 10, e0120529 | 3.7 | 20 |
| 99 | Helicobacter pylori Eradication Prevents Metachronous Gastric Neoplasms after Endoscopic Resection of Gastric Dysplasia. <i>PLoS ONE</i> , 2015 , 10, e0143257 | 3.7 | 23 |
| 98 | Fibroblast growth factor receptor 1 gene amplification is associated with poor survival in patients with resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 2562-72 | 3.3 | 27 |
| 97 | Phase II clinical and exploratory biomarker study of dacomitinib in recurrent and/or metastatic esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 44971-84 | 3.3 | 10 |
| 96 | Second-look endoscopy after gastric endoscopic submucosal dissection for reducing delayed postoperative bleeding. <i>Gut and Liver</i> , 2015 , 9, 43-51 | 4.8 | 10 |
| 95 | Clinical efficacy of endoscopic treatment for benign colorectal stricture: balloon dilatation versus stenting. <i>Gut and Liver</i> , 2015 , 9, 73-9 | 4.8 | 11 |
| 94 | Clinicopathologic characteristics of interval gastric cancer in Korea. <i>Gut and Liver</i> , 2015 , 9, 166-73 | 4.8 | 11 |
| 93 | Multicentric Type 3 Gastric Neuroendocrine Tumors. <i>Clinical Endoscopy</i> , 2015 , 48, 431-5 | 2.5 | 2 |
| 92 | Usefulness and Future Prospects of Confocal Laser Endomicroscopy for Gastric Premalignant and Malignant Lesions. <i>Clinical Endoscopy</i> , 2015 , 48, 511-5 | 2.5 | 6 |
| 91 | The efficacy of single-dose postoperative intravenous dexamethasone for pain relief after endoscopic submucosal dissection for gastric neoplasm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2334-41 | 5.2 | 11 |
| 90 | Carcinomatosis matters: clinical outcomes and prognostic factors for clinical success of stent placement in malignant gastric outlet obstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 988-95 | 5.2 | 21 |
| 89 | Self-expanding metal stents or nonstent endoscopic therapy: which is better for anastomotic leaks after total gastrectomy?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 833-40 | 5.2 | 19 |
| 88 | A prospective phase II trial of S-1 and cisplatin-based chemoradiotherapy for locoregionally advanced esophageal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 665-71 | 3.5 | 21 |
| 87 | Size discrepancy between endoscopic size and pathologic size is not negligible in endoscopic resection for early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2199-207 | 5.2 | 17 |
| 86 | Clinicopathologic factors and outcomes of histologic discrepancy between differentiated and undifferentiated types after endoscopic resection of early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2097-105 | 5.2 | 18 |
| 85 | Can we apply the same indication of endoscopic submucosal dissection for primary gastric cancer to remnant gastric cancer?. <i>Gastric Cancer</i> , 2014 , 17, 310-5 | 7.6 | 6 |
| 84 | Tumour size is related to the curability of signet ring cell early gastric cancer with endoscopic submucosal dissection: a retrospective single centre study. <i>Digestive and Liver Disease</i> , 2014 , 46, 898-902 ³ | 3.3 | 12 |

| | | | |
|----|---|-----|----|
| 83 | Sedation for interventional gastrointestinal endoscopic procedures: are we overlooking the pain? <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 100-7 | 5.2 | 18 |
| 82 | Follow-up outcomes of endoscopic resection for early gastric cancer with undifferentiated histology. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2627-33 | 5.2 | 39 |
| 81 | Clinical safety of endoscopic submucosal dissection compared with surgery in elderly patients with early gastric cancer: a propensity-matched analysis. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 599-609 | 5.2 | 68 |
| 80 | Long non-coding RNA HOTAIR promotes carcinogenesis and invasion of gastric adenocarcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 451, 171-8 | 3.4 | 72 |
| 79 | Prognostic value of neutrophil-to-lymphocyte ratio in patients treated with concurrent chemoradiotherapy for locally advanced oesophageal cancer. <i>Digestive and Liver Disease</i> , 2014 , 46, 846-53 | 3.3 | 35 |
| 78 | Impact of metabolic syndrome on oncologic outcome after radical gastrectomy for gastric cancer. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2014 , 38, 372-8 | 2.4 | 15 |
| 77 | The association between the use of proton pump inhibitors and the risk of hypomagnesemia: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e112558 | 3.7 | 76 |
| 76 | Bispectral index monitoring during anesthesiologist-directed propofol and remifentanyl sedation for endoscopic submucosal dissection: a prospective randomized controlled trial. <i>Yonsei Medical Journal</i> , 2014 , 55, 1421-9 | 3 | 10 |
| 75 | Effects of the New Prokinetic Agent DA-9701 Formulated With Corydalis Tuber and Pharbitis Seed in Patients With Minimal Change Esophagitis: A Bicenter, Randomized, Double Blind, Placebo-controlled Study. <i>Journal of Neurogastroenterology and Motility</i> , 2014 , 20, 338-46 | 4.4 | 8 |
| 74 | Terahertz spectroscopic imaging and properties of gastrointestinal tract in a rat model. <i>Biomedical Optics Express</i> , 2014 , 5, 4162-70 | 3.5 | 25 |
| 73 | Endoscopic hemostasis using a gauze-ball compression method. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E395-6 | 3.4 | 1 |
| 72 | Endoscopic pyloromyotomy for postesophagectomy gastric outlet obstruction. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E345-6 | 3.4 | 32 |
| 71 | Prediction of survival by tumor area on endosonography after definitive chemoradiotherapy for locally advanced squamous cell carcinoma of the esophagus. <i>Digestion</i> , 2014 , 90, 98-107 | 3.6 | 4 |
| 70 | The optimal endoscopic screening interval for detecting early gastric neoplasms. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 253-9 | 5.2 | 17 |
| 69 | Pre-treatment neutrophil to lymphocyte ratio as a prognostic marker to predict chemotherapeutic response and survival outcomes in metastatic advanced gastric cancer. <i>Gastric Cancer</i> , 2014 , 17, 703-10 | 7.6 | 81 |
| 68 | Safety and patient satisfaction of early diet after endoscopic submucosal dissection for gastric epithelial neoplasia: a prospective, randomized study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1321-9 | 5.2 | 12 |
| 67 | Endoscopic submucosal dissection for undifferentiated-type early gastric cancer: do we have enough data to support this?. <i>World Journal of Gastroenterology</i> , 2014 , 20, 3938-49 | 5.6 | 16 |
| 66 | Impact of tumor location on clinical outcomes of gastric endoscopic submucosal dissection. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8631-7 | 5.6 | 18 |

| | | | |
|----|---|-----|----|
| 65 | Endoscopy-guided balloon dilation of benign anastomotic strictures after radical gastrectomy for gastric cancer. <i>Gut and Liver</i> , 2014 , 8, 394-9 | 4.8 | 9 |
| 64 | Endoscopist-directed propofol: pros and cons. <i>Clinical Endoscopy</i> , 2014 , 47, 129-34 | 2.5 | 9 |
| 63 | Quality indicator for esophagogastroduodenoscopy in screening gastric cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 25-25 | 2.2 | |
| 62 | Sedation methods can determine performance of endoscopic submucosal dissection in patients with gastric neoplasia. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2760-7 | 5.2 | 40 |
| 61 | Which should go first during same-day upper and lower gastrointestinal endoscopy? A randomized prospective study focusing on colonoscopy performance. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2209-15 | 5.2 | 13 |
| 60 | Impact of cumulative time on the clinical outcomes of endoscopic submucosal dissection in gastric neoplasm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 1397-403 | 5.2 | 21 |
| 59 | Prognostic value of early postoperative tumor marker response in gastric cancer. <i>Annals of Surgical Oncology</i> , 2013 , 20, 3905-11 | 3.1 | 32 |
| 58 | Risk factors and prognosis of pulmonary complications after endoscopic submucosal dissection for gastric neoplasia. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 540-6 | 4 | 42 |
| 57 | Endoscopic management of anastomotic leakage after gastrectomy for gastric cancer: how efficacious is it?. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 111-8 | 2.4 | 33 |
| 56 | Effect of acid swallowing on esophageal contraction in patients with heartburn related to hypersensitivity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 84-9 | 4 | 7 |
| 55 | Long-term outcome of early gastric cancer after endoscopic submucosal dissection: expanded indication is comparable to absolute indication. <i>Digestive and Liver Disease</i> , 2013 , 45, 651-6 | 3.3 | 68 |
| 54 | High level of preoperative carbohydrate antigen 19-9 is a poor survival predictor in gastric cancer. <i>World Journal of Gastroenterology</i> , 2013 , 19, 5302-8 | 5.6 | 23 |
| 53 | Transition zone defect associated with the response to proton pump inhibitor treatment in patients with globus sensation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 954-62 | 4 | 4 |
| 52 | Low-dose amitriptyline combined with proton pump inhibitor for functional chest pain. <i>World Journal of Gastroenterology</i> , 2013 , 19, 4958-65 | 5.6 | 18 |
| 51 | Preventing and controlling bleeding in gastric endoscopic submucosal dissection. <i>Clinical Endoscopy</i> , 2013 , 46, 456-62 | 2.5 | 27 |
| 50 | Segmental changes in smooth muscle contraction as a predictive factor of the response to high-dose proton pump inhibitor treatment in patients with functional chest pain. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1192-9 | 4 | 2 |
| 49 | Preliminary study of enteroscopy-guided, self-expandable metal stent placement for malignant small bowel obstruction. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1181-6 | 4 | 20 |
| 48 | Multifocality in early gastric cancer does not increase the risk of lymph node metastasis in a single-center study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1251-6 | 3.1 | 10 |

| | | | |
|----|---|-----|----|
| 47 | Clinical features and predictive factors of coagulation syndrome after endoscopic submucosal dissection for early gastric neoplasm. <i>Gastric Cancer</i> , 2012 , 15, 83-90 | 7.6 | 35 |
| 46 | Metabolic syndrome is an independent risk factor for synchronous colorectal neoplasm in patients with gastric neoplasm. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1490-7 | 4 | 8 |
| 45 | Clinical outcomes of secondary stent-in-stent self-expanding metal stent placement for primary stent malfunction in malignant gastric outlet obstruction. <i>Digestive and Liver Disease</i> , 2012 , 44, 999-1005 | 3.3 | 17 |
| 44 | Participation and conflict in the decision-making process for endoscopic resection or surgical gastrectomy for early gastric cancer. <i>Journal of Surgical Oncology</i> , 2012 , 106, 101-6 | 2.8 | 4 |
| 43 | Predictive value of pretreatment metabolic activity measured by fluorodeoxyglucose positron emission tomography in patients with metastatic advanced gastric cancer: the maximal SUV of the stomach is a prognostic factor. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1107-16 | 8.8 | 29 |
| 42 | Nanoscale iodized oil emulsion: a useful tracer for pretreatment sentinel node detection using CT lymphography in a normal canine gastric model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 2267-74 | 5.2 | 16 |
| 41 | The diagnostic role of endoscopic submucosal dissection for gastric lesions with indefinite pathology. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 1101-7 | 2.4 | 8 |
| 40 | Increased incidence of endoscopic erosive esophagitis in solid organ transplant recipients. <i>Gut and Liver</i> , 2012 , 6, 349-54 | 4.8 | 4 |
| 39 | How to manage pyloric tumours that are difficult to resect completely with endoscopic resection: comparison of the retroflexion vs. forward view technique. <i>Digestive and Liver Disease</i> , 2011 , 43, 958-64 | 3.3 | 7 |
| 38 | Anti-alpha-enolase antibody as a serologic marker and its correlation with disease severity in intestinal Behçet's disease. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 812-8 | 4 | 21 |
| 37 | Early gastric cancer of signet ring cell carcinoma is more amenable to endoscopic treatment than is early gastric cancer of poorly differentiated tubular adenocarcinoma in select tumor conditions. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 3087-93 | 5.2 | 46 |
| 36 | Influence of the insertion time and number of polyps on miss rate in colonoscopy. <i>Scandinavian Journal of Gastroenterology</i> , 2011 , 46, 634-9 | 2.4 | 18 |
| 35 | Comparison of procedural sequences in same-day bidirectional endoscopy without benzodiazepine and propofol sedation: starting at the bottom or the top. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 899-904 | 4 | 14 |
| 34 | Rebamipide may be comparable to H2 receptor antagonist in healing iatrogenic gastric ulcers created by endoscopic mucosal resection: a prospective randomized pilot study. <i>Journal of Korean Medical Science</i> , 2010 , 25, 583-8 | 4.7 | 5 |
| 33 | Undifferentiated histology after endoscopic resection may predict synchronous and metachronous occurrence of early gastric cancer. <i>Digestion</i> , 2010 , 81, 35-42 | 3.6 | 34 |
| 32 | Long-term clinical outcomes of self-expanding metal stents for treatment of malignant gastroesophageal junction obstructions and prognostic factors for stent patency: effects of anticancer treatments. <i>Digestive and Liver Disease</i> , 2010 , 42, 436-40 | 3.3 | 13 |
| 31 | Clinical implication of positive oral contrast computed tomography for the evaluation of postoperative leakage after gastrectomy for gastric cancer. <i>Journal of Computer Assisted Tomography</i> , 2010 , 34, 537-42 | 2.2 | 9 |
| 30 | Clinicopathological features and prognostic factors of proximal gastric carcinoma in a population with high Helicobacter pylori prevalence: a single-center, large-volume study in Korea. <i>Annals of Surgical Oncology</i> , 2010 , 17, 829-37 | 3.1 | 30 |

| | | | |
|----|---|-----|-----|
| 29 | Chronological changes in the systemic manifestations of intestinal Behcet's disease and their significance in diagnosis. <i>International Journal of Colorectal Disease</i> , 2010 , 25, 1371-6 | 3 | 6 |
| 28 | Predictive factors for local recurrence after endoscopic resection for early gastric cancer: long-term clinical outcome in a single-center experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 2842-9 | 5.2 | 67 |
| 27 | Bifidobacterium lactis inhibits NF-kappaB in intestinal epithelial cells and prevents acute colitis and colitis-associated colon cancer in mice. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 1514-25 | 4.5 | 76 |
| 26 | CT colonography for postoperative surveillance after curative gastrectomy in patients with gastric cancer. <i>Journal of Surgical Oncology</i> , 2010 , 102, 593-8 | 2.8 | |
| 25 | A Pilot Study of Sequential Capsule Endoscopy Using MiroCam and PillCam SB Devices with Different Transmission Technologies. <i>Gut and Liver</i> , 2010 , 4, 192-200 | 4.8 | 31 |
| 24 | Benefits of recurrent colonic stent insertion in a patient with advanced gastric cancer with carcinomatosis causing colonic obstruction. <i>Yonsei Medical Journal</i> , 2009 , 50, 296-9 | 3 | 2 |
| 23 | The prevalence and clinical characteristics of esophageal involvement in patients with Behçet's disease: a single center experience in Korea. <i>Journal of Korean Medical Science</i> , 2009 , 24, 52-6 | 4.7 | 36 |
| 22 | Clinicopathological aspects and prognostic value with respect to age: an analysis of 3,362 consecutive gastric cancer patients. <i>Journal of Surgical Oncology</i> , 2009 , 99, 395-401 | 2.8 | 77 |
| 21 | The effect of <i>Saccharomyces boulardii</i> on human colon cells and inflammation in rats with trinitrobenzene sulfonic acid-induced colitis. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 255-63 | 4 | 36 |
| 20 | Efficacy of prepackaged, low residual test meals with 4L polyethylene glycol versus a clear liquid diet with 4L polyethylene glycol bowel preparation: a randomized trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 988-91 | 4 | 60 |
| 19 | Endoscopic resection for undifferentiated early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, e1-9.2 | | 76 |
| 18 | Extracolonic findings of computed tomographic colonography in Koreans. <i>World Journal of Gastroenterology</i> , 2009 , 15, 1487-92 | 5.6 | 13 |
| 17 | Achalasia combined with esophageal cancer treated by concurrent chemoradiation therapy. <i>Gut and Liver</i> , 2009 , 3, 329-33 | 4.8 | 1 |
| 16 | An adequate level of training for technical competence in screening and diagnostic colonoscopy: a prospective multicenter evaluation of the learning curve. <i>Gastrointestinal Endoscopy</i> , 2008 , 67, 683-9 | 5.2 | 117 |
| 15 | Effect of <i>Lactobacillus GG</i> and conditioned media on IL-1beta-induced IL-8 production in Caco-2 cells. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 938-47 | 2.4 | 17 |
| 14 | Efficacy of chromoendoscopy with indigocarmine for the detection of ascending colon and cecum lesions. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 878-85 | 2.4 | 24 |
| 13 | Comparison of the clinicopathologic features between flat and polypoid adenoma. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1116-21 | 2.4 | 19 |
| 12 | Clinicopathologic findings of colorectal traditional and sessile serrated adenomas in Korea: a multicenter study. <i>Digestion</i> , 2008 , 77, 178-83 | 3.6 | 19 |

| | | | |
|----|--|-----|----|
| 11 | Needle knife-assisted endoscopic polypectomy for a large inflammatory fibroid colon polyp by making its stalk into an omega shape using an endoloop. <i>Yonsei Medical Journal</i> , 2008 , 49, 680-6 | 3 | 3 |
| 10 | Twenty cases of restorative proctocolectomy for ulcerative colitis of Asian patients: analysis of operative safety and functional outcomes in single institution experience. <i>International Journal of Colorectal Disease</i> , 2008 , 23, 131-2 | 3 | 4 |
| 9 | Simultaneous robotic total mesorectal excision and total abdominal hysterectomy for rectal cancer and uterine myoma. <i>International Journal of Colorectal Disease</i> , 2008 , 23, 207-8 | 3 | 9 |
| 8 | Robotic total mesorectal excision for rectal cancer using four robotic arms. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2008 , 22, 792-7 | 5.2 | 79 |
| 7 | Helicobacter pylori eradication therapy may facilitate gastric ulcer healing after endoscopic mucosal resection: a prospective randomized study. <i>Helicobacter</i> , 2008 , 13, 564-71 | 4.9 | 19 |
| 6 | Clear cell adenocarcinoma of the sigmoid colon. <i>International Journal of Colorectal Disease</i> , 2007 , 22, 1543-1544 | 3 | 12 |
| 5 | Impact of prior abdominal or pelvic surgery on colonoscopy outcomes. <i>Journal of Clinical Gastroenterology</i> , 2006 , 40, 711-6 | 3 | 35 |
| 4 | Anti-Saccharomyces cerevisiae antibody in intestinal Behçet's disease patients: relation to clinical course. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 1849-59 | 3.1 | 37 |
| 3 | Cellular differentiation-induced attenuation of LPS response in HT-29 cells is related to the down-regulation of TLR4 expression. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 337, 457-63 | 3.4 | 41 |
| 2 | Long-term clinical outcome of large volume paracentesis with intravenous albumin in patients with spontaneous bacterial peritonitis: a randomized prospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005 , 20, 1215-22 | 4 | 16 |
| 1 | Low grade gastric mucosa associated lymphoid tissue lymphoma: treatment strategies based on 10 year follow-up. <i>World Journal of Gastroenterology</i> , 2004 , 10, 223-6 | 5.6 | 36 |