

Myra S Hunter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2740874/publications.pdf>

Version: 2024-02-01

100
papers

5,060
citations

81743

39
h-index

91712

69
g-index

100
all docs

100
docs citations

100
times ranked

3950
citing authors

#	ARTICLE	IF	CITATIONS
1	Critical research gaps and translational priorities for the successful prevention and treatment of breast cancer. <i>Breast Cancer Research</i> , 2013, 15, R92.	2.2	320
2	The South-East England longitudinal study of the climacteric and postmenopause. <i>Maturitas</i> , 1992, 14, 117-126.	1.0	261
3	The impact of attitudes towards the menopause on women's symptom experience: A systematic review. <i>Maturitas</i> , 2010, 65, 28-36.	1.0	258
4	The women's health questionnaire: A measure of mid-aged women's perceptions of their emotional and physical health. <i>Psychology and Health</i> , 1992, 7, 45-54.	1.2	239
5	Adherence beliefs among breast cancer patients taking tamoxifen. <i>Patient Education and Counseling</i> , 2005, 59, 97-102.	1.0	215
6	Cognitive behavioural treatment for women who have menopausal symptoms after breast cancer treatment (MENOS 1): a randomised controlled trial. <i>Lancet Oncology</i> , The, 2012, 13, 309-318.	5.1	205
7	Efficacy of Cognitive Behavioral Therapy and Physical Exercise in Alleviating Treatment-Induced Menopausal Symptoms in Patients With Breast Cancer: Results of a Randomized, Controlled, Multicenter Trial. <i>Journal of Clinical Oncology</i> , 2012, 30, 4124-4133.	0.8	182
8	A psychological analysis of menopausal hot flushes. <i>British Journal of Clinical Psychology</i> , 1995, 34, 589-599.	1.7	156
9	Neurokinin 3 receptor antagonism as a novel treatment for menopausal hot flushes: a phase 2, randomised, double-blind, placebo-controlled trial. <i>Lancet</i> , The, 2017, 389, 1809-1820.	6.3	149
10	Effectiveness of group and self-help cognitive behavior therapy in reducing problematic menopausal hot flushes and night sweats (MENOS 2). <i>Menopause</i> , 2012, 19, 749-759.	0.8	144
11	Bio-psycho-socio-cultural perspectives on menopause. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2007, 21, 261-274.	1.4	119
12	A cognitive model of menopausal hot flushes and night sweats. <i>Journal of Psychosomatic Research</i> , 2010, 69, 491-501.	1.2	110
13	Barriers and facilitators of adjuvant hormone therapy adherence and persistence in women with breast cancer: a systematic review. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 305-322.	0.8	106
14	Neurokinin B Administration Induces Hot Flushes in Women. <i>Scientific Reports</i> , 2015, 5, 8466.	1.6	96
15	Evaluation of a four-session cognitive-behavioural intervention for menopausal hot flushes. <i>British Journal of Health Psychology</i> , 1996, 1, 113-125.	1.9	95
16	Understanding tamoxifen adherence in women with breast cancer: A qualitative study. <i>British Journal of Health Psychology</i> , 2017, 22, 978-997.	1.9	88
17	The Women's Health Questionnaire (WHQ): Frequently Asked Questions (FAQ). <i>Health and Quality of Life Outcomes</i> , 2003, 1, 41.	1.0	87
18	Menopausal symptoms in women with breast cancer: Prevalence and treatment preferences. <i>Psycho-Oncology</i> , 2004, 13, 769-778.	1.0	87

#	ARTICLE	IF	CITATIONS
19	An evaluation of a health education intervention for mid-aged women: five year follow-up of effects upon knowledge, impact of menopause and health. <i>Patient Education and Counseling</i> , 1999, 38, 249-255.	1.0	82
20	Title is missing!. <i>Quality of Life Research</i> , 2000, 9, 733-738.	1.5	76
21	Evaluation of a group cognitive behavioural intervention for women suffering from menopausal symptoms following breast cancer treatment. <i>Psycho-Oncology</i> , 2009, 18, 560-563.	1.0	76
22	3 Predictors of menopausal symptoms: psychosocial aspects. <i>Bailliere's Clinical Endocrinology and Metabolism</i> , 1993, 7, 33-45.	1.0	75
23	Nonadherence to tamoxifen in breast cancer survivors: A 12 month longitudinal analysis.. <i>Health Psychology</i> , 2019, 38, 888-899.	1.3	75
24	Medically Unexplained Symptoms: an acceptable term?. <i>British Journal of Pain</i> , 2015, 9, 109-114.	0.7	71
25	Help-seeking intentions for breast-cancer symptoms: A comparison of the self-regulation model and the theory of planned behaviour. <i>British Journal of Health Psychology</i> , 2003, 8, 319-333.	1.9	60
26	Testing a cognitive model of menopausal hot flushes and night sweats. <i>Journal of Psychosomatic Research</i> , 2013, 74, 307-312.	1.2	55
27	Efficacy of Internet-Based Cognitive Behavioral Therapy for Treatment-Induced Menopausal Symptoms in Breast Cancer Survivors: Results of a Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2019, 37, 809-822.	0.8	52
28	Culture, country of residence and subjective well-being: a comparison of South Asian mid-aged women living in the UK, UK Caucasian women and women living in Delhi, India. <i>International Journal of Culture and Mental Health</i> , 2008, 1, 44-57.	0.6	51
29	The Hot Flush Beliefs Scale: A tool for assessing thoughts and beliefs associated with the experience of menopausal hot flushes and night sweats. <i>Maturitas</i> , 2008, 60, 158-169.	1.0	49
30	Concordance between self-reported and sternal skin conductance measures of hot flushes in symptomatic perimenopausal and postmenopausal women. <i>Menopause</i> , 2011, 18, 709-722.	0.8	49
31	Menopause and work – The experience of middle-aged female teaching staff in an Egyptian governmental faculty of medicine. <i>Maturitas</i> , 2012, 71, 294-300.	1.0	49
32	Neurokinin 3 receptor antagonism rapidly improves vasomotor symptoms with sustained duration of action. <i>Menopause</i> , 2018, 25, 862-869.	0.8	49
33	The experience of headache – An assessment of the qualities of tension headache pain. <i>Pain</i> , 1981, 10, 209-219.	2.0	47
34	Non-hormonal treatments for menopausal symptoms. <i>BMJ: British Medical Journal</i> , 2017, 359, j5101.	2.4	46
35	Factors related to the experience of menopausal symptoms in women prescribed tamoxifen. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2017, 38, 226-235.	1.1	44
36	Intentions to use hormone replacement therapy in a community sample of 45-year-old women. <i>Maturitas</i> , 1994, 20, 13-23.	1.0	42

#	ARTICLE	IF	CITATIONS
37	A woman-centred psychological intervention for premenstrual symptoms, drawing on cognitive-behavioural and narrative therapy. <i>Clinical Psychology and Psychotherapy</i> , 2002, 9, 319-331.	1.4	42
38	What do working menopausal women want? A qualitative investigation into women's perspectives on employer and line manager support. <i>Maturitas</i> , 2017, 101, 37-41.	1.0	42
39	Cognitive behavioural interventions for premenstrual and menopausal symptoms. <i>Journal of Reproductive and Infant Psychology</i> , 2003, 21, 183-193.	0.9	41
40	Cognitive-behavior therapy for menopausal symptoms (hot flashes and night sweats). <i>Menopause</i> , 2014, 21, 574-578.	0.8	40
41	Cognitive behaviour therapy for menopausal symptoms following breast cancer treatment: Who benefits and how does it work?. <i>Maturitas</i> , 2014, 78, 56-61.	1.0	40
42	Self-help cognitive behavior therapy for working women with problematic hot flashes and night sweats (MENOS@Work): a multicenter randomized controlled trial. <i>Menopause</i> , 2018, 25, 508-519.	0.8	40
43	A randomised controlled trial of a cognitive behavioural intervention for women who have menopausal symptoms following breast cancer treatment (MENOS 1): Trial protocol. <i>BMC Cancer</i> , 2011, 11, 44.	1.1	38
44	Work outcomes in midlife women: the impact of menopause, work stress and working environment. <i>Women's Midlife Health</i> , 2018, 4, 3.	0.5	38
45	Decline in use of hormone therapy among postmenopausal women in the United Kingdom. <i>Menopause</i> , 2007, 14, 462-467.	0.8	36
46	More than just side-effects: The role of clinical and psychosocial factors in non-adherence to tamoxifen. <i>British Journal of Health Psychology</i> , 2017, 22, 998-1018.	1.9	30
47	An Internet-based cognitive behavioral therapy for treatment-induced menopausal symptoms in breast cancer survivors: results of a pilot study. <i>Menopause</i> , 2017, 24, 762-767.	0.8	30
48	Men and women's perceptions of hot flashes within social situations: Are menopausal women's negative beliefs valid?. <i>Maturitas</i> , 2011, 69, 57-62.	1.0	29
49	The Hot Flush Behavior Scale. <i>Menopause</i> , 2011, 18, 1178-1183.	0.8	28
50	Global consensus recommendations on menopause in the workplace: A European Menopause and Andropause Society (EMAS) position statement. <i>Maturitas</i> , 2021, 151, 55-62.	1.0	28
51	A randomised controlled trial of a brief cognitive behavioural intervention for men who have hot flashes following prostate cancer treatment (MANCAN). <i>Psycho-Oncology</i> , 2015, 24, 1159-1166.	1.0	27
52	Disparities in access to mobile devices and e-health literacy among breast cancer survivors. <i>Supportive Care in Cancer</i> , 2022, 30, 117-126.	1.0	27
53	Health-related behaviours and their correlates in a general population sample of 45-year old women. <i>Psychology and Health</i> , 1995, 10, 171-184.	1.2	26
54	Donor Insemination: Telling Children About Their Origins. <i>Child Psychology and Psychiatry Review</i> , 2000, 5, 157-163.	0.1	26

#	ARTICLE	IF	CITATIONS
55	Use and perceived efficacy of complementary and alternative medicines after discontinuation of hormone therapy. <i>Menopause</i> , 2015, 22, 384-390.	0.8	25
56	Premenstrual Symptoms and Work: Exploring Female Staff Experiences and Recommendations for Workplaces. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3647.	1.2	25
57	Measuring illness representations in breast cancer survivors (BCS) prescribed tamoxifen: Modification and validation of the Revised Illness Perceptions Questionnaire (IPQ-BCS). <i>Psychology and Health</i> , 2017, 32, 439-458.	1.2	23
58	A randomised, double-blind trial comparing raloxifene HCl and continuous combined hormone replacement therapy in postmenopausal women: effects on compliance and quality of life. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 874-885.	1.1	22
59	Cognitive Behaviour Therapy for Menopausal Hot Flushes and Night Sweats: A Qualitative Analysis of Women's Experiences of Group and Self-Help CBT. <i>Behavioural and Cognitive Psychotherapy</i> , 2013, 41, 441-457.	0.9	22
60	Telephone-guided Self-Help Cognitive Behavioural Therapy for menopausal symptoms. <i>Maturitas</i> , 2014, 77, 73-77.	1.0	22
61	A core outcome set for vasomotor symptoms associated with menopause: the COMMA (Core Outcomes) Tj ETQq1,1 0.784314 rgBT 0,8 21	0.8	21
62	Tackling the taboo: talking menopause-related problems at work. <i>International Journal of Workplace Health Management</i> , 2019, 12, 28-38.	0.8	20
63	Effectiveness of nurse-led group <sc>CBT</sc> for hot flushes and night sweats in women with breast cancer: Results of the <sc>MENOS4</sc> randomised controlled trial. <i>Psycho-Oncology</i> , 2020, 29, 1514-1523.	1.0	19
64	A core outcome set for genitourinary symptoms associated with menopause: the COMMA (Core) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0,8 19	0.8	19
65	Women's experiences of Group Cognitive Behaviour Therapy for hot flushes and night sweats following breast cancer treatment: An interpretative phenomenological analysis. <i>Maturitas</i> , 2012, 72, 236-242.	1.0	18
66	Design of a randomized controlled trial of Internet-based cognitive behavioral therapy for treatment-induced menopausal symptoms in breast cancer survivors. <i>BMC Cancer</i> , 2016, 16, 920.	1.1	15
67	Normalising menopause. <i>BMJ, The</i> , 0, , e069369.	3.0	15
68	Menopausal symptoms following breast cancer treatment: A qualitative investigation of cognitive and behavioural responses. <i>Maturitas</i> , 2009, 63, 336-340.	1.0	14
69	Management of hot flushes in UK breast cancer patients: clinician and patient perspectives. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2017, 38, 276-283.	1.1	14
70	Development and evaluation of online menopause awareness training for line managers in UK organizations. <i>Maturitas</i> , 2019, 120, 83-89.	1.0	14
71	Depression: an exploratory parallel-group randomised controlled trial of Antenatal guided self help for WomeN (DAWN): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 503.	0.7	13
72	Cost-utility, cost-effectiveness, and budget impact of Internet-based cognitive behavioral therapy for breast cancer survivors with treatment-induced menopausal symptoms. <i>Breast Cancer Research and Treatment</i> , 2019, 178, 573-585.	1.1	13

#	ARTICLE	IF	CITATIONS
73	A randomised controlled trial of cognitive-behavioural therapy for women with problematic menopausal hot flushes: MENOS 2 trial protocol. <i>BMJ Open</i> , 2011, 1, e000047-e000047.	0.8	11
74	A randomised controlled trial of a cognitive behavioural intervention for men who have hot flushes following prostate cancer treatment (MANCAN): trial protocol. <i>BMC Cancer</i> , 2012, 12, 230.	1.1	11
75	Moderators of the effect of psychosocial interventions on fatigue in women with breast cancer and men with prostate cancer: Individual patient data meta-analyses. <i>Psycho-Oncology</i> , 2020, 29, 1772-1785.	1.0	11
76	Study protocol of a multicentre randomised controlled trial of self-help cognitive behaviour therapy for working women with menopausal symptoms (MENOS@Work). <i>Maturitas</i> , 2016, 92, 186-192.	1.0	10
77	Transgender women's experiences and beliefs about hormone therapy through and beyond mid-age: An exploratory UK study. <i>International Journal of Transgenderism</i> , 2019, 20, 98-107.	3.5	10
78	Donor Insemination: Telling Children About Their Origins. <i>Child and Adolescent Mental Health</i> , 2000, 5, 157-163.	1.8	9
79	The effect of hormone therapy on women's quality of life in the first year of the Estonian Postmenopausal Hormone Therapy trial. <i>BMC Research Notes</i> , 2012, 5, 176.	0.6	9
80	MENOS4 trial: a multicentre randomised controlled trial (RCT) of a breast care nurse delivered cognitive behavioural therapy (CBT) intervention to reduce the impact of hot flushes in women with breast cancer: Study Protocol. <i>BMC Women's Health</i> , 2018, 18, 63.	0.8	9
81	Perinatal mental health services in pregnancy and the year after birth: the ESMI research programme including RCT. <i>Programme Grants for Applied Research</i> , 2022, 10, 1-142.	0.4	9
82	Development of a self-management intervention to improve tamoxifen adherence in breast cancer survivors using an Intervention Mapping framework. <i>Supportive Care in Cancer</i> , 2021, 29, 3329-3338.	1.0	8
83	Symptom perception in healthy menopausal women: Can we predict concordance between subjective and physiological measures of vasomotor symptoms?. <i>American Journal of Human Biology</i> , 2014, 26, 389-394.	0.8	6
84	NICE guidance on menopause: cognitive behavioural therapy is an effective non-hormonal intervention for managing vasomotor symptoms. <i>BMJ</i> , The, 2015, 351, h6434.	3.0	6
85	Cognitive behavioral interventions for the treatment of menopausal symptoms. <i>Expert Review of Obstetrics and Gynecology</i> , 2012, 7, 321-326.	0.4	5
86	A novel biopsychosocial, cognitive behavioural, stepped care intervention for patients with non-cardiac chest pain. <i>Health Psychology and Behavioral Medicine</i> , 2016, 4, 15-28.	0.8	5
87	Reclaim the Menopause: A pilot study of an evidence-based menopause course for symptom management and resilience building. <i>Post Reproductive Health</i> , 2018, 24, 79-81.	0.3	5
88	Internet-based cognitive behavioral therapy aimed at alleviating treatment-induced menopausal symptoms in breast cancer survivors: Moderators and mediators of treatment effects. <i>Maturitas</i> , 2020, 131, 8-13.	1.0	5
89	Is cognitive behaviour therapy an effective option for women who have troublesome menopausal symptoms?. <i>British Journal of Health Psychology</i> , 2021, 26, 697-708.	1.9	5
90	Menopause in the workplace: Building evidence, changing workplaces, supporting women. <i>Maturitas</i> , 2021, 151, 63-64.	1.0	5

#	ARTICLE	IF	CITATIONS
91	Women's health. Journal of Psychosomatic Research, 2003, 54, 99-101.	1.2	3
92	Managing Hot Flushes and Night Sweats. , 0, , .		3
93	Special Issue on biopsychosocial perspectives on the menopause. Journal of Psychosomatic Obstetrics and Gynaecology, 2017, 38, 159-160.	1.1	2
94	Biopsychosocial Perspectives on the Menopause. , 0, , 160-168.		2
95	Managing Hot Flushes and Night Sweats. , 0, , .		2
96	Cortisol, hot flashes, and cardiovascular risk. Menopause, 2011, 18, 251-252.	0.8	1
97	EMAS position statement: Non-hormonal management of menopausal vasomotor symptoms. Maturitas, 2015, 82, 443.	1.0	1
98	Recommending treatments that don't work patronises women. The Obstetrician and Gynaecologist, 2013, 15, 203-204.	0.2	0
99	Psychological aspects of the menopause. , 0, , 81-90.		0
100	Psychological Aspects of the Menopause. , 2020, , 76-85.		0