## Myra S Hunter

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2740874/publications.pdf

Version: 2024-02-01

		81900	91884
100	5,060	39	69
papers	5,060 citations	h-index	g-index
100	100	100	3950
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Critical research gaps and translational priorities for the successful prevention and treatment of breast cancer. Breast Cancer Research, 2013, 15, R92.	5.0	320
2	The South-East England longitudinal study of the climacteric and postmenopause. Maturitas, $1992, 14, 117-126$ .	2.4	261
3	The impact of attitudes towards the menopause on women's symptom experience: A systematic review. Maturitas, 2010, 65, 28-36.	2.4	258
4	The women's health questionnaire: A measure of mid-aged women's perceptions of their emotional and physical health. Psychology and Health, 1992, 7, 45-54.	2.2	239
5	Adherence beliefs among breast cancer patients taking tamoxifen. Patient Education and Counseling, 2005, 59, 97-102.	2.2	215
6	Cognitive behavioural treatment for women who have menopausal symptoms after breast cancer treatment (MENOS 1): a randomised controlled trial. Lancet Oncology, The, 2012, 13, 309-318.	10.7	205
7	Efficacy of Cognitive Behavioral Therapy and Physical Exercise in Alleviating Treatment-Induced Menopausal Symptoms in Patients With Breast Cancer: Results of a Randomized, Controlled, Multicenter Trial. Journal of Clinical Oncology, 2012, 30, 4124-4133.	1.6	182
8	A psychological analysis of menopausal hot flushes. British Journal of Clinical Psychology, 1995, 34, 589-599.	3.5	156
9	Neurokinin 3 receptor antagonism as a novel treatment for menopausal hot flushes: a phase 2, randomised, double-blind, placebo-controlled trial. Lancet, The, 2017, 389, 1809-1820.	13.7	149
10	Effectiveness of group and self-help cognitive behavior therapy in reducing problematic menopausal hot flushes and night sweats (MENOS 2). Menopause, 2012, 19, 749-759.	2.0	144
11	Bio-psycho-socio-cultural perspectives on menopause. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2007, 21, 261-274.	2.8	119
12	A cognitive model of menopausal hot flushes and night sweats. Journal of Psychosomatic Research, 2010, 69, 491-501.	2.6	110
13	Barriers and facilitators of adjuvant hormone therapy adherence and persistence in women with breast cancer: a systematic review. Patient Preference and Adherence, 2017, Volume 11, 305-322.	1.8	106
14	Neurokinin B Administration Induces Hot Flushes in Women. Scientific Reports, 2015, 5, 8466.	3.3	96
15	Evaluation of a fourâ€session cognitive–behavioural intervention for menopausal hot flushes. British Journal of Health Psychology, 1996, 1, 113-125.	3 <b>.</b> 5	95
16	Understanding tamoxifen adherence in women with breast cancer: A qualitative study. British Journal of Health Psychology, 2017, 22, 978-997.	<b>3.</b> 5	88
17	The Women's Health Questionnaire (WHQ): Frequently Asked Questions (FAQ). Health and Quality of Life Outcomes, 2003, 1, 41.	2.4	87
18	Menopausal symptoms in women with breast cancer: Prevalence and treatment preferences. Psycho-Oncology, 2004, 13, 769-778.	2.3	87

#	Article	IF	CITATIONS
19	An evaluation of a health education intervention for mid-aged women: five year follow-up of effects upon knowledge, impact of menopause and health. Patient Education and Counseling, 1999, 38, 249-255.	2.2	82
20	Title is missing!. Quality of Life Research, 2000, 9, 733-738.	3.1	76
21	Evaluation of a group cognitive behavioural intervention for women suffering from menopausal symptoms following breast cancer treatment. Psycho-Oncology, 2009, 18, 560-563.	2.3	76
22	3 Predictors of menopausal symptoms: psychosocial aspects. Bailliere's Clinical Endocrinology and Metabolism, 1993, 7, 33-45.	1.0	75
23	Nonadherence to tamoxifen in breast cancer survivors: A 12 month longitudinal analysis Health Psychology, 2019, 38, 888-899.	1.6	75
24	Medically Unexplained Symptoms: an acceptable term?. British Journal of Pain, 2015, 9, 109-114.	1.5	71
25	Help-seeking intentions for breast-cancer symptoms: A comparison of the self-regulation model and the theory of planned behaviour. British Journal of Health Psychology, 2003, 8, 319-333.	3.5	60
26	Testing a cognitive model of menopausal hot flushes and night sweats. Journal of Psychosomatic Research, 2013, 74, 307-312.	2.6	55
27	Efficacy of Internet-Based Cognitive Behavioral Therapy for Treatment-Induced Menopausal Symptoms in Breast Cancer Survivors: Results of a Randomized Controlled Trial. Journal of Clinical Oncology, 2019, 37, 809-822.	1.6	52
28	Culture, country of residence and subjective well-being: a comparison of South Asian mid-aged women living in the UK, UK Caucasian women and women living in Delhi, India. International Journal of Culture and Mental Health, 2008, 1, 44-57.	0.6	51
29	The Hot Flush Beliefs Scale: A tool for assessing thoughts and beliefs associated with the experience of menopausal hot flushes and night sweats. Maturitas, 2008, 60, 158-169.	2.4	49
30	Concordance between self-reported and sternal skin conductance measures of hot flushes in symptomatic perimenopausal and postmenopausal women. Menopause, 2011, 18, 709-722.	2.0	49
31	Menopause and work – The experience of middle-aged female teaching staff in an Egyptian governmental faculty of medicine. Maturitas, 2012, 71, 294-300.	2.4	49
32	Neurokinin 3 receptor antagonism rapidly improves vasomotor symptoms with sustained duration of action. Menopause, 2018, 25, 862-869.	2.0	49
33	The experience of headache — An assessment of the qualities of tension headache pain. Pain, 1981, 10, 209-219.	4.2	47
34	Non-hormonal treatments for menopausal symptoms. BMJ: British Medical Journal, 2017, 359, j5101.	2.3	46
35	Factors related to the experience of menopausal symptoms in women prescribed tamoxifen. Journal of Psychosomatic Obstetrics and Gynaecology, 2017, 38, 226-235.	2.1	44
36	Intentions to use hormone replacement therapy in a community sample of 45-year-old women. Maturitas, 1994, 20, 13-23.	2.4	42

#	Article	IF	CITATIONS
37	A woman-centred psychological intervention for premenstrual symptoms, drawing on cognitive-behavioural and narrative therapy. Clinical Psychology and Psychotherapy, 2002, 9, 319-331.	2.7	42
38	What do working menopausal women want? A qualitative investigation into women's perspectives on employer and line manager support. Maturitas, 2017, 101, 37-41.	2.4	42
39	Cognitive behavioural interventions for premenstrual and menopausal symptoms. Journal of Reproductive and Infant Psychology, 2003, 21, 183-193.	1.8	41
40	Cognitive-behavior therapy for menopausal symptoms (hot flushes and night sweats). Menopause, 2014, 21, 574-578.	2.0	40
41	Cognitive behaviour therapy for menopausal symptoms following breast cancer treatment: Who benefits and how does it work?. Maturitas, 2014, 78, 56-61.	2.4	40
42	Self-help cognitive behavior therapy for working women with problematic hot flushes and night sweats (MENOS@Work): a multicenter randomized controlled trial. Menopause, 2018, 25, 508-519.	2.0	40
43	A randomised controlled trial of a cognitive behavioural intervention for women who have menopausal symptoms following breast cancer treatment (MENOS 1): Trial protocol. BMC Cancer, 2011, 11, 44.	2.6	38
44	Work outcomes in midlife women: the impact of menopause, work stress and working environment. Women's Midlife Health, 2018, 4, 3.	1.5	38
45	Decline in use of hormone therapy among postmenopausal women in the United Kingdom. Menopause, 2007, 14, 462-467.	2.0	36
46	More than just sideâ€effects: The role of clinical and psychosocial factors in nonâ€adherence to tamoxifen. British Journal of Health Psychology, 2017, 22, 998-1018.	3.5	30
47	An Internet-based cognitive behavioral therapy for treatment-induced menopausal symptoms in breast cancer survivors: results of a pilot study. Menopause, 2017, 24, 762-767.	2.0	30
48	Men and women's perceptions of hot flushes within social situations: Are menopausal women's negative beliefs valid?. Maturitas, 2011, 69, 57-62.	2.4	29
49	The Hot Flush Behavior Scale. Menopause, 2011, 18, 1178-1183.	2.0	28
50	Global consensus recommendations on menopause in the workplace: A European Menopause and Andropause Society (EMAS) position statement. Maturitas, 2021, 151, 55-62.	2.4	28
51	A randomised controlled trial of a brief cognitive behavioural intervention for men who have hot flushes following prostate cancer treatment (MANCAN). Psycho-Oncology, 2015, 24, 1159-1166.	2.3	27
52	Disparities in access to mobile devices and e-health literacy among breast cancer survivors. Supportive Care in Cancer, 2022, 30, 117-126.	2.2	27
53	Health-related behaviours and their correlates in a general population sample of 45-year old women. Psychology and Health, 1995, 10, 171-184.	2.2	26
54	Donor Insemination: Telling Children About Their Origins. Child Psychology and Psychiatry Review, 2000, 5, 157-163.	0.1	26

#	Article	IF	CITATIONS
55	Use and perceived efficacy of complementary and alternative medicines after discontinuation of hormone therapy. Menopause, 2015, 22, 384-390.	2.0	25
56	Premenstrual Symptoms and Work: Exploring Female Staff Experiences and Recommendations for Workplaces. International Journal of Environmental Research and Public Health, 2021, 18, 3647.	2.6	25
57	Measuring illness representations in breast cancer survivors (BCS) prescribed tamoxifen: Modification and validation of the Revised Illness Perceptions Questionnaire (IPQ-BCS). Psychology and Health, 2017, 32, 439-458.	2.2	23
58	A randomised, double-blind trial comparing raloxifene HCl and continuous combined hormone replacement therapy in postmenopausal women: effects on compliance and quality of life. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 874-885.	2.3	22
59	Cognitive Behaviour Therapy for Menopausal Hot Flushes and Night Sweats: A Qualitative Analysis of Women's Experiences of Group and Self-Help CBT. Behavioural and Cognitive Psychotherapy, 2013, 41, 441-457.	1.2	22
60	Telephone-guided Self-Help Cognitive Behavioural Therapy for menopausal symptoms. Maturitas, 2014, 77, 73-77.	2.4	22
61	A core outcome set for vasomotor symptoms associated with menopause: the COMMA (Core Outcomes) Tj ETQ	q1_10.78	4314 rgBT  C
62	Tackling the taboo: talking menopause-related problems at work. International Journal of Workplace Health Management, 2019, 12, 28-38.	1.9	20
63	Effectiveness of nurseâ€led group <scp>CBT</scp> for hot flushes and night sweats in women with breast cancer: Results of the <scp>MENOS4</scp> randomised controlled trial. Psycho-Oncology, 2020, 29, 1514-1523.	2.3	19
64	A core outcome set for genitourinary symptoms associated with menopause: the COMMA (Core) Tj ETQq0 0 0 rg	gBT /Overl 2.0	ock 10 Tf 50
65	Women's experiences of Group Cognitive Behaviour Therapy for hot flushes and night sweats following breast cancer treatment: An interpretative phenomenological analysis. Maturitas, 2012, 72, 236-242.	2.4	18
66	Design of a randomized controlled trial of Internet-based cognitive behavioral therapy for treatment-induced menopausal symptoms in breast cancer survivors. BMC Cancer, 2016, 16, 920.	2.6	15
67	Normalising menopause. BMJ, The, O, , e069369.	6.0	15
68	Menopausal symptoms following breast cancer treatment: A qualitative investigation of cognitive and behavioural responses. Maturitas, 2009, 63, 336-340.	2.4	14
69	Management of hot flushes in UK breast cancer patients: clinician and patient perspectives. Journal of Psychosomatic Obstetrics and Gynaecology, 2017, 38, 276-283.	2.1	14
70	Development and evaluation of online menopause awareness training for line managers in UK organizations. Maturitas, 2019, 120, 83-89.	2.4	14
71	Depression: an exploratory parallel-group randomised controlled trial of Antenatal guided self help for WomeN (DAWN): study protocol for a randomised controlled trial. Trials, 2016, 17, 503.	1.6	13
72	Cost-utility, cost-effectiveness, and budget impact of Internet-based cognitive behavioral therapy for breast cancer survivors with treatment-induced menopausal symptoms. Breast Cancer Research and Treatment, 2019, 178, 573-585.	2.5	13

#	Article	IF	CITATIONS
73	A randomised controlled trial of cognitive-behavioural therapy for women with problematic menopausal hot flushes: MENOS 2 trial protocol. BMJ Open, 2011, 1, e000047-e000047.	1.9	11
74	A randomised controlled trial of a cognitive behavioural intervention for men who have hot flushes following prostate cancer treatment (MANCAN): trial protocol. BMC Cancer, 2012, 12, 230.	2.6	11
75	Moderators of the effect of psychosocial interventions on fatigue in women with breast cancer and men with prostate cancer: Individual patient data metaâ€analyses. Psycho-Oncology, 2020, 29, 1772-1785.	2.3	11
76	Study protocol of a multicentre randomised controlled trial of self-help cognitive behaviour therapy for working women with menopausal symptoms (MENOS@Work). Maturitas, 2016, 92, 186-192.	2.4	10
77	Transgender women's experiences and beliefs about hormone therapy through and beyond mid-age: An exploratory UK study. International Journal of Transgenderism, 2019, 20, 98-107.	3.5	10
78	Donor Insemination: Telling Children About Their Origins. Child and Adolescent Mental Health, 2000, 5, 157-163.	3.5	9
79	The effect of hormone therapy on women's quality of life in the first year of the Estonian Postmenopausal Hormone Therapy trial. BMC Research Notes, 2012, 5, 176.	1.4	9
80	MENOS4 trial: a multicentre randomised controlled trial (RCT) of a breast care nurse delivered cognitive behavioural therapy (CBT) intervention to reduce the impact of hot flushes in women with breast cancer: Study Protocol. BMC Women's Health, 2018, 18, 63.	2.0	9
81	Perinatal mental health services in pregnancy and the year after birth: the ESMI research programme including RCT. Programme Grants for Applied Research, 2022, 10, 1-142.	1.0	9
82	Development of a self-management intervention to improve tamoxifen adherence in breast cancer survivors using an Intervention Mapping framework. Supportive Care in Cancer, 2021, 29, 3329-3338.	2.2	8
83	Symptom perception in healthy menopausal women: Can we predict concordance between subjective and physiological measures of vasomotor symptoms?. American Journal of Human Biology, 2014, 26, 389-394.	1.6	6
84	NICE guidance on menopause: cognitive behavioural therapy is an effective non-hormonal intervention for managing vasomotor symptoms. BMJ, The, 2015, 351, h6434.	6.0	6
85	Cognitive behavioral interventions for the treatment of menopausal symptoms. Expert Review of Obstetrics and Gynecology, 2012, 7, 321-326.	0.4	5
86	A novel biopsychosocial, cognitive behavioural, stepped care intervention for patients with non-cardiac chest pain. Health Psychology and Behavioral Medicine, 2016, 4, 15-28.	1.8	5
87	Reclaim the Menopause: A pilot study of an evidence-based menopause course for symptom management and resilience building. Post Reproductive Health, 2018, 24, 79-81.	0.9	5
88	Internet-based cognitive behavioral therapy aimed at alleviating treatment-induced menopausal symptoms in breast cancer survivors: Moderators and mediators of treatment effects. Maturitas, 2020, 131, 8-13.	2.4	5
89	Is cognitive behaviour therapy an effective option for women who have troublesome menopausal symptoms?. British Journal of Health Psychology, 2021, 26, 697-708.	3.5	5
90	Menopause in the workplace: Building evidence, changing workplaces, supporting women. Maturitas, 2021, 151, 63-64.	2.4	5

#	Article	IF	Citations
91	Women's health. Journal of Psychosomatic Research, 2003, 54, 99-101.	2.6	3
92	Managing Hot Flushes and Night Sweats., 0,,.		3
93	Special Issue on biopsychosocial perspectives on the menopause. Journal of Psychosomatic Obstetrics and Gynaecology, 2017, 38, 159-160.	2.1	2
94	Biopsychosocial Perspectives on the Menopause. , 0, , 160-168.		2
95	Managing Hot Flushes and Night Sweats. , 0, , .		2
96	Cortisol, hot flashes, and cardiovascular risk. Menopause, 2011, 18, 251-252.	2.0	1
97	EMAS position statement: Non-hormonal management of menopausal vasomotor symptoms. Maturitas, 2015, 82, 443.	2.4	1
98	Recommending treatments that don't work patronises women. The Obstetrician and Gynaecologist, 2013, 15, 203-204.	0.4	0
99	Psychological aspects of the menopause. , 0, , 81-90.		0
100	Psychological Aspects of the Menopause. , 2020, , 76-85.		0