

Yasumasa Chino

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2742370/yasumasa-chino-publications-by-citations.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

185 papers	6,054 citations	41 h-index	73 g-index
186 ext. papers	6,666 ext. citations	2.9 avg, IF	5.91 L-index

#	Paper	IF	Citations
185	Processing of biocompatible porous Ti and Mg. <i>Scripta Materialia</i> , 2001 , 45, 1147-1153	5.6	536
184	Enhancement of tensile ductility and stretch formability of magnesium by addition of 0.2 wt%(0.035 at%)Ce. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 494, 343-349	5.3	205
183	Directionally freeze-cast titanium foam with aligned, elongated pores. <i>Acta Materialia</i> , 2008 , 56, 105-113	3.4	198
182	Processing and mechanical properties of autogenous titanium implant materials. <i>Journal of Materials Science: Materials in Medicine</i> , 2002 , 13, 397-401	4.5	192
181	Twinning behavior and deformation mechanisms of extruded AZ31 Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 486, 481-488	5.3	181
180	Compressive deformation behavior at room temperature [773 K in Mg0.2 mass%(0.035at.%)Ce alloy. <i>Acta Materialia</i> , 2008 , 56, 387-394	8.4	180
179	Texture and stretch formability of a rolled MgZn alloy containing dilute content of Y. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 513-514, 394-400	5.3	163
178	Novel titanium foam for bone tissue engineering. <i>Journal of Materials Research</i> , 2002 , 17, 2633-2639	2.5	159
177	Effects of Ca on Tensile Properties and Stretch Formability at Room Temperature in Mg-Zn and Mg-Al Alloys. <i>Materials Transactions</i> , 2011 , 52, 1477-1482	1.3	144
176	Life cycle inventory study on magnesium alloy substitution in vehicles. <i>Energy</i> , 2007 , 32, 1352-1360	7.9	140
175	Enhanced formability at elevated temperature of a cross-rolled magnesium alloy sheet. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 441, 349-356	5.3	133
174	Improvement of stretch formability of Mg3AlZn alloy sheet by high temperature rolling at finishing pass. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 7579-7584	5.7	124
173	Novel equilibrium two phase Mg alloy with the long-period ordered structure. <i>Scripta Materialia</i> , 2004 , 51, 711-714	5.6	119
172	Mechanical anisotropy due to twinning in an extruded AZ31 Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 485, 311-317	5.3	116
171	Deformation characteristics at room temperature under biaxial tensile stress in textured AZ31 Mg alloy sheets. <i>Acta Materialia</i> , 2009 , 57, 1476-1485	8.4	104
170	The Grain Size and Texture Dependence of Tensile Properties in Extruded Mg-9Al-1Zn. <i>Materials Transactions</i> , 2001 , 42, 1182-1188	1.3	103
169	Mechanical Properties and Press Formability at Room Temperature of AZ31 Mg Alloy Processed by Single Roller Drive Rolling. <i>Materials Transactions</i> , 2002 , 43, 2554-2560	1.3	98

168	Discharge properties of Mg ₉₇ Al ₃ Mn _{0.5} Ca and Mg ₉₇ Al ₃ Mn alloys as anode materials for primary magnesium-air batteries. <i>Journal of Power Sources</i> , 2015 , 297, 449-456	8.9	96
167	Influence of Zn concentration on stretch formability at room temperature of Mg ₉₇ Zn ₃ Ce alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 528, 566-572	5.3	96
166	Enhanced stretch formability of Mg ₉₇ Al ₃ Zn alloy sheets rolled at high temperature (723K). <i>Scripta Materialia</i> , 2009 , 60, 447-450	5.6	95
165	Effects of group II elements on the cold stretch formability of Mg ₉₇ Zn alloys. <i>Acta Materialia</i> , 2015 , 83, 294-303	8.4	92
164	Stretch formability of AZ31 Mg alloy sheets at different testing temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 466, 90-95	5.3	87
163	Texture and stretch formability of AZ61 and AM60 magnesium alloy sheets processed by high-temperature rolling. <i>Journal of Alloys and Compounds</i> , 2015 , 632, 94-102	5.7	82
162	An investigation of compressive deformation behaviour for AZ91 Mg alloy containing a small volume of liquid. <i>Acta Materialia</i> , 2003 , 51, 3309-3318	8.4	79
161	Enhancement of Stretch Formability at Room Temperature by Addition of Ca in Mg-Zn Alloy. <i>Materials Transactions</i> , 2010 , 51, 818-821	1.3	78
160	Enhancement of tensile ductility of magnesium alloy produced by torsion extrusion. <i>Scripta Materialia</i> , 2008 , 59, 399-402	5.6	75
159	Stretch formability at elevated temperature of a cross-rolled AZ31 Mg alloy sheet with different rolling routes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 473, 195-200	5.3	73
158	Press formability of a rolled AZ31 Mg alloy sheet with controlled texture. <i>Materials Letters</i> , 2006 , 60, 173-176	3.3	73
157	Improved plastic anisotropy of Mg ₉₇ Zn ₃ Ca alloys exhibiting high-stretch formability: A first-principles study. <i>Acta Materialia</i> , 2014 , 65, 207-214	8.4	68
156	Texture and Stretch Formability of Mg-1.5 mass%Zn-0.2 mass%Ce Alloy Rolled at Different Rolling Temperatures. <i>Materials Transactions</i> , 2008 , 49, 2916-2918	1.3	66
155	Influence of aluminum content on the texture and sheet formability of AM series magnesium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 633, 144-153	5.3	52
154	Influence of initial texture on rolling and annealing textures of Mg ₉₇ Al ₃ Zn alloy sheets processed by high temperature rolling. <i>Journal of Alloys and Compounds</i> , 2012 , 537, 80-86	5.7	52
153	Static recrystallization and mechanical properties of Mg ₉₇ Y ₂ RE magnesium alloy sheet processed by differential speed rolling at 823K. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 538, 281-287	5.3	50
152	Superplasticity and Cavitation of Recycled AZ31 Magnesium Alloy Fabricated by Solid Recycling Process. <i>Materials Transactions</i> , 2002 , 43, 2437-2442	1.3	50
151	Influences of initial texture on microstructure and stretch formability of Mg ₉₇ Al ₃ Zn alloy sheet obtained by a combination of high temperature and subsequent warm rolling. <i>Scripta Materialia</i> , 2010 , 63, 395-398	5.6	48

150	Improvement of stretch formability of pure titanium sheet by differential speed rolling. <i>Scripta Materialia</i> , 2010 , 63, 473-476	5.6	48
149	Influences of Grain Size on Mechanical Properties of Extruded AZ91 Mg Alloy after Different Extrusion Processes. <i>Advanced Engineering Materials</i> , 2001 , 3, 981	3.5	47
148	Processing of fine-grained aluminum foam by spark plasma sintering. <i>Journal of Materials Science Letters</i> , 2003 , 22, 1407-1409		45
147	Influence of rolling temperature on static recrystallization behavior of AZ31 magnesium alloy. <i>Journal of Materials Science</i> , 2012 , 47, 4561-4567	4.3	44
146	Fabrication of Mg alloy tubes for biodegradable stent application. <i>Materials Science and Engineering C</i> , 2013 , 33, 4746-50	8.3	44
145	Annealing behaviour of Mg ₃ Al ₂ Zn alloy sheet obtained by a combination of high-temperature rolling and subsequent warm rolling. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 4854-4860	5.7	44
144	Microstructure and mechanical properties of AZX912 magnesium alloy extruded at different temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 679, 162-171	5.3	41
143	Tensile Properties and Stretch Formability of Mg-1.5 mass%-0.2 mass%Ce Sheet Rolled at 723 K. <i>Materials Transactions</i> , 2008 , 49, 1710-1712	1.3	40
142	Mechanical properties of AZ31 Mg alloy recycled by severe deformation. <i>Journal of Materials Research</i> , 2006 , 21, 754-760	2.5	39
141	Influences of grain size on mechanical properties and cold formability of Mg ₃ Al ₂ Zn alloy sheets with similar weak initial textures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 611, 152-161	5.3	36
140	Monotonic and cyclic compressive properties of porous aluminum fabricated by spacer method. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 459, 286-293	5.3	35
139	Microstructure and press formability of a cross-rolled magnesium alloy sheet. <i>Materials Letters</i> , 2007 , 61, 1504-1506	3.3	33
138	Theoretical Analysis on Crystal Alignment of Feeble Magnetic Materials under High Magnetic Field. <i>Materials Transactions</i> , 2005 , 46, 1311-1317	1.3	33
137	Forging Characteristics of AZ31 Mg Alloy. <i>Materials Transactions</i> , 2001 , 42, 414-417	1.3	32
136	Compressive Deformation Characteristics of Open-Cell Mg Alloys with Controlled Cell Structure. <i>Materials Transactions</i> , 2002 , 43, 1298-1305	1.3	32
135	Effects of Microstructure on Discharge Behavior of AZ91 Alloy as Anode for Mg–Air Battery. <i>Materials Transactions</i> , 2014 , 55, 1202-1207	1.3	31
134	Different annealing behaviours of warm rolled Mg ₃ Al ₂ Zn alloy sheets with dynamic recrystallized microstructure and deformation microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 560, 232-240	5.3	31
133	Mechanical and Corrosion Properties of AZ31 Magnesium Alloy Repeatedly Recycled by Hot Extrusion. <i>Materials Transactions</i> , 2006 , 47, 1040-1046	1.3	31

132	Mechanical Properties of Mg–Al–Ca Alloy Recycled by Solid–State Recycling. <i>Materials Transactions</i> , 2005 , 46, 2592-2595	1.3	30
131	Blow Forming of Mg Alloy Recycled by Solid-State Recycling. <i>Materials Transactions</i> , 2004 , 45, 361-364	1.3	29
130	Effects of Zinc Concentration on the Stretch Formability at Room Temperature of the Rolled Mg-Zn-Ca Alloys. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2011 , 75, 35-41	0.4	28
129	Enhanced stretch formability of Mn-free AZ31 Mg alloy rolled by cross-roll rolling. <i>Journal of Materials Science</i> , 2009 , 44, 1821-1827	4.3	28
128	Enhanced corrosion properties of pure Mg and AZ31 Mg alloy recycled by solid-state process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 435-436, 275-281	5.3	28
127	Compressive Deformation Behavior at Elevated Temperatures in a Closed-Cell Aluminum Foam. <i>Materials Transactions</i> , 2005 , 46, 1677-1680	1.3	27
126	Solid/electrolyte interface phenomena during anodic polarization of Pd _{0.2} M _{0.8} (M=Fe, Co, Ni) alloys in H ₂ SO ₄ . <i>Journal of Alloys and Compounds</i> , 2010 , 494, 309-314	5.7	26
125	Influence of Grain Size on Elongation at Elevated Temperatures in AZ31 Mg Alloy. <i>Materials Transactions</i> , 2003 , 44, 490-495	1.3	26
124	Influence of initial texture on cold deep drawability of Mg&Al&Zn alloy sheets. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 565, 359-372	5.3	24
123	Tensile Properties at Room Temperature to 823 K of Mg-4Y-3RE Alloy. <i>Materials Transactions</i> , 2002 , 43, 2063-2068	1.3	24
122	Effects of Ca and Sr additions on microstructure, mechanical properties, and ignition temperature of hot-rolled Mg&Zn alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 769, 138474	5.3	24
121	Effects of initial microstructure on the microstructural evolution and stretch formability of warm rolled Mg&Al&Zn alloy sheets. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 587, 150-160	5.3	23
120	Tensile Properties of Directionally Solidified AZ91 Mg Alloy. <i>Materials Transactions</i> , 2003 , 44, 436-439	1.3	23
119	Tensile Properties from Room Temperature to 673 K of Mg-0.9 mass%Ca Alloy Containing Lamella Mg ₂ Ca. <i>Materials Transactions</i> , 2002 , 43, 2643-2646	1.3	23
118	Interaction mechanisms of screw dislocations with and twin boundaries in Mg. <i>Philosophical Magazine</i> , 2014 , 94, 285-305	1.6	22
117	Solid Solution Strengthening for Mg-3.0 Mass Pct (2.71 At. Pct)Al and Mg-0.06 Mass Pct (0.036 At. Pct)Ca Alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011 , 42, 1965-1973	2.3	22
116	Enhancement of Room Temperature Stretch Formability of Mg–1.5 mass%Mn Alloy by Texture Control. <i>Materials Transactions</i> , 2013 , 54, 392-398	1.3	21
115	Influence of distribution of oxide contaminants on fatigue behavior in AZ31 Mg alloy recycled by solid-state processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 424, 355-360	5.3	21

114	Corrosion and Mechanical Properties of AZ91D Magnesium Alloy Fabricated by Solid Recycling Process. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2001 , 65, 621-626	0.4	21
113	Static recrystallization behavior of hot-rolled Mg-Zn-Ce magnesium alloy sheet. <i>Journal of Alloys and Compounds</i> , 2017 , 724, 981-990	5.7	20
112	Electrochemical stability of self-assembled monolayers on nanoporous Au. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 12277-84	3.6	20
111	Corrosion and Mechanical Properties of Recycled 5083 Aluminum Alloy by Solid State Recycling. <i>Materials Transactions</i> , 2003 , 44, 1284-1289	1.3	19
110	Processing of a porous 7075 Al alloy by bubble expansion in a semi-solid state. <i>Scripta Materialia</i> , 2002 , 47, 769-773	5.6	19
109	Interactions of a screw dislocation with a {101}[110] double twin in Mg. <i>Acta Materialia</i> , 2013 , 61, 4714-4725	4.5	18
108	Creating Aligned, Elongated Pores in Titanium Foams by Swaging of Preforms with Ductile Space-Holder. <i>Advanced Engineering Materials</i> , 2009 , 11, 52-55	3.5	18
107	Solid-state recycling for machined chips of iron by hot extrusion and annealing. <i>Journal of Materials Research</i> , 2004 , 19, 1524-1530	2.5	17
106	Fabrication of nanoscale Ti honeycombs by focused ion beam. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 344, 365-367	5.3	17
105	Mechanical properties at elevated temperature of a hot-deformed Mg ₉₀ Al ₇ Ta ₂ Mn ₅ Br alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 452-453, 31-36	5.3	16
104	Compositional optimization of Mg ₉₀ Zn ₅ Al ₅ sheet alloys for enhanced room temperature stretch formability. <i>Journal of Alloys and Compounds</i> , 2020 , 818, 152891	5.7	16
103	A combined experimental and numerical study on room temperature formable magnesium-silver-calcium alloys. <i>Journal of Alloys and Compounds</i> , 2020 , 834, 155017	5.7	15
102	A room temperature formable magnesium-silver-calcium sheet alloy with high ductility. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 774, 138923	5.3	15
101	Influence of Rolling Routes on Press Formability of a Rolled AZ31 Mg Alloy Sheet. <i>Materials Transactions</i> , 2006 , 47, 2555-2560	1.3	14
100	Mechanical Properties and Blow Forming of Rolled AZ31 Mg Alloy Sheet. <i>Materials Transactions</i> , 2003 , 44, 484-489	1.3	14
99	Tensile Properties and Blow Forming of 5083 Aluminum Alloy Recycled by Solid-State Recycling. <i>Materials Transactions</i> , 2004 , 45, 2509-2515	1.3	14
98	Effect of segregated elements on the interactions between twin boundaries and screw dislocations in Mg. <i>Journal of Applied Physics</i> , 2015 , 118, 034304	2.5	13
97	Cavity growth rate in superplastic 5083 Al and AZ31 Mg alloys. <i>Journal of Materials Research</i> , 2004 , 19, 3382-3388	2.5	13

96	Texture Formation and Room-Temperature Formability of Rolled Mg–Zn–Ce Alloys. <i>Materials Transactions</i> , 2014 , 55, 1190-1195	1.3	12
95	Mechanical and chemical effects of solute elements on generalized stacking fault energy of Mg. <i>Journal of Materials Research</i> , 2014 , 29, 2576-2586	2.5	12
94	$\{10\bar{1}2\}$ twins in the rolled Mg–Zn–Ca alloy with high formability. <i>Journal of Materials Research</i> , 2014 , 29, 3024-3031	2.5	12
93	Fatigue behavior of AZ31 magnesium alloy produced by solid-state recycling. <i>Journal of Materials Science</i> , 2006 , 41, 3229-3232	4.3	12
92	An Experimental Investigation of Effects of Specimen Size Parameters on Compressive and Tensile Properties in a Closed Cell Al Foam. <i>Materials Transactions</i> , 2003 , 44, 633-636	1.3	12
91	Development of Room Temperature Formability of Rolled Magnesium Alloy Sheets by Texture Control. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2017 , 81, 49-54	0.4	11
90	Effects of Hydrogen on the Mechanical Properties of Pure Magnesium. <i>Materials Transactions</i> , 2011 , 52, 1123-1126	1.3	11
89	Stretch formability of Mn-free AZ31 Mg alloy rolled at high temperature (723 K). <i>Journal of Materials Science</i> , 2009 , 44, 4593-4598	4.3	11
88	Nanoporous surface fabricated on metal sheets by alloying/dealloying technique. <i>Materials Letters</i> , 2010 , 64, 2341-2343	3.3	11
87	Compressive properties at elevated temperatures of porous aluminum processed by the spacer method. <i>Journal of Materials Research</i> , 2005 , 20, 3385-3390	2.5	11
86	Microstructural and textural evolution of pure titanium during differential speed rolling and subsequent annealing. <i>Journal of Materials Science</i> , 2014 , 49, 3166-3176	4.3	10
85	Effect of segregated Al on $\{10\bar{1}2\}$ and $\{10\bar{1}1\}$ twinning in Mg. <i>Journal of Materials Research</i> , 2015 , 30, 3629-3641	2.5	10
84	Application of the Flame-Retardant Magnesium Alloy to High Speed Rail Vehicles. <i>Materia Japan</i> , 2013 , 52, 484-490	0.1	10
83	Substantial improvement in cold formability of concentrated Mg–Al–Zn–Ca alloy sheets by high temperature final rolling. <i>Acta Materialia</i> , 2021 , 220, 117328	8.4	10
82	Twinning behaviour of AZ31 Mg alloy alternately compressed in two orthogonal directions. <i>Philosophical Magazine</i> , 2014 , 94, 3960-3977	1.6	9
81	Elastic and Damping Properties of AZ31 Magnesium Alloy Sheet Processed by High-Temperature Rolling. <i>Materials Transactions</i> , 2011 , 52, 2040-2044	1.3	9
80	Effects of Measurement Conditions on Ignition Temperature of Magnesium Alloys. <i>Materials Transactions</i> , 2017 , 58, 1616-1623	1.3	9
79	Improving flame resistance and mechanical properties of magnesium–silver–calcium sheet alloys by optimization of calcium content. <i>Journal of Alloys and Compounds</i> , 2020 , 837, 155551	5.7	9

78	Effect of Reduction in Thickness and Rolling Conditions on Mechanical Properties and Microstructure of Rolled Mg-8Al-1Zn-1Ca Alloy. <i>Advances in Materials Science and Engineering</i> , 2017 , 2017, 1-9	1.5	8
77	First-principles Study of Hydrogen-induced Embrittlement in Fe Grain Boundary with Cr Segregation. <i>ISIJ International</i> , 2015 , 55, 1131-1134	1.7	8
76	Hydrogen embrittlement in a magnesium grain boundary: a first-principles study. <i>Journal of Physics Condensed Matter</i> , 2012 , 24, 085701	1.8	8
75	Solid Solution Softening Mechanisms in Mg-Ca Alloy. <i>Materials Transactions</i> , 2011 , 52, 1840-1843	1.3	8
74	Microstructure, Texture and Mechanical Properties of Mg-Zn-Ce Alloy Extruded at Different Temperatures. <i>Materials Transactions</i> , 2011 , 52, 1104-1107	1.3	8
73	Deformation Characteristics of Recycled AZ91 Mg Alloy Containing Oxide Contaminants. <i>Materials Transactions</i> , 2008 , 49, 1093-1100	1.3	8
72	Effect of metal powder size on the gas expansion behavior of 7075 Al alloy in a semisolid state. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 382, 35-40	5.3	8
71	Enhanced Room-Temperature Stretch Formability of Mg–0.2 mass%Ce Alloy Sheets Processed by Combination of High-Temperature Pre-Annealing and Warm Rolling. <i>Materials Transactions</i> , 2015 , 56, 1096-1101	1.3	7
70	Deformation Characteristics at Elevated Temperature in Recycled 5083 Aluminum Alloy by Solid State Recycling. <i>Materials Transactions</i> , 2005 , 46, 2637-2640	1.3	7
69	Mechanical and corrosion properties of a medium carbon steel (S45C) recycled by solid recycling process. <i>Journal of Materials Science Letters</i> , 2002 , 21, 1695-1697		6
68	Simultaneously achieving excellent mechanical properties and high thermal conductivity in a high Mn-containing Mg-Zn-Ca-Al-Mn sheet alloy. <i>Journal of Alloys and Compounds</i> , 2021 , 887, 161394	5.7	6
67	Improvement of mechanical properties of extruded AZX912 magnesium alloy using high-temperature solution treatment. <i>Journal of Materials Research</i> , 2019 , 34, 3725-3734	2.5	5
66	Variation in Texture and Lankford Value of 1070 Aluminum Sheet Rolled by Cone-shaped Roll. <i>Journal of Materials Science and Technology</i> , 2013 , 29, 175-179	9.1	5
65	Atomic simulations of (101 $\bar{1}$ 2), (101 $\bar{1}$) twinning and (101 $\bar{1}$ 2) detwinning in magnesium. <i>Journal of Physics Condensed Matter</i> , 2014 , 26, 015003	1.8	5
64	Processing and mechanical properties of a porous low carbon steel with a controlled porous structure by imposition of a static magnetic field. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 417, 281-286	5.3	5
63	Focused ion beam fabrication of amorphous and polycrystalline Fe ₇₈ B ₁₃ Si ₉ alloys. <i>Journal of Materials Science Letters</i> , 2002 , 21, 837-839		5
62	Processing and Mechanical Properties of Open-Cell Mg Alloys. <i>Materials Science Forum</i> , 2003 , 419-422, 1013-1018	0.4	5
61	Effect of NaCl Concentration on the Galvanic Corrosion Behavior of a Magnesium AZX611/Aluminum A6N01 Alloy Joint. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 061501	3.9	5

60	Performance of AZ31 Alloy as Anodes for Primary Magnesium-Air Batteries under High Current Discharge. <i>Materials Transactions</i> , 2020 , 61, 200-205	1.3	4
59	Effects of Bending and Tension Deformation on Texture Evolution and Room Temperature Formability of AZ31B Alloy Sheets. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2019 , 83, 212-220	0.4	4
58	Texture and Mechanical Properties of Mg-3Al-1Zn-0.5Mn-1.5Ca Alloy Produced by Torsion Extrusion. <i>Materials Transactions</i> , 2010 , 51, 872-877	1.3	4
57	New recycling process of magnesium alloy machined chips by hot extrusion. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2007 , 57, 250-255	0.3	4
56	Recycling of AZ31 Mg Alloy with High Purity Mg Deposition Layer by Hot Working (Solid Recycling). <i>Materials Science Forum</i> , 2003 , 419-422, 671-676	0.4	4
55	Processing and Characterization of Porous Aluminum. <i>Materials Science Forum</i> , 2003 , 426-432, 417-422	0.4	4
54	Superplastic Forming of AZ31 Mg Alloy Recycled by Solid-State Processing. <i>Materials Science Forum</i> , 2005 , 488-489, 567-570	0.4	4
53	Effects of Al concentration and Zn addition on microstructure and mechanical properties of Mg-Al-(Zn)-Ca series magnesium alloy plates. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2016 , 66, 246-251	0.3	4
52	Effects of Calcium Concentration on Room Temperature Formability and Damping Properties of Rolled Mg-Ca Alloys. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2018 , 82, 249-255	0.4	4
51	Solute segregation assisted grain boundary precipitation and its impact to ductility of a precipitation-hardenable magnesium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 819, 141481	5.3	4
50	Atomic simulations of the effect of Y and Al segregation on the boundary characteristics of a double twin in Mg. <i>Journal of Applied Physics</i> , 2017 , 122, 165103	2.5	3
49	Development of high-performance flame-retardant wrought magnesium alloys and evolution for application of the alloys to high-speed railway body. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2019 , 69, 22-29	0.3	3
48	Formation of Nanoporous Structure on Pt Plate Surface by Alloying/Dealloying Technique. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2011 , 75, 42-46	0.4	3
47	Direction Dependence of Compressive Properties of Mg Processed by Directional Solidification. <i>Materials Transactions</i> , 2008 , 49, 393-397	1.3	3
46	Solid Recycling of an AZ31 Mg Alloy with a Vapor Deposition Coating Layer of High Purity Mg. <i>Materials Transactions</i> , 2003 , 44, 578-582	1.3	3
45	Compression Test Simulation of Controlled Cell Shape Open Cellular Magnesium Alloy under Dynamic Loading. <i>Materials Transactions</i> , 2001 , 42, 1326-1331	1.3	3
44	Calculated Grain Boundary Segregation in Mg-Zn-Ca Alloys and Its Correlation to the Texture Formation and Formability of the Alloys. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2020 , 84, 318-325	0.4	3
43	Effects of microstructure on plate bending fatigue properties of rolled Mg-3%Al-1%Zn-1%Ca plates. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2017 , 67, 625-631	0.3	3

42	Discharge Performance of Mg-6 wt%Al Alloy Anodes Containing Ca and Zn for Magnesium-Air Batteries. <i>Journal of the Electrochemical Society</i> , 2021 , 168, 050507	3.9	3
41	Stress corrosion cracking and corrosion resistance of Mg $\bar{8}$ %Al $\bar{1}$ %Zn $\bar{2}$ %Ca extruded magnesium alloys. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2016 , 66, 266-272	0.3	3
40	An atomistic study of Y segregation at a {101 $\bar{1}$ 1} $\bar{1}$ {101 $\bar{1}$ 2} double twin in Mg. <i>AIP Advances</i> , 2017 , 7, 035308.	1.5	2
39	Effects of alloy compositions on ignition temperature of magnesium alloys. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2019 , 69, 46-53	0.3	2
38	Stress Corrosion Cracking and Corrosion Resistance of Mg $\bar{8}$ %Al $\bar{1}$ %Zn $\bar{2}$ %Ca Extruded Magnesium Alloys. <i>Materials Transactions</i> , 2017 , 58, 1257-1263	1.3	2
37	Softening due to disordered grain boundaries in nanocrystalline Co. <i>Journal of Physics Condensed Matter</i> , 2013 , 25, 345702	1.8	2
36	Electronic Structure and Solid Solution Softening in Iron Alloys. <i>Materials Transactions</i> , 2011 , 52, 1324-1326	1.5	2
35	Solid-state recycling from machined scraps to a cellular solid. <i>Journal of Materials Research</i> , 2002 , 17, 2783-2786	2.5	2
34	Research and Development on High Performance of Wrought Magnesium Alloys by Plastic Forming. <i>Journal of the Japan Society for Technology of Plasticity</i> , 2017 , 58, 1074-1078	0.3	2
33	Microstructures and Mechanical Properties of Precipitation-Hardenable MagnesiumSilverCalcium Alloy Sheets. <i>Metals</i> , 2020 , 10, 1632	2.3	2
32	Linear Friction Welding of an AZ91 Magnesium Alloy and the Effect of Ca Additions on the Weld Characteristics. <i>Materials</i> , 2021 , 14,	3.5	2
31	Enhanced room temperature formability of magnesium alloy sheets by suppression of basal texture formation. <i>Journal of Physics: Conference Series</i> , 2018 , 1063, 012008	0.3	2
30	Simulation-aided analysis on mechanical properties of dilute Mg-Zn-Ca alloy sheets. <i>Journal of Alloys and Compounds</i> , 2022 , 906, 164285	5.7	2
29	Microstructure and Mechanical Properties of Alternately-Compressed AZ31 Mg Alloy in Two Orthogonal Directions. <i>Materials Transactions</i> , 2014 , 55, 739-741	1.3	1
28	An Investigation of Cavity Growth Rate in Superplastic Al and Mg Alloys. <i>Materials Science Forum</i> , 2005 , 475-479, 2945-2948	0.4	1
27	Blow Forming of Recycled 5083 Al Alloy and AZ31 Mg Alloy by Solid State Recycling. <i>Materials Science Forum</i> , 2005 , 475-479, 2919-2922	0.4	1
26	Corrosion Resistance and Adhesion Properties of the Chromium-Free Coating Using an Urethane-Base Resin for AZ91E Magnesium Alloy. <i>Materials Transactions</i> , 2002 , 43, 340-342	1.3	1
25	Development of Flame-Retardant Wrought Magnesium Alloys and Application of the Alloys to High-Speed Railway Body. <i>Minerals, Metals and Materials Series</i> , 2022 , 29-35	0.3	1

24	Improving mechanical properties of an explosive-welded magnesium/aluminum clad plate by subsequent hot-rolling. <i>Journal of Alloys and Compounds</i> , 2021 , 162957	5.7	1
23	Development of New Magnesium Alloy Sheets with High Press Formability at Room Temperature. <i>Journal of the Japan Society for Technology of Plasticity</i> , 2015 , 50, 897-901	0.3	1
22	Effect of Bending-Tension Deformation on Texture Evolution and Room Temperature Formability of AZ31 Alloy Sheet Rolled at High Temperature. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2021 , 85, 129-137	0.4	1
21	Effects of measurement conditions on ignition temperature of magnesium alloys. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2016 , 66, 273-279	0.3	1
20	Effect of Rolling Temperature on Room Temperature Formability and Texture Formation of Mg-3 mass%Al-1 mass%Sn Alloy Sheet. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2021 , 85, 120-127	0.4	1
19	Discharge Behavior of Water-Activated Magnesium Battery 2018 ,		1
18	Effect of bending and tension deformation on the texture evolution and stretch formability of Mg-Zn-RE-Zr alloy. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2022 , 29, 1334-1342	3.1	1
17	Effects of Solution Treatment on Corrosion Properties of Mg $\frac{1}{2}$ mass%Al $\frac{1}{2}$ mass%Zn $\frac{1}{2}$ mass%Ca (AZX612) and Mg $\frac{1}{2}$ mass%Al $\frac{1}{2}$ mass%Zn (AZ61) Alloys. <i>Materials Transactions</i> , 2018 , 59, 1173-1179	1.3	0
16	Relationship between Calculated Segregation, Texture and Room Temperature Formability of Binary Magnesium Alloys. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2021 , 85, 382-390	0.4	0
15	Corrosion of Linear-Friction-Welded AZ91 and AZX912 Mg-Al Alloys. <i>Journal of the Electrochemical Society</i> , 2022 , 169, 031508	3.9	0
14	Improvement of deep drawing formability of Mg-6Al-1Zn magnesium alloy sheets with high strength utilizing aging precipitation. <i>Scripta Materialia</i> , 2022 , 215, 114709	5.6	0
13	Nanoporous Ni and Ni-Cu Fabricated by Dealloying. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1228, 60201		
12	Mechanical Properties and Press Formability of Mg Alloy Processed by Cross-Roll Rolling. <i>Materials Science Forum</i> , 2007 , 561-565, 179-182	0.4	
11	Enhancement of Press Formability of Rolled Mg Alloy Sheet by Using Cross Rolling Processes. <i>Materials Science Forum</i> , 2007 , 539-543, 1615-1619	0.4	
10	Superior Corrosion Resistance and Mechanical Properties of a Mg Alloy Recycled by Solid-State Process. <i>Materials Science Forum</i> , 2007 , 539-543, 1656-1661	0.4	
9	Compressive Behavior and Energy Absorption of Constructed Cellular Aluminum. <i>Materials Science Forum</i> , 2003 , 426-432, 441-446	0.4	
8	Simulation of Mg Sheet Press Cell Materials. <i>Materials Science Forum</i> , 2003 , 426-432, 587-592	0.4	
7	Recycling of Iron and Steel by Solid State Processes. <i>Materials Science Forum</i> , 2003 , 426-432, 3317-3322	0.4	

- 6 High Performance Mg Alloy by Grain Refinement. *Materials Science Forum*, **2003**, 426-432, 3299-3304 0.4
- 5 Towards Improving Cold Formability of a Concentrated Mg₉₀Al₇Zn₃Ca Alloy Sheet. *Minerals, Metals and Materials Series*, **2022**, 227-231 0.3
- 4 Barrier free processing of magnesium alloys.. *Journal of Advanced Science*, **2001**, 13, 325-327 0
- 3 Propagation Characteristics of Surface Wave on Free Surface of a Molten Metal Induced by Imposition of Intermittent Alternating Magnetic Field. *Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan*, **2001**, 87, 579-584 0.5
- 2 Study on New Recycling Process of Magnesium Alloys Using Plastic Deformation. *Journal of the Japan Society for Technology of Plasticity*, **2006**, 47, 1212-1213 0.3
- 1 Enhanced Mechanical Properties of Extruded Mg₉₀Al₇Zn₃Ca Alloy. *Minerals, Metals and Materials Series*, **2017**, 269-274 0.3