Yasumasa Chino

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2742370/yasumasa-chino-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 185
 6,054
 41
 73

 papers
 citations
 h-index
 g-index

 186
 6,666
 2.9
 5.91

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
185	Development of Flame-Retardant Wrought Magnesium Alloys and Application of the Alloys to High-Speed Railway Body. <i>Minerals, Metals and Materials Series</i> , 2022 , 29-35	0.3	1
184	Towards Improving Cold Formability of a Concentrated MgAlanta Alloy Sheet. <i>Minerals, Metals and Materials Series</i> , 2022 , 227-231	0.3	
183	Corrosion of Linear-Friction-Welded AZ91 and AZX912 Mg-Al Alloys. <i>Journal of the Electrochemical Society</i> , 2022 , 169, 031508	3.9	О
182	Simulation-aided analysis on mechanical properties of dilute Mg-Zn-Ca alloy sheets. <i>Journal of Alloys and Compounds</i> , 2022 , 906, 164285	5.7	2
181	Improvement of deep drawing formability of Mg-6Al-1Zn magnesium alloy sheets with high strength utilizing aging precipitation. <i>Scripta Materialia</i> , 2022 , 215, 114709	5.6	O
180	Effect of bending and tension deformation on the texture evolution and stretch formability of Mg-Zn-RE-Zr alloy. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2022 , 29, 1334-1342	3.1	1
179	Improving mechanical properties of an explosive-welded magnesium/aluminum clad plate by subsequent hot-rolling. <i>Journal of Alloys and Compounds</i> , 2021 , 162957	5.7	1
178	Effect of Bending-Tension Deformation on Texture Evolution and Room Temperature Formability of AZ31 Alloy Sheet Rolled at High Temperature. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2021 , 85, 129-137	0.4	1
177	Discharge Performance of Mg-6 wt%Al Alloy Anodes Containing Ca and Zn for Magnesium-Air Batteries. <i>Journal of the Electrochemical Society</i> , 2021 , 168, 050507	3.9	3
176	Linear Friction Welding of an AZ91 Magnesium Alloy and the Effect of Ca Additions on the Weld Characteristics. <i>Materials</i> , 2021 , 14,	3.5	2
175	Effect of Rolling Temperature on Room Temperature Formability and Texture Formation of Mg-3 mass%Al-1 mass%Sn Alloy Sheet. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2021 , 85, 120-127	0.4	1
174	Solute segregation assisted grain boundary precipitation and its impact to ductility of a precipitation-hardenable magnesium alloy. <i>Materials Science & Discourse ing A: Structural Materials: Properties, Microstructure and Processing,</i> 2021 , 819, 141481	5.3	4
173	Relationship between Calculated Segregation, Texture and Room Temperature Formability of Binary Magnesium Alloys. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2021 , 85, 382-390	0.4	O
172	Substantial improvement in cold formability of concentrated MgAlanta alloy sheets by high temperature final rolling. <i>Acta Materialia</i> , 2021 , 220, 117328	8.4	10
171	Simultaneously achieving excellent mechanical properties and high thermal conductivity in a high Mn-containing Mg-Zn-Ca-Al-Mn sheet alloy. <i>Journal of Alloys and Compounds</i> , 2021 , 887, 161394	5.7	6
170	Performance of AZ31 Alloy as Anodes for Primary Magnesium-Air Batteries under High Current Discharge. <i>Materials Transactions</i> , 2020 , 61, 200-205	1.3	4
169	A combined experimental and numerical study on room temperature formable magnesiumBilverBalcium alloys. <i>Journal of Alloys and Compounds</i> , 2020 , 834, 155017	5.7	15

(2017-2020)

168	Formation and Formability of the Alloys. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2020 , 84, 318-325	0.4	3
167	A room temperature formable magnesium lilver lalcium sheet alloy with high ductility. <i>Materials Science & Microstructure and Processing</i> , 2020 , 774, 138923	5.3	15
166	Compositional optimization of MgInBc sheetlalloys for enhanced room temperature stretch formability. <i>Journal of Alloys and Compounds</i> , 2020 , 818, 152891	5.7	16
165	Improving flame resistance and mechanical properties of magnesium liver Balcium sheet alloys by optimization of calcium content. <i>Journal of Alloys and Compounds</i> , 2020 , 837, 155551	5.7	9
164	Microstructures and Mechanical Properties of Precipitation-Hardenable Magnesium Bilver Calcium Alloy Sheets. <i>Metals</i> , 2020 , 10, 1632	2.3	2
163	Effects of Ca and Sr additions on microstructure, mechanical properties, and ignition temperature of hot-rolled MgIn alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 769, 138474	5.3	24
162	Effect of NaCl Concentration on the Galvanic Corrosion Behavior of a Magnesium AZX611/Aluminum A6N01 Alloy Joint. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 061501	3.9	5
161	Improvement of mechanical properties of extruded AZX912 magnesium alloy using high-temperature solution treatment. <i>Journal of Materials Research</i> , 2019 , 34, 3725-3734	2.5	5
160	Effects of alloy compositions on ignition temperature of magnesium alloys. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2019 , 69, 46-53	0.3	2
159	Development of high-performance flame-retardant wrought magnesium alloys and evolution for application of the alloys to high-speed railway body. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2019 , 69, 22-29	0.3	3
158	Effects of Bending and Tension Deformation on Texture Evolution and Room Temperature Formability of AZ31B Alloy Sheets. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2019 , 83, 212-220	0.4	4
157	Effects of Calcium Concentration on Room Temperature Formability and Damping Properties of Rolled Mg-Ca Alloys. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2018 , 82, 249-25	5 ^{0.4}	4
156	Effects of Solution Treatment on Corrosion Properties of MgB mass%All mass%ZnI mass%Ca (AZX612) and MgB mass%All mass%Zn (AZ61) Alloys. <i>Materials Transactions</i> , 2018 , 59, 1173-1179	1.3	O
155	Discharge Behavior of Water-Activated Magnesium Battery 2018 ,		1
154	Enhanced room temperature formability of magnesium alloy sheets by suppression of basal texture formation. <i>Journal of Physics: Conference Series</i> , 2018 , 1063, 012008	0.3	2
153	An atomistic study of Y segregation at a {10111}[110112] double twin in Mg. AIP Advances, 2017 , 7, 03530	& .5	2
152	Atomic simulations of the effect of Y and Al segregation on the boundary characteristics of a double twin in Mg. <i>Journal of Applied Physics</i> , 2017 , 122, 165103	2.5	3
151	Development of Room Temperature Formability of Rolled Magnesium Alloy Sheets by Texture Control. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2017, 81, 49-54	0.4	11

150	Stress Corrosion Cracking and Corrosion Resistance of MgB%All%ZnIl%Ca Extruded Magnesium Alloys. <i>Materials Transactions</i> , 2017 , 58, 1257-1263	1.3	2
149	Static recrystallization behavior of hot-rolled Mg-Zn-Ce magnesium alloy sheet. <i>Journal of Alloys and Compounds</i> , 2017 , 724, 981-990	5.7	20
148	Microstructure and mechanical properties of AZX912 magnesium alloy extruded at different temperatures. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing,</i> 2017 , 679, 162-171	5.3	41
147	Effect of Reduction in Thickness and Rolling Conditions on Mechanical Properties and Microstructure of Rolled Mg-8Al-1Zn-1Ca Alloy. <i>Advances in Materials Science and Engineering</i> , 2017 , 2017, 1-9	1.5	8
146	Effects of Measurement Conditions on Ignition Temperature of Magnesium Alloys. <i>Materials Transactions</i> , 2017 , 58, 1616-1623	1.3	9
145	Effects of microstructure on plate bending fatigue properties of rolled MgB%All%ZnIl%Ca plates. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2017 , 67, 625-631	0.3	3
144	Research and Development on High Performance of Wrought Magnesium Alloys by Plastic Forming. <i>Journal of the Japan Society for Technology of Plasticity</i> , 2017 , 58, 1074-1078	0.3	2
143	Enhanced Mechanical Properties of Extruded MgBmass%AlfImass%ZnImass%Ca Alloy. <i>Minerals, Metals and Materials Series</i> , 2017 , 269-274	0.3	
142	Stress corrosion cracking and corrosion resistance of MgB%All%ZnD%Ca extruded magnesium alloys. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2016 , 66, 266-272	0.3	3
141	Effects of measurement conditions on ignition temperature of magnesium alloys. Keikinzoku/Journal of Japan Institute of Light Metals, 2016 , 66, 273-279	0.3	1
140	Effects of Al concentration and Zn addition on microstructure and mechanical properties of MgAl(Zn)(La series magnesium alloy plates. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2016 , 66, 246-251	0.3	4
139	Influence of aluminum content on the texture and sheet formability of AM series magnesium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 633, 144-153	5.3	52
138	Discharge properties of MgAlMnCa and MgAlMn alloys as anode materials for primary magnesiumBir batteries. <i>Journal of Power Sources</i> , 2015 , 297, 449-456	8.9	96
137	Effects of group II elements on the cold stretch formability of MgIIn alloys. <i>Acta Materialia</i> , 2015 , 83, 294-303	8.4	92
136	Effect of segregated Al on (left{{10bar 12} right}) and (left{{10bar 11} right}) twinning in Mg. Journal of Materials Research, 2015 , 30, 3629-3641	2.5	10
135	Enhanced Room-Temperature Stretch Formability of Mg–0.2 mass%Ce Alloy Sheets Processed by Combination of High-Temperature Pre-Annealing and Warm Rolling. <i>Materials Transactions</i> , 2015 , 56, 1096-1101	1.3	7
134	Effect of segregated elements on the interactions between twin boundaries and screw dislocations in Mg. <i>Journal of Applied Physics</i> , 2015 , 118, 034304	2.5	13
133	First-principles Study of Hydrogen-induced Embrittlement in Fe Grain Boundary with Cr Segregation. <i>ISIJ International</i> , 2015 , 55, 1131-1134	1.7	8

(2013-2015)

132	Texture and stretch formability of AZ61 and AM60 magnesium alloy sheets processed by high-temperature rolling. <i>Journal of Alloys and Compounds</i> , 2015 , 632, 94-102	5.7	82	
131	Development of New Magnesium Alloy Sheets with High Press Formability at Room Temperature. Journal of the Japan Society for Technology of Plasticity, 2015, 50, 897-901	0.3	1	
130	Microstructural and textural evolution of pure titanium during differential speed rolling and subsequent annealing. <i>Journal of Materials Science</i> , 2014 , 49, 3166-3176	4.3	10	
129	Improved plastic anisotropy of MgZnCa alloys exhibiting high-stretch formability: A first-principles study. <i>Acta Materialia</i> , 2014 , 65, 207-214	8.4	68	
128	Interaction mechanisms of screw dislocations with and twin boundaries in Mg. <i>Philosophical Magazine</i> , 2014 , 94, 285-305	1.6	22	
127	Influences of grain size on mechanical properties and cold formability of MgBAlIIZn alloy sheets with similar weak initial textures. <i>Materials Science & Description A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 611, 152-161	5.3	36	
126	Effects of Microstructure on Discharge Behavior of AZ91 Alloy as Anode for Mg–Air Battery. <i>Materials Transactions</i> , 2014 , 55, 1202-1207	1.3	31	
125	Texture Formation and Room-Temperature Formability of Rolled Mg–Zn–Ce Alloys. <i>Materials Transactions</i> , 2014 , 55, 1190-1195	1.3	12	
124	Microstructure and Mechanical Properties of Alternately-Compressed AZ31 Mg Alloy in Two Orthogonal Directions. <i>Materials Transactions</i> , 2014 , 55, 739-741	1.3	1	
123	Mechanical and chemical effects of solute elements on generalized stacking fault energy of Mg. Journal of Materials Research, 2014 , 29, 2576-2586	2.5	12	
122	({rm{{}}10bar 12{rm{}}}) twins in the rolled MgZnCa alloy with high formability. <i>Journal of Materials Research</i> , 2014 , 29, 3024-3031	2.5	12	
121	Atomic simulations of (101½), (101½1) twinning and (101½) detwinning in magnesium. <i>Journal of Physics Condensed Matter</i> , 2014 , 26, 015003	1.8	5	
120	Twinning behaviour of AZ31 Mg alloy alternately compressed in two orthogonal directions. <i>Philosophical Magazine</i> , 2014 , 94, 3960-3977	1.6	9	
119	Interactions of a screw dislocation with a {101}[102} double twin in Mg. Acta Materialia, 2013, 61, 4714-	48 <u>74</u> 5	18	
118	Fabrication of Mg alloy tubes for biodegradable stent application. <i>Materials Science and Engineering C</i> , 2013 , 33, 4746-50	8.3	44	
117	Influence of initial texture on cold deep drawability of MgBAldZn alloy sheets. <i>Materials Science</i> & Samp; Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 565, 359-372	5.3	24	
116	Variation in Texture and Lankford Value of 1070 Aluminum Sheet Rolled by Cone-shaped Roll. Journal of Materials Science and Technology, 2013 , 29, 175-179	9.1	5	
115	Effects of initial microstructure on the microstructural evolution and stretch formability of warm rolled MgBAllIZn alloy sheets. <i>Materials Science & Engineering A: Structural Materials:</i> Properties, Microstructure and Processing, 2013, 587, 150-160	5.3	23	

114	Different annealing behaviours of warm rolled MgBAlIZn alloy sheets with dynamic recrystallized microstructure and deformation microstructure. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 560, 232-240	5.3	31
113	Softening due to disordered grain boundaries in nanocrystalline Co. <i>Journal of Physics Condensed Matter</i> , 2013 , 25, 345702	1.8	2
112	Enhancement of Room Temperature Stretch Formability of Mg–1.5 mass%Mn Alloy by Texture Control. <i>Materials Transactions</i> , 2013 , 54, 392-398	1.3	21
111	Application of the Flame-Retardant Magnesium Alloy to High Speed Rail Vehicles. <i>Materia Japan</i> , 2013 , 52, 484-490	0.1	10
110	Static recrystallization and mechanical properties of MgIAYBRE magnesium alloy sheet processed by differential speed rolling at 823K. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 538, 281-287	5.3	50
109	Influence of rolling temperature on static recrystallization behavior of AZ31 magnesium alloy. <i>Journal of Materials Science</i> , 2012 , 47, 4561-4567	4.3	44
108	Hydrogen embrittlement in a magnesium grain boundary: a first-principles study. <i>Journal of Physics Condensed Matter</i> , 2012 , 24, 085701	1.8	8
107	Influence of initial texture on rolling and annealing textures of MgBAlfIZn alloy sheets processed by high temperature rolling. <i>Journal of Alloys and Compounds</i> , 2012 , 537, 80-86	5.7	52
106	Annealing behaviour of MgBAldZn alloy sheet obtained by a combination of high-temperature rolling and subsequent warm rolling. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 4854-4860	5.7	44
105	Improvement of stretch formability of MgBAldZn alloy sheet by high temperature rolling at finishing pass. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 7579-7584	5.7	124
104	Formation of Nanoporous Structure on Pt Plate Surface by Alloying/Dealloying Technique. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2011 , 75, 42-46	0.4	3
103	Effects of Zinc Concentration on the Stretch Formability at Room Temperature of the Rolled Mg-Zn-Ca Alloys. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2011 , 75, 35-41	0.4	28
102	Elastic and Damping Properties of AZ31 Magnesium Alloy Sheet Processed by High-Temperature Rolling. <i>Materials Transactions</i> , 2011 , 52, 2040-2044	1.3	9
101	Solid Solution Softening Mechanisms in Mg-Ca Alloy. <i>Materials Transactions</i> , 2011 , 52, 1840-1843	1.3	8
100	Effects of Hydrogen on the Mechanical Properties of Pure Magnesium. <i>Materials Transactions</i> , 2011 , 52, 1123-1126	1.3	11
99	Electronic Structure and Solid Solution Softening in Iron Alloys. <i>Materials Transactions</i> , 2011 , 52, 1324-	13 ₁₂ 6	2
98	Effects of Ca on Tensile Properties and Stretch Formability at Room Temperature in Mg-Zn and Mg-Al Alloys. <i>Materials Transactions</i> , 2011 , 52, 1477-1482	1.3	144
97	Microstructure, Texture and Mechanical Properties of Mg-Zn-Ce Alloy Extruded at Different Temperatures. <i>Materials Transactions</i> , 2011 , 52, 1104-1107	1.3	8

(2008-2011)

96	Solid Solution Strengthening for Mg-3.0 Mass Pct (2.71 At. Pct)Al and Mg-0.06 Mass Pct (0.036 At. Pct)Ca Alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011 , 42, 1965-1973	2.3	22
95	Electrochemical stability of self-assembled monolayers on nanoporous Au. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 12277-84	3.6	20
94	Solid/electrolyte interface phenomena during anodic polarization of Pd0.2M0.8 (M=Fe, Co, Ni) alloys in H2SO4. <i>Journal of Alloys and Compounds</i> , 2010 , 494, 309-314	5.7	26
93	Texture and Mechanical Properties of Mg-3Al-1Zn-0.5Mn-1.5Ca Alloy Produced by Torsion Extrusion. <i>Materials Transactions</i> , 2010 , 51, 872-877	1.3	4
92	Enhancement of Stretch Formability at Room Temperature by Addition of Ca in Mg-Zn Alloy. <i>Materials Transactions</i> , 2010 , 51, 818-821	1.3	78
91	Influence of Zn concentration on stretch formability at room temperature of MgInILe alloy. Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing , 2010, 528, 566-572	5.3	96
90	Nanoporous surface fabricated on metal sheets by alloying/dealloying technique. <i>Materials Letters</i> , 2010 , 64, 2341-2343	3.3	11
89	Influences of initial texture on microstructure and stretch formability of MgBAlfIZn alloy sheet obtained by a combination of high temperature and subsequent warm rolling. <i>Scripta Materialia</i> , 2010 , 63, 395-398	5.6	48
88	Improvement of stretch formability of pure titanium sheet by differential speed rolling. <i>Scripta Materialia</i> , 2010 , 63, 473-476	5.6	48
87	Nanoporous Ni and Ni-Cu Fabricated by Dealloying. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1228, 60201		
86	Enhanced stretch formability of MgAlIn alloy sheets rolled at high temperature (723K). <i>Scripta Materialia</i> , 2009 , 60, 447-450	5.6	95
85	Creating Aligned, Elongated Pores in Titanium Foams by Swaging of Preforms with Ductile Space-Holder. <i>Advanced Engineering Materials</i> , 2009 , 11, 52-55	3.5	18
84	Enhanced stretch formability of Mn-free AZ31 Mg alloy rolled by cross-roll rolling. <i>Journal of Materials Science</i> , 2009 , 44, 1821-1827	4.3	28
83	Stretch formability of Mn-free AZ31 Mg alloy rolled at high temperature (723 K). <i>Journal of Materials Science</i> , 2009 , 44, 4593-4598	4.3	11
82	Texture and stretch formability of a rolled MgIn alloy containing dilute content of Y. <i>Materials Science & Microstructure and Processing</i> , 2009 , 513-514, 394-400	5.3	163
81	Deformation characteristics at room temperature under biaxial tensile stress in textured AZ31 Mg alloy sheets. <i>Acta Materialia</i> , 2009 , 57, 1476-1485	8.4	104
80	Enhancement of tensile ductility of magnesium alloy produced by torsion extrusion. <i>Scripta Materialia</i> , 2008 , 59, 399-402	5.6	75
79	Tensile Properties and Stretch Formability of Mg-1.5 mass%-0.2 mass%Ce Sheet Rolled at 723 K. <i>Materials Transactions</i> , 2008 , 49, 1710-1712	1.3	40

78	Deformation Characteristics of Recycled AZ91 Mg Alloy Containing Oxide Contaminants. <i>Materials Transactions</i> , 2008 , 49, 1093-1100	1.3	8
77	Texture and Stretch Formability of Mg-1.5 mass%Zn-0.2 mass%Ce Alloy Rolled at Different Rolling Temperatures. <i>Materials Transactions</i> , 2008 , 49, 2916-2918	1.3	66
76	Direction Dependence of Compressive Properties of Mg Processed by Directional Solidification. <i>Materials Transactions</i> , 2008 , 49, 393-397	1.3	3
75	Twinning behavior and deformation mechanisms of extruded AZ31 Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 486, 481-488	5.3	181
74	Enhancement of tensile ductility and stretch formability of magnesium by addition of 0.2 wt%(0.035 at%)Ce. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 494, 343-349	5.3	205
73	Directionally freeze-cast titanium foam with aligned, elongated pores. <i>Acta Materialia</i> , 2008 , 56, 105-11	3 8.4	198
72	Compressive deformation behavior at room temperature 🛚 773 K in Mg 🕽 .2 mass%(0.035at.%)Ce alloy. <i>Acta Materialia</i> , 2008 , 56, 387-394	8.4	180
71	Stretch formability at elevated temperature of a cross-rolled AZ31 Mg alloy sheet with different rolling routes. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 473, 195-200	5.3	73
70	Mechanical anisotropy due to twinning in an extruded AZ31 Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 485, 311-317	5.3	116
69	Life cycle inventory study on magnesium alloy substitution in vehicles. <i>Energy</i> , 2007 , 32, 1352-1360	7.9	140
68	Stretch formability of AZ31 Mg alloy sheets at different testing temperatures. <i>Materials Science</i> & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 466, 90-95	5.3	87
67	Mechanical properties at elevated temperature of a hot-deformed MgAlCaMnBr alloy. Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 452-453, 31-36	5.3	16
66	Monotonic and cyclic compressive properties of porous aluminum fabricated by spacer method. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 459, 286-293	5.3	35
65	Microstructure and press formability of a cross-rolled magnesium alloy sheet. <i>Materials Letters</i> , 2007 , 61, 1504-1506	3.3	33
64	Mechanical Properties and Press Formability of Mg Alloy Processed by Cross-Roll Rolling. <i>Materials Science Forum</i> , 2007 , 561-565, 179-182	0.4	
63	Enhancement of Press Formability of Rolled Mg Alloy Sheet by Using Cross Rolling Processes. <i>Materials Science Forum</i> , 2007 , 539-543, 1615-1619	0.4	
62	Superior Corrosion Resistance and Mechanical Properties of a Mg Alloy Recycled by Solid-State Process. <i>Materials Science Forum</i> , 2007 , 539-543, 1656-1661	0.4	
61	New recycling process of magnesium alloy machined chips by hot extrusion. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2007 , 57, 250-255	0.3	4

(2005-2006)

60	Press formability of a rolled AZ31 Mg alloy sheet with controlled texture. <i>Materials Letters</i> , 2006 , 60, 173-176	3.3	73
59	Mechanical and Corrosion Properties of AZ31 Magnesium Alloy Repeatedly Recycled by Hot Extrusion. <i>Materials Transactions</i> , 2006 , 47, 1040-1046	1.3	31
58	Influence of Rolling Routes on Press Formability of a Rolled AZ31 Mg Alloy Sheet. <i>Materials Transactions</i> , 2006 , 47, 2555-2560	1.3	14
57	Enhanced corrosion properties of pure Mg and AZ31 Mg alloy recycled by solid-state process. <i>Materials Science & Discourse and Processing</i> , 2006 , 435-436, 275-281	5.3	28
56	Enhanced formability at elevated temperature of a cross-rolled magnesium alloy sheet. <i>Materials Science & Discourse and Processing</i> , 2006 , 441, 349-356	5.3	133
55	Processing and mechanical properties of a porous low carbon steel with a controlled porous structure by imposition of a static magnetic field. <i>Materials Science & Discounting A: Structural Materials: Properties, Microstructure and Processing,</i> 2006 , 417, 281-286	5.3	5
54	Influence of distribution of oxide contaminants on fatigue behavior in AZ31 Mg alloy recycled by solid-state processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 424, 355-360	5.3	21
53	Mechanical properties of AZ31 Mg alloy recycled by severe deformation. <i>Journal of Materials Research</i> , 2006 , 21, 754-760	2.5	39
52	Fatigue behavior of AZ31 magnesium alloy produced by solid-state recycling. <i>Journal of Materials Science</i> , 2006 , 41, 3229-3232	4.3	12
51	Study on New Recycling Process of Magnesium Alloys Using Plastic Deformation. <i>Journal of the Japan Society for Technology of Plasticity</i> , 2006 , 47, 1212-1213	0.3	
50	Theoretical Analysis on Crystal Alignment of Feeble Magnetic Materials under High Magnetic Field. <i>Materials Transactions</i> , 2005 , 46, 1311-1317	1.3	33
49	Deformation Characteristics at Elevated Temperature in Recycled 5083 Aluminum Alloy by Solid State Recycling. <i>Materials Transactions</i> , 2005 , 46, 2637-2640	1.3	7
48	Compressive Deformation Behavior at Elevated Temperatures in a Closed-Cell Aluminum Foam. <i>Materials Transactions</i> , 2005 , 46, 1677-1680	1.3	27
47	Mechanical Properties of Mg–Al–Ca Alloy Recycled by Solid–State Recycling. <i>Materials Transactions</i> , 2005 , 46, 2592-2595	1.3	30
46	Compressive properties at elevated temperatures of porous aluminum processed by the spacer method. <i>Journal of Materials Research</i> , 2005 , 20, 3385-3390	2.5	11
45	Superplastic Forming of AZ31 Mg Alloy Recycled by Solid-State Processing. <i>Materials Science Forum</i> , 2005 , 488-489, 567-570	0.4	4
44	An Investigation of Cavity Growth Rate in Superplastic Al and Mg Alloys. <i>Materials Science Forum</i> , 2005 , 475-479, 2945-2948	0.4	1
43	Blow Forming of Recycled 5083 Al Alloy and AZ31 Mg Alloy by Solid State Recycling. <i>Materials Science Forum</i> , 2005 , 475-479, 2919-2922	0.4	1

42	Cavity growth rate in superplastic 5083 Al and AZ31 Mg alloys. <i>Journal of Materials Research</i> , 2004 , 19, 3382-3388	2.5	13
41	Solid-state recycling for machined chips of iron by hot extrusion and annealing. <i>Journal of Materials Research</i> , 2004 , 19, 1524-1530	2.5	17
40	Novel equilibrium two phase Mg alloy with the long-period ordered structure. <i>Scripta Materialia</i> , 2004 , 51, 711-714	5.6	119
39	Effect of metal powder size on the gas expansion behavior of 7075 Al alloy in a semisolid state. Materials Science & Lamp; Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 382, 35-40	5.3	8
38	Blow Forming of Mg Alloy Recycled by Solid-State Recycling. <i>Materials Transactions</i> , 2004 , 45, 361-364	1.3	29
37	Tensile Properties and Blow Forming of 5083 Aluminum Alloy Recycled by Solid-State Recycling. <i>Materials Transactions</i> , 2004 , 45, 2509-2515	1.3	14
36	Corrosion and Mechanical Properties of Recycled 5083 Aluminum Alloy by Solid State Recycling. <i>Materials Transactions</i> , 2003 , 44, 1284-1289	1.3	19
35	Influence of Grain Size on Elongation at Elevated Temperatures in AZ31 Mg Alloy. <i>Materials Transactions</i> , 2003 , 44, 490-495	1.3	26
34	Solid Recycling of an AZ31 Mg Alloy with a Vapor Deposition Coating Layer of High Purity Mg. <i>Materials Transactions</i> , 2003 , 44, 578-582	1.3	3
33	An Experimental Investigation of Effects of Specimen Size Parameters on Compressive and Tensile Properties in a Closed Cell Al Foam. <i>Materials Transactions</i> , 2003 , 44, 633-636	1.3	12
32	Tensile Properties of Directionally Solidified AZ91 Mg Alloy. <i>Materials Transactions</i> , 2003 , 44, 436-439	1.3	23
31	Mechanical Properties and Blow Forming of Rolled AZ31 Mg Alloy Sheet. <i>Materials Transactions</i> , 2003 , 44, 484-489	1.3	14
30	Processing of fine-grained aluminum foam by spark plasma sintering. <i>Journal of Materials Science Letters</i> , 2003 , 22, 1407-1409		45
29	Fabrication of nanoscale Ti honeycombs by focused ion beam. <i>Materials Science & Description of Naterials: Properties, Microstructure and Processing</i> , 2003 , 344, 365-367	5.3	17
28	An investigation of compressive deformation behaviour for AZ91 Mg alloy containing a small volume of liquid. <i>Acta Materialia</i> , 2003 , 51, 3309-3318	8.4	79
27	Compressive Behavior and Energy Absorption of Constructed Cellular Aluminum. <i>Materials Science Forum</i> , 2003 , 426-432, 441-446	0.4	
26	Simulation of Mg Sheet Press Cell Materials. <i>Materials Science Forum</i> , 2003 , 426-432, 587-592	0.4	
25	Processing and Mechanical Properties of Open-Cell Mg Alloys. <i>Materials Science Forum</i> , 2003 , 419-422, 1013-1018	0.4	5

(2001-2003)

24	Recycling of AZ31 Mg Alloy with High Purity Mg Deposition Layer by Hot Working (Solid Recycling). <i>Materials Science Forum</i> , 2003 , 419-422, 671-676	0.4	4
23	Recycling of Iron and Steel by Solid State Processes. <i>Materials Science Forum</i> , 2003 , 426-432, 3317-3322	0.4	
22	Processing and Characterization of Porous Aluminum. <i>Materials Science Forum</i> , 2003 , 426-432, 417-422	0.4	4
21	High Performance Mg Alloy by Grain Refinement. <i>Materials Science Forum</i> , 2003 , 426-432, 3299-3304	0.4	
20	Processing of a porous 7075 Al alloy by bubble expansion in a semi-solid state. <i>Scripta Materialia</i> , 2002 , 47, 769-773	5.6	19
19	Processing and mechanical properties of autogenous titanium implant materials. <i>Journal of Materials Science: Materials in Medicine</i> , 2002 , 13, 397-401	4.5	192
18	Focused ion beam fabrication of amorphous and polycrystalline Fe78B13Si9 alloys. <i>Journal of Materials Science Letters</i> , 2002 , 21, 837-839		5
17	Mechanical and corrosion properties of a medium carbon steel (S45C) recycled by solid recycling process. <i>Journal of Materials Science Letters</i> , 2002 , 21, 1695-1697		6
16	Compressive Deformation Characteristics of Open-Cell Mg Alloys with Controlled Cell Structure. <i>Materials Transactions</i> , 2002 , 43, 1298-1305	1.3	32
15	Superplasticity and Cavitation of Recycled AZ31 Magnesium Alloy Fabricated by Solid Recycling Process. <i>Materials Transactions</i> , 2002 , 43, 2437-2442	1.3	50
14	Mechanical Properties and Press Formability at Room Temperature of AZ31 Mg Alloy Processed by Single Roller Drive Rolling. <i>Materials Transactions</i> , 2002 , 43, 2554-2560	1.3	98
13	Corrosion Resistance and Adhesion Properties of the Chromium-Free Coating Using an Urethane-Base Resin for AZ91E Magnesium Alloy. <i>Materials Transactions</i> , 2002 , 43, 340-342	1.3	1
12	Tensile Properties from Room Temperature to 673 K of Mg-0.9 mass%Ca Alloy Containing Lamella Mg2Ca. <i>Materials Transactions</i> , 2002 , 43, 2643-2646	1.3	23
11	Tensile Properties at Room Temperature to 823 K of Mg-4Y-3RE Alloy. <i>Materials Transactions</i> , 2002 , 43, 2063-2068	1.3	24
10	Solid-state recycling from machined scraps to a cellular solid. <i>Journal of Materials Research</i> , 2002 , 17, 2783-2786	2.5	2
9	Novel titanium foam for bone tissue engineering. <i>Journal of Materials Research</i> , 2002 , 17, 2633-2639	2.5	159
8	The Grain Size and Texture Dependence of Tensile Properties in Extruded Mg-9Al-1Zn. <i>Materials Transactions</i> , 2001 , 42, 1182-1188	1.3	103
7	Compression Test Simulation of Controlled Cell Shape Open Cellular Magnesium Alloy under Dynamic Loading. <i>Materials Transactions</i> , 2001 , 42, 1326-1331	1.3	3

6	Forging Characteristics of AZ31 Mg Alloy. <i>Materials Transactions</i> , 2001 , 42, 414-417	1.3	32
5	Influences of Grain Size on Mechanical Properties of Extruded AZ91 Mg Alloy after Different Extrusion Processes. <i>Advanced Engineering Materials</i> , 2001 , 3, 981	3.5	47
4	Processing of biocompatible porous Ti and Mg. Scripta Materialia, 2001, 45, 1147-1153	5.6	536
3	Corrosion and Mechanical Properties of AZ91D Magnesium Alloy Fabricated by Solid Recycling Process. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2001 , 65, 621-626	0.4	21
2	Barrier free processing of magnesium alloys <i>Journal of Advanced Science</i> , 2001 , 13, 325-327	O	
1	Propagation Characteristics of Surface Wave on Free Surface of a Molten Metal Induced by Imposition of Intermittent Alternating Magnetic Field. <i>Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan</i> , 2001 , 87, 579-584	0.5	