

# Almerinda Di Benedetto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2742670/publications.pdf>

Version: 2024-02-01

82  
papers

2,480  
citations

172386

29  
h-index

223716

46  
g-index

83  
all docs

83  
docs citations

83  
times ranked

1452  
citing authors

#	ARTICLE	IF	CITATIONS
1	Glycerol Hydrogenolysis to 1,2-Propanediol over Novel Cu/ZrO <sub>2</sub> Catalysts. <i>Catalysts</i> , 2022, 12, 72.	1.6	8
2	CFD simulation of turbulent fluid flow and dust dispersion in the 1 m <sup>3</sup> explosion vessel equipped with the rebound nozzle. <i>Journal of Loss Prevention in the Process Industries</i> , 2022, 76, 104755.	1.7	10
3	Synergy Between Ceria and Metals (Ag or Cu) in Catalytic Diesel Particulate Filters: Effect of the Metal Content and of the Preparation Method on the Regeneration Performance. <i>Topics in Catalysis</i> , 2021, 64, 256-269.	1.3	50
4	On the pyrotechnic ignitors role in dust explosion testing: Comparison between 20%L and 1m <sup>3</sup> explosion vessels. <i>Process Safety Progress</i> , 2021, 40, 289-295.	0.4	13
5	Risk Assessment of the Large-Scale Hydrogen Storage in Salt Caverns. <i>Energies</i> , 2021, 14, 2856.	1.6	28
6	Effect of turbulence spatial distribution on the deflagration index: Comparison between 20L and 1m <sup>3</sup> vessels. <i>Journal of Loss Prevention in the Process Industries</i> , 2021, 71, 104484.	1.7	15
7	Methodology for risk assessment of COVID-19 pandemic propagation. <i>Journal of Loss Prevention in the Process Industries</i> , 2021, 72, 104584.	1.7	13
8	K-doped CeO <sub>2</sub> –ZrO <sub>2</sub> for CO <sub>2</sub> thermochemical catalytic splitting. <i>RSC Advances</i> , 2021, 11, 39420-39427.	1.7	6
9	CFD Simulation of the Dispersion of Binary Dust Mixtures in the 20L Vessel. <i>Journal of Loss Prevention in the Process Industries</i> , 2020, 67, 104231.	1.7	20
10	CFD simulations of dust dispersion in the 1m <sup>3</sup> explosion vessel. <i>Journal of Loss Prevention in the Process Industries</i> , 2020, 68, 104274.	1.7	11
11	CFD Simulations of Microreactors for the Hydrolysis of Cellobiose to Glucose by $\beta$ -Glucosidase Enzyme. <i>Micromachines</i> , 2020, 11, 790.	1.4	8
12	Immobilization of $\beta$ -Glucosidase over Structured Cordierite Monoliths Washcoated with Wrinkled Silica Nanoparticles. <i>Catalysts</i> , 2020, 10, 889.	1.6	10
13	Ignition mechanism of flammable dust and dust mixtures: An insight through thermogravimetric/differential scanning calorimetry analysis. <i>AIChE Journal</i> , 2020, 66, e16256.	1.8	8
14	Effect of initial pressure on the lower explosion limit of nicotinic acid/acetone mixture. <i>Journal of Loss Prevention in the Process Industries</i> , 2020, 64, 104075.	1.7	7
15	A Novel Catalytic Micro-Combustor Inspired by the Nasal Geometry of Reindeer: CFD Modeling and Simulation. <i>Catalysts</i> , 2020, 10, 606.	1.6	6
16	Synergistic behavior of flammable dust mixtures: A novel classification. <i>Journal of Hazardous Materials</i> , 2020, 397, 122784.	6.5	14
17	Influence of initial temperature and pressure on the explosion behavior of n-dodecane/air mixtures. <i>Journal of Loss Prevention in the Process Industries</i> , 2019, 62, 103920.	1.7	19
18	CFD simulation of turbulent flow field, feeding and dispersion of non-spherical dust particles in the standard 20L sphere. <i>Journal of Loss Prevention in the Process Industries</i> , 2019, 62, 103983.	1.7	16

#	ARTICLE	IF	CITATIONS
19	Using CFD Simulation as a Tool to Identify Optimal Operating Conditions for Regeneration of a Catalytic Diesel Particulate Filter. Applied Sciences (Switzerland), 2019, 9, 3453.	1.3	29
20	Ni/CeO <sub>2</sub> Structured Catalysts for Solar Reforming of Spent Solvents. Catalysts, 2019, 9, 688.	1.6	3
21	Study of the explosible properties of textile dusts. Journal of Loss Prevention in the Process Industries, 2018, 54, 110-122.	1.7	20
22	Combined effects of soot load and catalyst activity on the regeneration dynamics of catalytic diesel particulate filters. AIChE Journal, 2018, 64, 1714-1722.	1.8	62
23	Flash point of flammable binary mixtures: Synergistic behavior. Journal of Loss Prevention in the Process Industries, 2018, 52, 1-6.	1.7	27
24	Effect of pressure on the flash point of various fuels and their binary mixtures. Chemical Engineering Research and Design, 2018, 116, 615-620.	2.7	37
25	Two-Stage Strategy for CO Removal from H <sub>2</sub> -Rich Streams over (Nano-) CuO/CeO <sub>2</sub> Structured Catalyst at Low Temperature. Applied Sciences (Switzerland), 2018, 8, 789.	1.3	4
26	Volatile point of dust mixtures and hybrid mixtures. Journal of Loss Prevention in the Process Industries, 2018, 56, 370-377.	1.7	19
27	On the effect of initial pressure on the minimum explosive concentration of dust in air. Powder Technology, 2018, 336, 567-572.	2.1	12
28	A statistical approach to determine the autoignition temperature of dust clouds. Journal of Loss Prevention in the Process Industries, 2018, 56, 181-190.	1.7	9
29	Improved CO-PROX Performance of CuO/CeO <sub>2</sub> Catalysts by Using Nanometric Ceria as Support. Catalysts, 2018, 8, 209.	1.6	22
30	Ceria-coated diesel particulate filters for continuous regeneration. AIChE Journal, 2017, 63, 3442-3449.	1.8	76
31	Post-fire erosion response in a watershed mantled by volcanoclastic deposits, Sarno Mountains, Southern Italy. Catena, 2017, 152, 227-241.	2.2	17
32	CO reactive adsorption at low temperature over CuO/CeO <sub>2</sub> structured catalytic monolith. International Journal of Hydrogen Energy, 2017, 42, 12262-12275.	3.8	20
33	Multifuel Catalytic Combustion in the Presence of Carbon Dioxide over Fully and Partially Perovskite-Coated Monoliths. Industrial & Engineering Chemistry Research, 2017, 56, 4920-4928.	1.8	6
34	Explosion behavior of ammonia and ammonia/methane in oxygen-enriched air. Process Safety Progress, 2017, 36, 368-371.	0.4	8
35	Highly Dispersed Ceria for Catalytic Regeneration of Diesel Particulate Filters. Advanced Science Letters, 2017, 23, 5909-5911.	0.2	3
36	Structuring CuO/CeO <sub>2</sub> Catalyst as Option to Improve Performance Towards CO-PROX. Topics in Catalysis, 2016, 59, 1371-1382.	1.3	12

#	ARTICLE	IF	CITATIONS
37	CFD Simulations of Copper-Ceria Based Microreactor for COPROX. International Journal of Chemical Reactor Engineering, 2016, 14, 1301-1313.	0.6	6
38	Effect of carbon dioxide and water on the performances of an iron-promoted copper/ceria catalyst for CO preferential oxidation in H <sub>2</sub> -rich streams. International Journal of Hydrogen Energy, 2016, 41, 7332-7341.	3.8	10
39	Operating Map for Regeneration of a Catalytic Diesel Particulate Filter. Industrial & Engineering Chemistry Research, 2016, 55, 11052-11061.	1.8	52
40	Catalytic diesel particulate filters with highly dispersed ceria: Effect of the soot-catalyst contact on the regeneration performance. Applied Catalysis B: Environmental, 2016, 197, 116-124.	10.8	112
41	Optimization of the preparation method of CuO/CeO <sub>2</sub> structured catalytic monolith for CO preferential oxidation in H <sub>2</sub> -rich streams. Applied Catalysis B: Environmental, 2016, 181, 727-737.	10.8	43
42	Explosion of lycopodium-nicotinic acid-methane complex hybrid mixtures. Journal of Loss Prevention in the Process Industries, 2015, 36, 505-508.	1.7	18
43	Theoretical analysis of anomalous explosion behavior for H <sub>2</sub> /CO/O <sub>2</sub> /N <sub>2</sub> and CH <sub>4</sub> /O <sub>2</sub> /N <sub>2</sub> /CO <sub>2</sub> mixtures in the light of combustion-induced rapid phase transition. International Journal of Hydrogen Energy, 2015, 40, 8239-8247.	3.8	15
44	Modeling and simulation of soot combustion dynamics in a catalytic diesel particulate filter. Chemical Engineering Science, 2015, 137, 69-78.	1.9	87
45	CuO/CeO <sub>2</sub> based monoliths for CO preferential oxidation in H <sub>2</sub> -rich streams. Chemical Engineering Journal, 2015, 279, 983-993.	6.6	32
46	On the explosion and flammability behavior of mixtures of combustible dusts. Chemical Engineering Research and Design, 2015, 94, 410-419.	2.7	37
47	A fan-equipped reactor for dust explosion tests. AIChE Journal, 2015, 61, 1572-1580.	1.8	7
48	Effect of the nozzle type on the integrity of dust particles in standard explosion tests. Powder Technology, 2015, 279, 203-208.	2.1	58
49	CFD modeling and simulation of turbulent fluid flow and dust dispersion in the 20-L explosion vessel equipped with the perforated annular nozzle. Journal of Loss Prevention in the Process Industries, 2015, 38, 204-213.	1.7	30
50	Start-up behavior of a LaMnO <sub>3</sub> partially coated monolithic combustor at high pressure. Catalysis Today, 2015, 242, 200-210.	2.2	23
51	High pressure methane catalytic combustion over novel partially coated LaMnO <sub>3</sub> -based monoliths. Chemical Engineering Journal, 2015, 259, 381-390.	6.6	48
52	Transient behavior of structured LaMnO <sub>3</sub> catalyst during methane combustion at high pressure. Chemical Engineering Science, 2014, 116, 350-358.	1.9	35
53	The effect of the hydrogen presence on combustion-induced rapid phase transition of CO/O <sub>2</sub> /N <sub>2</sub> mixtures. International Journal of Hydrogen Energy, 2013, 38, 16463-16470.	3.8	17
54	The thermal/thermodynamic theory of flammability: The adiabatic flammability limits. Chemical Engineering Science, 2013, 99, 265-273.	1.9	27

#	ARTICLE	IF	CITATIONS
55	Modelling of the effect of size on flocculent dust explosions. <i>Journal of Loss Prevention in the Process Industries</i> , 2013, 26, 1634-1638.	1.7	19
56	High pressure kinetics of CH <sub>4</sub> , CO and H <sub>2</sub> combustion over LaMnO <sub>3</sub> catalyst. <i>Applied Catalysis B: Environmental</i> , 2013, 134-135, 110-122.	10.8	25
57	Reconsidering the flammability diagram for CH <sub>4</sub> /O <sub>2</sub> /N <sub>2</sub> and CH <sub>4</sub> /O <sub>2</sub> /CO <sub>2</sub> mixtures in light of combustion-induced Rapid Phase Transition. <i>Chemical Engineering Science</i> , 2012, 84, 142-147.	1.9	53
58	Analysis of an Explosion in a Wool-Processing Plant. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 7713-7718.	1.8	12
59	High-Pressure Methane Combustion over a Perovskite Catalyst. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 7547-7558.	1.8	37
60	Combined Effect of Ignition Energy and Initial Turbulence on the Explosion Behavior of Lean Gas/Dust-Air Mixtures. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 7663-7670.	1.8	61
61	Explosions of Syngas/CO <sub>2</sub> Mixtures in Oxygen-Enriched Air. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 7671-7678.	1.8	56
62	Combustion-Induced Rapid-Phase Transition (cRPT) in CH <sub>4</sub> /CO <sub>2</sub> /O <sub>2</sub> -Enriched Mixtures. <i>Energy &amp; Fuels</i> , 2012, 26, 4799-4803.	2.5	10
63	Sensitivity to the Presence of the Combustion Submodel for Large Eddy Simulation of Transient Premixed Flame-Vortex Interactions. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 7704-7712.	1.8	47
64	Effect of diluents on rapid phase transition of water induced by combustion. <i>AIChE Journal</i> , 2012, 58, 2810-2819.	1.8	41
65	Large Eddy Simulation of transient premixed flame-vortex interactions in gas explosions. <i>Chemical Engineering Science</i> , 2012, 71, 539-551.	1.9	93
66	Bifurcation analysis of the effect of hydrogen addition on the dynamic behavior of lean premixed pre-vaporized ethanol combustion. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 6922-6932.	3.8	28
67	Explosion behavior of hydrogen-methane/air mixtures. <i>Journal of Loss Prevention in the Process Industries</i> , 2012, 25, 443-447.	1.7	161
68	Anomalous behavior during explosions of CH <sub>4</sub> in oxygen-enriched air. <i>Combustion and Flame</i> , 2011, 158, 2214-2219.	2.8	53
69	Sub-grid scale combustion models for large eddy simulation of unsteady premixed flame propagation around obstacles. <i>Journal of Hazardous Materials</i> , 2010, 180, 71-78.	6.5	86
70	Effect of geometry on the thermal behavior of catalytic micro-combustors. <i>Catalysis Today</i> , 2010, 155, 116-122.	2.2	39
71	Prevention and mitigation of dust and hybrid mixture explosions. <i>Process Safety Progress</i> , 2010, 29, 17-21.	0.4	55
72	Steady-State Multiplicity in Catalytic Microcombustors. <i>Industrial &amp; Engineering Chemistry Research</i> , 2010, 49, 2130-2134.	1.8	4

#	ARTICLE	IF	CITATIONS
73	Using Large Eddy Simulation for understanding vented gas explosions in the presence of obstacles. Journal of Hazardous Materials, 2009, 169, 435-442.	6.5	121
74	A novel catalytic-homogenous micro-combustor. Catalysis Today, 2009, 147, S156-S161.	2.2	34
75	The design of duct venting of gas explosions. Process Safety Progress, 2008, 27, 164-172.	0.4	11
76	Effect of the Re number on heat and mass transport in a catalytic monolith. Catalysis Today, 2006, 117, 498-505.	2.2	6
77	The effect of support morphology on the reaction of oxidative dehydrogenation of ethane to ethylene at short contact times. Catalysis Today, 2005, 105, 551-559.	2.2	24
78	The mitigation of pressure piling by divergent connections. Process Safety Progress, 2005, 24, 310-315.	0.4	10
79	Modeling ethane oxy-dehydrogenation over monolithic combustion catalyts. AIChE Journal, 2004, 50, 2233-2245.	1.8	14
80	Temperature excursions during the transient behaviour of high temperature catalytic combustion monoliths. Catalysis Today, 2003, 83, 171-182.	2.2	11
81	Heat and mass fluxes in presence of superficial reaction in a not completely developed laminar flow. Chemical Engineering Science, 2003, 58, 1079-1086.	1.9	13
82	Modelling attrition of limestone during calcination and sulfation in a fluidized bed reactor. Powder Technology, 1998, 95, 119-128.	2.1	50