

# Magnus DomellÅf

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2742773/publications.pdf>

Version: 2024-02-01

143  
papers

8,627  
citations

53660

45  
h-index

46693

89  
g-index

145  
all docs

145  
docs citations

145  
times ranked

7730  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enteral Nutrient Supply for Preterm Infants: Commentary From the European Society of Paediatric Gastroenterology, Hepatology and Nutrition Committee on Nutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010, 50, 85-91.	0.9	1,206
2	Complementary Feeding. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017, 64, 119-132.	0.9	644
3	Vitamin D in the Healthy European Paediatric Population. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013, 56, 692-701.	0.9	370
4	Donor Human Milk for Preterm Infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013, 57, 535-542.	0.9	335
5	Iron Requirements of Infants and Toddlers. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014, 58, 119-129.	0.9	302
6	Neurodevelopment, nutrition, and growth until 12 mo of age in infants fed a low-energy, low-protein formula supplemented with bovine milk fat globule membranes: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 860-868.	2.2	277
7	Effect of delayed versus early umbilical cord clamping on neonatal outcomes and iron status at 4 months: a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2011, 343, d7157-d7157.	2.4	245
8	Iron Supplementation Affects Growth and Morbidity of Breast-Fed Infants: Results of a Randomized Trial in Sweden and Honduras. <i>Journal of Nutrition</i> , 2002, 132, 3249-3255.	1.3	225
9	The Diagnostic Criteria for Iron Deficiency in Infants Should Be Reevaluated. <i>Journal of Nutrition</i> , 2002, 132, 3680-3686.	1.3	218
10	Effect of Delayed Cord Clamping on Neurodevelopment at 4 Years of Age. <i>JAMA Pediatrics</i> , 2015, 169, 631.	3.3	197
11	Association Between Year of Birth and 1-Year Survival Among Extremely Preterm Infants in Sweden During 2004-2007 and 2014-2016. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 1188.	3.8	195
12	Iron, zinc, and copper concentrations in breast milk are independent of maternal mineral status. <i>American Journal of Clinical Nutrition</i> , 2004, 79, 111-115.	2.2	182
13	Iron supplementation of breast-fed Honduran and Swedish infants from 4 to 9 months of age. <i>Journal of Pediatrics</i> , 2001, 138, 679-687.	0.9	172
14	Sex Differences in Iron Status During Infancy. <i>Pediatrics</i> , 2002, 110, 545-552.	1.0	151
15	Infections in Infants Fed Formula Supplemented With Bovine Milk Fat Globule Membranes. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015, 60, 384-389.	0.9	144
16	Clinical Benefits of Milk Fat Globule Membranes for Infants and Children. <i>Journal of Pediatrics</i> , 2016, 173, S60-S65.	0.9	140
17	Oral Microbial Profile Discriminates Breast-Fed From Formula-Fed Infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013, 56, 127-136.	0.9	131
18	Iron absorption in breast-fed infants: effects of age, iron status, iron supplements, and complementary foods,.. <i>American Journal of Clinical Nutrition</i> , 2002, 76, 198-204.	2.2	130

#	ARTICLE	IF	CITATIONS
19	Iron Supplements Reduce the Risk of Iron Deficiency Anemia in Marginally Low Birth Weight Infants. <i>Pediatrics</i> , 2010, 126, e874-e883.	1.0	97
20	Feeding the Late and Moderately Preterm Infant. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019, 69, 259-270.	0.9	95
21	Fecal Calprotectin in Very Low Birth Weight Infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007, 44, 407-413.	0.9	90
22	ESPGHAN/ESPEN/ESPR/CSPEN guidelines on pediatric parenteral nutrition: Iron and trace minerals. <i>Clinical Nutrition</i> , 2018, 37, 2354-2359.	2.3	89
23	Should formula for infants provide arachidonic acid along with DHA? A position paper of the European Academy of Paediatrics and the Child Health Foundation. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 10-16.	2.2	88
24	ESPGHAN/ESPEN/ESPR/CSPEN guidelines on pediatric parenteral nutrition: Vitamins. <i>Clinical Nutrition</i> , 2018, 37, 2366-2378.	2.3	82
25	Effect of Delayed vs Early Umbilical Cord Clamping on Iron Status and Neurodevelopment at Age 12 Months. <i>JAMA Pediatrics</i> , 2014, 168, 547.	3.3	80
26	Iron requirements, absorption and metabolism in infancy and childhood. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2007, 10, 329-335.	1.3	78
27	Effects of Iron Supplementation of LBW Infants on Cognition and Behavior at 3 Years. <i>Pediatrics</i> , 2013, 131, 47-55.	1.0	75
28	World Health Organization 2006 Child Growth Standards and 2007 Growth Reference Charts. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013, 57, 258-264.	0.9	73
29	Prevalence and predictors of iron deficiency in fully breastfed infants at 6 mo of age: comparison of data from 6 studies. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1433-1440.	2.2	72
30	Fecal microbiome and metabolome of infants fed bovine MFGM supplemented formula or standard formula with breast-fed infants as reference: a randomized controlled trial. <i>Scientific Reports</i> , 2019, 9, 11589.	1.6	72
31	Supplementation of Infant Formula with Bovine Milk Fat Globule Membranes. <i>Advances in Nutrition</i> , 2017, 8, 351-355.	2.9	67
32	Effect of Enteral Lipid Supplement on Severe Retinopathy of Prematurity. <i>JAMA Pediatrics</i> , 2021, 175, 359.	3.3	67
33	Effects of delayed compared with early umbilical cord clamping on maternal postpartum hemorrhage and cord blood gas sampling: a randomized trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 567-574.	1.3	64
34	Cardiovascular risk markers until 12 mo of age in infants fed a formula supplemented with bovine milk fat globule membranes. <i>Pediatric Research</i> , 2014, 76, 394-400.	1.1	59
35	Intestinal flora in very low birth weight infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009, 98, 1762-1767.	0.7	58
36	Physical activity, sedentary behaviors, and estimated insulin sensitivity and secretion in pregnant and non-pregnant women. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 44.	0.9	58

#	ARTICLE	IF	CITATIONS
37	Longitudinal infusion of a complex of insulin-like growth factor-I and IGF-binding protein-3 in five preterm infants: pharmacokinetics and short-term safety. <i>Pediatric Research</i> , 2013, 73, 68-74.	1.1	58
38	Low energy intake during the first 4 weeks of life increases the risk for severe retinopathy of prematurity in extremely preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2016, 101, F108-F113.	1.4	56
39	Familial osteochondritis dissecans associated with early osteoarthritis and disproportionate short stature. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 890-896.	0.6	53
40	Early energy and protein intakes and associations with growth, BPD, and ROP in extremely preterm infants. <i>Clinical Nutrition</i> , 2019, 38, 1289-1295.	2.3	53
41	Association of Pregnancy Complications and Characteristics With Future Risk of Elevated Blood Pressure. <i>Hypertension</i> , 2017, 69, 475-483.	1.3	51
42	Hyperglycemia in Extremely Preterm Infants—Insulin Treatment, Mortality and Nutrient Intakes. <i>Journal of Pediatrics</i> , 2018, 200, 104-110.e1.	0.9	51
43	Young Child Formula. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018, 66, 177-185.	0.9	50
44	The Swedish Neonatal Quality Register – contents, completeness and validity. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 1411-1418.	0.7	50
45	Iron Requirements in Infancy. <i>Annals of Nutrition and Metabolism</i> , 2011, 59, 59-63.	1.0	49
46	Nutrient intakes independently affect growth in extremely preterm infants: results from a population-based study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, n/a-n/a.	0.7	49
47	Oral Microbiota in Infants Fed a Formula Supplemented with Bovine Milk Fat Globule Membranes - A Randomized Controlled Trial. <i>PLoS ONE</i> , 2017, 12, e0169831.	1.1	48
48	Metabolic phenotype of breast-fed infants, and infants fed standard formula or bovine MFGM supplemented formula: a randomized controlled trial. <i>Scientific Reports</i> , 2019, 9, 339.	1.6	45
49	Characterization and in vitro properties of oral lactobacilli in breastfed infants. <i>BMC Microbiology</i> , 2013, 13, 193.	1.3	40
50	Nutritional Care of Premature Infants: Microminerals. <i>World Review of Nutrition and Dietetics</i> , 2014, 110, 121-139.	0.1	40
51	Effects of iron supplementation on serum hepcidin and serum erythropoietin in low-birth-weight infants. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1553-1561.	2.2	39
52	WINROP Identifies Severe Retinopathy of Prematurity at an Early Stage in a Nation-Based Cohort of Extremely Preterm Infants. <i>PLoS ONE</i> , 2013, 8, e73256.	1.1	39
53	Meeting the Iron Needs of Low and Very Low Birth Weight Infants. <i>Annals of Nutrition and Metabolism</i> , 2017, 71, 16-23.	1.0	38
54	Dietary Iron Intake Is Positively Associated with Hemoglobin Concentration During Infancy but Not During the Second Year of Life. <i>Journal of Nutrition</i> , 2004, 134, 1064-1070.	1.3	34

#	ARTICLE	IF	CITATIONS
55	Selected Macro/Micronutrient Needs of the Routine Preterm Infant. <i>Journal of Pediatrics</i> , 2013, 162, S48-S55.	0.9	34
56	Oxylipins, endocannabinoids, and related compounds in human milk: Levels and effects of storage conditions. <i>Prostaglandins and Other Lipid Mediators</i> , 2016, 122, 28-36.	1.0	34
57	Effects of iron supplementation of low-birth-weight infants on cognition and behavior at 7 years: a randomized controlled trial. <i>Pediatric Research</i> , 2018, 83, 111-118.	1.1	34
58	The Swedish Approach to Management of Extreme Prematurity at the Borderline of Viability: A Historical and Ethical Perspective. <i>Pediatrics</i> , 2018, 142, S533-S538.	1.0	32
59	Serum, plasma and erythrocyte membrane lipidomes in infants fed formula supplemented with bovine milk fat globule membranes. <i>Pediatric Research</i> , 2018, 84, 726-732.	1.1	32
60	Sodium supply influences plasma sodium concentration and the risks of hyper- and hyponatremia in extremely preterm infants. <i>Pediatric Research</i> , 2017, 81, 455-460.	1.1	31
61	Comparison of plasma ferritin concentration with the ratio of plasma transferrin receptor to ferritin in estimating body iron stores: results of 4 intervention trials. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1892-1898.	2.2	29
62	Effects of delayed cord clamping on neurodevelopment and infection at four months of age: a randomised trial. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, 525-531.	0.7	29
63	Iron Supplementation Until 6 Months Protects Marginally Low-Birth-Weight Infants From Iron Deficiency During Their First Year of Life. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015, 60, 390-395.	0.9	29
64	Physical activity and sedentary time during pregnancy and associations with maternal and fetal health outcomes: an epidemiological study. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 166.	0.9	29
65	Zinc and copper requirements in preterm infants: An examination of the current literature. <i>Early Human Development</i> , 2013, 89, S29-S34.	0.8	28
66	Iron supplementation does not affect copper and zinc absorption in breastfed infants. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 185-190.	2.2	27
67	Health effects of different dietary iron intakes: a systematic literature review for the 5th Nordic Nutrition Recommendations. <i>Food and Nutrition Research</i> , 2013, 57, 21667.	1.2	26
68	Intake and Macronutrient Content of Human Milk Given to Extremely Preterm Infants. <i>Journal of Human Lactation</i> , 2014, 30, 442-449.	0.8	26
69	Serum hepcidin measured by immunochemical and mass-spectrometric methods and their correlation with iron status indicators in healthy children aged 0.5-3 y. <i>Pediatric Research</i> , 2014, 76, 409-414.	1.1	26
70	Meeting iron needs for infants and children. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2014, 17, 267-272.	1.3	25
71	Postdischarge Iron Requirements of the Preterm Infant. <i>Journal of Pediatrics</i> , 2015, 167, S31-S35.	0.9	25
72	Iron supplements reduce erythrocyte copper-zinc superoxide dismutase activity in term, breastfed infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 1578-1582.	0.7	24

#	ARTICLE	IF	CITATIONS
73	Human milk fatty acid composition and its association with maternal blood and adipose tissue fatty acid content in a cohort of women from Europe. <i>European Journal of Nutrition</i> , 2022, 61, 2167-2182.	1.8	23
74	Effects of mode of oral iron administration on serum ferritin and haemoglobin in infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008, 97, 1055-1060.	0.7	21
75	Benefits and Harms of Iron Supplementation in Iron-Deficient and Iron-Sufficient Children. <i>Nestle Nutrition Workshop Series Paediatric Programme</i> , 2010, 65, 153-165.	1.5	21
76	Elective caesarean: does delay in cord clamping for 30s ensure sufficient iron stores at 4months of age? A historical cohort control study. <i>BMJ Open</i> , 2016, 6, e012995.	0.8	21
77	Reference intervals for reticulocyte hemoglobin content in healthy infants. <i>Pediatric Research</i> , 2018, 84, 657-661.	1.1	20
78	Lower systolic blood pressure at age 7 y in low-birth-weight children who received iron supplements in infancy: results from a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 475-480.	2.2	19
79	Effects of Iron Supplementation on Auditory Brainstem Response in Marginally LBW Infants. <i>Pediatric Research</i> , 2011, 70, 601-606.	1.1	18
80	±-Lactalbumin and Casein-Glycomacropeptide Do Not Affect Iron Absorption from Formula in Healthy Term Infants. <i>Journal of Nutrition</i> , 2012, 142, 1226-1231.	1.3	18
81	Satiety Factors Oleoylethanolamide, Stearoylethanolamide, and Palmitoylethanolamide in Mother's Milk Are Strongly Associated with Infant Weight at Four Months of Age" Data from the Odense Child Cohort. <i>Nutrients</i> , 2018, 10, 1747.	1.7	18
82	Balancing Benefits and Risks of Iron Fortification in Resource-Rich Countries. <i>Journal of Pediatrics</i> , 2015, 167, S20-S25.	0.9	17
83	Postnatal nutritional intakes and hyperglycemia as determinants of blood pressure at 6.5 years of age in children born extremely preterm. <i>Pediatric Research</i> , 2019, 86, 115-121.	1.1	17
84	Maternal Physical Activity and Insulin Action in Pregnancy and Their Relationships With Infant Body Composition. <i>Diabetes Care</i> , 2013, 36, 267-269.	4.3	16
85	Overweight, Obesity, and Body Composition in 3.5- and 7-Year-Old Swedish Children Born with Marginally Low Birth Weight. <i>Journal of Pediatrics</i> , 2015, 167, 1246-1252.e3.	0.9	16
86	The value of Ret-Hb and sTfR in the diagnosis of iron depletion in healthy, young children. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 882-886.	1.3	15
87	Validation of the diagnosis of necrotising enterocolitis in a Swedish population-based observational study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 835-841.	0.7	15
88	Neurodevelopment and growth until 6.5 years of infants who consumed a low-energy, low-protein formula supplemented with bovine milk fat globule membranes: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 586-592.	2.2	15
89	Infant Body Composition and Adipokine Concentrations in Relation to Maternal Gestational Weight Gain. <i>Diabetes Care</i> , 2014, 37, 1432-1438.	4.3	14
90	Intakes of Micronutrients Are Associated With Early Growth in Extremely Preterm Infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016, 62, 885-892.	0.9	14

#	ARTICLE	IF	CITATIONS
91	When age really matters; ferritin reference intervals during infancy revisited. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 590-594.	0.6	13
92	Neonatal hyperglycaemia is associated with worse neurodevelopmental outcomes in extremely preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2021, 106, 460-466.	1.4	13
93	Perioperative nutrition in extremely preterm infants undergoing surgical treatment for patent ductus arteriosus is suboptimal. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 282-288.	0.7	12
94	Mode of oral iron administration and the amount of iron habitually consumed do not affect iron absorption, systemic iron utilisation or zinc absorption in iron-sufficient infants: a randomised trial. <i>British Journal of Nutrition</i> , 2016, 116, 1046-1060.	1.2	12
95	Physiological Effects of Feeding Infants and Young Children Formula Supplemented with Milk Fat Globule Membranes. <i>Nestle Nutrition Institute Workshop Series</i> , 2019, 90, 35-42.	1.5	12
96	Use of Concentrated Parenteral Nutrition Solutions Is Associated With Improved Nutrient Intakes and Postnatal Growth in Very Low-Birthweight Infants. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020, 44, 327-336.	1.3	12
97	Lean Tissue Deficit in Preterm Infants Persists up to 4 Months of Age: Results from a Swedish Longitudinal Study. <i>Neonatology</i> , 2020, 117, 80-87.	0.9	12
98	Infant Formulae: From ESPGAN Recommendations Towards ESPGHAN-coordinated Global Standards. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005, 41, 580-583.	0.9	11
99	Iron and Other Micronutrient Deficiencies in Low-Birthweight Infants. <i>Nestle Nutrition Institute Workshop Series</i> , 2013, 74, 197-206.	1.5	11
100	Parental feeding control in relation to feeding mode and growth pattern during early infancy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 1072-1077.	0.7	11
101	Effect of Type of Heat Treatment of Breastmilk on Folate Content and Pattern. <i>Breastfeeding Medicine</i> , 2014, 9, 86-91.	0.8	11
102	Wait a minute? An observational cohort study comparing iron stores in healthy Swedish infants at 4 months of age after 10-, 60- and 180-second umbilical cord clamping. <i>BMJ Open</i> , 2017, 7, e017215.	0.8	11
103	Promoting Breastfeeding and Interaction of Pediatric Associations With Providers of Nutritional Products. <i>Frontiers in Pediatrics</i> , 2020, 8, 562870.	0.9	11
104	Comment on "Safety and Tolerance Evaluation of Milk Fat Globule Membrane-Enriched Infant Formulas: A Randomized Controlled Multicenter Non-Inferiority Trial in Healthy Term Infants". <i>Clinical Medicine Insights Pediatrics</i> , 2015, 9, CMPed.S27185.	0.7	10
105	Lower cognitive test scores at age 7 in children born with marginally low birth weight. <i>Pediatric Research</i> , 2018, 83, 1129-1135.	1.1	10
106	Improved nutrition for extremely preterm infants " A population based observational study. <i>Clinical Nutrition ESPEN</i> , 2018, 23, 245-251.	0.5	10
107	Role of iodine-containing multivitamins during pregnancy for children's brain function: protocol of an ongoing randomised controlled trial: the SWIDDICH study. <i>BMJ Open</i> , 2018, 8, e019945.	0.8	9
108	Relations Among Upper-Limb Movement Organization and Cognitive Function at School Age in Children Born Preterm. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2013, 34, 344-352.	0.6	8

#	ARTICLE	IF	CITATIONS
109	Risk for Behavioral Problems Independent of Cognitive Functioning in Children Born at Low Gestational Ages. <i>Frontiers in Pediatrics</i> , 2020, 8, 311.	0.9	8
110	Factors Influencing Concentrations of Iron, Zinc, and Copper in Human Milk. <i>Advances in Experimental Medicine and Biology</i> , 2004, 554, 355-358.	0.8	8
111	Serum hepcidin in infants born after 32 to 37 weeks of gestational age. <i>Pediatric Research</i> , 2016, 79, 608-613.	1.1	7
112	Effects of age, sex and diet on salivary nitrate and nitrite in infants. <i>Nitric Oxide - Biology and Chemistry</i> , 2020, 94, 73-78.	1.2	7
113	Effects of iron supplements and perinatal factors on fetal hemoglobin disappearance in LBW infants. <i>Pediatric Research</i> , 2014, 76, 477-482.	1.1	6
114	Cardiometabolic risk factors in children born with marginally low birth weight: A longitudinal cohort study up to 7 years-of-age. <i>PLoS ONE</i> , 2019, 14, e0215866.	1.1	6
115	Haemoglobin and red blood cell reference intervals during infancy. <i>Archives of Disease in Childhood</i> , 2022, 107, 351-358.	1.0	6
116	Prelabour caesarean section and neurodevelopmental outcome at 4 and 12 months of age: an observational study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 564.	0.9	6
117	Erythrocyte transfusions increased the risk of elevated serum ferritin in very low birthweight infants and were associated with altered longitudinal growth. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1354-1360.	0.7	5
118	Nordic study on human milk fortification in extremely preterm infants: a randomised controlled trial – the N-forse trial. <i>BMJ Open</i> , 2021, 11, e053400.	0.8	5
119	Marginally low birthweight increases the risk of underweight and short stature at three and a half years of age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, 610-617.	0.7	4
120	Hepcidin is a relevant iron status indicator in infancy: results from a randomized trial of early vs. delayed cord clamping. <i>Pediatric Research</i> , 2021, 89, 1216-1221.	1.1	4
121	Soluble Transferrin Receptor during infancy and reference intervals for the Roche Cobas platform. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 378-386.	0.7	4
122	Association between Neonatal Intakes and Hyperglycemia, and Left Heart and Aortic Dimensions at 6.5 Years of Age in Children Born Extremely Preterm. <i>Journal of Clinical Medicine</i> , 2021, 10, 2554.	1.0	4
123	Mother's Own Milk and Its Relationship to Growth and Morbidity in a Population-based Cohort of Extremely Preterm Infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2022, 74, 292-300.	0.9	4
124	Re: ESPGHAN's 2008 recommendation for early introduction of complementary foods: how good is the evidence? (Cattaneo <i>et al</i> . 2011). <i>Maternal and Child Nutrition</i> , 2012, 8, 136-138.	1.4	3
125	To treat or not to treat a newborn child with severe brain damage? A cross-sectional study of physicians' and the general population's perceptions of intentions. <i>Medicine, Health Care and Philosophy</i> , 2014, 17, 81-88.	0.9	3
126	Recommended Nutrient Intake Levels for Preterm Infants. <i>World Review of Nutrition and Dietetics</i> , 2021, 122, 191-197.	0.1	3



#	ARTICLE	IF	CITATIONS
127	Sodium supply from administered blood products was associated with severe intraventricular haemorrhage in extremely preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2022, 111, 1701-1708.	0.7	3
128	Reference Limits for Reticulocyte Haemoglobin Content in Healthy Infants. <i>Pediatric Research</i> , 2011, 70, 812-812.	1.1	2
129	Effect of iron supplementation on psychomotor development of non-anaemic, exclusively or predominantly breastfed infants: a randomised, controlled trial: Table 1. <i>BMJ Open</i> , 2015, 5, e009441.	0.8	2
130	Enteral Iron Supplementation in Preterm Infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017, 64, e26.	0.9	2
131	Making human milk matter: the need for EU regulation. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 161-163.	2.7	2
132	COVID-19 in Pregnancy and Early Childhood (COPE): study protocol for a prospective, multicentre biobank, survey and database cohort study. <i>BMJ Open</i> , 2021, 11, e049376.	0.8	2
133	Amino acid infusions in umbilical artery catheters enhance protein administration in infants born at extremely low gestational age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, , .	0.7	2
134	Effects of Resistance and Endurance Training Alone or Combined on Hormonal Adaptations and Cytokines in Healthy Children and Adolescents: A Systematic Review and Meta-analysis. <i>Sports Medicine - Open</i> , 2022, 8, .	1.3	2
135	Processed Infant Cereals as Vehicles of Functional Components. <i>Nestle Nutrition Workshop Series Paediatric Programme</i> , 2007, 60, 107-121.	1.5	1
136	Micronutrient Intakes Affect Early Growth in Extremely Preterm Infants: Preliminary Results from a Swedish Cohort. <i>Pediatric Research</i> , 2011, 70, 70-70.	1.1	1
137	Defining Nutritional Needs of Preterm Infants. <i>World Review of Nutrition and Dietetics</i> , 2021, 122, 5-11.	0.1	1
138	75 Fecal Calprotectin: An Indicator of Nec in VLBW Infants?. <i>Pediatric Research</i> , 2004, 56, 476-476.	1.1	0
139	Prophylactic iron supplementation in infancy: Safety issues. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006, 95, 1020-1020.	0.7	0
140	Effects of Iron Supplementation on Serum Hcpidin in Low Birth Weight Infants. <i>Pediatric Research</i> , 2011, 70, 82-82.	1.1	0
141	Peri-Operative Nutrition for Extremely Preterm Infants Undergoing Surgical Treatment for PDA. <i>Pediatric Research</i> , 2011, 70, 749-749.	1.1	0
142	Iron Nutrition and Neurodevelopment in Young Children. , 2012, , 13-28.		0
143	Effects of early iron supplementation on later neurodevelopmental outcomes in preterm infants. <i>Journal of Pediatrics</i> , 2022, 243, 238.	0.9	0