
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2744826/publications.pdf Version: 2024-02-01



REN-MANG HANG

#	Article	IF	CITATIONS
1	Silybin B exerts protective effect on cisplatin-induced neurotoxicity by alleviating DNA damage and apoptosis. Journal of Ethnopharmacology, 2022, 288, 114938.	4.1	8
2	Therapeutic Potential of Superoxide Dismutase Fused with Cell-Penetrating Peptides in Oxidative Stress-Related Diseases. Mini-Reviews in Medicinal Chemistry, 2022, 22, .	2.4	5
3	Hybrid interaction network of guanidinium–biphenyldisulfonic acid for the structure determination of liquid molecules. CrystEngComm, 2022, 24, 4144-4154.	2.6	4
4	Glycosylation of the polyphenols from <i>Resina draconis</i> by glycosyltransferase YjiC1. Natural Product Research, 2022, , 1-8.	1.8	1
5	Time-Domain-Based Methyl Proton NMR with Absolute Quantitation Ability for Targeted Metabolomics. Analytical Chemistry, 2022, 94, 10062-10073.	6.5	1
6	A previously undescribed phenylethanoid glycoside from Callicarpa kwangtungensis Chun acts as an agonist of the Na/K-ATPase signal transduction pathway. Phytochemistry, 2021, 181, 112577.	2.9	4
7	Cardenolides, toxicity, and the costs of sequestration in the coevolutionary interaction between monarchs and milkweeds. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	36
8	Geometry and water accessibility of the inhibitor binding site of Na+-pump: Pulse- and CW-EPR study. Biophysical Journal, 2021, 120, 2679-2690.	0.5	1
9	Soluble Expression, One-Step Purification and Characterization of Recombinant Human Growth Hormone Fused with ompA3 in Escherichia coli. Protein and Peptide Letters, 2021, 28, 533-542.	0.9	3
10	Chemical constituents with inhibition against TNF-α from Merrillanthus hainanensis. Fìtoterapìâ, 2021, 152, 104938.	2.2	1
11	Protective Effect of Penetratin Analogue-Tagged SOD1 on Cisplatin-Induced Nephrotoxicity through Inhibiting Oxidative Stress and JNK/p38 MAPK Signaling Pathway. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-13.	4.0	6
12	The applicability of pH-zone-refining counter-current chromatography for preparative separation of biosynthesis products: Glycosylation products as example. Journal of Chromatography A, 2021, 1657, 462582.	3.7	5
13	The applicability of highâ€speed counterâ€current chromatography for preparative separation of biosynthesis products: Glycosylation products as example. Journal of Separation Science, 2021, 44, 4368-4375.	2.5	5
14	An Efficient Strategy for the Chemoâ€Enzymatic Synthesis of Bufalin Glycosides with Improved Water Solubility and Inhibition against Na + , K + â€ATPase. Chemistry and Biodiversity, 2020, 17, e2000529.	2.1	6
15	An efficient strategy based on liquidâ€liquid extraction and pHâ€zoneâ€refining counterâ€current chromatography for selective enrichment, separation, and purification of alkaloids and organic Acids from natural products. Journal of Separation Science, 2020, 43, 3607-3614.	2.5	13
16	Molecular mechanisms of bufadienolides and their novel strategies for cancer treatment. European Journal of Pharmacology, 2020, 887, 173379.	3.5	22
17	Myrcaulones A–C, Unusual Rearranged Triketone–Terpene Adducts from Myrciaria cauliflora. Journal of Natural Products, 2020, 83, 2410-2415.	3.0	4
18	Enzymatic Synthesis of Puerarin Glucosides Using Cyclodextrin Glucanotransferase with Enhanced Antiosteoporosis Activity. ACS Omega, 2020, 5, 12251-12258.	3.5	10

#	Article	IF	CITATIONS
19	New sesquiterpenoids with COX-2 inhibitory activity from the medical plant Physalis. alkekengi L. var. franchetii. Fìtoterapìâ, 2020, 141, 104470.	2.2	4
20	Absolute Configurations and Stereochemical Inversion Mechanism of Epimeric <i>Securinega</i> Alkaloids from <i>Flueggea suffruticosa</i> . Organic Letters, 2020, 22, 3673-3678.	4.6	7
21	Unprecedented Quassinoids from <i>Eurycoma longifolia</i> : Biogenetic Evidence and Antifeedant Effects. Journal of Natural Products, 2020, 83, 1674-1683.	3.0	14
22	Reversal of Multidrug Resistance in Cancer by Multi-Functional Flavonoids. Frontiers in Oncology, 2019, 9, 487.	2.8	108
23	CGY-1, a biflavonoid isolated from cardiocrinum giganteum seeds, improves memory deficits by modulating the cholinergic system in scopolamine-treated mice. Biomedicine and Pharmacotherapy, 2019, 111, 496-502.	5.6	6
24	An Efficient Oneâ€Pot Enzymatic Synthesis of Cardiac Glycosides with Varied Sugar Chain Lengths. Advanced Synthesis and Catalysis, 2019, 361, 3114-3119.	4.3	10
25	An Efficient Strategy for the Glycosylation of Total Bufadienolides in Venenum Bufonis. ACS Omega, 2019, 4, 6819-6825.	3.5	7
26	Cleistocaltones A and B, Antiviral Phloroglucinol–Terpenoid Adducts from <i>Cleistocalyx operculatus</i> . Organic Letters, 2019, 21, 9579-9583.	4.6	38
27	Antineoplastic Constituents from the Chemical Diversified Extract ofRadix puerariae. Chemistry and Biodiversity, 2019, 16, e1800408.	2.1	7
28	Spinâ€labeled derivatives of cardiotonic steroids as tools for characterization of the extracellular entrance to the binding site on Na + ,K + ―ATP ase. FEBS Journal, 2018, 285, 2292-2305.	4.7	6
29	PH-zone-refining counter-current chromatography with a hydrophilic organic/salt-containing two-phase solvent system for preparative separation of polar alkaloids from natural products. Journal of Chromatography A, 2018, 1553, 1-6.	3.7	20
30	Probing the stereoselectivity of OleD-catalyzed glycosylation of cardiotonic steroids. RSC Advances, 2018, 8, 5071-5078.	3.6	9
31	Cajanusflavanols A–C, Three Pairs of Flavonostilbene Enantiomers from <i>Cajanus cajan</i> . Organic Letters, 2018, 20, 876-879.	4.6	16
32	UGT74AN1, a Permissive Glycosyltransferase from <i>Asclepias curassavica</i> for the Regiospecific Steroid 3- <i>O</i> -Glycosylation. Organic Letters, 2018, 20, 534-537.	4.6	35
33	An Efficient Strategy Based on Liquid–Liquid Extraction with Three-Phase Solvent System and High Speed Counter-Current Chromatography for Rapid Enrichment and Separation of Epimers of Minor Bufadienolide from Toad Meat. Journal of Agricultural and Food Chemistry, 2018, 66, 1008-1014.	5.2	24
34	Flueggeacosines A–C, Dimeric Securinine-Type Alkaloid Analogues with Neuronal Differentiation Activity from <i>Flueggea suffruticosa</i> . Organic Letters, 2018, 20, 7703-7707.	4.6	36
35	Phloroglucinol Derivatives with Unusual Skeletons from <i>Cleistocalyx operculatus</i> and Their <i>in Vitro</i> Antiviral Activity. Journal of Organic Chemistry, 2018, 83, 8522-8532.	3.2	42
36	Isolation of novel biflavonoids from Cardiocrinum giganteum seeds and characterization of their antitussive activities. Journal of Ethnopharmacology, 2018, 222, 171-176.	4.1	8

#	Article	IF	CITATIONS
37	Bufospirostenin A and Bufogargarizin C, Steroids with Rearranged Skeletons from the Toad <i>Bufo bufo gargarizans</i> . Journal of Natural Products, 2017, 80, 1182-1186.	3.0	30
38	Six New Pentacyclic Triterpenoids from the Fruit of <i>Camptotheca acuminata</i> . Chemistry and Biodiversity, 2017, 14, e1600180.	2.1	5
39	Asclepiasterol, a novel C21 steroidal glycoside derived from <i>Asclepias curassavica</i> , reverses tumor multidrug resistance by down-regulating P-glycoprotein expression. Oncotarget, 2016, 7, 31466-31483.	1.8	26
40	Separation of three anthraquinone glycosides including two isomers by preparative highâ€performance liquid chromatography and highâ€speed countercurrent chromatography from <i>Rheum tanguticum</i> Maxim. ex Balf. Journal of Separation Science, 2016, 39, 3105-3112.	2.5	27
41	Novel stereoselective bufadienolides reveal new insights into the requirements for Na+, K+-ATPase inhibition by cardiotonic steroids. Scientific Reports, 2016, 6, 29155.	3.3	22
42	Winchinines A and B, two unusual monoterpene indole alkaloids with a third nitrogen atom from Winchia calophylla. RSC Advances, 2016, 6, 59657-59660.	3.6	15
43	New iboga-type alkaloids from Ervatamia hainanensis. RSC Advances, 2016, 6, 30277-30284.	3.6	20
44	An Efficient Protocol for Preparation of Gallic Acid from <i>Terminalia bellirica</i> (Gaertn.) Roxb by Combination of Macroporous Resin and Preparative High-Performance Liquid Chromatography. Journal of Chromatographic Science, 2016, 54, 1220-1224.	1.4	8
45	Structures and inhibitory activity against breast cancer cells of new bufadienolides from the eggs of toad Bufo bufo gargarizans. RSC Advances, 2016, 6, 93832-93841.	3.6	11
46	Calotropin from Asclepias curasavica induces cell cycle arrest and apoptosis in cisplatin-resistant lung cancer cells. Biochemical and Biophysical Research Communications, 2016, 478, 710-715.	2.1	12
47	Melohemsines A-I, melodinus-type alkaloids from Melodinus hemsleyanus. RSC Advances, 2016, 6, 92218-92224.	3.6	23
48	Novel securinine derivatives as topoisomerase I based antitumor agents. European Journal of Medicinal Chemistry, 2016, 122, 149-163.	5.5	16
49	Antiviral benzofurans from Eupatorium chinense. Phytochemistry, 2016, 122, 238-245.	2.9	23
50	Callistrilones A and B, Triketone–Phloroglucinol–Monoterpene Hybrids with a New Skeleton from <i>Callistemon rigidus</i> . Organic Letters, 2016, 18, 120-123.	4.6	72
51	Isolation and identification of polyphenols from <i>Marsilea quadrifolia</i> with antioxidant properties <i>in vitro</i> and <i>in vivo</i> . Natural Product Research, 2016, 30, 1404-1410.	1.8	11
52	Guapsidialâ€A and Guadialsâ€B and C: Three New Meroterpenoids with Unusual Skeletons from the Leaves of <i>Psidium guajava</i> . Chemistry - A European Journal, 2015, 21, 9022-9027.	3.3	51
53	Structures and Chemotaxonomic Significance of Stemona Alkaloids from Stemona japonica. Natural Product Communications, 2015, 10, 1934578X1501001.	0.5	5
54	lsolation, chemotaxonomic significance and cytotoxic effects of quassinoids from Brucea javanica. Fìtoterapìâ, 2015, 105, 66-72.	2.2	29

#	Article	IF	CITATIONS
55	Bufadienolides with cytotoxic activity from the skins of Bufo bufo gargarizans. Fìtoterapìâ, 2015, 105, 7-15.	2.2	24
56	Simultaneous quantification of six alkaloid components from commercial stemonae radix by solid phase extraction-high-performance liquid chromatography coupled with evaporative light scattering detector. Pharmacognosy Magazine, 2015, 11, 360.	0.6	4
57	Absolute configuration of podophyllotoxone and its inhibitory activity against human prostate cancer cells. Chinese Journal of Natural Medicines, 2015, 13, 59-64.	1.3	6
58	Rapid Screening, Identification, Separation, and Purification of Four Bioactive Compounds from <i>Swertia mussotii</i> Franch. Separation Science and Technology, 2015, 50, 604-610.	2.5	7
59	Geleganidines A–C, Unusual Monoterpenoid Indole Alkaloids from <i>Gelsemium elegans</i> . Journal of Natural Products, 2015, 78, 2036-2044.	3.0	34
60	Oxatub[4]arene: a smart macrocyclic receptor with multiple interconvertible cavities. Chemical Science, 2015, 6, 6731-6738.	7.4	111
61	New structures, chemotaxonomic significance and COX-2 inhibitory activities of cassane-type diterpenoids from the seeds of Caesalpinia minax. RSC Advances, 2015, 5, 76567-76574.	3.6	12
62	Syntheses, structures and properties of four second-sphere coordination complexes via metal halide anion and naphthalene-based ligand. Journal of Coordination Chemistry, 2015, 68, 3566-3579.	2.2	0
63	In Vivo Angiogenesis Screening and Mechanism of Action of Novel Tanshinone Derivatives Produced by One-Pot Combinatorial Modification of Natural Tanshinone Mixture from Salvia Miltiorrhiza. PLoS ONE, 2014, 9, e100416.	2.5	19
64	Streptospirodienoic acids A and B, 6,6-spiroketal polyketides from Streptomyces sp RSC Advances, 2014, 4, 63324-63327.	3.6	9
65	Structures, chemotaxonomic significance, cytotoxic and Na ⁺ ,K ⁺ -ATPase inhibitory activities of new cardenolides from Asclepias curassavica. Organic and Biomolecular Chemistry, 2014, 12, 8919-8929.	2.8	32
66	Metadynamics Simulation Study on the Conformational Transformation of Hhal Methyltransferase: An Induced-Fit Base-Flipping Hypothesis. BioMed Research International, 2014, 2014, 1-13.	1.9	14
67	Deacetylcinobufalactam monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o651-o652.	0.2	0
68	1-Deacetoxy-1-oxocaesalmin. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o662-o662.	0.2	0
69	A bufadienolide derived androgen receptor antagonist with inhibitory activities against prostate cancer cells. Chemico-Biological Interactions, 2014, 207, 16-22.	4.0	15
70	Caesalpinimin A, a novel rearranged furanoditerpene with an unprecedented carbon skeleton from the seeds of Caesalpinia minax Hance. RSC Advances, 2014, 4, 7440.	3.6	10
71	(+)- and (â^')-Cajanusine, a Pair of New Enantiomeric Stilbene Dimers with a New Skeleton from the Leaves of Cajanus cajan. Organic Letters, 2014, 16, 224-227.	4.6	27
72	Iboga-Type Alkaloids from <i>Ervatamia officinalis</i> . Journal of Natural Products, 2014, 77, 1839-1846.	3.0	54

#	Article	IF	CITATIONS
73	lsocoumarins from American cockroach (Periplaneta americana) and their cytotoxic activities. Fìtoterapìâ, 2014, 95, 115-120.	2.2	41
74	2′-Epi-uscharin from the Latex of Calotropis gigantea with HIF-1 Inhibitory Activity. Scientific Reports, 2014, 4, 4748.	3.3	25
75	Oleonin, the first secoiridoid with 1α-configuration from Ligustrum lucidum. RSC Advances, 2013, 3, 16300.	3.6	7
76	Epibisdehydroneotuberostemonine J. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o1369-o1370.	0.2	0