
Tristram Ap Lett

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2745262/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	What we learn about bipolar disorder from largeâ€scale neuroimaging: Findings and future directions from the <scp>ENIGMA</scp> Bipolar Disorder Working Group. Human Brain Mapping, 2022, 43, 56-82.	3.6	67
2	Predicting alcohol dependence from <scp>multiâ€site</scp> brain structural measures. Human Brain Mapping, 2022, 43, 555-565.	3.6	11
3	Alcohol dependence decreases functional activation of the caudate nucleus during modelâ€based decision processes. Alcoholism: Clinical and Experimental Research, 2022, 46, 749-758.	2.4	1
4	The interaction of child abuse and rs1360780 of the FKBP5 gene is associated with amygdala restingâ€state functional connectivity in young adults. Human Brain Mapping, 2021, 42, 3269-3281.	3.6	7
5	Amygdala functional connectivity in major depression – disentangling markers of pathology, risk and resilience. Psychological Medicine, 2020, 50, 2740-2750.	4.5	24
6	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. Molecular Psychiatry, 2020, 25, 1511-1525.	7.9	218
7	Cortical Surfaces Mediate the Relationship Between Polygenic Scores for Intelligence and General Intelligence. Cerebral Cortex, 2020, 30, 2708-2719.	2.9	24
8	A multimodal neuroimaging classifier for alcohol dependence. Scientific Reports, 2020, 10, 298.	3.3	17
9	10Kin1day: A Bottom-Up Neuroimaging Initiative. Frontiers in Neurology, 2019, 10, 425.	2.4	15
10	The influence of MIR137 on white matter fractional anisotropy and cortical surface area in individuals with familial risk for psychosis. Schizophrenia Research, 2018, 195, 190-196.	2.0	6
11	Weather conditions influence the number of psychiatric emergency room patients. International Journal of Biometeorology, 2018, 62, 843-850.	3.0	23
12	195. Fatty Acid Bioavailability and Membrane Dynamics are Associated With White Matter Integrity and Neurocognitive Performance During Development. Biological Psychiatry, 2018, 83, S78-S79.	1.3	0
13	Multimodal neuroimaging measures and intelligence influence pedophile child sexual offense behavior. European Neuropsychopharmacology, 2018, 28, 818-827.	0.7	22
14	Functional neuroimaging effects of recently discovered genetic risk loci for schizophrenia and polygenic risk profile in five RDoC subdomains. Translational Psychiatry, 2017, 7, e997-e997.	4.8	31
15	Association study between the neurexinâ€1 gene and tardive dyskinesia. Human Psychopharmacology, 2017, 32, e2568.	1.5	9
16	635. The Influence of Intelligence, Cortical Thickness, Surface Area, and White Matter Connectivity on Child Sexual Abuse Behavior by Pedophiles. Biological Psychiatry, 2017, 81, S257-S258.	1.3	0
17	Cortical surfaceâ€based thresholdâ€free cluster enhancement and cortexwise mediation. Human Brain Mapping, 2017, 38, 2795-2807.	3.6	18
18	274. MIR137 Influences White Matter Fractional Anisotropy and Cortical Surface Area in Individuals with High Genetic Risk for Psychosis. Biological Psychiatry, 2017, 81, S112-S113.	1.3	0

TRISTRAM AP LETT

#	Article	IF	CITATIONS
19	Pharmacogenetics and Imaging–Pharmacogenetics of Antidepressant Response: Towards Translational Strategies. CNS Drugs, 2016, 30, 1169-1189.	5.9	15
20	Prefrontal White Matter Structure Mediates the Influence of GAD1 on Working Memory. Neuropsychopharmacology, 2016, 41, 2224-2231.	5.4	23
21	Alterations in neural Theory of Mind processing in euthymic patients with bipolar disorder and unaffected relatives. Bipolar Disorders, 2015, 17, 880-891.	1.9	20
22	Brain White Matter Development Is Associated with a Human-Specific Haplotype Increasing the Synthesis of Long Chain Fatty Acids. Journal of Neuroscience, 2014, 34, 6367-6376.	3.6	27
23	Treating Working Memory Deficits in Schizophrenia: A Review of the Neurobiology. Biological Psychiatry, 2014, 75, 361-370.	1.3	202
24	Multi-atlas segmentation of the whole hippocampus and subfields using multiple automatically generated templates. NeuroImage, 2014, 101, 494-512.	4.2	322
25	The genome-wide supported microRNA-137 variant predicts phenotypic heterogeneity within schizophrenia. Molecular Psychiatry, 2013, 18, 443-450.	7.9	110
26	Exploratory study on association of genetic variation in <i>TBC1D1</i> with antipsychoticâ€induced weight gain. Human Psychopharmacology, 2013, 28, 183-187.	1.5	14
27	Association study of polymorphisms in leptin and leptin receptor genes with antipsychotic-induced body weight gain. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 38, 134-141.	4.8	65
28	Pharmacogenetics of antipsychotic-induced weight gain: review and clinical implications. Molecular Psychiatry, 2012, 17, 242-266.	7.9	225
29	<i>ANK3, CACNA1C</i> and <i>ZNF804A</i> gene variants in bipolar disorders and psychosis subphenotype. World Journal of Biological Psychiatry, 2011, 12, 392-397.	2.6	41
30	The putative functional rs1045881 marker of neurexin-1 in schizophrenia and clozapine response. Schizophrenia Research, 2011, 132, 121-124.	2.0	24
31	Neurexin-1 and Frontal Lobe White Matter: An Overlapping Intermediate Phenotype for Schizophrenia and Autism Spectrum Disorders. PLoS ONE, 2011, 6, e20982.	2.5	58