

Paula Chaves

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2745380/publications.pdf>

Version: 2024-02-01

66
papers

2,123
citations

279487

23
h-index

243296

44
g-index

69
all docs

69
docs citations

69
times ranked

2787
citing authors

#	ARTICLE	IF	CITATIONS
1	A second endoscopic ultrasound with fine-needle aspiration for cytology identifies high-risk pancreatic cysts overlooked by current guidelines. <i>Diagnostic Cytopathology</i> , 2021, 49, 109-118.	0.5	3
2	Response. <i>Gastrointestinal Endoscopy</i> , 2021, 94, 202-205.	0.5	2
3	Comparative analysis of glucose and carcinoembryonic antigen in the diagnosis of pancreatic mucinous cysts: a systematic review and meta-analysis. <i>Gastrointestinal Endoscopy</i> , 2021, 94, 235-247.	0.5	9
4	Chromogranin A and NSE in cystic pancreatic neuroendocrine tumors. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 45, 101601.	0.7	3
5	Excellent Accuracy of Glucose Level in Cystic Fluid for Diagnosis of Pancreatic Mucinous Cysts. <i>Digestive Diseases and Sciences</i> , 2020, 65, 2071-2078.	1.1	32
6	Pediatric Colorectal Cancer: A Heterogenous Entity. <i>Journal of Pediatric Hematology/Oncology</i> , 2020, 42, 131-135.	0.3	7
7	Endoscopic ultrasound with fine needle aspiration is useful in pancreatic cysts smaller than 3Âcm. <i>BMC Gastroenterology</i> , 2020, 20, 413.	0.8	10
8	Methylation changes at the <i>GNAS</i> imprinted locus in pancreatic cystic neoplasms are important for the diagnosis of malignant cysts. <i>World Journal of Gastrointestinal Oncology</i> , 2020, 12, 1056-1064.	0.8	8
9	The nonsense mutation <i>MSH2</i> c.2152C>T shows a founder effect in Portuguese Lynch syndrome families. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 657-664.	1.5	3
10	Clinical Impact of KRAS and GNAS Analysis Added to CEA and Cytology in Pancreatic Cystic Fluid Obtained by EUS-FNA. <i>Digestive Diseases and Sciences</i> , 2018, 63, 2351-2361.	1.1	25
11	Centrosome amplification arises before neoplasia and increases upon p53 loss in tumorigenesis. <i>Journal of Cell Biology</i> , 2018, 217, 2353-2363.	2.3	61
12	Cyclooxygenase inhibition with curcumin in <i>Helicobacter pylori</i> infection. <i>Nutrire</i> , 2018, 43, .	0.3	4
13	Mid-Esophagus Columnar Metaplasia: What Is the Biopathogenic Pathway?. <i>International Journal of Surgical Pathology</i> , 2017, 25, 262-265.	0.4	4
14	Dynamics of SOX2 and CDX2 Expression in Barrett's Mucosa. <i>Disease Markers</i> , 2016, 2016, 1-7.	0.6	12
15	Serrated polyposis associated with a family history of colorectal cancer and/or polyps: The preferential location of polyps in the colon and rectum defines two molecular entities. <i>International Journal of Molecular Medicine</i> , 2016, 38, 687-702.	1.8	3
16	Low risk of adenocarcinoma and high-grade dysplasia in patients with non-dysplastic Barrett's esophagus: Results from a cohort from a country with low esophageal adenocarcinoma incidence. <i>United European Gastroenterology Journal</i> , 2016, 4, 343-352.	1.6	10
17	Sporadic colorectal cancer: Studying ways to an end. <i>United European Gastroenterology Journal</i> , 2016, 4, 288-296.	1.6	3
18	CYR61 and TAZ Upregulation and Focal Epithelial to Mesenchymal Transition May Be Early Predictors of Barrett's Esophagus Malignant Progression. <i>PLoS ONE</i> , 2016, 11, e0161967.	1.1	6

#	ARTICLE	IF	CITATIONS
19	Curcumin Inhibits Gastric Inflammation Induced by Helicobacter Pylori Infection in a Mouse Model. <i>Nutrients</i> , 2015, 7, 306-320.	1.7	58
20	The co-localization of carcinomas and adenomas favors a regional field defect in the colon: an observational study. <i>International Journal of Colorectal Disease</i> , 2015, 30, 323-327.	1.0	6
21	Differentiation reprogramming in gastric intestinal metaplasia and dysplasia: role of SOX2 and CDX2. <i>Histopathology</i> , 2015, 66, 343-350.	1.6	32
22	Characteristics of cardiac epithelium at the esophagogastric junction of a pediatric population with gastroesophageal reflux. <i>Ecological Management and Restoration</i> , 2014, 27, 709-714.	0.2	2
23	Letter: cancer risk among persons with columnar-lined oesophagus authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 600-600.	1.9	0
24	Bethesda criteria for microsatellite instability testing: impact on the detection of new cases of Lynch syndrome. <i>Familial Cancer</i> , 2012, 11, 571-578.	0.9	15
25	Collision Metastases of Breast and Rectal Carcinoma – A Possible Role for Chemokines Receptors Expression. <i>Pathology and Oncology Research</i> , 2012, 18, 729-732.	0.9	3
26	Columnar-lined oesophagus without intestinal metaplasia: results from a cohort with a mean follow-up of 7.5 years. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 282-289.	1.9	22
27	Adenoma incidence decreases under the effect of polypectomy. <i>World Journal of Gastroenterology</i> , 2012, 18, 1243.	1.4	5
28	Role of 13C-Urea Breath Test in Experimental Model of Helicobacter pylori Infection in Mice. <i>Helicobacter</i> , 2011, 16, 320-326.	1.6	12
29	Familial colorectal cancer type X syndrome: two distinct molecular entities?. <i>Familial Cancer</i> , 2011, 10, 623-631.	0.9	27
30	Verification and Unmasking of Widely Used Human Esophageal Adenocarcinoma Cell Lines. <i>Journal of the National Cancer Institute</i> , 2010, 102, 271-274.	3.0	116
31	The Biological Meaning of Intestinal Metaplasia of the Gastroesophageal Junction. <i>International Journal of Surgical Pathology</i> , 2010, 18, 43-47.	0.4	0
32	APC or MUTYH mutations account for the majority of clinically well-characterized families with FAP and AFAP phenotype and patients with more than 30 adenomas. <i>Clinical Genetics</i> , 2009, 76, 242-255.	1.0	52
33	Development of a new chitosan hydrogel for wound dressing. <i>Wound Repair and Regeneration</i> , 2009, 17, 817-824.	1.5	256
34	Colorectal Adenomas in Young Patients: Microsatellite Instability is not a Useful Marker to Detect New Cases of Lynch Syndrome. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 909-915.	0.7	18
35	Is preoperative cytologic diagnosis of epithelioid sarcoma possible?. <i>Diagnostic Cytopathology</i> , 2008, 36, 780-786.	0.5	13
36	Portuguese Society of Digestive Endoscopy: recommendations for endoscopic mucosal resection. <i>Endoscopy</i> , 2008, 40, 622-623.	1.0	3

#	ARTICLE	IF	CITATIONS
37	Cancer risk in Barrett's oesophagus. <i>European Journal of Gastroenterology and Hepatology</i> , 2007, 19, 915-918.	0.8	8
38	Aberrant gastric apomucin expression in ulcerative colitis and associated neoplasia. <i>Journal of Crohn's and Colitis</i> , 2007, 1, 35-40.	0.6	11
39	Chromosomal analysis of Barrett's cells: demonstration of instability and detection of the metaplastic lineage involved. <i>Modern Pathology</i> , 2007, 20, 788-796.	2.9	61
40	Pathologic Risk Factors of Adenocarcinoma of the Gastric Cardia and Gastroesophageal Junction. <i>Surgical Oncology Clinics of North America</i> , 2006, 15, 697-714.	0.6	19
41	Gastric and intestinal differentiation in Barrett's metaplasia and associated adenocarcinoma. <i>Ecological Management and Restoration</i> , 2005, 18, 383-387.	0.2	30
42	Management of Portuguese Patients with Hyperplastic Polyposis and Screening of At-Risk First-Degree Relatives: A Contribution for Future Guidelines Based on a Clinical Study. <i>American Journal of Gastroenterology</i> , 2004, 99, 1779-1784.	0.2	89
43	Losses of heterozygosity on chromosomes 9p and 17p are frequent events in Barrett's metaplasia not associated with dysplasia or adenocarcinoma. <i>American Journal of Gastroenterology</i> , 2003, 98, 728-734.	0.2	22
44	Enterocytic columnar non-goblet cells of Barrett's esophagus—an immunohistochemical demonstration of association with malignant evolution. <i>Journal of Experimental and Clinical Cancer Research</i> , 2003, 22, 273-8.	0.4	3
45	Pathogenicity of missense and splice site mutations in hMSH2 and hMLH1 mismatch repair genes: implications for genetic testing. <i>Gut</i> , 2002, 50, 405-412.	6.1	32
46	Genetic characterisation of patients with multiple colonic polyps. <i>Journal of Medical Genetics</i> , 2002, 39, 297-302.	1.5	10
47	Recurrent columnar-lined esophageal segments - study of the phenotypic characteristics using intestinal markers. <i>Ecological Management and Restoration</i> , 2002, 15, 282-286.	0.2	25
48	Adenocarcinoma of the esophagogastric junction: could the characteristics of adjacent intestinal metaplasia help in the understanding of biopathogenesis?. <i>Ecological Management and Restoration</i> , 2002, 15, 287-289.	0.2	7
49	Immunohistochemical detection of mismatch repair gene proteins as a useful tool for the identification of colorectal carcinoma with the mutator phenotype. <i>Journal of Pathology</i> , 2000, 191, 355-360.	2.1	98
50	Short chain fatty acids are effective in short-term treatment of chronic radiation proctitis. <i>Diseases of the Colon and Rectum</i> , 1999, 42, 788-795.	0.7	86
51	BAT-26 identifies sporadic colorectal cancers with mutator phenotype: a correlative study with clinico-pathological features and mutations in mismatch repair genes. , 1999, 188, 252-257.		42
52	Non-Goblet cell population of Barrett's esophagus: An immunohistochemical demonstration of intestinal differentiation. <i>Human Pathology</i> , 1999, 30, 1291-1295.	1.1	40
53	Effect of folate supplementation on DNA methylation of rectal mucosa in patients with colonic adenomas: correlation with nutrient intake. <i>Clinical Nutrition</i> , 1998, 17, 45-49.	2.3	106
54	Treatment of gastric MALT lymphoma by <i>Helicobacter pylori</i> eradication: a study controlled by endoscopic ultrasonography. <i>American Journal of Gastroenterology</i> , 1998, 93, 732-736.	0.2	43

#	ARTICLE	IF	CITATIONS
55	Colonic cancer in a 34-yr-old woman: should it prompt microsatellite instability studies and mismatch repair gene testing?. <i>American Journal of Gastroenterology</i> , 1998, 93, 1991-1992.	0.2	0
56	Short segments of Barrett's epithelium and intestinal metaplasia in normal appearing oesophagogastric junctions: the same or two different entities?. <i>Gut</i> , 1998, 42, 659-662.	6.1	83
57	Microsatellite instability in non-neoplastic mucosa of patients with ulcerative colitis: effect of folate supplementation. <i>American Journal of Gastroenterology</i> , 1998, 93, 2060-2064.	0.2	54
58	Flow cytometric DNA ploidy and S-phase fraction correlate with histopathologic indicators of tumor behavior in colorectal carcinoma. <i>Diseases of the Colon and Rectum</i> , 1997, 40, 411-419.	0.7	18
59	p53 protein immunoexpression in esophageal squamous cell carcinoma and adjacent epithelium. , 1997, 65, 3-9.		12
60	Is Barrett's Esophagus the Precursor of Most Adenocarcinomas of the Esophagus and Cardia? A Biochemical Study. <i>Annals of Surgery</i> , 1997, 226, 725-735.	2.1	48
61	DNA hypomethylation and proliferative activity are increased in the rectal mucosa of patients with long-standing ulcerative colitis. , 1996, 78, 2300-2306.		54
62	Calcium regulation of colonic crypt cell kinetics: Evidence for a direct effect in mice. <i>Gastroenterology</i> , 1995, 109, 498-504.	0.6	21
63	Folate status, DNA methylation and colon cancer risk in inflammatory bowel disease. <i>Clinical Nutrition</i> , 1995, 14, 50-53.	2.3	18
64	DNA methylation as an intermediate biomarker in colorectal cancer. <i>European Journal of Cancer Prevention</i> , 1994, 3, 473-480.	0.6	161
65	Early gastric cancer: An analysis of 44 cases with emphasis on the prognostic significance of the macroscopic and microscopic growth patterns. <i>Journal of Surgical Oncology</i> , 1992, 51, 118-121.	0.8	3
66	Acute Secondary Effects in the Esophagus in Patients Undergoing Radiotherapy for Carcinoma of the Lung. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1989, 12, 34-40.	0.6	61