

# Sofoklis S Makridis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2747640/publications.pdf>

Version: 2024-02-01

48  
papers

516  
citations

623734

14  
h-index

677142

22  
g-index

51  
all docs

51  
docs citations

51  
times ranked

490  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Investigating Thermal Performance of Residential Buildings in Marmari Region, South Evia, Greece. Challenges, 2020, 11, 5.  | 1.7 | 6         |
| 2  | Electric Car Chassis for Shell Eco Marathon Competition: Design, Modelling and Finite Element Analysis. World Electric Vehicle Journal, 2019, 10, 8.  | 3.0 | 10        |
| 3  | Synthesis, characterisation and hydrogen sorption properties of mechanically alloyed Mg(Ni <sub>1-x</sub> Mn <sub>x</sub> ) <sub>2</sub> . Materials Today Energy, 2019, 13, 186-194.   | 4.7 | 16        |
| 4  | Nitrogenation and sintering of (Nd-Zr)Fe <sub>10</sub> Si <sub>2</sub> tetragonal compounds for permanent magnets applications. Journal of Alloys and Compounds, 2019, 784, 996-1002.   | 5.5 | 9         |
| 5  | Optimised ultrafast lightweight design and finite element modelling of a CFRP monocoque electric car chassis. International Journal of Electric and Hybrid Vehicles, 2019, 11, 255.   | 0.3 | 6         |
| 6  | Hydrogenation behavior in rectangular metal hydride tanks under effective heat management processes for green building applications. Energy, 2018, 142, 518-530.  | 8.8 | 46        |
| 7  | Lightweight Design and Welding Manufacturing of a Hydrogen Fuel Cell Powered Car's Chassis. Challenges, 2018, 9, 25.  | 1.7 | 3         |
| 8  | A simulated roadmap of hydrogen technology contribution to climate change mitigation based on representative concentration pathways considerations. Energy Science and Engineering, 2018, 6, 116-125.   | 4.0 | 34        |
| 9  | A Mechanical Property, Non-Destructive Testing and Microstructural Investigation of Power Plant Mechanical Systems. Material Science and Engineering With Advanced Research, 2018, 2, 1-12.   | 0.3 | 5         |
| 10 | Complete Modeling of the Hydrogen Stored in a Spherical Cavity. Advances in Science, Technology and Engineering Systems, 2018, 3, 122-129.  | 0.5 | 0         |
| 11 | Hydrogen Storage Technologies for Smart Grid Applications. Challenges, 2017, 8, 13.   | 1.7 | 13        |
| 12 | Design and Modelling Methodologies of an Efficient and Lightweight Carbon-fiber Reinforced Epoxy Monocoque Chassis, Suitable for an Electric Car. Material Science and Engineering With Advanced Research, 2017, 2, 5-12.                                   | 0.3 | 12        |
| 13 | Effective thermal management of a cylindrical MgH <sub>2</sub> tank including thermal coupling with an operating SOFC and the usage of extended surfaces during the dehydrogenation process. International Journal of Hydrogen Energy, 2016, 41, 5693-5708. | 7.1 | 23        |
| 14 | Third Issue in Raw Materials, Permanent Magnets, Biomaterials and Graphene. Material Science and Engineering With Advanced Research, 2016, 1, 22.   | 0.3 | 0         |
| 15 | A complete transport validated model on a zeolite membrane for carbon dioxide permeance and capture. Applied Thermal Engineering, 2015, 74, 36-46.  | 6.0 | 14        |
| 16 | Investigation on the Hydrogenation Properties of Sm(Co <sub>0.6</sub> Fe <sub>0.2</sub> Zr <sub>0.16</sub> B <sub>0.04</sub> ) <sub>7.5</sub> Compound. Journal of Nanoscience With Advanced Technology, 2015, 1, 35-39.                                    | 0.8 | 0         |
| 17 | High-temperature activated AB <sub>2</sub> nanopowders for metal hydride hydrogen compression. International Journal of Energy Research, 2014, 38, 477-486.   | 4.5 | 19        |
| 18 | Investigation of ZrFe <sub>2</sub> -type materials for metal hydride hydrogen compressor systems by substituting Fe with Cr or V. International Journal of Hydrogen Energy, 2014, 39, 21380-21385.  | 7.1 | 31        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Polymer-stable magnesium nanocomposites prepared by laser ablation for efficient hydrogen storage. International Journal of Hydrogen Energy, 2013, 38, 11530-11535.  | 7.1 | 79        |
| 20 | Modeling and Simulation for Absorption-Desorption Cyclic Process on a Three-Stage Metal Hydride Hydrogen Compressor. Computer Aided Chemical Engineering, 2013, , 379-384.   | 0.5 | 13        |
| 21 | Synthesis and Characterization of $Ti_{1-x}Fe_xMn_{0.3}V_x$ ( $x = 0.05$ , and $0.1$ ) and $Ti_{1-x}Ta_xFe_{0.7}Mn_{0.3}$ ( $x = 0.2$ , and) $Tj ETQq1 1 0.764314 r$   | 0.7 | 4314      |
| 22 | Structural, Microchemistry, and Hydrogenation Properties of $TiMn_{0.4}Fe_{0.2}V_{0.4}$ , $TiMn_{0.1}Fe_{0.2}V_{0.7}$ and $Ti_{0.4}Zr_{0.6}Mn_{0.4}Fe_{0.2}V_{0.4}$ Metal Hydrides. Journal of Nanoscience and Nanotechnology, 2012, 12, 4688-4696.      | 0.9 | 3         |
| 23 | Structural and magnetic properties of $Sm(Co_{0.7}Fe_{0.1}Ni_{0.12}Zr_{0.04}B_{0.04})_{7.5}$ melt spun isotropic and anisotropic ribbons. Journal of Rare Earths, 2012, 30, 691-695.   | 4.8 | 17        |
| 24 | Two-Stage Hydrogen Compression Using Zr-Based Metal Hydrides. Solid State Phenomena, 2012, 194, 249-253.   | 0.3 | 8         |
| 25 | Hydrogenation properties of the $TiB_x$ structures. International Journal of Hydrogen Energy, 2011, 36, 12268-12278.   | 7.1 | 5         |
| 26 | Structural and Electronic Properties of the Hydrogenated $ZrCr_2$ Laves Phases. Journal of Physical Chemistry C, 2010, 114, 4221-4227.   | 3.1 | 17        |
| 27 | Design and optimization of advanced materials and processes for efficient hydrogen storage. Computers and Chemical Engineering, 2009, 33, 1077-1090.   | 3.8 | 20        |
| 28 | Design and Optimization of Advanced Materials and Processes for Efficient Hydrogen storage. Computer Aided Chemical Engineering, 2009, , 183-188.  | 0.5 | 1         |
| 29 | Structural, microstructural and magnetic properties of nanocomposite isotropic $Sm(Co_{0.1}Mn_{0.1}Zr_{0.04}B_{0.04})_{7.5}$ ribbons with $M=Ni, Cu$ and $y=0.09$ and $0.12$ . Journal of Magnetism and Magnetic Materials, 2008, 320, 2322-2329.        | 2.3 | 19        |
| 30 | Integration of Hydrogen Energy Technologies in Autonomous Power Systems. Power Systems, 2008, , 23-81.   | 0.5 | 5         |
| 31 | Effect of Wheel Speed and Boron Content on Microstructure and Crystallographic Texture of Boron Substituted $Sm-Co$ Melt Spun Ribbons. Materials Science Forum, 2006, 514-516, 359-363.  | 0.3 | 2         |
| 32 | Intermetallic Hydrides Based on $(Zr-Ti)(Fe-Cr)$ Type of Compounds. Materials Science Forum, 2006, 514-516, 666-671.   | 0.3 | 1         |
| 33 | Structural, Microstructural and Magnetic Properties of Ball Milled Boron-Substituted $Sm(Co,Fe,Cu,Zr)$ Compounds. Materials Science Forum, 2006, 514-516, 1289-1293.   | 0.3 | 0         |
| 34 | Structural and Magnetic Properties of New $Zr(Fe_{0.8}Cu_{0.2})$ and $Zr(Fe_{0.8}Cu_{0.1}Co_{0.1})$ Hydrogen Storage Materials. Materials Science Forum, 2006, 514-516, 432-436.   | 0.3 | 1         |
| 35 | Structural and magnetic properties of rare earth-transition metal compounds for hydrogen storage materials. Journal of Alloys and Compounds, 2005, 404-406, 216-219.   | 5.5 | 1         |
| 36 | Wide-angle X-ray diffraction and differential scanning calorimetry study of the crystallization of poly(ethylene naphthalate), poly(butylene naphthalate), and their copolymers. Journal of Polymer Science, Part B: Polymer Physics, 2004, 42, 843-860. | 2.1 | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Sm(Co, Fe, Cu, Zr, C) <sub>8.2</sub> ribbons for high-temperature magnets. Journal of Magnetism and Magnetic Materials, 2004, 272-276, E1921-E1923.  | 2.3 | 6         |
| 38 | Structure and magnetic properties of Sm <sub>9</sub> (Co <sub>1-x</sub> Zr <sub>x</sub> ) <sub>4</sub> alloys. Journal of Magnetism and Magnetic Materials, 2004, 272-276, E377-E379.  | 2.3 | 0         |
| 39 | On the microstructure and the recrystallization procedure of melt-spun Nd <sub>7.5</sub> Fe <sub>84.8</sub> Ti <sub>7.7</sub> xNb <sub>x</sub> alloys. Journal of Magnetism and Magnetic Materials, 2003, 267, 19-25.                  | 2.3 | 2         |
| 40 | Structural and magnetic properties of rhombohedral Sm <sub>2</sub> (Co,Fe,Cr) <sub>17</sub> B <sub>x</sub> and Sm <sub>2</sub> (Co,Fe,Mn) <sub>17</sub> B <sub>x</sub> compounds. IEEE Transactions on Magnetics, 2003, 39, 2872-2874. | 2.1 | 1         |
| 41 | Nanostructured melt-spun Sm(Co,Fe,Zr,B) <sub>7.5</sub> alloys for high-temperature magnets. IEEE Transactions on Magnetics, 2003, 39, 2869-2871.   | 2.1 | 5         |
| 42 | High coercivity in boron substituted Sm-Co melt-spun magnets. IEEE Transactions on Magnetics, 2002, 38, 2922-2924.   | 2.1 | 29        |
| 43 | Effects of boron substitution on the structural and magnetic properties of melt-spun Sm(Co,Fe,Zr) <sub>7.5</sub> and Sm(Co,Fe,Zr,Cu) <sub>7.5</sub> magnets. Journal of Applied Physics, 2002, 91, 7899.                               | 2.5 | 18        |
| 44 | Nanostructured melt-spun Sm(Co-Fe-Zr-B) <sub>7.5</sub> alloys for high temperature magnets. , 0, , .   |     | 0         |
| 45 | Structural and magnetic properties of Rhombohedral Sm <sub>2</sub> (Co,Fe,Cr) <sub>17</sub> B <sub>x</sub> and Sm <sub>2</sub> (Co,Fe,Mn) <sub>17</sub> B <sub>x</sub> compounds. , 0, , .   |     | 0         |
| 46 | Relaxation studies at high temperatures of precipitation hardened Sm(Co <sub>bal</sub> /Fe <sub>0.1</sub> /Cu <sub>sub</sub> ) <sub>Tj</sub> ETQq0 0 0 rgBT /Overlock 10 Tf .  |     |           |
| 47 | Effect of V Substitution on the Composite Zr-Ti-Cr-V-Ni Intermetallic Hydrides. Materials Science Forum, 0, 636-637, 887-894.  | 0.3 | 2         |
| 48 | Structural and Magnetic Properties of Sm(Co<sub>bal</sub>/Fe<sub>0.1</sub>/Ni<sub>0.12</sub>/Zr<sub>0.04</sub>/B<sub>0</sub> Melt Spun Ribbons. Materials Science Forum, 0, 636-637, 404-410.  |     |           |