

# Mahnoush Bahjat

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2748273/publications.pdf>

Version: 2024-02-01

8  
papers

207  
citations

1478505

6  
h-index

1588992

8  
g-index

9  
all docs

9  
docs citations

9  
times ranked

356  
citing authors

#	ARTICLE	IF	CITATIONS
1	BET protein inhibitor apabetalone (RVX-208) suppresses pro-inflammatory hyper-activation of monocytes from patients with cardiovascular disease and type 2 diabetes. <i>Clinical Epigenetics</i> , 2020, 12, 166.	4.1	25
2	Potent lipoprotein(a) lowering following apolipoprotein(a) antisense treatment reduces the pro-inflammatory activation of circulating monocytes in patients with elevated lipoprotein(a). <i>European Heart Journal</i> , 2020, 41, 2262-2271.	2.2	65
3	The NEDD8-activating enzyme inhibitor MLN4924 induces DNA damage in Ph+ leukemia and sensitizes for ABL kinase inhibitors. <i>Cell Cycle</i> , 2019, 18, 2307-2322.	2.6	5
4	Potential epigenetic therapeutics for atherosclerosis treatment. <i>Atherosclerosis</i> , 2019, 281, 189-197.	0.8	37
5	Detection and Visualization of DNA Damage-induced Protein Complexes in Suspension Cell Cultures Using the Proximity Ligation Assay. <i>Journal of Visualized Experiments</i> , 2017, , .	0.3	2
6	The Complex Interplay between DNA Injury and Repair in Enzymatically Induced Mutagenesis and DNA Damage in B Lymphocytes. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1876.	4.1	19
7	The DNA Damage Response Regulates RAG1/2 Expression in Pre-B Cells through ATM-FOXO1 Signaling. <i>Journal of Immunology</i> , 2016, 197, 2918-2929.	0.8	27
8	NF- $\kappa$ B and AKT signaling prevent DNA damage in transformed pre-B cells by suppressing RAG1/2 expression and activity. <i>Blood</i> , 2015, 126, 1324-1335.	1.4	23