

# Tania Ueda-Nakamura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/27493/publications.pdf>

Version: 2024-02-01

186  
papers

6,273  
citations

57631

44  
h-index

98622

67  
g-index

188  
all docs

188  
docs citations

188  
times ranked

8048  
citing authors

#	ARTICLE	IF	CITATIONS
1	Essential oil characterization of <i>Ocimum basilicum</i> and <i>Syzygium aromaticum</i> free and complexed with $\beta$ -cyclodextrin. Determination of its antioxidant, antimicrobial, and antitumoral activities. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2022, 102, 117-132.	0.9	9
2	Design and Optimization of Stimuli-responsive Emulsion-filled Gel for Topical Delivery of Copaiba Oil-resin. <i>Journal of Pharmaceutical Sciences</i> , 2022, 111, 287-292.	1.6	9
3	$\beta$ -carboline RCC and C5 induce the death of <i>Leishmania amazonensis</i> intracellular amastigotes. <i>Future Microbiology</i> , 2022, 17, 99-110.	1.0	1
4	Natural compounds based chemotherapeutic against Chagas disease and leishmaniasis: mitochondrion as a strategic target. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2022, 117, e220396.	0.8	7
5	In vivo and in vitro per se effect evaluation of Polycaprolactone and Eudragit <sup>®</sup> RS100-based nanoparticles. <i>Biomedicine and Pharmacotherapy</i> , 2022, 153, 113410.	2.5	6
6	New cadinene-sesquiterpene from <i>Chromolaena laevigata</i> (lam.) R. M. King & H. Rob (Asteraceae) aerial parts and biological activities. <i>Natural Product Research</i> , 2021, 35, 3880-3887.	1.0	5
7	Membrane dynamics in <i>Leishmania amazonensis</i> and antileishmanial activities of $\beta$ -carboline derivatives. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2021, 1863, 183473.	1.4	16
8	<i>Cordia americana</i> : Evaluation of in vitro anti-herpes simplex virus activity and in vivo toxicity of leaf extracts. <i>Australian Journal of Crop Science</i> , 2021, , 362-368.	0.1	2
9	<i>Chromolaena laevigata</i> (Asteraceae) as a source of endophytic non-aflatoxigenic <i>Aspergillus flavus</i> : chemical profile in different culture conditions and biological applications. <i>Brazilian Journal of Microbiology</i> , 2021, 52, 1201-1214.	0.8	3
10	Antibacterial activity of crude extract of <i>Tabernaemontana catharinensis</i> latex (A. DC) against <i>Alicyclobacillus</i> spp.. <i>Research, Society and Development</i> , 2021, 10, e16310917907.	0.0	1
11	Herpes Labialis: A New Possibility for Topical Treatment with Well-Elucidated Drugs. <i>Journal of Pharmaceutical Sciences</i> , 2021, 110, 3450-3456.	1.6	2
12	Anti-herpes activity of polysaccharide fractions from <i>Stevia rebaudiana</i> leaves. <i>Natural Product Research</i> , 2020, 34, 1558-1562.	1.0	11
13	<i>Baccharis dracunculifolia</i> : Chemical constituents, cytotoxicity and antimicrobial activity. <i>LWT - Food Science and Technology</i> , 2020, 120, 108920.	2.5	15
14	Antiproliferative activity of the dibenzylideneacetone derivate (E)-3-ethyl-4-(4-nitrophenyl)but-3-en-2-one in <i>Trypanosoma cruzi</i> . <i>Acta Tropica</i> , 2020, 211, 105653.	0.9	6
15	Metformin effect on driving cell survival pathway through inhibition of UVB-induced ROS formation in human keratinocytes. <i>Mechanisms of Ageing and Development</i> , 2020, 192, 111387.	2.2	4
16	Ceria Nanoparticles Decrease UVA-Induced Fibroblast Death Through Cell Redox Regulation Leading to Cell Survival, Migration and Proliferation. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 577557.	2.0	25
17	Three-Dimensional Reconstruction of Promastigote of <i>Leishmania Amazonensis</i> Treated With ACET-1 from Serial Sections Obtained by FIB-SEM. <i>Microscopy and Microanalysis</i> , 2020, 26, 185-186.	0.2	2
18	Ketoconazole-loaded poly-(lactic acid) nanoparticles: Characterization and improvement of antifungal efficacy in vitro against <i>Candida</i> and dermatophytes. <i>Journal De Mycologie Medicale</i> , 2020, 30, 101003.	0.7	12

#	ARTICLE	IF	CITATIONS
19	Development of chitosan nanocapsules containing essential oil of <i>Matricaria chamomilla</i> L. for the treatment of cutaneous leishmaniasis. <i>International Journal of Biological Macromolecules</i> , 2020, 162, 199-208.	3.6	18
20	Biphenanthrene from <i>Stanhopea lietzei</i> (Orchidaceae) and its chemophenetic significance within neotropical species of the Cymbidieae tribe. <i>Biochemical Systematics and Ecology</i> , 2020, 89, 104014.	0.6	3
21	Preparation, characterization and antidermatophytic activity of free- and microencapsulated cinnamon essential oil. <i>Journal De Mycologie Medicale</i> , 2020, 30, 100933.	0.7	12
22	Liposome-based nanocarrier loaded with a new quinoxaline derivative for the treatment of cutaneous leishmaniasis. <i>Materials Science and Engineering C</i> , 2020, 110, 110720.	3.8	21
23	Activity of Piperaceae extracts and fractions in the control of <i>Phytomonas serpens</i> . <i>Ciencia Rural</i> , 2020, 50, .	0.3	0
24	Evaluation of anti-HSV-1 activity and toxicity of hydroethanolic extract of <i>Tanacetum parthenium</i> (L.) Sch.Bip. (Asteraceae). <i>Phytomedicine</i> , 2019, 55, 249-254.	2.3	26
25	Activity and Cell-Death Pathway in <i>Leishmania infantum</i> Induced by Sugiol: Vectorization Using Yeast Cell Wall Particles Obtained From <i>Saccharomyces cerevisiae</i> . <i>Frontiers in Cellular and Infection Microbiology</i> , 2019, 9, 208.	1.8	16
26	Manufacturing Different Types of Solid Dispersions of BCS Class IV Polyphenol (Daidzein) by Spray Drying: Formulation and Bioavailability. <i>Pharmaceutics</i> , 2019, 11, 492.	2.0	18
27	The antidepressant clomipramine induces programmed cell death in <i>Leishmania amazonensis</i> through a mitochondrial pathway. <i>Parasitology Research</i> , 2019, 118, 977-989.	0.6	19
28	Structural Characterization and Biological Evaluation of 18 $\alpha$ -Norbornene $\alpha$ -Labdane Diterpenoids from <i>Grazielia gaudichaudiana</i> . <i>Chemistry and Biodiversity</i> , 2019, 16, e1800644.	1.0	8
29	Dihydrocaffeic Acid Prevents UVB-Induced Oxidative Stress Leading to the Inhibition of Apoptosis and MMP-1 Expression via p38 Signaling Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-14.	1.9	47
30	Anti- <i>Mycobacterium tuberculosis</i> activity of dichloromethane extract of <i>Piper corcovadensis</i> (Miq.) C. DC. roots and isolated compounds. <i>Industrial Crops and Products</i> , 2019, 131, 341-347.	2.5	9
31	Oral treatment with T6-loaded yeast cell wall particles reduces the parasitemia in murine visceral leishmaniasis model. <i>Scientific Reports</i> , 2019, 9, 20080.	1.6	3
32	Biomimetic nanocomposite based on hydroxyapatite mineralization over chemically modified cellulose nanowhiskers: An active platform for osteoblast proliferation. <i>International Journal of Biological Macromolecules</i> , 2019, 125, 133-142.	3.6	23
33	Piperaceae extracts for controlling <i>Alicyclobacillus acidoterrestris</i> growth in commercial orange juice. <i>Industrial Crops and Products</i> , 2018, 116, 224-230.	2.5	23
34	Chick-Watson kinetics of virus inactivation with granular activated carbon modified with silver nanoparticles and/or copper oxide. <i>Chemical Engineering Research and Design</i> , 2018, 117, 33-42.	2.7	29
35	The extended production of UV-induced reactive oxygen species in L929 fibroblasts is attenuated by posttreatment with <i>Arrabidaea chica</i> through scavenging mechanisms. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018, 178, 175-181.	1.7	22
36	Pharmaceutical topical gel containing proanthocyanidin polymers-rich fraction from <i>Stryphnodendron adstringens</i> . <i>Journal of Medicinal Plants Research</i> , 2018, 12, 116-123.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Quinoxaline derivatives as potential antitrypanosomal and antileishmanial agents. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 4065-4072.	1.4	17
38	Proanthocyanidin Polymer-Rich Fraction of <i>Stryphnodendron adstringens</i> Promotes in Vitro and in Vivo Cancer Cell Death via Oxidative Stress. <i>Frontiers in Pharmacology</i> , 2018, 9, 694.	1.6	16
39	Parthenolide Influences & Herpes simplex & virus 1 & Replication in vitro. <i>Intervirolgy</i> , 2018, 61, 14-22.	1.2	12
40	Anti-biofilm activity of <i>Rosmarinus officinalis</i> , <i>Punica granatum</i> and <i>Tetradenia riparia</i> against methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) and synergic interaction with penicillin. <i>Journal of Herbal Medicine</i> , 2018, 14, 48-54.	1.0	22
41	In vitro anti-Leishmania activity of T6 synthetic compound encapsulated in yeast-derived $\beta$ -(1,3)-d-glucan particles. <i>International Journal of Biological Macromolecules</i> , 2018, 119, 1264-1275.	3.6	14
42	Pheophorbide a , a compound isolated from the leaves of <i>Arrabidaea chica</i> , induces photodynamic inactivation of <i>Trypanosoma cruzi</i> . <i>Photodiagnosis and Photodynamic Therapy</i> , 2017, 19, 256-265.	1.3	29
43	Bioactivity of essential oils in the control of <i>Alternaria alternata</i> in dragon fruit ( <i>Hylocereus</i> ) Tj ETQq1 1 0.784314 r <sub>BT</sub> /Overlock 10 Tj	2.5	53
44	Antiproliferative effect of apocynin in cervical epithelial cells infected by HPV 16 involves change of ROS production and cell cycle. <i>Medicinal Chemistry Research</i> , 2017, 26, 2853-2860.	1.1	1
45	The photodynamic action of pheophorbide a induces cell death through oxidative stress in <i>Leishmania amazonensis</i> . <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2017, 174, 342-354.	1.7	21
46	Water treatment with exceptional virus inactivation using activated carbon modified with silver (Ag) and copper oxide (CuO) nanoparticles. <i>Environmental Technology (United Kingdom)</i> , 2017, 38, 2058-2069.	1.2	45
47	A3K2A3-induced apoptotic cell death of <i>Leishmania amazonensis</i> occurs through caspase- and ATP-dependent mitochondrial dysfunction. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2017, 22, 57-71.	2.2	17
48	Photodynamic inactivation of foodborne and food spoilage bacteria by curcumin. <i>LWT - Food Science and Technology</i> , 2017, 76, 198-202.	2.5	104
49	Antiviral Activity of Crude Hydroethanolic Extract from <i>Schinus terebinthifolia</i> against Herpes simplex Virus Type 1. <i>Planta Medica</i> , 2017, 83, 509-518.	0.7	23
50	Induction of Early Autophagic Process on <i>Leishmania amazonensis</i> by Synergistic Effect of Miltefosine and Innovative Semi-synthetic Thiosemicarbazone. <i>Frontiers in Microbiology</i> , 2017, 8, 255.	1.5	36
51	Effects of (1 <i>E</i> ,4 <i>E</i> )-2-Methyl-1,5-bis(4-nitrophenyl)penta-1,4-dien-3-one on <i>Trypanosoma cruzi</i> and Its Combinational Effect with Benznidazole, Ketoconazole, or Fluconazole. <i>BioMed Research International</i> , 2017, 2017, 1-11.	0.9	9
52	Acyclic Sesquiterpenes from the Fruit Pericarp of <i>Sapindus saponaria</i> Induce Ultrastructural Alterations and Cell Death in <i>Leishmania amazonensis</i> . <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-11.	0.5	10
53	Copaiba Oil and Its Constituent Copalic Acid as Chemotherapeutic Agents against Dermatophytes. <i>Journal of the Brazilian Chemical Society</i> , 2016, , .	0.6	4
54	<i>In Vitro</i> and <i>In Vivo</i> Activities of 2,3-Diarylsubstituted Quinoxaline Derivatives against <i>Leishmania amazonensis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 3433-3444.	1.4	36

#	ARTICLE	IF	CITATIONS
55	Structural, thermal, optical properties and cytotoxicity of PMMA/ZnO fibers and films: Potential application in tissue engineering. <i>Applied Surface Science</i> , 2016, 385, 257-267.	3.1	46
56	Synthesis and evaluation of the trypanocidal activity of a series of 1,3,4-thiadiazoles derivatives of R-(+)-limonene benzaldehyde-thiosemicarbazones. <i>Medicinal Chemistry Research</i> , 2016, 25, 1193-1203.	1.1	10
57	Clomipramine kills <i>Trypanosoma brucei</i> by apoptosis. <i>International Journal of Medical Microbiology</i> , 2016, 306, 196-205.	1.5	4
58	Vitamin K3 induces antiproliferative effect in cervical epithelial cells transformed by HPV 16 (SiHa) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Obstetrics, 2016, 294, 797-804.	0.8	11
59	Synthesis and evaluation of novel hybrids $\hat{1}^2$ -carboline-4-thiazolidinones as potential antitumor and antiviral agents. <i>European Journal of Medicinal Chemistry</i> , 2016, 124, 1093-1104.	2.6	36
60	1,3,4-Thiadiazole derivatives of R-(+)-limonene benzaldehyde-thiosemicarbazones cause death in <i>Trypanosoma cruzi</i> through oxidative stress. <i>Microbes and Infection</i> , 2016, 18, 787-797.	1.0	15
61	Antimicrobial effects of <i>Piper hispidum</i> extract, fractions and chalcones against <i>Candida albicans</i> and <i>Staphylococcus aureus</i> . <i>Journal De Mycologie Medicale</i> , 2016, 26, 217-226.	0.7	19
62	Hybrid materials for bone tissue engineering from biomimetic growth of hydroxiapatite on cellulose nanowhiskers. <i>Carbohydrate Polymers</i> , 2016, 152, 734-746.	5.1	54
63	C5 induces different cell death pathways in promastigotes of <i>Leishmania amazonensis</i> . <i>Chemico-Biological Interactions</i> , 2016, 256, 16-24.	1.7	19
64	Formulation and Evaluation of a Mucoadhesive Thermoresponsive System Containing Brazilian Green Propolis for the Treatment of Lesions Caused by Herpes Simplex Type I. <i>Journal of Pharmaceutical Sciences</i> , 2016, 105, 113-121.	1.6	29
65	Dibenzylideneacetones Are Potent Trypanocidal Compounds That Affect the <i>Trypanosoma cruzi</i> Redox System. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 890-903.	1.4	31
66	In vitro cytotoxicity and Anti-herpes simplex virus Type 1 activity of hydroethanolic extract, fractions, and isolated compounds from stem bark of <i>Schinus terebinthifolius raddi</i> . <i>Pharmacognosy Magazine</i> , 2016, 12, 160.	0.3	12
67	4-Nitrobenzaldehyde thiosemicarbazone: a new compound derived from <i>S(-)-limonene</i> that induces mitochondrial alterations in epimastigotes and trypomastigotes of <i>Trypanosoma cruzi</i> . <i>Parasitology</i> , 2015, 142, 978-988.	0.7	20
68	Effect of 1-(phenyl)-N $\hat{e}$ <sup>TM</sup> -(4-methoxybenzylidene)-9H-pyrido[3,4-b] indole-3-carbohydrazide on in vitro poliovirus replication. <i>Acta Pharmaceutica</i> , 2015, 65, 75-81.	0.9	1
69	The Combination of Vitamin K3 and Vitamin C Has Synergic Activity against Forms of <i>Trypanosoma cruzi</i> through a Redox Imbalance Process. <i>PLoS ONE</i> , 2015, 10, e0144033.	1.1	15
70	Antifungal Properties of Crude Extracts, Fractions, and Purified Compounds from Bark of <i>Curatella americana</i> L. (Dilleniaceae) against <i>Candida</i> Species. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-9.	0.5	9
71	Trypanocidal activity of organic extracts from the Brazilian and Spanish marine sponges. <i>Revista Brasileira De Farmacognosia</i> , 2015, 25, 651-656.	0.6	13
72	Photodynamic Inactivation Mediated by Erythrosine and its Derivatives on Foodborne Pathogens and Spoilage Bacteria. <i>Current Microbiology</i> , 2015, 71, 243-251.	1.0	38

#	ARTICLE	IF	CITATIONS
73	Antidermatophytic activity of hydroalcoholic extracts from <i>Rosmarinus officinalis</i> and <i>Tetradenia riparia</i> . <i>Journal De Mycologie Medicale</i> , 2015, 25, 274-279.	0.7	17
74	Microbicidal activity of neutrophils is inhibited by isolates from recurrent vaginal candidiasis (RVVC) caused by <i>Candida albicans</i> through fungal thioredoxin reductase. <i>Cellular Immunology</i> , 2015, 293, 22-29.	1.4	19
75	Synthesis and biological evaluation of novel 2,3-disubstituted quinoxaline derivatives as antileishmanial and antitrypanosomal agents. <i>European Journal of Medicinal Chemistry</i> , 2015, 90, 107-123.	2.6	56
76	Mitochondrial Dysfunction Induced by N-Butyl-1-(4-Dimethylamino)Phenyl-1,2,3,4-Tetrahydro- $\beta$ -Carboline-3-Carboxamide Is Required for Cell Death of <i>Trypanosoma cruzi</i> . <i>PLoS ONE</i> , 2015, 10, e0130652.	1.1	15
77	A Quinoxaline Derivative as a Potent Chemotherapeutic Agent, Alone or in Combination with Benznidazole, against <i>Trypanosoma cruzi</i> . <i>PLoS ONE</i> , 2014, 9, e85706.	1.1	42
78	Additional Evidence of the Trypanocidal Action of ( $\alpha$ )-Elatol on Amastigote Forms through the Involvement of Reactive Oxygen Species. <i>Marine Drugs</i> , 2014, 12, 4973-4983.	2.2	10
79	Preparation of Spray-Dried Soy Isoflavone-Loaded Gelatin Microspheres for Enhancement of Dissolution: Formulation, Characterization and in Vitro Evaluation. <i>Pharmaceutics</i> , 2014, 6, 599-615.	2.0	25
80	Cell death and ultrastructural alterations in <i>Leishmania amazonensis</i> caused by new compound 4-Nitrobenzaldehyde thiosemicarbazone derived from S-limonene. <i>BMC Microbiology</i> , 2014, 14, 236.	1.3	58
81	Antifungal activity of pomegranate peel extract and isolated compound punicalagin against dermatophytes. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2014, 13, 32.	1.7	80
82	N-Butyl-[1-(4-Methoxy)Phenyl-9-H- $\beta$ -Carboline]-3-Carboxamide Prevents Cytokinesis in <i>Leishmania amazonensis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 7112-7120.	1.4	24
83	Cell death in amastigote forms of <i>Leishmania amazonensis</i> induced by parthenolide. <i>BMC Microbiology</i> , 2014, 14, 152.	1.3	24
84	Structural Changes and Differentially Expressed Genes in <i>Pseudomonas aeruginosa</i> Exposed to Meropenem-Ciprofloxacin Combination. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 3957-3967.	1.4	18
85	The natural compounds piperovatine and piperlonguminine induce autophagic cell death on <i>Trypanosoma cruzi</i> . <i>Acta Tropica</i> , 2013, 125, 349-356.	0.9	21
86	Trypanocidal activity of 1,3,7-trihydroxy-2-(3-methylbut-2-enyl)-xanthone isolated from <i>Kielmeyera coriacea</i> . <i>Parasitology International</i> , 2013, 62, 405-411.	0.6	9
87	Further evidence of the trypanocidal action of eupomatenoid-5: Confirmation of involvement of reactive oxygen species and mitochondria owing to a reduction in trypanothione reductase activity. <i>Free Radical Biology and Medicine</i> , 2013, 60, 17-28.	1.3	39
88	Structure and antiviral activity of arabinogalactan with (1 $\rightarrow$ 6)- $\beta$ -d-galactan core from <i>Stevia rebaudiana</i> leaves. <i>Carbohydrate Polymers</i> , 2013, 94, 179-184.	5.1	53
89	Antioxidant Effects of Quercetin and Naringenin Are Associated with Impaired Neutrophil Microbicidal Activity. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-7.	0.5	24
90	Eupomatenoid-5 Isolated from Leaves of <i>Piper regnellii</i> Induces Apoptosis in <i>Leishmania amazonensis</i> . <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-11.	0.5	24

#	ARTICLE	IF	CITATIONS
91	Acute and Chronic Toxicity of an Aqueous Fraction of the Stem Bark of <i>Stryphnodendron adstringens</i> (Barbatimão) in Rodents. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-9.	0.5	19
92	Antileishmanial Activity of 5-Methyl-2,2-ethoxy-5-terthiophene Isolated from <i>Porophyllum ruderale</i> is Related to Mitochondrial Dysfunction in <i>Leishmania amazonensis</i> . Planta Medica, 2013, 79, 330-333.	0.7	16
93	Toxicity of Oleoresins from the Genus <i>Copaifera</i> in <i>Trypanosoma cruzi</i> : A Comparative Study. Planta Medica, 2013, 79, 952-958.	0.7	14
94	The Effects of <i>N</i> -Butyl-1-(4-dimethylamino)phenyl-1,2,3,4-tetrahydro- $\beta$ -carboline-3-carboxamide against <i>Leishmania amazonensis</i> Are Mediated by Mitochondrial Dysfunction. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-7.	0.5	21
95	Evaluation of the Antibacterial Activity of <i>Piperaceae</i> Extracts and Nisin on <i>Alicyclobacillus Acidoterrestris</i> . Journal of Food Science, 2013, 78, M1772-7.	1.5	15
96	Ultraviolet (UVB and UVA) Photoprotector Activity and Percutaneous Penetration of Extracts Obtained from <i>Arrabidaea chica</i> . Applied Spectroscopy, 2013, 67, 1179-1184.	1.2	9
97	Antileishmanial activity of diterpene acids in copaiba oil. Memorias Do Instituto Oswaldo Cruz, 2013, 108, 59-64.	0.8	53
98	Characterization of <i>Candida</i> spp. isolated from vaginal fluid: identification, antifungal susceptibility, and virulence profile. Acta Scientiarum - Health Sciences, 2013, 35, .	0.2	2
99	Investigation of the mechanism of action involved in the cell death of <i>Leishmania amazonensis</i> treated with eupomatenoid-5, an isolated compound from <i>Piper regnellii</i> var. <i>pallidum</i> . Planta Medica, 2013, 79, .	0.7	0
100	Desempenho dos métodos de identificação de leveduras de água engarrafada: alta prevalência de <i>Candida parapsilosis</i> . Semina: Ciências Biológicas E Da Saúde, 2013, 34, 205.	0.0	3
101	Mitochondria Superoxide Anion Production Contributes to Geranylgeraniol-Induced Death in <i>Leishmania amazonensis</i> . Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-9.	0.5	18
102	Copaiba Oil: An Alternative to Development of New Drugs against Leishmaniasis. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-7.	0.5	31
103	Hydrogels based on chemically modified poly(vinyl alcohol) (PVA-GMA) and PVA-GMA/chondroitin sulfate: Preparation and characterization. EXPRESS Polymer Letters, 2012, 6, 383-395.	1.1	54
104	Synthesis, Antitumor, Antitrypanosomal and Antileishmanial Activities of Benzo[4,5]canthin-6-ones Bearing the $\alpha$ -(Substituted benzylidene)-carbohydrazide and $\alpha$ -Alkylcarboxamide Groups at C-2. Chemical and Pharmaceutical Bulletin, 2012, 60, 1372-1379.	0.6	20
105	<i>In Vitro</i> and <i>In Vivo</i> Trypanocidal Synergistic Activity of <i>N</i> -Butyl-1-(4-Dimethylamino)Phenyl-1,2,3,4-Tetrahydro- $\beta$ -Carboline-3-Carboxamide Associated with Benznidazole. Antimicrobial Agents and Chemotherapy, 2012, 56, 507-512.	1.4	33
106	Activity of Spray-dried Microparticles Containing Pomegranate Peel Extract against <i>Candida albicans</i> . Molecules, 2012, 17, 10094-10107.	1.7	40
107	Intramuscular and topical treatment of cutaneous leishmaniasis lesions in mice infected with <i>Leishmania amazonensis</i> using coumarin (6") mammea A/BB. Phytomedicine, 2012, 19, 1196-1199.	2.3	23
108	Terpenes from <i>Copaifera</i> Demonstrated <i>In Vitro</i> Antiparasitic and Synergic Activity. Journal of Medicinal Chemistry, 2012, 55, 2994-3001.	2.9	101

#	ARTICLE	IF	CITATIONS
109	Antimicrobial activity of plants used as medicinals on an indigenous reserve in Rio das Cobras, Parana, Brazil. <i>Journal of Ethnopharmacology</i> , 2012, 143, 631-638.	2.0	50
110	Trypanocidal activity of guaianolide obtained from <i>Tanacetum parthenium</i> (L.) Schultz-Bip. and its combinational effect with benznidazole. <i>Phytomedicine</i> , 2012, 20, 59-66.	2.3	24
111	Trypanocidal Action of (E)-Elatol Involves an Oxidative Stress Triggered by Mitochondria Dysfunction. <i>Marine Drugs</i> , 2012, 10, 1631-1646.	2.2	51
112	Evaluation of the Antiproliferative Activity of the Leaves from <i>Arctium lappa</i> by a Bioassay-Guided Fractionation. <i>Molecules</i> , 2012, 17, 1852-1859.	1.7	43
113	Antiviral activity of fractions from leaves of <i>Piper regnelli</i> var. <i>pallenscens</i> . <i>Revista Brasileira De Farmacognosia</i> , 2012, 22, 1276-1281.	0.6	3
114	Effects of (E)-mammea A/BB isolated from <i>Calophyllum brasiliense</i> leaves and derivatives on mitochondrial membrane of <i>Leishmania amazonensis</i> . <i>Phytomedicine</i> , 2012, 19, 223-230.	2.3	37
115	Benzaldehyde Thiosemicarbazone Derived from Limonene Complexed with Copper Induced Mitochondrial Dysfunction in <i>Leishmania amazonensis</i> . <i>PLoS ONE</i> , 2012, 7, e41440.	1.1	34
116	<i>In vitro</i> antiviral activity from <i>Acanthospermum australe</i> on herpesvirus and poliovirus. <i>Pharmaceutical Biology</i> , 2011, 49, 26-31.	1.3	14
117	Trypanocidal action of eupomatenoid-5 is related to mitochondrion dysfunction and oxidative damage in <i>Trypanosoma cruzi</i> . <i>Microbes and Infection</i> , 2011, 13, 1018-1024.	1.0	27
118	Antimicrobial and cytotoxic activities of medicinal plants of the Brazilian cerrado, using Brazilian cachaça as extractor liquid. <i>Journal of Ethnopharmacology</i> , 2011, 133, 420-425.	2.0	59
119	Natural products and Chagas' disease: a review of plant compounds studied for activity against <i>Trypanosoma cruzi</i> . <i>Natural Product Reports</i> , 2011, 28, 809.	5.2	114
120	Recent advances in leishmaniasis treatment. <i>International Journal of Infectious Diseases</i> , 2011, 15, e525-e532.	1.5	262
121	Thiophene Derivatives with Antileishmanial Activity Isolated from Aerial Parts of <i>Porophyllum ruderale</i> (Jacq.) Cass.. <i>Molecules</i> , 2011, 16, 3469-3478.	1.7	44
122	Antimicrobial Activity of <i>Piper gaudichaudianum</i> Kuntze and Its Synergism with Different Antibiotics. <i>Molecules</i> , 2011, 16, 9925-9938.	1.7	9
123	Trypanocidal Activity of Oxoaporphine and Pyrimidine- $\beta$ -Carboline Alkaloids from the Branches of <i>Annona foetida</i> Mart. (Annonaceae). <i>Molecules</i> , 2011, 16, 9714-9720.	1.7	57
124	Antitrypanosomal Activity of a Semi-Purified Subfraction Rich in Labdane Sesquiterpenes, Obtained from Flowers of <i>Anthemis tinctoria</i> , Against <i>Trypanosoma cruzi</i> . <i>Pharmacology &amp; Pharmacy</i> , 2011, 02, 47-55.	0.2	7
125	<i>Leishmania amazonensis</i> : Effects of oral treatment with copaiba oil in mice. <i>Experimental Parasitology</i> , 2011, 129, 145-151.	0.5	47
126	Antifungal effects of Ellagitannin isolated from leaves of <i>Ocotea odorifera</i> (Lauraceae). <i>Antonie Van Leeuwenhoek</i> , 2011, 99, 507-514.	0.7	30



#	ARTICLE	IF	CITATIONS
127	Pathogenic potential of <i>Staphylococcus aureus</i> strains isolated from various origins. <i>Annals of Microbiology</i> , 2011, 61, 639-647.	1.1	5
128	4-Acetoxydolastane Diterpene from the Brazilian Brown Alga <i>Canistrocarpus cervicornis</i> as Antileishmanial Agent. <i>Marine Drugs</i> , 2011, 9, 2369-2383.	2.2	57
129	Beta-carboline-3-carboxamide derivatives as promising antileishmanial agents. <i>Annals of Tropical Medicine and Parasitology</i> , 2011, 105, 549-557.	1.6	28
130	Antifungal Activity and Nail Permeation of Nail Lacquer Containing <i>Piper regnellii</i> (Miq.) C. CD. var. <i>pallidum</i> (C. DC.) Yunck (Piperaceae) Leave Extracts and Derivatives. <i>Molecules</i> , 2010, 15, 3920-3931.	1.7	6
131	Effect of Elatol, Isolated from Red Seaweed <i>Laurencia dendroidea</i> , on <i>Leishmania amazonensis</i> . <i>Marine Drugs</i> , 2010, 8, 2733-2743.	2.2	81
132	Activity of the Extracts and Neolignans from <i>Piper regnellii</i> against Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA). <i>Molecules</i> , 2010, 15, 2060-2069.	1.7	17
133	In vitro antifungal activity of the berberine and its synergism with fluconazole. <i>Antonie Van Leeuwenhoek</i> , 2010, 97, 201-205.	0.7	58
134	Synergistic effects of parthenolide and benzimidazole on <i>Trypanosoma cruzi</i> . <i>Phytomedicine</i> , 2010, 18, 36-39.	2.3	23
135	Safety evaluation of proanthocyanidin polymer-rich fraction obtained from stem bark of <i>Stryphnodendron adstringens</i> (BARBATIMAFÓ) for use as a pharmacological agent. <i>Regulatory Toxicology and Pharmacology</i> , 2010, 58, 330-335.	1.3	32
136	Antileishmanial activity of an essential oil from the leaves and flowers of <i>Achillea millefolium</i> . <i>Annals of Tropical Medicine and Parasitology</i> , 2010, 104, 475-483.	1.6	35
137	Evaluation of antileishmanial activity of eupomatenoid-5, a compound isolated from leaves of <i>Piper regnellii</i> var. <i>pallidum</i> . <i>Parasitology International</i> , 2010, 59, 154-158.	0.6	59
138	Antileishmanial activity of a guaianolide from <i>Tanacetum parthenium</i> (L.) Schultz Bip. <i>Parasitology International</i> , 2010, 59, 643-646.	0.6	26
139	Antitrypanosomal and antileishmanial activities of novel N-alkyl-(1-phenylsubstituted- $\beta$ -carboline)-3-carboxamides. <i>Biomedicine and Pharmacotherapy</i> , 2010, 64, 386-389.	2.5	32
140	Potent antifungal activity of extracts and pure compound isolated from pomegranate peels and synergism with fluconazole against <i>Candida albicans</i> . <i>Research in Microbiology</i> , 2010, 161, 534-540.	1.0	176
141	In vitro anti-trypanosomal activity of elatol isolated from red seaweed <i>Laurencia dendroidea</i> . <i>Parasitology</i> , 2010, 137, 1661-1670.	0.7	58
142	Chemical Composition and Antimicrobial Properties of <i>Piper ovatum</i> Vahl. <i>Molecules</i> , 2009, 14, 1171-1182.	1.7	36
143	Effects of a Thiosemicarbazide Camphene Derivative on <i>Trichophyton mentagrophytes</i> . <i>Molecules</i> , 2009, 14, 1796-1807.	1.7	42
144	Acanthoic acid and other constituents from the stem of <i>Annona amazonica</i> (Annonaceae). <i>Journal of the Brazilian Chemical Society</i> , 2009, 20, .	0.6	21

#	ARTICLE	IF	CITATIONS
145	QUANTITATIVE AND QUALITATIVE ANALYSIS OF (-) MAMMEA A/BB COUMARIN IN EXTRACTS OF <i>Calophyllum brasiliense</i> CAMBESS (CLUSIACEAE) BY HPLC. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2009, 33, 283-295.	0.5	5
146	In vitro activity of the essential oil of <i>Cymbopogon citratus</i> and its major component (citrinal) on <i>Leishmania amazonensis</i> . <i>Parasitology Research</i> , 2009, 105, 1489-1496.	0.6	108
147	Synthesis and antiviral activity of $\hat{1}^2$ -carboline derivatives bearing a substituted carbohydrazide at C-3 against poliovirus and herpes simplex virus (HSV-1). <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 4695-4701.	2.6	59
148	<i>Tanacetum vulgare</i> : antiherpes virus activity of crude extract and the purified compound parthenolide. <i>Phytotherapy Research</i> , 2009, 23, 791-796.	2.8	38
149	Biological activity of 1,2,3,4-tetrahydro- $\hat{1}^2$ -carboline-3-carboxamides against <i>Trypanosoma cruzi</i> . <i>Acta Tropica</i> , 2009, 110, 7-14.	0.9	63
150	In vitro antileishmanial activity of hydroalcoholic extract, fractions, and compounds isolated from leaves of <i>Piper ovatum</i> Vahl against <i>Leishmania amazonensis</i> . <i>Planta Medica</i> , 2009, 75, .	0.7	1
151	Virulence and antibiotic susceptibility of <i>Aeromonas</i> spp. isolated from drinking water. <i>Antonie Van Leeuwenhoek</i> , 2008, 93, 111-122.	0.7	66
152	Characterisation of potential virulence markers in <i>Pseudomonas aeruginosa</i> isolated from drinking water. <i>Antonie Van Leeuwenhoek</i> , 2008, 93, 323-334.	0.7	30
153	<i>Trypanosoma cruzi</i> : Antiprotozoal activity of parthenolide obtained from <i>Tanacetum parthenium</i> (L.) Schultz Bip. (Asteraceae, Compositae) against epimastigote and amastigote forms. <i>Experimental Parasitology</i> , 2008, 118, 324-330.	0.5	53
154	Comparison of the bacteriological quality of tap water and bottled mineral water. <i>International Journal of Hygiene and Environmental Health</i> , 2008, 211, 504-509.	2.1	82
155	Antiviral activity and mode of action of a peptide isolated from <i>Sorghum bicolor</i> . <i>Phytomedicine</i> , 2008, 15, 202-208.	2.3	62
156	The C-terminal extension of <i>Leishmania pifanoi</i> amastigote-specific cysteine proteinase Lpcys2: A putative function in macrophage infection. <i>Molecular and Biochemical Parasitology</i> , 2008, 162, 52-59.	0.5	14
157	In vitro antifungal activity of extracts and neolignans from <i>Piper regnellii</i> against dermatophytes. <i>Journal of Ethnopharmacology</i> , 2008, 117, 270-277.	2.0	63
158	Effect of Brazilian copaiba oils on <i>Leishmania amazonensis</i> . <i>Journal of Ethnopharmacology</i> , 2008, 120, 204-208.	2.0	124
159	Structure-activity relationship of ( $\hat{1}^2$ ) mammea A/BB derivatives against <i>Leishmania amazonensis</i> . <i>Biomedicine and Pharmacotherapy</i> , 2008, 62, 651-658.	2.5	40
160	Activity of Extracts and Coumarins from the Leaves of <i>Calophyllum brasiliense</i> on <i>Leishmania braziliensis</i> . <i>Pharmaceutical Biology</i> , 2008, 46, 380-386.	1.3	14
161	Antimicrobial activity of Brazilian copaiba oils obtained from different species of the <i>Copaifera</i> genus. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2008, 103, 277-281.	0.8	131
162	The occurrence of <i>Aeromonas</i> spp. in the bottled mineral water, well water and tap water from the municipal supplies. <i>Brazilian Archives of Biology and Technology</i> , 2008, 51, 1049-1055.	0.5	8

#	ARTICLE	IF	CITATIONS
163	Activity of coumarin extracts from leaves of <i>Calophyllum brasiliense</i> on <i>Leishmania braziliensis</i> . <i>Planta Medica</i> , 2008, 74, .	0.7	0
164	Antioxidant Capacity and In Vitro Prevention of Dental Plaque Formation by Extracts and Condensed Tannins of <i>Paullinia cupana</i> . <i>Molecules</i> , 2007, 12, 1950-1963.	1.7	77
165	Comparative analysis of megasomes in members of the <i>Leishmania mexicana</i> complex. <i>Research in Microbiology</i> , 2007, 158, 456-462.	1.0	10
166	Identification and partial characterisation of a chitinase from Nile tilapia, <i>Oreochromis niloticus</i> . <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2007, 146, 81-87.	0.7	41
167	Yeasts and filamentous fungi in bottled mineral water and tap water from municipal supplies. <i>Brazilian Archives of Biology and Technology</i> , 2007, 50, 1-9.	0.5	39
168	Percutaneous Penetration, Melanin Activation and Toxicity Evaluation of a Phytotherapeutic Formulation for Vitiligo Therapeutic. <i>Photochemistry and Photobiology</i> , 2007, 83, 1529-1536.	1.3	10
169	Antileishmanial activity of crude extract and coumarin from <i>Calophyllum brasiliense</i> leaves against <i>Leishmania amazonensis</i> . <i>Parasitology Research</i> , 2007, 101, 715-722.	0.6	78
170	Antileishmanial activity of Eugenol-rich essential oil from <i>Ocimum gratissimum</i> . <i>Parasitology International</i> , 2006, 55, 99-105.	0.6	193
171	Influence of tannins from <i>Stryphnodendron adstringens</i> on growth and virulence factors of <i>Candida albicans</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 942-949.	1.3	112
172	Isolation and characterization of a 30 kD antifungal protein from seeds of <i>Sorghum bicolor</i> . <i>Research in Microbiology</i> , 2006, 157, 326-332.	1.0	15
173	Atividade antileishmania do extrato hidroalcoólico e de frações obtidas de folhas de <i>Piper regnellii</i> (Miq.) C. DC. var. <i>pallescens</i> (C. DC.) Yunck. <i>Revista Brasileira De Farmacognosia</i> , 2006, 16, 61-66.	0.6	27
174	Activity of Neolignans Isolated from <i>Piper regnellii</i> (MIQ.) C. DC. var. <i>pallescens</i> (C. DC.) YUNCK against <i>Trypanosoma cruzi</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2006, 29, 2126-2130.	0.6	81
175	Ultrastructural alterations induced by the neolignan dihydrobenzofuranic eupomatenoid-5 on epimastigote and amastigote forms of <i>Trypanosoma cruzi</i> . <i>Parasitology Research</i> , 2006, 100, 31-37.	0.6	24
176	Effects of medicinal plant extracts on growth of <i>Leishmania</i> (L.) <i>amazonensis</i> and <i>Trypanosoma cruzi</i> . <i>BJPS: Brazilian Journal of Pharmaceutical Sciences</i> , 2005, 41, 85-94.	0.5	38
177	Visualization of the cytostome in <i>Trypanosoma cruzi</i> by high resolution field emission scanning electron microscopy using secondary and backscattered electron imaging. <i>FEMS Microbiology Letters</i> , 2005, 242, 227-230.	0.7	29
178	Biological effects of extracts obtained from <i>Stryphnodendron adstringens</i> on <i>Herpetomonas samuelpessoai</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 2005, 100, 397-401.	0.8	33
179	Antileishmanial Activity of Parthenolide, a Sesquiterpene Lactone Isolated from <i>Tanacetum parthenium</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 176-182.	1.4	177
180	In vitro activity of essential oil from <i>Ocimum gratissimum</i> L. against four <i>Candida</i> species. <i>Research in Microbiology</i> , 2004, 155, 579-586.	1.0	84

#	ARTICLE	IF	CITATIONS
181	Expression and processing of megasome cysteine proteinases during <i>Leishmania amazonensis</i> differentiation. <i>Parasitology Research</i> , 2002, 88, 332-337.	0.6	18
182	Megasome biogenesis in <i>Leishmania amazonensis</i> : a morphometric and cytochemical study. <i>Parasitology Research</i> , 2001, 87, 89-97.	0.6	38
183	Fatty Acid and Sterol Composition of Three <i>Phytomonas</i> Species. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1999, 94, 519-525.	0.8	6
184	Antibacterial activity of <i>Ocimum gratissimum</i> L. essential oil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1999, 94, 675-678.	0.8	159
185	Anti-Trypanosoma Activity and Synergistic Effects of Natural and Semi-Synthetic Triterpenes and Predominant Cell Death through Autophagy in Amastigote Forms. <i>Journal of the Brazilian Chemical Society</i> , 0, , .	0.6	5
186	Development and evaluation of topical formulations that contain hydroethanolic extract from <i>Schinus terebinthifolia</i> against HSV-1 infection. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 0, 58, .	1.2	0