Fumitada Iguchi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2750354/publications.pdf

Version: 2024-02-01

623734 454955 14 1,044 121 30 citations g-index h-index papers 121 121 121 1027 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Performance and stability analysis of SOFC containing thin and dense gadolinium-doped ceria interlayer sintered at low temperature. Journal of Materiomics, 2022, 8, 347-357.	5.7	20
2	High-Temperature Elastic Properties of Yttrium-Doped Barium Zirconate. Metals, 2021, 11, 968.	2.3	8
3	(Invited) Contribution of Triple/Double Phase Boundary Reactions in Mixed Conducting Oxide Cathodes in SOFCs and PCFCs. ECS Meeting Abstracts, 2020, MA2020-02, 2526-2526.	0.0	O
4	Influence of Nanoscale Multilayered Proton Conducting Electrolytes for the Faraday Efficient of Solid Oxide Electrolysers. ECS Meeting Abstracts, 2020, MA2020-02, 2604-2604.	0.0	0
5	High Temperature Elastic Modulus of Proton Conducting Ceramics Y-Doped Ba(Zr,Ce)O ₃ . ECS Meeting Abstracts, 2020, MA2020-02, 2617-2617.	0.0	1
6	Elastic Properties of Yttrium Doped Barium Zirconate. ECS Transactions, 2019, 91, 1065-1073.	0.5	2
7	Shape deformation analysis of anode-supported solid oxide fuel cell by electro-chemo-mechanical simulation. Solid State Ionics, 2018, 319, 194-202.	2.7	9
8	Influence of NiO Reduction on Residual Strain in NiO/Ni-YSZ. Materials Transactions, 2018, 59, 27-32.	1.2	7
9	Development of Methanol Fueled Micro-SOFC System for Mobile Electronic Devices. ECS Transactions, 2017, 75, 33-41.	0.5	0
10	High spectral selectivity for solar absorbers using a monolayer transparent conductive oxide coated on a metal substrate. Journal of Applied Physics, 2017, 121, .	2.5	11
11	(Invited) Triple Phase Boundary Reaction in a Mixed-Conducting SOFC Cathode. ECS Transactions, 2017, 77, 41-47.	0.5	7
12	Development of Small Power Sources Based on a Micro-SOFC System Operated on Liquid Fuels for Mobile Electric Devices. ECS Transactions, 2017, 78, 1871-1878.	0.5	0
13	Mechanical Strength Evaluation of YSZ, GDC and LSCF under SOFC Operating Conditions. ECS Transactions, 2017, 78, 2181-2190.	0.5	1
14	Materials Properties for the Simulation of Electro-Chemo-Mechanical Coupling Behavior of SOFC. ECS Transactions, 2017, 78, 2309-2316.	0.5	1
15	Contribution of Triple-Phase Boundary Reaction in Cathodic Reaction of Solid Oxide Fuel Cell. ECS Transactions, 2017, 78, 847-853.	0.5	3
16	Mechanism of Chromium Poisoning in SOFC Cathode Investigated by Using Pattern Thin Film Model Electrode. ECS Transactions, 2017, 78, 965-970.	0.5	4
17	High-temperature solar selective absorbers based on a transparent conductive oxide film coated periodic micro-hole array. AIP Conference Proceedings, 2017, , .	0.4	1
18	Enhanced thermal transport in polymers with an infrared-selective thermal emitter for electronics cooling. Applied Thermal Engineering, 2017, 113, 112-119.	6.0	9

#	Article	IF	Citations
19	Application of in-situ Raman scattering spectroscopy for stress condition measurement in solid oxide fuel cells. Journal of the Ceramic Society of Japan, 2017, 125, 213-217.	1.1	2
20	Solar absorbers having high spectral selectivity with a transparent conductive oxide film. The Proceedings of Autumn Conference of Tohoku Branch, 2017, 2017.53, 205.	0.0	0
21	A High-Temperature Solar Selective Absorber Based upon Periodic Shallow Microstructures Coated by Multi-Layers Using Atomic Layer Deposition. Photonics, 2016, 3, 13.	2.0	14
22	Energy recovery in the high temperature furnace using a high-emittance fiber (HEF) unit. Transactions of the JSME (in Japanese), 2016, 82, 15-00588-15-00588.	0.2	0
23	A Solar Thermophotovoltaic System Using Spectrally Controlled Monolithic Planar Thermal Emitter/Absorber. , 2016, , .		0
24	Spectral Control of Thermal Radiation Using Metal-Dielectric Multilayers for High-Temperature Usage Over 1000°C. , 2016, , .		0
25	Low-Directivity Quasi-Monochromatic Thermal Radiation From Microcavities Covered by Thin Metal Film. , 2016, , .		0
26	187 Heat Transfer Enhancement Technique Using Control of Thermal Radiation Spectrum for Electronic Devices Encapsulated with Resin. The Proceedings of Conference of Tohoku Branch, 2016, 2016.51, 171-172.	0.0	0
27	Narrowband thermal radiation from closed-end microcavities. Journal of Applied Physics, 2015, 118 , .	2.5	15
28	Crystallization process of perovskite type oxide thin films deposited by PLD without substrate heating: Influence of sputtering rate and densification-driven high tensile strain. Solid State Ionics, 2015, 275, 14-18.	2.7	6
29	Anisotropic multi-step etching for large-area fabrication of surface microstructures on stainless steel to control thermal radiation. Science and Technology of Advanced Materials, 2015, 16, 025001.	6.1	11
30	Low-temperature fabrication of an anode-supported SOFC with a proton-conducting electrolyte based on lanthanum scandate using a PLD method. Solid State Ionics, 2015, 275, 117-121.	2.7	13
31	Residual Stress in NiO-YSZ Composites and Its Relationship to Microstructure. ECS Transactions, 2015, 68, 1291-1296.	0.5	1
32	Quantitative Evaluation of Electrochemically Active Area in an SOFC Cathode by Oxygen Isotopic Exchange Measurements of a Model Patterned Electrode. ECS Transactions, 2015, 68, 623-630.	0.5	1
33	Influence of Small Defects Produced in Electrolytes during Manufacturing Processes on Operated SOFCs. ECS Transactions, 2015, 68, 2421-2428.	0.5	3
34	Thermal Management Technique Using Control of Thermal Radiation Spectrum for Encapsulated Electronic Devices. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2015, 5, 971-979.	2.5	5
35	Influence of atomic oxygen irradiation during deposition on crystallization of post-annealed barium zirconate thin films. Japanese Journal of Applied Physics, 2014, 53, 115503.	1.5	3
36	High-temperature Photonics Using Self-organization of Superalloys for Solar Selective Absorbers. Energy Procedia, 2014, 57, 411-417.	1.8	3

#	Article	IF	CITATIONS
37	Spectrally Controlled Thermal Radiation Based on Surface Microstructures for High-efficiency Solar Thermophotovoltaic System. Energy Procedia, 2014, 57, 517-523.	1.8	14
38	Protonic SOFCs Using Perovskite-Type Conductors. Advances in Science and Technology, 2014, 95, 66-71.	0.2	7
39	Application of Transparent Conductive Oxides Films for High-Temperature Solar Selective Absorbers. , 2014, , .		0
40	High-Efficiency Thermophotovoltaic System by Quasi-Monochromatic Thermal Radiation. , 2014, , .		0
41	High-temperature Solar Selective Absorbers Using Transparent Conductive Oxide Coated Metal. Energy Procedia, 2014, 57, 418-426.	1.8	14
42	Compatibility and Performance of La0.675Sr0.325Sc0.99Al0.01O3 Perovskite-type Oxide as an Electrolyte Material for SOFCs. Electrochemistry, 2014, 82, 845-850.	1.4	6
43	Thermal management of power sources for mobile electronic devices based on micro-SOFC. Journal of Physics: Conference Series, 2014, 557, 012050.	0.4	0
44	135 Energy recovery in the high temperature furnace using a highly emissive SiC fiber. The Proceedings of Conference of Tohoku Branch, 2014, 2014.49, 71-72.	0.0	0
45	OS1613 Electrical properties of YSZ under in-plane compressive stress. The Proceedings of the Materials and Mechanics Conference, 2014, 2014, _OS1613-1OS1613-2	0.0	0
46	Design and Fabrication of Micro SOFC for the Power Source of Mobile Electric Devices. ECS Transactions, 2013, 57, 799-806.	0.5	1
47	Identification of Ni-YSZ Anode Creep Property Using PSO for Multiscale Simulation. ECS Transactions, 2013, 57, 1379-1386.	0.5	1
48	Evaluation of Stress Condition of Operated Anode Supported-Type SOFC under Operating Conditions Based on Raman Scattering Spectroscopy. ECS Transactions, 2013, 57, 951-957.	0.5	1
49	Relationship between Electrical Properties and Stress Field in Solid Electrolyte Thin Films. ECS Transactions, 2013, 57, 1097-1102.	0.5	0
50	Evaluation of Stress Condition of Operated Anode Supported-Type SOFC under Operating Conditions Based on Raman Scattering Spectroscopy. ECS Transactions, 2013, 50, 83-88.	0.5	1
51	Stress Conditions Transition by Thermal Annealing in Barium Zirconate Based Proton Conducting Thin Films Fabricated Using PLD Method. ECS Transactions, 2013, 57, 1045-1051.	0.5	0
52	F221004 Thermal Design and Fabrication of Micro SOFC for Mobile Electronic Devices. The Proceedings of Mechanical Engineering Congress Japan, 2013, 2013, _F221004-1F221004-5.	0.0	0
53	J061022 Evaluation of Stress Condition of Operated Anode Supported-Type SOFC under Operating Conditions Based on Raman Scattering Spectroscopy. The Proceedings of Mechanical Engineering Congress Japan, 2013, 2013, _J061022-1J061022-5.	0.0	0
54	Fabrication of quasi-periodic surface microcavities by selective etching of self-organized superalloys for high-temperature photonics. Applied Physics Letters, 2012, 101, 221901.	3.3	9

#	Article	IF	Citations
55	High-Temperature Solar Selective Absorbers Based on Interface Effects in Refractory Metals Coated With Transparent Conductive Oxides. , 2012, , .		o
56	Mechanical Properties of Anode Materials Based on Ni-YSZ in SOFC Operating Conditions. Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A, 2012, 78, 1198-1207.	0.2	5
57	Creep Property of Cathode Materials Based on Lanthanum Manganite in SOFC Operating Conditions. Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A, 2012, 78, 523-530.	0.2	1
58	Study of Raman peak shift under applied isostatic pressure in rare-earth-doped ceria for evaluation of quantitative stress conditions in SOFCs. Solid State Ionics, 2012, 225, 99-103.	2.7	19
59	Surface Electronic Structure of BaZr _{1-<i>x</i>} Y _{<i>x</i>} O _{3-δ} by Soft-X-Ray Spectroscopy. Transactions of the Materials Research Society of Japan, 2012, 37, 575-578.	0.2	4
60	244 Fabrication of periodic microstmcture on refractory metals for solar selective absorbers. The Proceedings of Conference of Tohoku Branch, 2012, 2012.47, 294-295.	0.0	0
61	Evaluation of Stress Conditions in Operated Anode Supported Type Cells Based on In-Situ Raman Scattering Spectroscopy. ECS Transactions, 2011, 35, 519-525.	0.5	3
62	Low Temperature Operating Micro Solid Oxide Fuel Cells with Perovskite Type Proton Conductors. ECS Transactions, 2011, 35, 777-783.	0.5	2
63	Direct evidence of potential barriers at grain boundaries in Y-doped BaZrO3 from dc-bias dependence measurements. Journal of Materials Chemistry, 2011, 21, 16517.	6.7	80
64	Mechanical Properties Evaluation Method for Non-Stoichiometric Materials under High Temperature and Oxidizing/Reducing Conditions. Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A, 2011, 77, 1357-1366.	0.2	4
65	Photocurable electrolyte based on sulfonated poly(ether ether ketone). Solid State Ionics, 2011, 204-205, 35-40.	2.7	1
66	Proton concentration in 15mol% Y-doped BaZrO3 proton conductors prepared at various temperatures. Solid State Ionics, 2011, 192, 97-100.	2.7	16
67	Multiscale Simulation of Electro-Chemo-Mechanical Coupling Behavior of PEN Structure under SOFC Operation. ECS Transactions, 2011, 35, 923-933.	0.5	17
68	Effect of Redox Cycling on Mechanical Properties of Ni-YSZ Cermets for SOFC Anodes. ECS Transactions, 2011, 35, 1473-1482.	0.5	6
69	Low-Temperature Operating Micro Solid Oxide Fuel Cells with Perovskite-type Proton Conductors. Materials Research Society Symposia Proceedings, 2011, 1330, 60101.	0.1	1
70	High-Temperature Solar Selective Absorber Material Using Surface Microcavity Structures., 2011,,.		2
71	141 Study of Methanol Fueled Single-Chamber SOFC for Intermediate-Temperature Operation. The Proceedings of Conference of Tohoku Branch, 2011, 2011.46, 86-87.	0.0	0
72	163 Mechanical properties of Ni/NiO-YSZ SOFC anode in operating conditions. The Proceedings of Conference of Tohoku Branch, 2011, 2011.46, 128-129.	0.0	0

#	Article	IF	CITATIONS
73	149 Quantification of methane steam reforming process using spectrally controlled thermal radiation. The Proceedings of Conference of Tohoku Branch, 2011, 2011.46, 102-103.	0.0	O
74	Efficient Solar Methane Reforming Using Spectrally Controlled Thermal Radiation Produced by Concentrated Solar Radiation. , 2011, , .		0
75	140 Investigation of Cathode Materials for Single-Chamber Solid Oxide Fuel Cells Using Methanol as a Fuel. The Proceedings of Conference of Tohoku Branch, 2011, 2011.46, 84-85.	0.0	0
76	Methane steam reforming by resonant excitation of vibrational levels using spectrally controlled thermal radiation. Proceedings of SPIE, 2010 , , .	0.8	2
77	High Temperature Mechanical Properties of Ni-YSZ Cermets for SOFC Anode. , 2010, , .		0
78	Synthesis and proton transport property of poly(aspartic acid) thin film on SiO2 substrate. Solid State Ionics, 2010, 181, 206-209.	2.7	9
79	Promotion of hydrogen production using spectrally controlled thermal radiation. Applied Physics Letters, 2010, 97, 231908.	3.3	0
80	SURFACE STRUCTURAL DESIGN OF SELECTIVE EMITTER FOR METHANE STEAM REFORMING. Journal of Nonlinear Optical Physics and Materials, 2010, 19, 687-694.	1.8	0
81	Development of In-Situ Mechanical Testing Method for SOFC Components. , 2010, , .		2
82	Electronic Structure of Sr-Doped LaScO ₃ Single Crystal Annealed under Different Atmospheres. Japanese Journal of Applied Physics, 2010, 49, 010208.	1.5	3
83	Proton transport properties at the grain boundary of barium zirconate based proton conductors for intermediate temperature operating SOFC. Journal of Materials Chemistry, 2010, 20, 6265.	6.7	95
84	222 Promotion of methane steam reforming reaction using spectrally controlled thermal radiation. The Proceedings of Conference of Tohoku Branch, 2010, 2010.45, 244-245.	0.0	0
85	J0802-4-2 Investigation of Mechanical Properties of SOFC Electrolytes at High Temperature. The Proceedings of the JSME Annual Meeting, 2010, 2010.7, 231-232.	0.0	0
86	Proton Conductivity of Oligomeric Poly[(1,2-Propanediamine)-alt-(Oxalic Acid) Thin Films on Al2O3 Substrates. E-Journal of Surface Science and Nanotechnology, 2009, 7, 530-532.	0.4	7
87	Fabrication and Generation of Intermediate Temperature Operating SOFC based on Y-doped BaZrO3 Proton Conducting Oxides. ECS Transactions, 2009, 25, 1759-1766.	0.5	4
88	Effectiveness of Ga Additive to Sinterability and Electrical Properties on Y-Doped BaZrO ₃ Proton Conductors Sintered at 1600{degree sign}C. ECS Transactions, 2009, 16, 395-400.	0.5	2
89	Classification of Mechanical Failure in SOFC and Strategy for Evaluation of Operational Margin. ECS Transactions, 2009, 25, 467-472.	0.5	8
90	Investigation on Oxygen Potential Distribution in a ZrO ₂ -Based Solid Electrolyte by Using In-Situ Micro XAS Technique. ECS Transactions, 2009, 25, 345-348.	0.5	2

#	Article	IF	Citations
91	Synthesis and Proton Transport Property of Poly(aspartic acid) Thin Film on MgO(100) Substrate. ECS Transactions, 2009, 16, 401-406.	0.5	7
92	Synthesis of oligomeric poly $[(1, 2\text{-propanediamine})\text{-alt-(oxalic acid)}]$ and anomalous proton conductivities of the thin films. Solid State Ionics, 2009, 180, 589-591.	2.7	12
93	The relationship between chemical composition distributions and specific grain boundary conductivity in Y-doped BaZrO3 proton conductors. Solid State Ionics, 2009, 180, 563-568.	2.7	111
94	Deposition and Microfabrication of Gd-Doped CeO_2 for Micro SOFC Operating at Low Temperature(Hydrogen Fuel Cell and SOFC, <special issue="">Power and Energy System Symposium). 880-02 Nihon Kikai Gakkai Ronbunshū Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2009, 75, 524-526.</special>	0.2	1
95	S0305-3-1 Relationship between High Temperature Creep and Electrochemical Properties in CERIA-based Electrolytes. The Proceedings of the JSME Annual Meeting, 2009, 2009.1, 233-234.	0.0	0
96	185 A study of new concept for preparing MEA with photocurable electrolyte The Proceedings of Conference of Tohoku Branch, 2009, 2009.44, 164-165.	0.0	0
97	S0305-1-4 Fabrication and Evaluation of Micro IT-SOFC Using Proton Conducting Electrolytes. The Proceedings of the JSME Annual Meeting, 2009, 2009.1, 221-222.	0.0	0
98	S0305-2-4 Relationship between Residual Stress and Electrical Properties in Solid Electrolyte Thin Films. The Proceedings of the JSME Annual Meeting, 2009, 2009.1, 229-230.	0.0	1
99	T0501-4-6 Chemical reaction under resonant excitation of vibrational levels using spectrally controlled thermal radiation. The Proceedings of the JSME Annual Meeting, 2009, 2009.8, 141-142.	0.0	0
100	180 Promotion of chemical reaction for'hydrogen production by resonant excitation of vibrational levels using spectrally controlled thermal radiation. The Proceedings of Conference of Tohoku Branch, 2009, 2009.44, 156-157.	0.0	0
101	186 Fabrication of solid oxide fuel cells on silicon wafer using MEMS technology The Proceedings of Conference of Tohoku Branch, 2009, 2009.44, 166-167.	0.0	0
102	Synthesis and protonic conductivity of the oligomeric amides with different average molecular weights. Solid State Ionics, 2008, 179, 1142-1145.	2.7	4
103	Electrode Reaction and Cell Performances of IT-SOFC Using BaZrO3 Proton Conductors. , 2008, , .		0
104	Electronic structure of La1 \hat{a} 'xSrxScO3 probed by soft-x-ray absorption spectroscopy. Journal of Applied Physics, 2008, 104, .	2.5	3
105	Mechanical Properties of Ceria Based Oxygen Ionic Conductors for SOFC., 2008,,.		0
106	Promotion of hydrogen production by resonant excitation of vibrational levels using spectrally controlled thermal radiation. , 2008, , .		0
107	Fabrication of Proton Conducting Oxide Epitaxial Thin Films and Evaluation of Their Characteristics and Electrical Properties. Hyomen Kagaku, 2008, 29, 396-400.	0.0	1
108	339 Promotion of hydrogen production by resonant excitation of vibrational levels using spectrally controlled thermal radiation. The Proceedings of the JSME Annual Meeting, 2008, 2008.8, 77-78.	0.0	0

#	Article	IF	CITATIONS
109	175 Thermal radiation from AR-coated W surface and its application to TPV generator The Proceedings of Conference of Tohoku Branch, 2008, 2008.43, 151-152.	0.0	0
110	Performance of BaZrO3 based Proton Conductors as an Electrolyte for Intermediate Temperature Operating SOFC. ECS Transactions, 2007, 7, 2331-2336.	0.5	8
111	Optical absorption of Sr-doped LaScO3 single crystals. Solid State Ionics, 2007, 178, 521-526.	2.7	24
112	Synthesis of La0.6Sr0.4FeO3/La0.6Sr0.4CoO3 mixed ion conducting superlattices by PLD. Solid State lonics, 2007, 178, 1563-1567.	2.7	10
113	Microstructures and grain boundary conductivity of BaZr1â°'xYxO3 (x=0.05, 0.10, 0.15) ceramics. Solid State Ionics, 2007, 178, 691-695.	2.7	156
114	Study of proton-conducting oxides by artificial modulation of dopant distribution. Solid State Ionics, 2007, 178, 685-690.	2.7	5
115	171 Relationship between electrode reaction and nano structures of electrolyte's surface in intermediate temperature SOFCs. The Proceedings of Conference of Tohoku Branch, 2007, 2007.42, 141-142.	0.0	0
116	214 In-situ observation of epitaxial growth of amorphous oxide thin films. The Proceedings of Conference of Tohoku Branch, 2007, 2007.42, 223-224.	0.0	0
117	The influence of grain structures on the electrical conductivity of a BaZr0.95Y0.05O3 proton conductor. Solid State Ionics, 2006, 177, 2381-2384.	2.7	107
118	Oxygen permeation properties and the stability of La0.6Sr0.4Fe0.8Co0.2O3 studied by Raman spectroscopy. Solid State Ionics, 2006, 177, 2281-2284.	2.7	29
119	Oxygen partial pressure dependence of creep on yttria-doped ceria ceramics. Solid State Ionics, 2005, 176, 641-644.	2.7	17
120	Fracture properties of (CeO2)1â^'x(RO1.5)x (R=Y, Gd, and Sm; x=0.02â€"0.20) ceramics. Solid State Ionics, 2005, 176, 2417-2421.	2.7	29
121	Structural properties of SrCeO3/SrZrO3 proton conducting superlattices. Solid State Ionics, 2000, 136-137, 203-207.	2.7	9