Montse BallbÃ"

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2752521/publications.pdf

Version: 2024-02-01

		567281	477307	
50	958	15	29	
papers	citations	h-index	g-index	
58	58	58	1507	
all docs	docs citations	times ranked	citing authors	

#	Article	IF	Citations
1	Intervenciones para dejar de fumar en los centros de atención a las drogodependencias de Cataluña: La adicción abandonada. Revista De Psicologia De La Salud, 2022, 34, 227.	0.5	1
2	Association between biomarkers of tobacco consumption and lung cancer risk among daily smokers. Expert Review of Respiratory Medicine, 2022, 16, 247-252.	2.5	1
3	Measuring cigarette dependence: A comparison of two scales in two different groups of smokers. Tobacco Prevention and Cessation, 2022, 8, 1-8.	0.4	1
4	Acceptability and participation predictors for a pragmatic randomized controlled trial to test a smoking cessation intervention after discharge from mental health wards. Drug and Alcohol Dependence, 2022, 234, 109390.	3.2	1
5	Burden of disease from exposure to secondhand smoke in children in Europe. Pediatric Research, 2021, 90, 216-222.	2.3	10
6	Third-hand exposure at homes: Assessment using salivary cotinine. Environmental Research, 2021, 196, 110393.	7.5	12
7	Toward a correct measure of third-hand exposure. Environmental Research, 2021, 194, 110686.	7.5	1
8	Environmental and individual exposure to secondhand aerosol of electronic cigarettes in confined spaces: Results from the TackSHS Project â€. Indoor Air, 2021, 31, 1601-1613.	4.3	4
9	The right to smoke and the right to smoke-free surroundings: international comparison of smoke-free psychiatric clinic implementation experiences. BJPsych Open, 2021, 7, e81.	0.7	4
10	Tackling second-hand exposure to tobacco smoke and aerosols of electronic cigarettes: the TackSHS project protocol. Gaceta Sanitaria, 2020, 34, 77-82.	1.5	30
11	Patient perceptions of tobacco control after smoke-free hospital grounds legislation: Multi-center cross-sectional study. International Journal of Nursing Studies, 2020, 102, 103485.	5.6	6
12	Burden of disease attributable to second-hand smoke exposure: A systematic review. Preventive Medicine, 2019, 129, 105833.	3.4	84
13	Impact of an Online Training Program in Smoking Cessation Interventions in Hospitals. Journal of Nursing Scholarship, 2019, 51, 449-458.	2.4	10
14	Comparison of TSNAs concentration in saliva according to type of tobacco smoked. Environmental Research, 2019, 172, 73-80.	7.5	9
15	Exploring individual and contextual factors contributing to tobacco cessation intervention implementation. Addictive Behaviors, 2019, 88, 163-168.	3.0	14
16	Effectiveness of a telephone-based intervention for smoking cessation in patients with severe mental disorders: study protocol for a randomized controlled trial. Trials, 2019, 20, 38.	1.6	4
17	Secondhand exposure to aerosol from electronic cigarettes: pilot study of assessment of tobacco-specific nitrosamine (NNAL) in urine. Gaceta Sanitaria, 2019, 33, 575-578.	1.5	16
18	Motivation and main flavour of use, use with nicotine and dual use of electronic cigarettes in Barcelona, Spain: a cross-sectional study. BMJ Open, 2018, 8, e018329.	1.9	17

#	Article	IF	CITATIONS
19	Impact of the Spanish smoking legislation among smokers: A longitudinal study with biomarkers in Barcelona (Spain). Addictive Behaviors, 2018, 87, 101-108.	3.0	3
20	Multimodal treatment for smoking cessation with varenicline in alcoholic, methadone-maintained, and psychotic patients: A one-year follow-up. Tobacco Induced Diseases, 2018, 16, 58.	0.6	6
21	Manufactured and roll-your-own cigarettes: A changing pattern of smoking in Barcelona, Spain. Environmental Research, 2017, 155, 167-174.	7.5	13
22	Impact of the Spanish smoking legislations in the adoption of smoke-free rules at home: a longitudinal study in Barcelona (Spain). Tobacco Control, 2017, 26, 557-562.	3.2	6
23	Use of electronic cigarettes in public and private settings in Barcelona (Spain). Environmental Research, 2017, 158, 685-690.	7.5	9
24	Impact of the Spanish smoking laws on tobacco consumption and secondhand smoke exposure: A longitudinal population study. Addictive Behaviors, 2017, 75, 30-35.	3.0	20
25	Assessment of salivary cotinine concentration among general non-smokers population: Before and after Spanish smoking legislations. Cancer Epidemiology, 2017, 51, 87-91.	1.9	10
26	Secondhand smoke risk perception and smoke-free rules in homes: a cross-sectional study in Barcelona (Spain). BMJ Open, 2017, 7, e014207.	1.9	12
27	The role of middle managers in tobacco control after a national smoke-free hospital campus ban. BMC Health Services Research, 2016, 16, 517.	2.2	2
28	Safety of Varenicline for Smoking Cessation in Psychiatric and Addicts Patients. Substance Use and Misuse, 2016, 51, 649-657.	1.4	9
29	Assessment of tobacco specific nitrosamines (TSNAs) in oral fluid as biomarkers of cancer risk: A population-based study. Environmental Research, 2016, 151, 635-641.	7.5	27
30	Deconstructing myths, building alliances: a networking model to enhance tobacco control in hospital mental health settings. Gaceta Sanitaria, 2016, 30, 389-392.	1.5	4
31	Second-hand smoke exposure in indoor and outdoor areas of caf \tilde{A} ©s and restaurants: Need for extending smoking regulation outdoors?. Environmental Research, 2016, 148, 421-428.	7.5	35
32	Exposure to secondhand smoke in the home and mental health in children: a population-based study. Tobacco Control, 2016, 25, 307-312.	3.2	33
33	Perception of electronic cigarettes in the general population: does their usefulness outweigh their risks?. BMJ Open, 2015, 5, e009218.	1.9	19
34	Secondhand smoke in psychiatric units: patient and staff misperceptions. Tobacco Control, 2015, 24, e212-e220.	3.2	7
35	Association of second-hand smoke exposure at home with psychological distress in the Spanish adult population. Addictive Behaviors, 2015, 50, 84-88.	3.0	15
36	Particulate Matter from Electronic Cigarettes and Conventional Cigarettes: a Systematic Review and Observational Study. Current Environmental Health Reports, 2015, 2, 423-429.	6.7	95

#	Article	IF	CITATIONS
37	Maintenance of tobacco cessation programmes in public hospitals in Catalonia, Spain. Addictive Behaviors, 2015, 42, 136-139.	3.0	8
38	Impact of a long-term tobacco-free policy at a comprehensive cancer center: a series of cross-sectional surveys. BMC Public Health, 2014, 14, 1228.	2.9	11
39	Impact of tobacco control policies in hospitals: Evaluation of a national smoke-free campus ban in Spain. Preventive Medicine Reports, 2014, 1, 56-61.	1.8	14
40	Electronic cigarette use among adult population: a cross-sectional study in Barcelona, Spain (2013-2014). BMJ Open, 2014, 4, e005894-e005894.	1.9	42
41	Cigarettes vs. e-cigarettes: Passive exposure at home measured by means of airborne marker and biomarkers. Environmental Research, 2014, 135, 76-80.	7.5	159
42	Safety belt and mobile phone usage in vehicles in Barcelona (Spain). Gaceta Sanitaria, 2014, 28, 305-308.	1.5	10
43	Secondhand smoke exposure at home: Assessment by biomarkers and airborne markers. Environmental Research, 2014, 133, 111-116.	7.5	32
44	Attitudes towards Electronic Cigarettes Regulation in Indoor Workplaces and Selected Public and Private Places: A Population-Based Cross-Sectional Study. PLoS ONE, 2014, 9, e114256.	2.5	23
45	Handwritten versus scanned signature on the invitation letter: does it make any difference in participation in a population-based study?. European Journal of Epidemiology, 2013, 28, 931-934.	5.7	3
46	Second-hand smoke in mental healthcare settings: time to implement total smoke-free bans?. International Journal of Epidemiology, 2013, 42, 886-893.	1.9	16
47	Smoke-free policies in psychiatric services: identification of unmet needs. Tobacco Control, 2012, 21, 549-554.	3.2	13
48	Smoking Cessation in Hospital Workers. Cancer Nursing, 2012, 35, 327-336.	1.5	6
49	Tobacco control policies in hospitals before and after the implementation of a national smoking ban in Catalonia, Spain. BMC Public Health, 2009, 9, 160.	2.9	28
50	Evaluación de un programa de formación de profesionales sanitarios sobre abordaje del tabaquismo en pacientes hospitalizados. Revista De Psicologia De La Salud, 2008, 20, 125.	0.5	6