

Stephen W Dusza

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2752590/stephen-w-dusza-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

4,728
citations

39
h-index

63
g-index

169
ext. papers

5,631
ext. citations

3.2
avg, IF

5.4
L-index

#	Paper	IF	Citations
153	Validation of artificial intelligence prediction models for skin cancer diagnosis using dermoscopy images: the 2019 International Skin Imaging Collaboration Grand Challenge.. <i>The Lancet Digital Health</i> , 2022 , 4, e330-e339	14.4	3
152	Sun protection behaviour checklist for targeted counselling in skin cancer patients.. <i>Australasian Journal of Dermatology</i> , 2022 ,	1.3	
151	Clinically Significant Risk Thresholds in the Management of Primary Cutaneous Melanoma: A Survey of Melanoma Experts.. <i>Annals of Surgical Oncology</i> , 2022 ,	3.1	2
150	Dermoscopic features of basal cell carcinoma and its subtypes: A systematic review. <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, 653-664	4.5	19
149	An Epidemiologic Analysis of Melanoma Overdiagnosis in the United States, 1975-2017.. <i>Journal of Investigative Dermatology</i> , 2021 ,	4.3	5
148	Accuracy of commercially available smartphone applications for the detection of melanoma. <i>British Journal of Dermatology</i> , 2021 ,	4	1
147	Interim Results of a Pilot, Prospective, Randomized, Double-Blinded, Vehicle- and Comparator-Controlled Trial on Safety and Efficacy of a Topical Inhibitor of Janus Kinase 1/2 (Ruxolitinib INCB018424 Phosphate 1.5% Cream) for Non-Sclerotic and Superficially Sclerotic Chronic Cutaneous Graft-Versus-Host Disease. <i>Blood</i> , 2021 , 138, 3915-3915	2.2	
146	Nasal skin reconstruction: Time to rethink the reconstructive ladder?. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021 ,	1.7	1
145	Skin substitutes for the treatment of chronic wounds in patients with cancer: A retrospective case series. <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, 1331-1333	4.5	0
144	An international 3-center training and reading study to assess basal cell carcinoma surgical margins with ex vivo fluorescence confocal microscopy. <i>Journal of Cutaneous Pathology</i> , 2021 , 48, 1010-1019	1.7	2
143	Association of interleukin-6 and tumor necrosis factor- α with mortality in hospitalized patients with cancer. <i>Journal of the American Academy of Dermatology</i> , 2021 , 84, 273-282	4.5	2
142	Angulated small nests and cords: Key diagnostic histopathologic features of infiltrative basal cell carcinoma can be identified using integrated reflectance confocal microscopy-optical coherence tomography. <i>Journal of Cutaneous Pathology</i> , 2021 , 48, 53-65	1.7	2
141	Association between the dermoscopic morphology of peripheral globules and melanocytic lesion diagnosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 892-899	4.6	5
140	Clinical size is a poor predictor of invasion in melanoma of the lentigo maligna type. <i>Journal of the American Academy of Dermatology</i> , 2021 , 84, 1295-1301	4.5	2
139	Incidence of New Primary Cutaneous Melanoma in Patients With Metastatic Melanoma Treated With Immune Checkpoint Inhibitors: A Single-Center Cohort Study. <i>JAMA Dermatology</i> , 2021 , 157, 79-83	5.1	2
138	To see or not to see: Impact of viewing facial skin cancer defects prior to reconstruction. <i>Archives of Dermatological Research</i> , 2021 , 313, 847-853	3.3	0
137	Real-World Application of a Noninvasive Two-Gene Expression Test for Melanoma Diagnosis. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2303-2305	4.3	2

136	A patient-centric dataset of images and metadata for identifying melanomas using clinical context. <i>Scientific Data</i> , 2021 , 8, 34	8.2	41
135	Association of Multiple Aggregated Yellow-White Globules With Nonpigmented Basal Cell Carcinoma. <i>JAMA Dermatology</i> , 2020 , 156, 882-890	5.1	8
134	Patient Concerns in the Immediate Postoperative Period After Mohs Micrographic Surgery. <i>Dermatologic Surgery</i> , 2020 , 46, 514-518	1.7	3
133	Number needed to biopsy ratio and diagnostic accuracy for melanoma detection. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 780-787	4.5	1
132	Problematic methodology in a systematic review and meta-analysis of DecisionDx-Melanoma. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, e357-e358	4.5	2
131	Inverse association between the total naevus count and melanoma thickness. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2303-2307	4.6	
130	Improvement of diagnostic confidence and management of equivocal skin lesions by integration of reflectance confocal microscopy in daily practice: Prospective study in 2 referral skin cancer centers. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1057-1063	4.5	8
129	Patient Expectations Influence Postoperative Facial Satisfaction Measured by the FACE-Q Skin Cancer Module: A Pilot Study. <i>Dermatologic Surgery</i> , 2020 , 46, 1113-1115	1.7	4
128	Functional status and survival in patients 85 years of age who have keratinocyte carcinoma: A retrospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 463-468	4.5	2
127	Human surface anatomy terminology for dermatology: a Delphi consensus from the International Skin Imaging Collaboration. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2659-2663	4.6	4
126	Assessment and Treatment Outcomes of Persistent Radiation-Induced Alopecia in Patients With Cancer. <i>JAMA Dermatology</i> , 2020 , 156, 963-972	5.1	5
125	Performance of Gene Expression Profile Tests for Prognosis in Patients With Localized Cutaneous Melanoma: A Systematic Review and Meta-analysis. <i>JAMA Dermatology</i> , 2020 , 156, 953-962	5.1	20
124	Computer algorithms show potential for improving dermatologists' accuracy to diagnose cutaneous melanoma: Results of the International Skin Imaging Collaboration 2017. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 622-627	4.5	35
123	Factors contributing to cancer worry in the skin cancer population. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 626-628	4.5	1
122	Presurgical evaluation of basal cell carcinoma using combined reflectance confocal microscopy-optical coherence tomography: A prospective study. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 962-968	4.5	14
121	Dermatology-specific and all-cause 30-day and calendar-year readmissions and costs for dermatologic diseases from 2010 to 2014. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 740-748	4.5	8
120	Use of a prognostic gene expression profile test for T1 cutaneous melanoma: Will it help or harm patients?. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, e161-e162	4.5	16
119	Markers of systemic involvement and death in hospitalized cancer patients with severe cutaneous adverse reactions. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 608-616	4.5	4

118	Treatment Outcomes of Immune-Related Cutaneous Adverse Events. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2746-2758	2.2	84
117	Reflectance confocal microscopy confirms residual basal cell carcinoma on clinically negative biopsy sites before Mohs micrographic surgery: A prospective study. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 417-426	4.5	17
116	Temporal Changes in Size and Dermoscopic Patterns of New and Existing Nevi in Adolescents. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 1828-1830	4.3	0
115	Melanoma and melanoma in-situ diagnosis after excision of atypical intraepidermal melanocytic proliferation: A retrospective cross-sectional analysis. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 1403-1409	4.5	4
114	Melanoma risk stratification of individuals with a high-risk naevus phenotype - A pilot study. <i>Australasian Journal of Dermatology</i> , 2019 , 60, e292-e297	1.3	1
113	Appearance-related psychosocial distress following facial skin cancer surgery using the FACE-Q Skin Cancer. <i>Archives of Dermatological Research</i> , 2019 , 311, 691-696	3.3	12
112	Total Body Skin Examination Practices: A Survey Study Amongst Dermatologists at High-Risk Skin Cancer Clinics. <i>Dermatology Practical and Conceptual</i> , 2019 , 9, 132-138	1.5	8
111	Patient-reported Aesthetic Satisfaction following Facial Skin Cancer Surgery Using the FACE-Q Skin Cancer Module. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019 , 7, e2423	1.2	9
110	Lentigo maligna melanoma mapping using reflectance confocal microscopy correlates with staged excision: A prospective study. <i>Journal of the American Academy of Dermatology</i> , 2019 ,	4.5	13
109	Clinical and dermoscopic features of cutaneous BAP1-inactivated melanocytic tumors: Results of a multicenter case-control study by the International Dermoscopy Society. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 1585-1593	4.5	10
108	Clinical and dermoscopic features associated with lichen planus-like keratoses that undergo skin biopsy: A single-center, observational study. <i>Australasian Journal of Dermatology</i> , 2019 , 60, e119-e126	1.3	11
107	Teaching Benign Skin Lesions as a Strategy to Improve the Triage Amalgamated Dermoscopic Algorithm (TADA). <i>Journal of the American Board of Family Medicine</i> , 2019 , 32, 96-102	1.6	9
106	Follicular involvement is frequent in lentigo maligna: Implications for treatment. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 532-537	4.5	12
105	Association of Quality of Life With Surgical Excision of Early-Stage Melanoma of the Head and Neck. <i>JAMA Dermatology</i> , 2019 , 155, 85-89	5.1	13
104	Accuracy of tele-consultation on management decisions of lesions suspect for melanoma using reflectance confocal microscopy as a stand-alone diagnostic tool. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 439-446	4.6	8
103	Endocrine Therapy-Induced Alopecia in Patients With Breast Cancer. <i>JAMA Dermatology</i> , 2018 , 154, 670-675	5.75	39
102	Effect of laser therapy on quality of life in patients with radiation-induced breast telangiectasias. <i>Lasers in Surgery and Medicine</i> , 2018 , 50, 284-290	3.6	6
101	Comorbidity scores associated with limited life expectancy in the very elderly with nonmelanoma skin cancer. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 1119-1124	4.5	20

100	Clinical and dermoscopic characterization of pediatric and adolescent melanomas: Multicenter study of 52 cases. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 278-288	4.5	25
99	Results of the 2016 International Skin Imaging Collaboration International Symposium on Biomedical Imaging challenge: Comparison of the accuracy of computer algorithms to dermatologists for the diagnosis of melanoma from dermoscopic images. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 270-277.e1	4.5	151
98	Variation in dermoscopic features of basal cell carcinoma as a function of anatomical location and pigmentation status. <i>British Journal of Dermatology</i> , 2018 , 178, e136-e137	4	9
97	Performance of Dermatology Physician Assistants. <i>JAMA Dermatology</i> , 2018 , 154, 1229	5.1	2
96	Evaluation of a Combined Reflectance Confocal Microscopy-Optical Coherence Tomography Device for Detection and Depth Assessment of Basal Cell Carcinoma. <i>JAMA Dermatology</i> , 2018 , 154, 1175-1183	5.1	40
95	Automated Dermatological Diagnosis: Hype or Reality?. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 2277-2279	4.3	50
94	Dermoscopic features and patterns of poromas: a multicentre observational case-control study conducted by the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 1263-1271	4.6	19
93	Modernizing the Mohs Surgery Consultation: Instituting a Video Module for Improved Patient Education and Satisfaction. <i>Dermatologic Surgery</i> , 2018 , 44, 778-784	1.7	14
92	Factors in Early Adolescence Associated With a Mole-Prone Phenotype in Late Adolescence. <i>JAMA Dermatology</i> , 2017 , 153, 990-998	5.1	4
91	Improving compliance of daily sunscreen application by changing accessibility. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2017 , 33, 112-113	2.4	3
90	Correlation of Handheld Reflectance Confocal Microscopy With Radial Video Mosaicing for Margin Mapping of Lentigo Maligna and Lentigo Maligna Melanoma. <i>JAMA Dermatology</i> , 2017 , 153, 1278-1284	5.1	46
89	Reference values for skin microanatomy: A systematic review and meta-analysis of ex vivo studies. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 1133-1144.e4	4.5	8
88	A prospective, randomized, double-blinded, split-face/chest study of prophylactic topical dapsone 5% gel versus moisturizer for the prevention of cetuximab-induced acneiform rash. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 577-579	4.5	11
87	Triage amalgamated dermoscopic algorithm (TADA) for skin cancer screening. <i>Dermatology Practical and Conceptual</i> , 2017 , 7, 39-46	1.5	12
86	Computer-aided classification of melanocytic lesions using dermoscopic images: Low reported accuracy for reader study on melanomas with low melanoma in situ to invasive melanoma ratio. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, e119-e120	4.5	1
85	A Closer Inspection of the Number Needed to Biopsy. <i>JAMA Dermatology</i> , 2016 , 152, 952-3	5.1	4
84	The study of nevi in children: Principles learned and implications for melanoma diagnosis. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 813-823	4.5	16
83	Association of Shiny White Blotches and Strands With Nonpigmented Basal Cell Carcinoma: Evaluation of an Additional Dermoscopic Diagnostic Criterion. <i>JAMA Dermatology</i> , 2016 , 152, 546-52	5.1	32

82	The Role of Color and Morphologic Characteristics in Dermoscopic Diagnosis. <i>JAMA Dermatology</i> , 2016 , 152, 676-82	5.1	11
81	Melanoma Thickness and Survival Trends in the United States, 1989 to 2009. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	91
80	Towards three-dimensional temporal monitoring of naevi: a comparison of methodologies for assessing longitudinal changes in skin surface area around naevi. <i>British Journal of Dermatology</i> , 2016 , 175, 1376-1378	4	3
79	Assessment of intraoperative pain during Mohs micrographic surgery (MMS): An opportunity for improved patient care. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 590-594	4.5	11
78	Validity and Reliability of Dermoscopic Criteria Used to Differentiate Nevi From Melanoma: A Web-Based International Dermoscopy Society Study. <i>JAMA Dermatology</i> , 2016 , 152, 798-806	5.1	75
77	Performance of the First Step of the 2-Step Dermoscopy Algorithm. <i>JAMA Dermatology</i> , 2015 , 151, 715-718	3.1	13
76	Advancing Survivors Knowledge (ASK) about skin cancer study: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 109	2.8	9
75	Growth-Curve Modeling of Nevi With a Peripheral Globular Pattern. <i>JAMA Dermatology</i> , 2015 , 151, 1338-1345	2.6	26
74	Sunburn, sun exposure, and sun sensitivity in the Study of Nevi in Children. <i>Annals of Epidemiology</i> , 2015 , 25, 839-43	6.4	11
73	Cutaneous manifestations of human T-cell lymphotropic virus type-1-associated adult T-cell leukemia/lymphoma: a single-center, retrospective study. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 293-301	4.5	23
72	Cross-sectional analysis of the dermoscopic patterns and structures of melanocytic naevi on the back and legs of adolescents. <i>British Journal of Dermatology</i> , 2015 , 173, 1486-1493	4	15
71	Comorbidity Assessment in Skin Cancer Patients: A Pilot Study Comparing Medical Interview with a Patient-Reported Questionnaire. <i>Journal of Skin Cancer</i> , 2015 , 2015, 953479	1.4	8
70	Genetic factors associated with naevus count and dermoscopic patterns: preliminary results from the Study of Nevi in Children (SONIC). <i>British Journal of Dermatology</i> , 2015 , 172, 1081-9	4	24
69	Dermatoscopic imaging of skin lesions by high school students: a cross-sectional pilot study. <i>Dermatology Practical and Conceptual</i> , 2015 , 5, 11-28	1.5	12
68	Early-onset mycosis fungoides among African American women: a single-institution study. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 597-8	4.5	9
67	Implementation and impact of ultraviolet environmental disinfection in an acute care setting. <i>American Journal of Infection Control</i> , 2014 , 42, 586-90	3.8	83
66	Results of an open-label multicenter phase 2 trial of lenalidomide monotherapy in refractory mycosis fungoides and Szary syndrome. <i>Blood</i> , 2014 , 123, 1159-66	2.2	61
65	Melanocytic naevi with globular and reticular dermoscopic patterns display distinct BRAF V600E expression profiles and histopathological patterns. <i>British Journal of Dermatology</i> , 2014 , 171, 1060-5	4	19

64	Factors associated with nevus volatility in early adolescence. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2469-2471	4.3	10
63	Change in dermoscopic pattern of naevi in children: a commentary. <i>Acta Dermato-Venereologica</i> , 2014 , 94, 120-2	2.2	
62	Do UC the melanoma? Recognising the importance of different lesions displaying unevenness or having a history of change for early melanoma detection. <i>Australasian Journal of Dermatology</i> , 2014 , 55, 119-24	1.3	14
61	Impact of dermatologic adverse events on quality of life in 283 cancer patients: a questionnaire study in a dermatology referral clinic. <i>American Journal of Clinical Dermatology</i> , 2013 , 14, 327-33	7.1	105
60	New recommendations for the categorization of cutaneous features of congenital melanocytic nevi. <i>Journal of the American Academy of Dermatology</i> , 2013 , 68, 441-51	4.5	179
59	Influence of time on dermoscopic diagnosis and management. <i>Australasian Journal of Dermatology</i> , 2013 , 54, 96-104	1.3	7
58	Dermoscopy of acral melanoma: a multicenter study on behalf of the international dermoscopy society. <i>Dermatology</i> , 2013 , 227, 373-80	4.4	17
57	Redefining the number needed to excise. <i>Australasian Journal of Dermatology</i> , 2013 , 54, 310-2	1.3	4
56	The characterization and potential impact of melanoma cases with unknown thickness in the United States Surveillance, Epidemiology, and End Results Program, 1989-2008. <i>Cancer Epidemiology</i> , 2013 , 37, 64-70	2.8	21
55	Clinical and dermoscopic characteristics of desmoplastic melanomas. <i>JAMA Dermatology</i> , 2013 , 149, 413-21	5.1	31
54	Clinical and dermoscopic characteristics of new naevi in adults: results from a cohort study. <i>British Journal of Dermatology</i> , 2013 , 169, 848-53	4	13
53	One-year follow-up of dermoscopy education on the ability of medical students to detect skin cancer. <i>Dermatology</i> , 2013 , 226, 267-73	4.4	10
52	Changes observed in slow-growing melanomas during long-term dermoscopic monitoring. <i>British Journal of Dermatology</i> , 2012 , 166, 1213-20	4	33
51	Clinical value of paraffin sections in association with Mohs micrographic surgery for nonmelanoma skin cancers. <i>Dermatologic Surgery</i> , 2012 , 38, 1631-8	1.7	19
50	Developing an interactive web-based learning program on skin cancer: the learning experiences of clinical educators. <i>Journal of Cancer Education</i> , 2012 , 27, 709-16	1.8	21
49	Dermoscopic features of basal cell carcinomas: differences in appearance under non-polarized and polarized light. <i>Dermatologic Surgery</i> , 2012 , 38, 392-9	1.7	29
48	Musculoskeletal disorders and ergonomics in dermatologic surgery: a survey of Mohs surgeons in 2010. <i>Dermatologic Surgery</i> , 2012 , 38, 240-8	1.7	23
47	Recognition of melanoma: a dermatologic clinical competency in medical student education. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, 606-11	4.5	25

46	Fluorescence in situ hybridization (FISH) analysis of melanocytic nevi and melanomas: sensitivity, specificity, and lack of association with sentinel node status. <i>International Journal of Surgical Pathology</i> , 2012 , 20, 434-40	1.2	20
45	Prospective study of sunburn and sun behavior patterns during adolescence. <i>Pediatrics</i> , 2012 , 129, 309-17.4		44
44	Use of fluorescence in situ hybridization to distinguish metastatic uveal from cutaneous melanoma. <i>International Journal of Surgical Pathology</i> , 2012 , 20, 246-51	1.2	10
43	Effect of dermoscopy education on the ability of medical students to detect skin cancer. <i>Archives of Dermatology</i> , 2012 , 148, 1016-22		16
42	The impact of physician screening on melanoma detection. <i>Archives of Dermatology</i> , 2011 , 147, 1269-75		26
41	Skin cancer education for primary care physicians: a systematic review of published evaluated interventions. <i>Journal of General Internal Medicine</i> , 2011 , 26, 1027-35	4	52
40	Clinical and dermoscopic stability and volatility of melanocytic nevi in a population-based cohort of children in Framingham school system. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 1615-21	4.3	49
39	Agreement on the clinical diagnosis and management of cutaneous squamous neoplasms. <i>Dermatologic Surgery</i> , 2010 , 36, 1514-20	1.7	13
38	Skin cancer prevention educational resources: just a click away?. <i>Dermatologic Surgery</i> , 2010 , 36, 1962-7	1.7	3
37	Dermatologists, general practitioners, and the best method to biopsy suspect melanocytic neoplasms. <i>Archives of Dermatology</i> , 2010 , 146, 325-8		5
36	Transillumination as a means to differentiate melanocytic lesions based on their vascularity. <i>Archives of Dermatology</i> , 2009 , 145, 1060-2		9
35	Sensitivity and specificity for detecting basal cell carcinomas in Mohs excisions with confocal fluorescence mosaicing microscopy. <i>Journal of Biomedical Optics</i> , 2009 , 14, 034012	3.5	62
34	Detection of basal cell carcinomas in Mohs excisions with fluorescence confocal mosaicing microscopy. <i>British Journal of Dermatology</i> , 2009 , 160, 1242-50	4	109
33	Assessment of sunscreen knowledge: a pilot survey. <i>British Journal of Dermatology</i> , 2009 , 161 Suppl 3, 28-32	4	28
32	A prospective randomized trial of topical pimecrolimus for cetuximab-associated acnelike eruption. <i>Journal of the American Academy of Dermatology</i> , 2009 , 61, 614-20	4.5	52
31	Atypical spitzoid melanocytic tumors with positive sentinel lymph nodes in children and teenagers, and comparison with histologically unambiguous and lethal melanomas. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 1386-95	6.7	85
30	Study of Nevi in Children (SONIC): baseline findings and predictors of nevus count. <i>American Journal of Epidemiology</i> , 2009 , 169, 41-53	3.8	44
29	Complex dermoscopic pattern: a potential risk marker for melanoma. <i>British Journal of Dermatology</i> , 2008 , 158, 821-4	4	34

28	Dermoscopic patterns of naevi in fifth grade children of the Framingham school system. <i>British Journal of Dermatology</i> , 2008 , 158, 1041-9	4	54
27	Staged excision for lentigo maligna and lentigo maligna melanoma: A retrospective analysis of 117 cases. <i>Journal of the American Academy of Dermatology</i> , 2008 , 58, 142-8	4.5	130
26	CASH algorithm for dermoscopy revisited. <i>Archives of Dermatology</i> , 2008 , 144, 554-5		17
25	The "ugly duckling" sign: agreement between observers. <i>Archives of Dermatology</i> , 2008 , 144, 58-64		83
24	Differences in Dermoscopic Images from Nonpolarized Dermoscope and Polarized Dermoscope Influence the Diagnostic Accuracy and Confidence Level. <i>Dermatologic Surgery</i> , 2008 , 34, 1389-1395	1.7	21
23	Age- and site-specific variation in the dermoscopic patterns of congenital melanocytic nevi: an aid to accurate classification and assessment of melanocytic nevi. <i>Archives of Dermatology</i> , 2007 , 143, 1007-14		75
22	Randomized double-blind trial of prophylactic oral minocycline and topical tazarotene for cetuximab-associated acne-like eruption. <i>Journal of Clinical Oncology</i> , 2007 , 25, 5390-6	2.2	223
21	Differences between polarized light dermoscopy and immersion contact dermoscopy for the evaluation of skin lesions. <i>Archives of Dermatology</i> , 2007 , 143, 329-38		147
20	The CASH (color, architecture, symmetry, and homogeneity) algorithm for dermoscopy. <i>Journal of the American Academy of Dermatology</i> , 2007 , 56, 45-52	4.5	165
19	Conventional and polarized dermoscopy features of dermatofibroma. <i>Archives of Dermatology</i> , 2006 , 142, 1431-7		53
18	Predominant dermoscopic patterns observed among nevi. <i>Journal of Cutaneous Medicine and Surgery</i> , 2006 , 10, 170-4	1.6	35
17	Classification and prevalence of pigmented lesions in patients with total-body photographs at high risk of developing melanoma. <i>Journal of Cutaneous Medicine and Surgery</i> , 2006 , 10, 85-91	1.6	8
16	Dermatologic side effects associated with the epidermal growth factor receptor inhibitors. <i>Journal of the American Academy of Dermatology</i> , 2006 , 55, 657-70	4.5	290
15	Large congenital melanocytic nevi, risk of cutaneous melanoma, and prophylactic surgery. <i>Journal of the American Academy of Dermatology</i> , 2006 , 54, 868-70; discussion 871-3	4.5	54
14	Level of confidence in diagnosis: clinical examination versus dermoscopy examination. <i>Dermatologic Surgery</i> , 2006 , 32, 738-44	1.7	23
13	Treatment of dysplastic nevi with 5% imiquimod cream, a pilot study. <i>Journal of Drugs in Dermatology</i> , 2006 , 5, 56-62	2.2	12
12	Clinical and dermoscopic changes in common melanocytic nevi in school children: the Framingham school nevus study. <i>Dermatology</i> , 2005 , 211, 234-9	4.4	18
11	Student-parent agreement in self-reported sun behaviors. <i>Journal of the American Academy of Dermatology</i> , 2005 , 52, 896-900	4.5	10

10	Asymptomatic neurocutaneous melanocytosis in patients with large congenital melanocytic nevi: a study of cases from an Internet-based registry. <i>Journal of the American Academy of Dermatology</i> , 2005 , 53, 959-65	4.5	74
9	Variation in the diagnosis, treatment, and management of melanoma in situ: a survey of US dermatologists. <i>Archives of Dermatology</i> , 2005 , 141, 723-9		39
8	The association between large congenital melanocytic naevi and cutaneous melanoma: preliminary findings from an Internet-based registry of 379 patients. <i>Melanoma Research</i> , 2005 , 15, 61-7	3.3	55
7	Number of satellite nevi as a correlate for neurocutaneous melanocytosis in patients with large congenital melanocytic nevi. <i>Archives of Dermatology</i> , 2004 , 140, 171-5		108
6	The Framingham school nevus study: a pilot study. <i>Archives of Dermatology</i> , 2004 , 140, 545-51		41
5	Melanomas detected with the aid of total cutaneous photography. <i>British Journal of Dermatology</i> , 2004 , 150, 706-14	4	114
4	Sunless tanning. <i>Journal of the American Academy of Dermatology</i> , 2004 , 50, 706-13	4.5	43
3	Patient adherence to skin self-examination. effect of nurse intervention with photographs. <i>American Journal of Preventive Medicine</i> , 2004 , 26, 152-5	6.1	63
2	Serologic evidence for West Nile virus infection in birds in Staten Island, New York, after an outbreak in 2000. <i>Vector-Borne and Zoonotic Diseases</i> , 2001 , 1, 191-6	2.4	47
1	Issues in the epidemiology of melanoma. <i>Expert Review of Anticancer Therapy</i> , 2001 , 1, 453-9	3.5	26