

Given Names Deactivated Family Name Deactivated

List of Publications by Year in Descending Order

Source:

<https://exaly.com/author-pdf/2752834/given-names-deactivated-family-name-deactivated-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

1,975
citations

21
h-index

43
g-index

79
ext. papers

2,570
ext. citations

4.3
avg, IF

5.83
L-index

#	Paper	IF	Citations
75	Optimized User-Friendly Transaction Time Management in the Blockchain Distributed Energy Market. <i>IEEE Access</i> , 2022 , 10, 34731-34742	3.5	0
74	Multiagent-Based Distributed Coordination of Inverter-Based Resources for Optimal Operation of Microgrids Considering Communication Failures. <i>Energies</i> , 2022 , 15, 3736	3.1	0
73	Evaluation of Multi-Objective Optimization Techniques for Resilience Enhancement of Electric Vehicles. <i>Electronics (Switzerland)</i> , 2021 , 10, 3030	2.6	2
72	Optimal Operation of Networked Microgrids for Enhancing Resilience Using Mobile Electric Vehicles. <i>Energies</i> , 2021 , 14, 142	3.1	8
71	Simplified Floating Wind Turbine for Real-Time Simulation of Large-Scale Floating Offshore Wind Farms. <i>Energies</i> , 2021 , 14, 4571	3.1	4
70	Optimal Sizing of Energy Storage System for Operation of Wind Farms Considering Grid-Code Constraints. <i>Energies</i> , 2021 , 14, 5478	3.1	0
69	EV Prioritization and Power Allocation During Outages: A Lexicographic Method-Based Multiobjective Optimization Approach. <i>IEEE Transactions on Transportation Electrification</i> , 2021 , 7, 2474-2487	7.6	10
68	Impacts of a LVRT Control Strategy of Offshore Wind Farms on the HTS Power Cable. <i>Energies</i> , 2020 , 13, 1194	3.1	2
67	Optimal Sizing of Battery Energy Storage System in a Fast EV Charging Station Considering Power Outages. <i>IEEE Transactions on Transportation Electrification</i> , 2020 , 6, 453-463	7.6	37
66	Distributed Operation of Microgrids Considering Secondary Frequency Restoration Based on the Diffusion Algorithm. <i>Energies</i> , 2020 , 13, 3207	3.1	0
65	Consensus Algorithm-Based Distributed Operation of Microgrids During Grid-Connected and Islanded Modes. <i>IEEE Access</i> , 2020 , 8, 78151-78165	3.5	6
64	Fault Analysis and Design of a Protection System for a Mesh Power System with a Co-Axial HTS Power Cable. <i>Energies</i> , 2020 , 13, 220	3.1	2
63	Stationary Energy Storage System for Fast EV Charging Stations: Optimality Analysis and Results Validation. <i>Energies</i> , 2020 , 13, 230	3.1	7
62	Goal-Programming-Based Multi-Objective Optimization in Off-Grid Microgrids. <i>Sustainability</i> , 2020 , 12, 8119	3.6	6
61	Distributed Operation of Wind Farm for Maximizing Output Power: A Multi-Agent Deep Reinforcement Learning Approach. <i>IEEE Access</i> , 2020 , 8, 173136-173146	3.5	3
60	. <i>IEEE Transactions on Industrial Informatics</i> , 2020 , 16, 2268-2279	11.9	17
59	. <i>IEEE Transactions on Smart Grid</i> , 2020 , 11, 457-469	10.7	64

58	Impact Analysis of Survivability-Oriented Demand Response on Islanded Operation of Networked Microgrids with High Penetration of Renewables. <i>Energies</i> , 2019 , 12, 452	3.1	12
57	Optimal Operation of Building Microgrids with Rooftop Greenhouse Under Component Outages in Islanded Mode. <i>Energies</i> , 2019 , 12, 1930	3.1	
56	A Simplified Model of Coaxial, Multilayer High-Temperature Superconducting Power Cables with Cu Formers for Transient Studies. <i>Energies</i> , 2019 , 12, 1514	3.1	11
55	Q-Learning-Based Operation Strategy for Community Battery Energy Storage System (CBESS) in Microgrid System. <i>Energies</i> , 2019 , 12, 1789	3.1	15
54	MPC with Constant Switching Frequency for Inverter-Based Distributed Generations in Microgrid Using Gradient Descent. <i>Energies</i> , 2019 , 12, 1156	3.1	7
53	An Energy Management System With Optimum Reserve Power Procurement Function for Microgrid Resilience Improvement. <i>IEEE Access</i> , 2019 , 7, 42577-42585	3.5	23
52	Transfverter: Imbuing Transformer-Like Properties in an Interlink Converter for Robust Control of a Hybrid ACDC Microgrid. <i>IEEE Transactions on Power Electronics</i> , 2019 , 34, 11332-11341	7.2	11
51	Diffusion-Based Distributed Coordination Control of Power Converters in MG for Efficiency Improvement. <i>IEEE Access</i> , 2019 , 7, 53347-53357	3.5	1
50	Optimal Operation of Wind Farm for Reducing Power Deviation Considering Grid-Code Constraints and Events. <i>IEEE Access</i> , 2019 , 7, 139058-139068	3.5	7
49	Microgrids as a resilience resource and strategies used by microgrids for enhancing resilience. <i>Applied Energy</i> , 2019 , 240, 56-72	10.7	171
48	Welfare Maximization-Based Distributed Demand Response for Islanded Multi-Microgrid Networks Using Diffusion Strategy. <i>Energies</i> , 2019 , 12, 3701	3.1	7
47	Multi-Objective Optimization for Determining Trade-Off between Output Power and Power Fluctuations in Wind Farm System. <i>Energies</i> , 2019 , 12, 4242	3.1	4
46	Hybrid Energy Management System for Operation of Wind Farm System Considering Grid-Code Constraints. <i>Energies</i> , 2019 , 12, 4672	3.1	2
45	Stationary Energy Storage System for Fast EV Charging Stations: Simultaneous Sizing of Battery and Converter. <i>Energies</i> , 2019 , 12, 4516	3.1	13
44	Limitations in Energy Management Systems: A Case Study for Resilient Interconnected Microgrids. <i>IEEE Transactions on Smart Grid</i> , 2019 , 10, 5675-5685	10.7	11
43	Impact of Uncertainties on Resilient Operation of Microgrids: A Data-Driven Approach. <i>IEEE Access</i> , 2019 , 7, 14924-14937	3.5	36
42	. <i>IEEE Transactions on Smart Grid</i> , 2019 , 10, 204-215	10.7	77
41	. <i>IEEE Transactions on Smart Grid</i> , 2019 , 10, 3474-3485	10.7	14

40	. <i>IEEE Transactions on Sustainable Energy</i> , 2018 , 9, 1636-1647	8.2	15
39	Avoiding Frequency Second Dip in Power Unreserved Control During Wind Power Rotational Speed Recovery. <i>IEEE Transactions on Power Systems</i> , 2018 , 33, 3097-3106	7	31
38	A Multiagent-Based Hierarchical Energy Management Strategy for Multi-Microgrids Considering Adjustable Power and Demand Response. <i>IEEE Transactions on Smart Grid</i> , 2018 , 9, 1323-1333	10.7	177
37	A Resilient and Privacy-Preserving Energy Management Strategy for Networked Microgrids. <i>IEEE Transactions on Smart Grid</i> , 2018 , 9, 2127-2139	10.7	115
36	A Droop Frequency Control for Maintaining Different Frequency Qualities in a Stand-Alone Multimicrogrid System. <i>IEEE Transactions on Sustainable Energy</i> , 2018 , 9, 599-609	8.2	20
35	Optimal Energy Management of Building Microgrid Networks in Islanded Mode Considering Adjustable Power and Component Outages. <i>Energies</i> , 2018 , 11, 2351	3.1	7
34	Consensus-Based SOC Balancing of Battery Energy Storage Systems in Wind Farm. <i>Energies</i> , 2018 , 11, 3507	3.1	4
33	Model Predictive Control of Inverters in Microgrid with Constant Switching Frequency for Circulating Current Suppression 2018 ,		1
32	Adaptive Robust Optimization-Based Optimal Operation of Microgrids Considering Uncertainties in Arrival and Departure Times of Electric Vehicles. <i>Energies</i> , 2018 , 11, 2646	3.1	12
31	Low-Voltage Ride-Through Operation of Grid-Connected Microgrid Using Consensus-Based Distributed Control. <i>Energies</i> , 2018 , 11, 2867	3.1	13
30	A Multi-Agent System-Based Approach for Optimal Operation of Building Microgrids with Rooftop Greenhouse. <i>Energies</i> , 2018 , 11, 1876	3.1	6
29	Direct Phase Angle and Voltage Amplitude Model Predictive Control of a Power Converter for Microgrid Applications. <i>Energies</i> , 2018 , 11, 2254	3.1	1
28	Improving Transient Response of Power Converter in a Stand-Alone Microgrid Using Virtual Synchronous Generator. <i>Energies</i> , 2018 , 11, 27	3.1	11
27	An Energy-Based Control Strategy for Battery Energy Storage Systems: A Case Study on Microgrid Applications. <i>Energies</i> , 2017 , 10, 215	3.1	5
26	Robustness Improvement of Superconducting Magnetic Energy Storage System in Microgrids Using an Energy Shaping Passivity-Based Control Strategy. <i>Energies</i> , 2017 , 10, 671	3.1	14
25	Optimal Operation of Microgrids Considering Auto-Configuration Function Using Multiagent System. <i>Energies</i> , 2017 , 10, 1484	3.1	23
24	Optimal Load Shedding for Maximizing Satisfaction in an Islanded Microgrid. <i>Energies</i> , 2017 , 10, 45	3.1	5
23	Fuzzy Logic-Based Operation of Battery Energy Storage Systems (BESSs) for Enhancing the Resiliency of Hybrid Microgrids. <i>Energies</i> , 2017 , 10, 271	3.1	27

22	Analyzing the Impacts of System Parameters on MPC-Based Frequency Control for a Stand-Alone Microgrid. <i>Energies</i> , 2017 , 10, 417	3.1	17
21	A Novel Topology of Hybrid HVDC Circuit Breaker for VSC-HVDC Application. <i>Energies</i> , 2017 , 10, 1675	3.1	9
20	An Algorithm for Effective Mitigation of Commutation Failure in High-Voltage Direct-Current Systems. <i>IEEE Transactions on Power Delivery</i> , 2016 , 31, 1437-1446	4.3	46
19	Applying Model Predictive Control to SMES System in Microgrids for Eddy Current Losses Reduction. <i>IEEE Transactions on Applied Superconductivity</i> , 2016 , 26, 1-5	1.8	9
18	Optimal Electric and Heat Energy Management of Multi-Microgrids with Sequentially-Coordinated Operations. <i>Energies</i> , 2016 , 9, 473	3.1	9
17	A comparison study of MVDC and MVAC for deployment of distributed wind generations 2016 ,		7
16	Optimal Energy Management of Multi-Microgrids with Sequentially Coordinated Operations. <i>Energies</i> , 2015 , 8, 8371-8390	3.1	42
15	Application of Model Predictive Control to BESS for Microgrid Control. <i>Energies</i> , 2015 , 8, 8798-8813	3.1	19
14	Distributed Load-Shedding System for Agent-Based Autonomous Microgrid Operations. <i>Energies</i> , 2014 , 7, 385-401	3.1	34
13	Priority-Based Hierarchical Operational Management for Multiagent-Based Microgrids. <i>Energies</i> , 2014 , 7, 2051-2078	3.1	8
12	Recommendation algorithm of the app store by using semantic relations between apps. <i>Journal of Supercomputing</i> , 2013 , 65, 16-26	2.5	15
11	Design of a New Virtual Interaction Based PLC Training Using Virtual Sensors and Actuators: System and Its Application. <i>International Journal of Distributed Sensor Networks</i> , 2013 , 9, 505920	1.7	2
10	Vehicle-to-grid communication system for electric vehicle charging. <i>Integrated Computer-Aided Engineering</i> , 2012 , 19, 57-65	5.2	10
9	An Intelligent Multiagent System for Autonomous Microgrid Operation. <i>Energies</i> , 2012 , 5, 3347-3362	3.1	54
8	Traffic Rerouting Strategy against Jamming Attacks in WSNs for Microgrid. <i>International Journal of Distributed Sensor Networks</i> , 2012 , 8, 234029	1.7	1
7	Loss Characteristic Analysis of HTS DC Power Cable Using LCC Based DC Transmission System. <i>IEEE Transactions on Applied Superconductivity</i> , 2012 , 22, 5801304-5801304	1.8	3
6	A microgrid energy management system for inducing optimal demand response 2011 ,		27
5	Designing an Energy Storage System Fuzzy PID Controller for Microgrid Islanded Operation. <i>Energies</i> , 2011 , 4, 1443-1460	3.1	45

4	A bankruptcy problem approach to load-shedding in multiagent-based microgrid operation. <i>Sensors</i> , 2010 , 10, 8888-98	3.8	28
3	Development of Hardware In-the-Loop Simulation System for Testing Operation and Control Functions of Microgrid. <i>IEEE Transactions on Power Electronics</i> , 2010 , 25, 2919-2929	7.2	124
2	Cooperative Control Strategy of Energy Storage System and Microsources for Stabilizing the Microgrid during Islanded Operation. <i>IEEE Transactions on Power Electronics</i> , 2010 , 25, 3037-3048	7.2	341
1	A Multiagent System for Autonomous Operation of Islanded Microgrids Based on a Power Market Environment. <i>Energies</i> , 2010 , 3, 1972-1990	3.1	47