

# Keith A Jolley

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2754393/keith-a-jolley-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146  
papers

10,486  
citations

51  
h-index

101  
g-index

171  
ext. papers

13,291  
ext. citations

7.3  
avg, IF

6.41  
L-index

#	Paper	IF	Citations
146	Inferring Mycobacterium bovis transmission between cattle and badgers using isolates from the Randomised Badger Culling Trial. <i>PLoS Pathogens</i> , <b>2021</b> , 17, e1010075	7.6	3
145	Establishment of a Publicly Available Core Genome Multilocus Sequence Typing Scheme for Clostridium perfringens. <i>Microbiology Spectrum</i> , <b>2021</b> , 9, e0053321	8.9	1
144	Evolution of Sequence Type 4821 Clonal Complex Hyperinvasive and Quinolone-Resistant Meningococci. <i>Emerging Infectious Diseases</i> , <b>2021</b> , 27, 1110-1122	10.2	1
143	Meningococcal carriage in periods of high and low invasive meningococcal disease incidence in the UK: comparison of UKMenCar1-4 cross-sectional survey results. <i>Lancet Infectious Diseases</i> , <b>2021</b> , 21, 677-687	25.5	4
142	Changes in the incidence of invasive disease due to Streptococcus pneumoniae, Haemophilus influenzae, and Neisseria meningitidis during the COVID-19 pandemic in 26 countries and territories in the Invasive Respiratory Infection Surveillance Initiative: a prospective analysis of surveillance data. <i>The Lancet Digital Health</i> , <b>2021</b> , 3, e360-e370	14.4	58
141	A Whole-Genome-Based Gene-by-Gene Typing System for Standardized High-Resolution Strain Typing of Bacillus anthracis. <i>Journal of Clinical Microbiology</i> , <b>2021</b> , 59, e0288920	9.7	6
140	Genome evolution and the emergence of pathogenicity in avian Escherichia coli. <i>Nature Communications</i> , <b>2021</b> , 12, 765	17.4	15
139	Genomic epidemiology of group B streptococci spanning 10 years in an Irish maternity hospital, 2008-2017. <i>Journal of Infection</i> , <b>2021</b> , 83, 37-45	18.9	0
138	Agricultural intensification and the evolution of host specialism in the enteric pathogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 11018-11028	11.5	27
137	Neisseria gonorrhoeae Population Genomics: Use of the Gonococcal Core Genome to Improve Surveillance of Antimicrobial Resistance. <i>Journal of Infectious Diseases</i> , <b>2020</b> , 222, 1816-1825	7	12
136	Association of Neisseria gonorrhoeae Plasmids With Distinct Lineages and The Economic Status of Their Country of Origin. <i>Journal of Infectious Diseases</i> , <b>2020</b> , 222, 1826-1836	7	5
135	The global meningitis genome partnership. <i>Journal of Infection</i> , <b>2020</b> , 81, 510-520	18.9	4
134	Meningococcal Deduced Vaccine Antigen Reactivity (MenDeVAR) Index: a Rapid and Accessible Tool That Exploits Genomic Data in Public Health and Clinical Microbiology Applications. <i>Journal of Clinical Microbiology</i> , <b>2020</b> , 59,	9.7	9
133	Relationships among streptococci from the mitis group, misidentified as Streptococcus pneumoniae. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2020</b> , 39, 1865-1878	5.3	1
132	Genomic epidemiology of Campylobacter jejuni associated with asymptomatic pediatric infection in the Peruvian Amazon. <i>PLoS Neglected Tropical Diseases</i> , <b>2020</b> , 14, e0008533	4.8	9
131	cgMLST characterisation of invasive Neisseria meningitidis serogroup C and W strains associated with increasing disease incidence in the Republic of Ireland. <i>PLoS ONE</i> , <b>2019</b> , 14, e0216771	3.7	6
130	High diversity of invasive Haemophilus influenzae isolates in France and the emergence of resistance to third generation cephalosporins by alteration of ftsI gene. <i>Journal of Infection</i> , <b>2019</b> , 79, 7-14	18.9	18

129	Comparative Analysis of the Two Multilocus Sequence Typing (MLST) Schemes. <i>Frontiers in Microbiology</i> , <b>2019</b> , 10, 930	5.7	47
128	An MLST approach to support tracking of plasmids carrying OXA-48-like carbapenemase. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 1856-1862	5.1	4
127	Genomic Analyses of >3,100 Nasopharyngeal Pneumococci Revealed Significant Differences Between Pneumococci Recovered in Four Different Geographical Regions. <i>Frontiers in Microbiology</i> , <b>2019</b> , 10, 317	5.7	5
126	Hospital effluent: A reservoir for carbapenemase-producing Enterobacterales?. <i>Science of the Total Environment</i> , <b>2019</b> , 672, 618-624	10.2	45
125	Detection of OXA-48-like-producing Enterobacterales in Irish recreational water. <i>Science of the Total Environment</i> , <b>2019</b> , 690, 1-6	10.2	16
124	A public database for the new MLST scheme for subsp. : surveillance and epidemiology of the causative agent of syphilis. <i>PeerJ</i> , <b>2019</b> , 6, e6182	3.1	14
123	Not all <i>Pseudomonas aeruginosa</i> are equal: strains from industrial sources possess uniquely large multireplicon genomes. <i>Microbial Genomics</i> , <b>2019</b> , 5,	4.4	11
122	Domestication of <i>Campylobacter jejuni</i> NCTC 11168. <i>Microbial Genomics</i> , <b>2019</b> , 5,	4.4	14
121	Lineage-specific plasmid acquisition and the evolution of specialized pathogens in <i>Bacillus thuringiensis</i> and the <i>Bacillus cereus</i> group. <i>Molecular Ecology</i> , <b>2018</b> , 27, 1524-1540	5.7	25
120	Genomic analyses of the <i>Chlamydia trachomatis</i> core genome show an association between chromosomal genome, plasmid type and disease. <i>BMC Genomics</i> , <b>2018</b> , 19, 130	4.5	15
119	The Applied Development of a Tiered Multilocus Sequence Typing (MLST) Scheme for. <i>Frontiers in Microbiology</i> , <b>2018</b> , 9, 551	5.7	8
118	Potential Coverage of the 4CMenB Vaccine against Invasive Serogroup B Isolated from 2009 to 2013 in the Republic of Ireland. <i>MSphere</i> , <b>2018</b> , 3,	5	12
117	Open-access bacterial population genomics: BIGSdb software, the PubMLST.org website and their applications. <i>Wellcome Open Research</i> , <b>2018</b> , 3, 124	4.8	677
116	Typing complex meningococcal vaccines to understand diversity and population structure of key vaccine antigens. <i>Wellcome Open Research</i> , <b>2018</b> , 3, 151	4.8	4
115	Typing complex meningococcal vaccines to understand diversity and population structure of key vaccine antigens. <i>Wellcome Open Research</i> , <b>2018</b> , 3, 151	4.8	5
114	Disease-associated genotypes of the commensal skin bacterium <i>Staphylococcus epidermidis</i> . <i>Nature Communications</i> , <b>2018</b> , 9, 5034	17.4	71
113	Recombination-Mediated Host Adaptation by Avian <i>Staphylococcus aureus</i> . <i>Genome Biology and Evolution</i> , <b>2017</b> , 9, 830-842	3.9	29
112	Local genes for local bacteria: Evidence of allopatry in the genomes of transatlantic <i>Campylobacter</i> populations. <i>Molecular Ecology</i> , <b>2017</b> , 26, 4497-4508	5.7	20

111	Core Genome Multilocus Sequence Typing Scheme for Stable, Comparative Analyses of <i>Campylobacter jejuni</i> and <i>C. coli</i> Human Disease Isolates. <i>Journal of Clinical Microbiology</i> , <b>2017</b> , 55, 2086-2097	9.7	61
110	Frequent capsule switching in ultra-virulent meningococci - Are we ready for a serogroup B ST-11 complex outbreak?. <i>Journal of Infection</i> , <b>2017</b> , 75, 95-103	18.9	21
109	<i>Neisseria</i> genomics: current status and future perspectives. <i>Pathogens and Disease</i> , <b>2017</b> , 75,	4.2	16
108	Defining a Core Genome Multilocus Sequence Typing Scheme for the Global Epidemiology of <i>Vibrio parahaemolyticus</i> . <i>Journal of Clinical Microbiology</i> , <b>2017</b> , 55, 1682-1697	9.7	36
107	Clonal Expansion of New Penicillin-Resistant Clade of <i>Neisseria meningitidis</i> Serogroup W Clonal Complex 11, Australia. <i>Emerging Infectious Diseases</i> , <b>2017</b> , 23, 1364-1367	10.2	23
106	A RESTful application programming interface for the PubMLST molecular typing and genome databases. <i>Database: the Journal of Biological Databases and Curation</i> , <b>2017</b> , 2017,	5	18
105	Sequence data management for scientific purposes. <i>Infection, Genetics and Evolution</i> , <b>2017</b> , 54, 508	4.5	
104	Genome-wide association of functional traits linked with <i>Campylobacter jejuni</i> survival from farm to fork. <i>Environmental Microbiology</i> , <b>2017</b> , 19, 361-380	5.2	61
103	Database for the ampC alleles in <i>Acinetobacter baumannii</i> . <i>PLoS ONE</i> , <b>2017</b> , 12, e0176695	3.7	24
102	Phylogenetic Analysis of Invasive Serotype 1 Pneumococcus in South Africa, 1989 to 2013. <i>Journal of Clinical Microbiology</i> , <b>2016</b> , 54, 1326-34	9.7	11
101	The Landscape of Realized Homologous Recombination in Pathogenic Bacteria. <i>Molecular Biology and Evolution</i> , <b>2016</b> , 33, 456-71	8.3	40
100	Biofilm Morphotypes and Population Structure among <i>Staphylococcus epidermidis</i> from Commensal and Clinical Samples. <i>PLoS ONE</i> , <b>2016</b> , 11, e0151240	3.7	34
99	Putatively novel serotypes and the potential for reduced vaccine effectiveness: capsular locus diversity revealed among 5405 pneumococcal genomes. <i>Microbial Genomics</i> , <b>2016</b> , 2, 000090	4.4	22
98	Integration of Genomic and Other Epidemiologic Data to Investigate and Control a Cross-Institutional Outbreak of <i>Streptococcus pyogenes</i> . <i>Emerging Infectious Diseases</i> , <b>2016</b> , 22, 973-980	10.2	
97	Integration of Genomic and Other Epidemiologic Data to Investigate and Control a Cross-Institutional Outbreak of <i>Streptococcus pyogenes</i> . <i>Emerging Infectious Diseases</i> , <b>2016</b> , 22, 973-80	10.2	13
96	Resolution of a Protracted Serogroup B Meningococcal Outbreak with Whole-Genome Sequencing Shows Interspecies Genetic Transfer. <i>Journal of Clinical Microbiology</i> , <b>2016</b> , 54, 2891-2899	9.7	12
95	PubMLST.org--The new home for the <i>Borrelia</i> MLSA database. <i>Ticks and Tick-borne Diseases</i> , <b>2015</b> , 6, 869-71	3.6	14
94	Genome-Based Characterization of Emergent Invasive <i>Neisseria meningitidis</i> Serogroup Y Isolates in Sweden from 1995 to 2012. <i>Journal of Clinical Microbiology</i> , <b>2015</b> , 53, 2154-62	9.7	22

93	Ecological Overlap and Horizontal Gene Transfer in <i>Staphylococcus aureus</i> and <i>Staphylococcus epidermidis</i> . <i>Genome Biology and Evolution</i> , <b>2015</b> , 7, 1313-28	3.9	86
92	Genomics Reveals the Worldwide Distribution of Multidrug-Resistant Serotype 6E Pneumococci. <i>Journal of Clinical Microbiology</i> , <b>2015</b> , 53, 2271-85	9.7	21
91	Genomic resolution of an aggressive, widespread, diverse and expanding meningococcal serogroup B, C and W lineage. <i>Journal of Infection</i> , <b>2015</b> , 71, 544-52	18.9	151
90	Genomic epidemiology of age-associated meningococcal lineages in national surveillance: an observational cohort study. <i>Lancet Infectious Diseases</i> , <b>2015</b> , 15, 1420-8	25.5	56
89	Identifying <i>Neisseria</i> species by use of the 50S ribosomal protein L6 (rplF) gene. <i>Journal of Clinical Microbiology</i> , <b>2014</b> , 52, 1375-81	9.7	44
88	Using multilocus sequence typing to study bacterial variation: prospects in the genomic era. <i>Future Microbiology</i> , <b>2014</b> , 9, 623-30	2.9	56
87	Sequence, distribution and chromosomal context of class I and class II pilin genes of <i>Neisseria meningitidis</i> identified in whole genome sequences. <i>BMC Genomics</i> , <b>2014</b> , 15, 253	4.5	35
86	The domestication of the probiotic bacterium <i>Lactobacillus acidophilus</i> . <i>Scientific Reports</i> , <b>2014</b> , 4, 7202	4.9	22
85	<i>Neisseria</i> adhesin A variation and revised nomenclature scheme. <i>Vaccine Journal</i> , <b>2014</b> , 21, 966-71		46
84	Defining the estimated core genome of bacterial populations using a Bayesian decision model. <i>PLoS Computational Biology</i> , <b>2014</b> , 10, e1003788	5	42
83	Implications of differential age distribution of disease-associated meningococcal lineages for vaccine development. <i>Vaccine Journal</i> , <b>2014</b> , 21, 847-53		19
82	Cryptic ecology among host generalist <i>Campylobacter jejuni</i> in domestic animals. <i>Molecular Ecology</i> , <b>2014</b> , 23, 2442-51	5.7	80
81	Use of an improved <i>atpA</i> amplification and sequencing method to identify members of the <i>Campylobacteraceae</i> and <i>Helicobacteraceae</i> . <i>Letters in Applied Microbiology</i> , <b>2014</b> , 58, 582-90	2.9	30
80	<i>Cronobacter</i> , the emergent bacterial pathogen <i>Enterobacter sakazakii</i> comes of age; MLST and whole genome sequence analysis. <i>BMC Genomics</i> , <b>2014</b> , 15, 1121	4.5	100
79	A gene-by-gene population genomics platform: de novo assembly, annotation and genealogical analysis of 108 representative <i>Neisseria meningitidis</i> genomes. <i>BMC Genomics</i> , <b>2014</b> , 15, 1138	4.5	130
78	TypOn: the microbial typing ontology. <i>Journal of Biomedical Semantics</i> , <b>2014</b> , 5, 43	2.2	5
77	A reference pan-genome approach to comparative bacterial genomics: identification of novel epidemiological markers in pathogenic <i>Campylobacter</i> . <i>PLoS ONE</i> , <b>2014</b> , 9, e92798	3.7	89
76	MLST revisited: the gene-by-gene approach to bacterial genomics. <i>Nature Reviews Microbiology</i> , <b>2013</b> , 11, 728-36	22.2	410

75	Ribosomal proteins as biomarkers for bacterial identification by mass spectrometry in the clinical microbiology laboratory. <i>Journal of Microbiological Methods</i> , <b>2013</b> , 94, 390-6	2.8	81
74	Comparison of three molecular typing methods to assess genetic diversity for <i>Mycobacterium tuberculosis</i> . <i>Journal of Microbiological Methods</i> , <b>2013</b> , 93, 42-8	2.8	11
73	Recombinational switching of the <i>Clostridium difficile</i> S-layer and a novel glycosylation gene cluster revealed by large-scale whole-genome sequencing. <i>Journal of Infectious Diseases</i> , <b>2013</b> , 207, 675-86	7.6	72
72	A curated public database for multilocus sequence typing (MLST) and analysis of <i>Haemophilus parasuis</i> based on an optimized typing scheme. <i>Veterinary Microbiology</i> , <b>2013</b> , 162, 899-906	3.3	15
71	Real-time genomic epidemiological evaluation of human <i>Campylobacter</i> isolates by use of whole-genome multilocus sequence typing. <i>Journal of Clinical Microbiology</i> , <b>2013</b> , 51, 2526-34	9.7	104
70	Description and nomenclature of <i>Neisseria meningitidis</i> capsule locus. <i>Emerging Infectious Diseases</i> , <b>2013</b> , 19, 566-73	10.2	214
69	Genome sequence analyses show that <i>Neisseria oralis</i> is the same species as <i>Neisseria mucosa</i> var. <i>heidelbergensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 3920-3926	2.2	36
68	Genome-wide association study identifies vitamin B5 biosynthesis as a host specificity factor in <i>Campylobacter</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 11923-7	11.5	178
67	Progressive genome-wide introgression in agricultural <i>Campylobacter coli</i> . <i>Molecular Ecology</i> , <b>2013</b> , 22, 1051-64	5.7	98
66	Target gene sequencing to define the susceptibility of <i>Neisseria meningitidis</i> to ciprofloxacin. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2013</b> , 57, 1961-4	5.9	26
65	Automated extraction of typing information for bacterial pathogens from whole genome sequence data: <i>Neisseria meningitidis</i> as an exemplar. <i>Eurosurveillance</i> , <b>2013</b> , 18, 20379	19.8	47
64	A genomic approach to bacterial taxonomy: an examination and proposed reclassification of species within the genus <i>Neisseria</i> . <i>Microbiology (United Kingdom)</i> , <b>2012</b> , 158, 1570-1580	2.9	121
63	Ribosomal multilocus sequence typing: universal characterization of bacteria from domain to strain. <i>Microbiology (United Kingdom)</i> , <b>2012</b> , 158, 1005-1015	2.9	325
62	A Gene-By-Gene Approach to Bacterial Population Genomics: Whole Genome MLST of <i>Campylobacter</i> . <i>Genes</i> , <b>2012</b> , 3, 261-77	4.2	102
61	Resolution of a meningococcal disease outbreak from whole-genome sequence data with rapid Web-based analysis methods. <i>Journal of Clinical Microbiology</i> , <b>2012</b> , 50, 3046-53	9.7	65
60	Clinical <i>Clostridium difficile</i> : clonality and pathogenicity locus diversity. <i>PLoS ONE</i> , <b>2011</b> , 6, e19993	3.7	131
59	Population structure of the <i>Yersinia pseudotuberculosis</i> complex according to multilocus sequence typing. <i>Environmental Microbiology</i> , <b>2011</b> , 13, 3114-27	5.2	63
58	Changes in serogroup and genotype prevalence among carried meningococci in the United Kingdom during vaccine implementation. <i>Journal of Infectious Diseases</i> , <b>2011</b> , 204, 1046-53	7	40



57	Genotypic and phenotypic modifications of <i>Neisseria meningitidis</i> after an accidental human passage. <i>PLoS ONE</i> , <b>2011</b> , 6, e17145	3.7	41
56	Introgression in the genus <i>Campylobacter</i> : generation and spread of mosaic alleles. <i>Microbiology (United Kingdom)</i> , <b>2011</b> , 157, 1066-1074	2.9	33
55	Multi locus sequence typing of <i>Chlamydia</i> reveals an association between <i>Chlamydia psittaci</i> genotypes and host species. <i>PLoS ONE</i> , <b>2010</b> , 5, e14179	3.7	70
54	Evolution of an agriculture-associated disease causing <i>Campylobacter coli</i> clade: evidence from national surveillance data in Scotland. <i>PLoS ONE</i> , <b>2010</b> , 5, e15708	3.7	56
53	Clonal distribution of disease-associated and healthy carrier isolates of <i>Neisseria meningitidis</i> between 1983 and 2005 in Cuba. <i>Journal of Clinical Microbiology</i> , <b>2010</b> , 48, 802-10	9.7	18
52	<i>Neisseria meningitidis</i> serogroup X sequence type 767 in Turkey. <i>Journal of Clinical Microbiology</i> , <b>2010</b> , 48, 4340-1	9.7	5
51	Long-term evolution of antigen repertoires among carried meningococci. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2010</b> , 277, 1635-41	4.4	29
50	Identification of three novel superantigen-encoding genes in <i>Streptococcus equi</i> subsp. <i>zooepidemicus</i> , <i>szeF</i> , <i>szeN</i> , and <i>szeP</i> . <i>Infection and Immunity</i> , <b>2010</b> , 78, 4817-27	3.7	46
49	Multicenter study for defining the breakpoint for rifampin resistance in <i>Neisseria meningitidis</i> by <i>rpoB</i> sequencing. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2010</b> , 54, 3651-8	5.9	31
48	Multilocus sequence typing of <i>Clostridium difficile</i> . <i>Journal of Clinical Microbiology</i> , <b>2010</b> , 48, 770-8	9.7	310
47	BIGSdb: Scalable analysis of bacterial genome variation at the population level. <i>BMC Bioinformatics</i> , <b>2010</b> , 11, 595	3.6	1462
46	Population structure of <i>Streptococcus oralis</i> . <i>Microbiology (United Kingdom)</i> , <b>2009</b> , 155, 2593-2602	2.9	50
45	Genomic evidence for the evolution of <i>Streptococcus equi</i> : host restriction, increased virulence, and genetic exchange with human pathogens. <i>PLoS Pathogens</i> , <b>2009</b> , 5, e1000346	7.6	160
44	A common gene pool for the <i>Neisseria FetA</i> antigen. <i>International Journal of Medical Microbiology</i> , <b>2009</b> , 299, 133-9	3.7	23
43	Internet-based sequence-typing databases for bacterial molecular epidemiology. <i>Methods in Molecular Biology</i> , <b>2009</b> , 551, 305-12	1.4	6
42	Opa protein repertoires of disease-causing and carried meningococci. <i>Journal of Clinical Microbiology</i> , <b>2008</b> , 46, 3033-41	9.7	15
41	Development of an unambiguous and discriminatory multilocus sequence typing scheme for the <i>Streptococcus zooepidemicus</i> group. <i>Microbiology (United Kingdom)</i> , <b>2008</b> , 154, 3016-3024	2.9	80
40	The effect of immune selection on the structure of the meningococcal opa protein repertoire. <i>PLoS Pathogens</i> , <b>2008</b> , 4, e1000020	7.6	27

39	Role of selection in the emergence of lineages and the evolution of virulence in <i>Neisseria meningitidis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 15082-7	11.5	105
38	Genetic and antigenic characterization of <i>Neisseria meningitidis</i> strains from Turkish recruits in 2006. <i>Internal Medicine</i> , <b>2008</b> , 47, 1949-50	1.1	2
37	Species status of <i>Neisseria gonorrhoeae</i> : evolutionary and epidemiological inferences from multilocus sequence typing. <i>BMC Biology</i> , <b>2007</b> , 5, 35	7.3	76
36	Multilocus sequence typing for global surveillance of meningococcal disease. <i>FEMS Microbiology Reviews</i> , <b>2007</b> , 31, 15-26	15.1	100
35	Molecular typing of meningococci: recommendations for target choice and nomenclature. <i>FEMS Microbiology Reviews</i> , <b>2007</b> , 31, 89-96	15.1	132
34	A surveillance network for meningococcal disease in Europe. <i>FEMS Microbiology Reviews</i> , <b>2007</b> , 31, 27-36	15.1	118
33	Getting a grip on strangles: recent progress towards improved diagnostics and vaccines. <i>Veterinary Journal</i> , <b>2007</b> , 173, 492-501	2.5	57
32	Target gene sequencing to characterize the penicillin G susceptibility of <i>Neisseria meningitidis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , <b>2007</b> , 51, 2784-92	5.9	86
31	AgdbNet - antigen sequence database software for bacterial typing. <i>BMC Bioinformatics</i> , <b>2006</b> , 7, 314	3.6	26
30	Antigenic shift and increased incidence of meningococcal disease. <i>Journal of Infectious Diseases</i> , <b>2006</b> , 193, 1266-74	7	82
29	First insights into the evolution of <i>Streptococcus uberis</i> : a multilocus sequence typing scheme that enables investigation of its population biology. <i>Applied and Environmental Microbiology</i> , <b>2006</b> , 72, 1420-8	4.8	54
28	Sequence variation of the SeM gene of <i>Streptococcus equi</i> allows discrimination of the source of strangles outbreaks. <i>Journal of Clinical Microbiology</i> , <b>2006</b> , 44, 480-6	9.7	79
27	Opacity-associated adhesin repertoire in hyperinvasive <i>Neisseria meningitidis</i> . <i>Infection and Immunity</i> , <b>2006</b> , 74, 5085-94	3.7	38
26	Multilocus sequence typing system for the endosymbiont <i>Wolbachia pipientis</i> . <i>Applied and Environmental Microbiology</i> , <b>2006</b> , 72, 7098-110	4.8	583
25	Multivalent liposome-based vaccines containing different serosubtypes of PorA protein induce cross-protective bactericidal immune responses against <i>Neisseria meningitidis</i> . <i>Vaccine</i> , <b>2006</b> , 24, 36-44	4.1	30
24	Methods for Typing of Meningococci <b>2006</b> , 37-52		2
23	Genetic analysis of meningococci carried by children and young adults. <i>Journal of Infectious Diseases</i> , <b>2005</b> , 191, 1263-71	7	164
22	A chromosomally integrated bacteriophage in invasive meningococci. <i>Journal of Experimental Medicine</i> , <b>2005</b> , 201, 1905-13	16.6	148



21	Genetic diversity and carriage dynamics of <i>Neisseria lactamica</i> in infants. <i>Infection and Immunity</i> , <b>2005</b> , 73, 2424-32	3.7	63
20	The influence of mutation, recombination, population history, and selection on patterns of genetic diversity in <i>Neisseria meningitidis</i> . <i>Molecular Biology and Evolution</i> , <b>2005</b> , 22, 562-9	8.3	128
19	PorA variable regions of <i>Neisseria meningitidis</i> . <i>Emerging Infectious Diseases</i> , <b>2004</b> , 10, 674-8	10.2	131
18	Distribution of serogroups and genotypes among disease-associated and carried isolates of <i>Neisseria meningitidis</i> from the Czech Republic, Greece, and Norway. <i>Journal of Clinical Microbiology</i> , <b>2004</b> , 42, 5146-53	9.7	203
17	Activation of human dendritic cells by the PorA protein of <i>Neisseria meningitidis</i> . <i>Cellular Microbiology</i> , <b>2004</b> , 6, 651-62	3.9	32
16	mlstDbNet - distributed multi-locus sequence typing (MLST) databases. <i>BMC Bioinformatics</i> , <b>2004</b> , 5, 86	3.6	416
15	Dam inactivation in <i>Neisseria meningitidis</i> : prevalence among diverse hyperinvasive lineages. <i>BMC Microbiology</i> , <b>2004</b> , 4, 34	4.5	12
14	Carried Meningococci in the Czech Republic: a Diverse Recombining Population. <i>Journal of Clinical Microbiology</i> , <b>2002</b> , 40, 3549-3550	9.7	11
13	Computational methods for meningococcal population studies. <i>Methods in Molecular Medicine</i> , <b>2001</b> , 67, 357-73		1
12	Recombinant proteins in vaccine development. <i>Methods in Molecular Medicine</i> , <b>2001</b> , 66, 167-80		4
11	Multi-locus sequence typing. <i>Methods in Molecular Medicine</i> , <b>2001</b> , 67, 173-86		12
10	Immunization with recombinant Opc outer membrane protein from <i>Neisseria meningitidis</i> : influence of sequence variation and levels of expression on the bactericidal immune response against meningococci. <i>Infection and Immunity</i> , <b>2001</b> , 69, 3809-16	3.7	41
9	Lack of immunity in university students before an outbreak of serogroup C meningococcal infection. <i>Journal of Infectious Diseases</i> , <b>2000</b> , 181, 1172-5	7	31
8	Carried meningococci in the Czech Republic: a diverse recombining population. <i>Journal of Clinical Microbiology</i> , <b>2000</b> , 38, 4492-8	9.7	135
7	2-Oxoacid dehydrogenase multienzyme complexes in the halophilic Archaea? Gene sequences and protein structural predictions. <i>Microbiology (United Kingdom)</i> , <b>2000</b> , 146 ( Pt 5), 1061-1069	2.9	24
6	Naturally occurring isolates of <i>Neisseria gonorrhoeae</i> , which display anomalous serovar properties, express PIA/PIB hybrid porins, deletions in PIB or novel PIA molecules. <i>FEMS Microbiology Letters</i> , <b>1998</b> , 162, 75-82	2.9	25
5	Site-directed mutagenesis and halophilicity of dihydrolipoamide dehydrogenase from the halophilic archaeon, <i>Haloferax volcanii</i> . <i>FEBS Journal</i> , <b>1997</b> , 248, 362-8		27
4	Dihydrolipoamide dehydrogenase from the halophilic archaeon <i>Haloferax volcanii</i> : homologous overexpression of the cloned gene. <i>Journal of Bacteriology</i> , <b>1996</b> , 178, 3044-8	3.5	42

3	Heterogeneity among estimates of the core genome and pan-genome in different pneumococcal populations	5
2	The Invasive Respiratory Infection Surveillance (IRIS) Initiative reveals significant reductions in invasive bacterial infections during the COVID-19 pandemic	3
1	A dual barcoding approach to bacterial strain nomenclature: Genomic taxonomy of <i>Klebsiella pneumoniae</i> strains	2