

# Christiane A Opitz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/275489/publications.pdf>

Version: 2024-02-01

60  
papers

6,108  
citations

136740

32  
h-index

149479

56  
g-index

64  
all docs

64  
docs citations

64  
times ranked

9028  
citing authors

#	ARTICLE	IF	CITATIONS
1	An endogenous tumour-promoting ligand of the human aryl hydrocarbon receptor. <i>Nature</i> , 2011, 478, 197-203.	13.7	1,514
2	Tryptophan metabolism as a common therapeutic target in cancer, neurodegeneration and beyond. <i>Nature Reviews Drug Discovery</i> , 2019, 18, 379-401.	21.5	805
3	Passive Stiffness Changes Caused by Upregulation of Compliant Titin Isoforms in Human Dilated Cardiomyopathy Hearts. <i>Circulation Research</i> , 2004, 95, 708-716.	2.0	300
4	Isoform Diversity of Giant Proteins in Relation to Passive and Active Contractile Properties of Rabbit Skeletal Muscles. <i>Journal of General Physiology</i> , 2005, 126, 461-480.	0.9	284
5	Toll-Like Receptor Engagement Enhances the Immunosuppressive Properties of Human Bone Marrow-Derived Mesenchymal Stem Cells by Inducing Indoleamine-2,3-dioxygenase-1 via Interferon- $\gamma$ and Protein Kinase R. <i>Stem Cells</i> , 2009, 27, 909-919.	1.4	268
6	IL411 Is a Metabolic Immune Checkpoint that Activates the AHR and Promotes Tumor Progression. <i>Cell</i> , 2020, 182, 1252-1270.e34.	13.5	259
7	Constitutive IDO expression in human cancer is sustained by an autocrine signaling loop involving IL-6, STAT3 and the AHR. <i>Oncotarget</i> , 2014, 5, 1038-1051.	0.8	248
8	Developmentally Regulated Switching of Titin Size Alters Myofibrillar Stiffness in the Perinatal Heart. <i>Circulation Research</i> , 2004, 94, 967-975.	2.0	177
9	Gigantic variety: expression patterns of titin isoforms in striated muscles and consequences for myofibrillar passive stiffness. <i>Journal of Muscle Research and Cell Motility</i> , 2003, 24, 175-189.	0.9	167
10	The therapeutic potential of targeting tryptophan catabolism in cancer. <i>British Journal of Cancer</i> , 2020, 122, 30-44.	2.9	159
11	The Endogenous Tryptophan Metabolite and NAD <sup>+</sup> Precursor Quinolinic Acid Confers Resistance of Gliomas to Oxidative Stress. <i>Cancer Research</i> , 2013, 73, 3225-3234.	0.4	126
12	The Indoleamine-2,3-Dioxygenase (IDO) Inhibitor 1-Methyl-D-tryptophan Upregulates IDO1 in Human Cancer Cells. <i>PLoS ONE</i> , 2011, 6, e19823.	1.1	126
13	Heterogeneity of response to immune checkpoint blockade in hypermutated experimental gliomas. <i>Nature Communications</i> , 2020, 11, 931.	5.8	112
14	Damped elastic recoil of the titin spring in myofibrils of human myocardium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 12688-12693.	3.3	105
15	Tryptophan degradation in autoimmune diseases. <i>Cellular and Molecular Life Sciences</i> , 2007, 64, 2542-2563.	2.4	95
16	Immature mesenchymal stem cell-like pericytes as mediators of immunosuppression in human malignant glioma. <i>Journal of Neuroimmunology</i> , 2013, 265, 106-116.	1.1	81
17	Molecular differences in IDH wildtype glioblastoma according to MGMT promoter methylation. <i>Neuro-Oncology</i> , 2018, 20, 367-379.	0.6	79
18	Pirfenidone inhibits TGF- $\beta$ 2 expression in malignant glioma cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 354, 542-547.	1.0	72

#	ARTICLE	IF	CITATIONS
19	Dietary tryptophan links encephalogenicity of autoreactive T cells with gut microbial ecology. <i>Nature Communications</i> , 2019, 10, 4877.	5.8	69
20	G3BPs tether the TSC complex to lysosomes and suppress mTORC1 signaling. <i>Cell</i> , 2021, 184, 655-674.e27.	13.5	65
21	Upregulation of tryptophanyl-tRNA synthetase adapts human cancer cells to nutritional stress caused by tryptophan degradation. <i>Oncolmmunology</i> , 2018, 7, e1486353.	2.1	62
22	Tryptophan-2,3-Dioxygenase (TDO) deficiency is associated with subclinical neuroprotection in a mouse model of multiple sclerosis. <i>Scientific Reports</i> , 2017, 7, 41271.	1.6	53
23	Microenvironmental Clues for Glioma Immunotherapy. <i>Current Neurology and Neuroscience Reports</i> , 2014, 14, 440.	2.0	51
24	Suppression of TDO-mediated tryptophan catabolism in glioblastoma cells by a steroid-responsive FKBP52-dependent pathway. <i>Glia</i> , 2015, 63, 78-90.	2.5	51
25	The stress kinase GCN2 does not mediate suppression of antitumor T cell responses by tryptophan catabolism in experimental melanomas. <i>Oncolmmunology</i> , 2016, 5, e1240858.	2.1	51
26	Mouse Mesenchymal Stem Cells Suppress Antigen-Specific TH Cell Immunity Independent of Indoleamine 2,3-Dioxygenase 1 (IDO1). <i>Stem Cells and Development</i> , 2010, 19, 657-668.	1.1	49
27	The PI3K and MAPK/p38 pathways control stress granule assembly in a hierarchical manner. <i>Life Science Alliance</i> , 2019, 2, e201800257.	1.3	49
28	Tryptophan 2,3-dioxygenase is regulated by prostaglandin E2 in malignant glioma via a positive signaling loop involving prostaglandin E receptor 4. <i>Journal of Neurochemistry</i> , 2016, 136, 1142-1154.	2.1	48
29	Dynamics of NAD-metabolism: everything but constant. <i>Biochemical Society Transactions</i> , 2015, 43, 1127-1132.	1.6	45
30	Protein kinase C $\delta$ 2 as a therapeutic target stabilizing blood-brain barrier disruption in experimental autoimmune encephalomyelitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 14735-14740.	3.3	43
31	Suppression of human CD4+ T cell activation by 3,4-dimethoxycinnamonyl-anthranilic acid (tranilast) is mediated by CXCL9 and CXCL10. <i>Biochemical Pharmacology</i> , 2011, 82, 632-641.	2.0	41
32	Fourier Transform Infrared Microscopy Enables Guidance of Automated Mass Spectrometry Imaging to Predefined Tissue Morphologies. <i>Scientific Reports</i> , 2018, 8, 313.	1.6	37
33	Resistance Exercise Reduces Kynurenine Pathway Metabolites in Breast Cancer Patients Undergoing Radiotherapy. <i>Frontiers in Oncology</i> , 2019, 9, 962.	1.3	35
34	Production of the endocannabinoids anandamide and 2-arachidonoylglycerol by endothelial progenitor cells. <i>FEBS Letters</i> , 2007, 581, 4927-4931.	1.3	33
35	Suppression of indoleamine-2,3-dioxygenase 1 expression by promoter hypermethylation in ER-positive breast cancer. <i>Oncolmmunology</i> , 2017, 6, e1274477.	2.1	30
36	Tryptophan metabolism in brain tumors – IDO and beyond. <i>Current Opinion in Immunology</i> , 2021, 70, 57-66.	2.4	30

#	ARTICLE	IF	CITATIONS
37	Synovial Fibroblasts Selectively Suppress Th1 Cell Responses through IDO1-Mediated Tryptophan Catabolism. <i>Journal of Immunology</i> , 2017, 198, 3109-3117.	0.4	27
38	Plasticity of cardiac titin/connectin in heart development. <i>Journal of Muscle Research and Cell Motility</i> , 2006, 26, 333-342.	0.9	26
39	Quantitative Analysis of Proteome Modulations in Alveolar Epithelial Type II Cells in Response to Pulmonary <i>Aspergillus fumigatus</i> Infection. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 2184-2198.	2.5	26
40	Functional screening identifies aryl hydrocarbon receptor as suppressor of lung cancer metastasis. <i>Oncogenesis</i> , 2020, 9, 102.	2.1	24
41	Constitutive Expression of the Immunosuppressive Tryptophan Dioxygenase TDO2 in Glioblastoma Is Driven by the Transcription Factor C/EBP $\beta$ . <i>Frontiers in Immunology</i> , 2020, 11, 657.	2.2	24
42	Suppression of Th1 differentiation by tryptophan supplementation in vivo. <i>Amino Acids</i> , 2017, 49, 1169-1175.	1.2	23
43	Hypoxia Inducible Factor 1 $\alpha$ Inhibits the Expression of Immunosuppressive Tryptophan-2,3-Dioxygenase in Glioblastoma. <i>Frontiers in Immunology</i> , 2019, 10, 2762.	2.2	22
44	The TSC Complex-mTORC1 Axis: From Lysosomes to Stress Granules and Back. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 751892.	1.8	22
45	Methylome analyses of three glioblastoma cohorts reveal chemotherapy sensitivity markers within DDR genes. <i>Cancer Medicine</i> , 2020, 9, 8373-8385.	1.3	19
46	Tryptophan metabolism is inversely regulated in the tumor and blood of patients with glioblastoma. <i>Theranostics</i> , 2021, 11, 9217-9233.	4.6	16
47	Painful neuropathy due to intraneural leukemic spread in a patient with acute myeloid leukemia. <i>Neurology</i> , 2007, 69, 707-707.	1.5	14
48	Hypoxia decreases the T helper cell-suppressive capacity of synovial fibroblasts by downregulating IDO1-mediated tryptophan metabolism. <i>Rheumatology</i> , 2020, 59, 1148-1158.	0.9	12
49	ID3 promotes homologous recombination via non-transcriptional and transcriptional mechanisms and its loss confers sensitivity to PARP inhibition. <i>Nucleic Acids Research</i> , 2021, 49, 11666-11689.	6.5	8
50	Hepatocyte-intrinsic type I interferon signaling reprograms metabolism and reveals a novel compensatory mechanism of the tryptophan-kynurenine pathway in viral hepatitis. <i>PLoS Pathogens</i> , 2020, 16, e1008973.	2.1	6
51	Hypoxia Routes Tryptophan Homeostasis Towards Increased Tryptamine Production. <i>Frontiers in Immunology</i> , 2021, 12, 590532.	2.2	6
52	The aryl hydrocarbon receptor as a promoter of malignant glioma. <i>Cell Cycle</i> , 2012, 11, 643-644.	1.3	4
53	From anti-aging drugs to cancer therapy: is there a potential for sirtuin activators in gliomas?. <i>Neuro-Oncology</i> , 2021, 23, 3-5.	0.6	2
54	cDC1 to cDC2: "Everything I do, I do it for you". <i>Immunity</i> , 2022, 55, 967-970.	6.6	1

#	ARTICLE	IF	CITATIONS
55	O6.09 * PROSTAGLANDIN E RECEPTOR-4 ACTIVATION REGULATES TRYPTOPHAN METABOLISM IN HUMAN MALIGNANT GLIOMAS. <i>Neuro-Oncology</i> , 2014, 16, ii14-ii14.	0.6	0
56	A1.28â€¦Synovial fibroblasts suppress TH1, but not TH2 or TH17 cells, through tryptophan metabolism. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, A12.1-A12.	0.5	0
57	Epigenetic regulation of indoleamine-2,3-dioxygenase 1 expression in human breast cancer. <i>Breast</i> , 2017, 32, S31-S32.	0.9	0
58	Measuring tryptophan concentrations of aqueous solutions for cancer research using terahertz time-domain spectroscopy with metal parallel-plate waveguides. , 2017, , .		0
59	AB0068â€¦Hypoxia and rheumatoid phenotype decrease the capacity of synovial fibroblasts to suppress t helper cell proliferation through ido1-mediated tryptophan catabolism. , 2017, , .		0
60	O4.11â€¦Hypoxia and rheumatoid phenotype prevent synovial fibroblasts from suppressing t helper cell proliferation through ido1-mediated tryptophan metabolism. , 2017, , .		0