

Mizuo Ando

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2755941/publications.pdf>

Version: 2024-02-01

71
papers

1,202
citations

394390

19
h-index

434170

31
g-index

75
all docs

75
docs citations

75
times ranked

2349
citing authors

#	ARTICLE	IF	CITATIONS
1	Transforming mutations of RAC guanosine triphosphatases in human cancers. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 3029-3034.	7.1	104
2	The <i>NOTCH4</i> Pathway Induces Epithelial-Mesenchymal Transition in Head and Neck Squamous Cell Carcinoma. Clinical Cancer Research, 2018, 24, 619-633.	7.0	63
3	Chromatin dysregulation and DNA methylation at transcription start sites associated with transcriptional repression in cancers. Nature Communications, 2019, 10, 2188.	12.8	61
4	4E-BP1 Is a Tumor Suppressor Protein Reactivated by mTOR Inhibition in Head and Neck Cancer. Cancer Research, 2019, 79, 1438-1450.	0.9	54
5	Cannabinoids Promote Progression of HPV-Positive Head and Neck Squamous Cell Carcinoma via p38 MAPK Activation. Clinical Cancer Research, 2020, 26, 2693-2703.	7.0	52
6	Comprehensive assay for the molecular profiling of cancer by target enrichment from formalin-fixed paraffin-embedded specimens. Cancer Science, 2019, 110, 1464-1479.	3.9	48
7	Prognostic and histogenetic roles of gene alteration and the expression of key potentially actionable targets in salivary duct carcinomas. Oncotarget, 2018, 9, 1852-1867.	1.8	39
8	Oncogenic MAP2K1 mutations in human epithelial tumors. Carcinogenesis, 2012, 33, 956-961.	2.8	38
9	Cancer-associated missense mutations of caspase-8 activate nuclear factor- κ B signaling. Cancer Science, 2013, 104, 1002-1008.	3.9	38
10	Characterization of Alternative Splicing Events in HPV-Negative Head and Neck Squamous Cell Carcinoma Identifies an Oncogenic DÖCK5 Variant. Clinical Cancer Research, 2018, 24, 5123-5132.	7.0	36
11	Discovery and development of differentially methylated regions in human papillomavirus-related oropharyngeal squamous cell carcinoma. International Journal of Cancer, 2018, 143, 2425-2436.	5.1	35
12	Metastatic Neck Disease Beyond the Limits of a Neck Dissection: Attention to the 'Para-hyoid' Area in T1/2 Oral Tongue Cancer. Japanese Journal of Clinical Oncology, 2009, 39, 231-236.	1.3	34
13	Metastases to the lingual nodes in tongue cancer: A pitfall in a conventional neck dissection. Auris Nasus Larynx, 2010, 37, 386-389.	1.2	32
14	Mutational Landscape and Antiproliferative Functions of ELF Transcription Factors in Human Cancer. Cancer Research, 2016, 76, 1814-1824.	0.9	31
15	Mucosa-associated lymphoid tissue lymphoma presented as diffuse swelling of the parotid gland. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2005, 26, 285-288.	1.3	26
16	Prognostic value of p16 expression irrespective of human papillomavirus status in patients with oropharyngeal carcinoma. Japanese Journal of Clinical Oncology, 2015, 45, 828-836.	1.3	25
17	Salvage surgery for local residual or recurrent pharyngeal cancer after radiotherapy or chemoradiotherapy. Laryngoscope, 2014, 124, 2075-2080.	2.0	23
18	Clinical Features of Human Papilloma Virus-Related Head and Neck Squamous Cell Carcinoma of an Unknown Primary Site. Orl, 2014, 76, 137-146.	1.1	23

#	ARTICLE	IF	CITATIONS
19	Mucoepidermoid carcinoma of the thyroid gland showing marked ciliation suggestive of its pathogenesis. <i>Pathology International</i> , 2008, 58, 741-744.	1.3	22
20	Mutation of chromatin regulators and focal hotspot alterations characterize human papillomavirus-positive oropharyngeal squamous cell carcinoma. <i>Cancer</i> , 2019, 125, 2423-2434.	4.1	22
21	The prognostic value of TP53 mutations in hypopharyngeal squamous cell carcinoma. <i>BMC Cancer</i> , 2017, 17, 898.	2.6	21
22	Negative Human Papillomavirus Status and Excessive Alcohol Consumption are Significant Risk Factors for Second Primary Malignancies in Japanese Patients with Oropharyngeal Carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 564-569.	1.3	18
23	The impact of elevated C-reactive protein level on the prognosis for oro-hypopharynx cancer patients treated with radiotherapy. <i>Scientific Reports</i> , 2017, 7, 17805.	3.3	18
24	Radiotherapy alone and with concurrent chemotherapy for nasopharyngeal carcinoma. <i>Medicine (United States)</i> , 2018, 97, e0502.	1.0	18
25	Comorbidity as predictor poor prognosis for patients with advanced head and neck cancer treated with major surgery. <i>Head and Neck</i> , 2016, 38, 364-369.	2.0	17
26	Recurrent Cancer of the Parotid Gland: How Well Does Salvage Surgery Work for Locoregional Failure?. <i>Orl</i> , 2009, 71, 239-243.	1.1	16
27	Prognostic value of lymphovascular invasion of the primary tumor in hypopharyngeal carcinoma after total laryngopharyngectomy. <i>Head and Neck</i> , 2017, 39, 1535-1543.	2.0	16
28	A novel splice variant of LOXL2 promotes progression of human papillomavirus-negative head and neck squamous cell carcinoma. <i>Cancer</i> , 2020, 126, 737-748.	4.1	16
29	STK10 missense mutations associated with anti-apoptotic function. <i>Oncology Reports</i> , 2013, 30, 1542-1548.	2.6	15
30	Nerve Growth Factor Signals as Possible Pathogenic Biomarkers for Perineural Invasion in Adenoid Cystic Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2015, 153, 218-224.	1.9	15
31	High-throughput resequencing of target-captured cDNA in cancer cells. <i>Cancer Science</i> , 2012, 103, 131-135.	3.9	14
32	Survival impact of local extension sites in surgically treated patients with temporal bone squamous cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2017, 22, 431-437.	2.2	13
33	Aberrant expression of CPSF1 promotes head and neck squamous cell carcinoma via regulating alternative splicing. <i>PLoS ONE</i> , 2020, 15, e0233380.	2.5	13
34	Transcript-targeted analysis reveals isoform alterations and double-hop fusions in breast cancer. <i>Communications Biology</i> , 2021, 4, 1320.	4.4	13
35	All-Exon TP53 Sequencing and Protein Phenotype Analysis Accurately Predict Clinical Outcome after Surgical Treatment of Head and Neck Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 2294-2303.	1.5	12
36	Maxillary carcinosarcoma: Identification of a novel <i>MET</i> mutation in both carcinomatous and sarcomatous components through next generation sequencing. <i>Head and Neck</i> , 2015, 37, E179-85.	2.0	10

#	ARTICLE	IF	CITATIONS
37	Disease control and clinicopathological prognostic factors of total pharyngolaryngectomy for hypopharyngeal cancer: a single-center study. <i>International Journal of Clinical Oncology</i> , 2015, 20, 290-297.	2.2	10
38	Association of the upregulated expression of focal adhesion kinase with poor prognosis and tumor dissemination in hypopharyngeal cancer. <i>Head and Neck</i> , 2016, 38, 1164-1169.	2.0	10
39	Prognostic value of ALDH2 polymorphism for patients with oropharyngeal cancer in a Japanese population. <i>PLoS ONE</i> , 2017, 12, e0187992.	2.5	10
40	Prognostic Implication of Histopathologic Indicators in Salivary Duct Carcinoma. <i>American Journal of Surgical Pathology</i> , 2020, 44, 526-535.	3.7	10
41	Clinical Value of the Epstein-Barr Virus and p16 Status in Patients with Nasopharyngeal Carcinoma: A Single-Centre Study in Japan. <i>Orl</i> , 2016, 78, 334-343.	1.1	8
42	Prolonged denervation induces remodeling of nasal mucosa in rat model of posterior nasal neurectomy. <i>International Forum of Allergy and Rhinology</i> , 2017, 7, 670-678.	2.8	8
43	Transoral surgery for superficial head and neck cancer: National Multi-Center Survey in Japan. <i>Cancer Medicine</i> , 2021, 10, 3848-3861.	2.8	8
44	Induction Chemotherapy for p16 Positive Oropharyngeal Squamous Cell Carcinoma. <i>Laryngoscope Investigative Otolaryngology</i> , 2016, 1, 28-32.	1.5	7
45	The clinicopathological significance of the adipophilin and fatty acid synthase expression in salivary duct carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 291-299.	2.8	7
46	Full-coverage TP53 deep sequencing of recurrent head and neck squamous cell carcinoma facilitates prognostic assessment after recurrence. <i>Oral Oncology</i> , 2021, 113, 105091.	1.5	7
47	Reciprocal activation of HEY1 and NOTCH4 under SOX2 control promotes EMT in head and neck squamous cell carcinoma. <i>International Journal of Oncology</i> , 2020, 58, 226-237.	3.3	7
48	The Role of the EZH2 and H3K27me3 Expression as a Predictor of Clinical Outcomes in Salivary Duct Carcinoma Patients: A Large-Series Study With Emphasis on the Relevance to the Combined Androgen Blockade and HER2-Targeted Therapy. <i>Frontiers in Oncology</i> , 2021, 11, 779882.	2.8	7
49	Spinal solitary fibrous tumor of the neck: Next-generation sequencing-based analysis of genomic aberrations. <i>Auris Nasus Larynx</i> , 2020, 47, 1058-1063.	1.2	5
50	Postoperative mechanical bowel obstruction after pharyngolaryngectomy for hypopharyngeal cancer: Retrospective analysis using a Japanese inpatient database. <i>Head and Neck</i> , 2018, 40, 1548-1554.	2.0	4
51	Current status of superficial pharyngeal squamous cell carcinoma in Japan. <i>International Journal of Clinical Oncology</i> , 2017, 22, 826-833.	2.2	3
52	Caloric restriction reduces basal cell proliferation and results in the deterioration of neuroepithelial regeneration following olfactotoxic mucosal damage in mouse olfactory mucosa. <i>Cell and Tissue Research</i> , 2019, 378, 175-193.	2.9	3
53	Use of intensity-modulated radiation therapy for nasopharyngeal cancer in Japan: analysis using a national database. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 639-645.	1.3	3
54	Salvage surgery for recurrence of hypopharyngeal carcinoma after definitive radiotherapy or chemoradiotherapy. <i>Japanese Journal of Head and Neck Cancer</i> , 2013, 39, 55-59.	0.1	3

#	ARTICLE	IF	CITATIONS
55	Human Papillomavirus 16 Physical Status and the TP53 Codon 72 Polymorphism in Japanese HPV-Positive Oropharyngeal Cancer Patients. <i>Orl</i> , 2016, 78, 46-54.	1.1	2
56	High CT attenuation values relative to the brainstem may predict squamous cell carcinoma arising from inverted papilloma. <i>Acta Oto-Laryngologica</i> , 2019, 139, 1030-1037.	0.9	2
57	Rational genomic optimization of DNA detection for human papillomavirus type 16 in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2020, 42, 688-697.	2.0	2
58	High Incidence of Null-Type Mutations of the TP53 Gene in Japanese Patients with Head and Neck Squamous Cell Carcinoma. <i>Journal of Cancer Therapy</i> , 2014, 05, 664-671.	0.4	2
59	An attempt to control recurrent lesions in the para-hyoid area in oral tongue cancer. <i>Japanese Journal of Head and Neck Cancer</i> , 2010, 36, 303-308.	0.1	2
60	Hypothyroidism after total laryngectomy or laryngopharyngectomy combined with hemithyroidectomy. <i>Journal of Japan Society for Head and Neck Surgery</i> , 2015, 25, 235-239.	0.0	1
61	Chondrosarcoma of the cricoid cartilage treated with organ-preservation surgery – a case report. <i>Journal of Japan Society for Head and Neck Surgery</i> , 2017, 26, 383-387.	0.0	1
62	A clinical study of glottic carcinoma. <i>Japanese Journal of Head and Neck Cancer</i> , 2010, 36, 322-326.	0.1	1
63	Genetic analysis of the TP53 and EGFR genes in head and neck cancers. <i>Japanese Journal of Head and Neck Cancer</i> , 2011, 37, 1-6.	0.1	1
64	Current status of treatment at the board-certified facilities in Japanese Board Certification System for head and neck surgeons. <i>Journal of Japan Society for Head and Neck Surgery</i> , 2021, 31, 45-50.	0.0	0
65	Genomic characterization of head and neck squamous cell carcinoma. <i>Okayama Igakkai Zasshi</i> , 2021, 133, 99-103.	0.0	0
66	Clinical analysis of lateral wall oropharyngeal carcinoma-A retrospective study of 32 cases. <i>Japanese Journal of Head and Neck Cancer</i> , 2008, 34, 526-529.	0.1	0
67	A reconstruction strategy for various types of resection of hypopharyngeal/cervical esophageal cancer. <i>Japanese Journal of Head and Neck Cancer</i> , 2011, 37, 121-125.	0.1	0
68	Association between ear-picking habits and carcinoma of external auditory canal. <i>Japanese Journal of Head and Neck Cancer</i> , 2017, 43, 76-78.	0.1	0
69	Association between aldehyde dehydrogenase-2 polymorphisms, alcohol consumption, and prognosis in Japanese patients with hypopharyngeal cancer. <i>Japanese Journal of Head and Neck Cancer</i> , 2018, 44, 365-369.	0.1	0
70	A case of a fistula of the first branchial cleft. <i>Journal of Japan Society for Head and Neck Surgery</i> , 2019, 29, 93-98.	0.0	0
71	The study of necessity and therapeutic effect of gastrostomy nutrition in concurrent chemoradiation with cisplatin. <i>Journal of Japan Society for Head and Neck Surgery</i> , 2021, 31, 163-170.	0.0	0