Karen Gaudin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2756356/publications.pdf

Version: 2024-02-01

		361045	454577
56	1,068	20	30
papers	citations	h-index	g-index
56	56	56	1308
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Greening Reversed-Phase Liquid Chromatography Methods Using Alternative Solvents for Pharmaceutical Analysis. Molecules, 2018, 23, 1065.	1.7	118
2	Fast screening of highly glycosylated plant sphingolipids by tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2011, 25, 3131-3145.	0.7	76
3	Solid Lipid Nanoparticles for Image-Guided Therapy of Atherosclerosis. Bioconjugate Chemistry, 2016, 27, 569-575.	1.8	61
4	Using an innovative combination of quality-by-design and green analytical chemistry approaches for the development of a stability indicating UHPLC method in pharmaceutical products. Journal of Pharmaceutical and Biomedical Analysis, 2015, 115, 114-122.	1.4	46
5	Phospholipid hydrolysis in a pharmaceutical emulsion assessed by physicochemical parameters and a new analytical method. European Journal of Pharmaceutics and Biopharmaceutics, 2005, 61, 69-76.	2.0	39
6	Biomaterials for Three-Dimensional Cell Culture: From Applications in Oncology to Nanotechnology. Nanomaterials, 2021, 11, 481.	1.9	38
7	Structural analysis of commercial ceramides by gas chromatography–mass spectrometry. Journal of Chromatography A, 2001, 917, 251-260.	1.8	36
8	Retention behaviour of ceramides in sub-critical fluid chromatography in comparison with non-aqueous reversed-phase liquid chromatography. Journal of Chromatography A, 2000, 883, 211-222.	1.8	35
9	Nucleoside-Lipid-Based Nanocarriers for Sorafenib Delivery. Nanoscale Research Letters, 2018, 13, 17.	3.1	32
10	Green analytical method development for statin analysis. Journal of Chromatography A, 2015, 1380, 104-111.	1.8	31
11	Atmospheric pressure photoionization coupled to porous graphitic carbon liquid chromatography for the analysis of globotriaosylceramides. Application to Fabry disease. Journal of Mass Spectrometry, 2006, 41, 50-58.	0.7	30
12	Isolation of ceramide fractions from skin sample by subcritical chromatography with packed silica and evaporative light scattering detection. Journal of Chromatography A, 2003, 1016, 111-121.	1.8	27
13	Adaptation of an evaporative light-scattering detector to micro and capillary liquid chromatography and response assessment. Journal of Chromatography A, 2004, 1051, 43-51.	1.8	27
14	UHPLC method for multiproduct pharmaceutical analysis by Quality-by-Design. Journal of Pharmaceutical and Biomedical Analysis, 2018, 148, 361-368.	1.4	26
15	Eluotropic strength in non-aqueous liquid chromatography with porous graphitic carbon. Journal of Chromatography A, 2002, 973, 61-68.	1.8	25
16	Development of a green HPLC method for the analysis of artesunate and amodiaquine impurities using Quality by Design. Journal of Pharmaceutical and Biomedical Analysis, 2020, 190, 113507.	1.4	25
17	In vitro release and stability of an artesunate rectal gel suitable for pediatric use. International Journal of Pharmaceutics, 2008, 353, 1-7.	2.6	23
18	Development and validation of a rapid capillary electrophoresis method for the determination of oseltamivir phosphate in Tamiflu® and generic versions. Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 544-546.	1.4	23

#	Article	IF	Citations
19	Pharmaceutical development and optimization of azithromycin suppository for paediatric use. International Journal of Pharmaceutics, 2013, 441, 218-226.	2.6	23
20	Development of rectal self-emulsifying suspension of a moisture-labile water-soluble drug. International Journal of Pharmaceutics, 2018, 536, 283-291.	2.6	23
21	The initial pharmaceutical development of an artesunate/amodiaquine oral formulation for the treatment of malaria: a public-private partnership. Malaria Journal, 2011, 10, 142.	0.8	21
22	Postcolumn fluorescence as an alternative to evaporative light scattering detection for ceramide analysis with gradient elution in non-aqueous reversed-phase liquid chromatography. Journal of Chromatography A, 1999, 859, 99-105.	1.8	19
23	Structure–retention diagrams of ceramides established for their identification. Journal of Chromatography A, 2002, 973, 69-83.	1.8	17
24	Stability of artesunate in pharmaceutical solvents. Journal of Pharmaceutical and Biomedical Analysis, 2007, 43, 1019-1024.	1.4	16
25	Microanalytical systems for separations of stratum corneum ceramides. Journal of Separation Science, 2006, 29, 390-398.	1.3	15
26	Wheat digalactosyldiacylglycerol molecular species profiling using porous graphitic carbon stationary phase. Journal of Separation Science, 2004, 27, 1313-1322.	1.3	14
27	Retention behaviour of polyunsaturated fatty acid methyl esters on porous graphitic carbon. Journal of Chromatography A, 2007, 1157, 56-64.	1.8	13
28	Development of a solvent-free analytical method for paracetamol quantitative determination in Blood Brain Barrier in vitro model. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 988, 20-24.	1.2	12
29	Screening paediatric rectal forms of azithromycin as an alternative to oral or injectable treatment. International Journal of Pharmaceutics, 2012, 436, 624-630.	2.6	11
30	Silver Ions Detection via Nucleolipids Self-Assembly. Analytical Chemistry, 2019, 91, 1692-1695.	3.2	11
31	Green Analytical Methods of Antimalarial Artemether-Lumefantrine Analysis for Falsification Detection Using a Low-Cost Handled NIR Spectrometer with DD-SIMCA and Drug Quantification by HPLC. Molecules, 2020, 25, 3397.	1.7	11
32	IMPROVEMENT OF EVAPORATIVE LIGHT SCATTERING DETECTION OF CERAMIDES USING TRIETHYLAMINE AND FORMIC ACID IN NON-AQUEOUS REVERSED PHASE LIQUID CHROMATOGRAPHY. Journal of Liquid Chromatography and Related Technologies, 2000, 23, 387-397.	0.5	10
33	Determination of N,N′-ethylenebisstearamide additive in polymer by normal phase liquid chromatography with evaporative light scattering detection. Journal of Chromatography A, 2007, 1167, 27-34.	1.8	10
34	Determination of artesunate using reversedâ€phase HPLC at increased temperature and ELSD detection. Journal of Separation Science, 2009, 32, 231-237.	1.3	10
35	Investigation of porous graphitic carbon at high-temperature liquid chromatography with evaporative light scattering detection for the analysis of the drug combination artesunateâ€"Azithromycin for the treatment of severe malaria. Journal of Chromatography A, 2010, 1217, 75-81.	1.8	10
36	Analysis of fatty acid samples by hydrophilic interaction liquid chromatography and charged aerosol detector. Journal of Chromatography A, 2015, 1383, 121-126.	1.8	10

3

#	Article	IF	CITATIONS
37	Retention behaviour of unsaturated fatty acid methyl esters on porous graphitic carbon. Journal of Separation Science, 2004, 27, 41-46.	1.3	9
38	Simultaneous Determination of Artemether and Azithromycin in Suppositories by Reversed Phase HPLC. Analytical Letters, 2011, 44, 2732-2743.	1.0	8
39	Preformulation studies of ceftriaxone for pediatric non-parenteral administration as an alternative to existing injectable formulations. European Journal of Pharmaceutical Sciences, 2017, 104, 382-392.	1.9	8
40	Nucleoside-lipid-based nanocarriers for methylene blue delivery: potential application as anti-malarial drug. RSC Advances, 2019, 9, 18844-18852.	1.7	8
41	Application of a xenon arc lamp as a light source for evaporative light scattering detection. Analytical and Bioanalytical Chemistry, 2006, 384, 1302-1307.	1.9	7
42	Development and validation of a capillary electrophoresis method for the determination of sulfate in effervescent tablets. European Journal of Pharmaceutics and Biopharmaceutics, 2006, 64, 33-37.	2.0	6
43	Development of NIRS method for quality control of drug combination artesunate–azithromycin for the treatment of severe malaria. Journal of Pharmaceutical and Biomedical Analysis, 2012, 67-68, 10-15.	1.4	6
44	Green reversedâ€phase HPLC development strategy: Application to artesunate and amodiaquine analysis. Journal of Separation Science, 2020, 43, 4390-4404.	1.3	6
45	Chromatographic study of nucleoside-lipids by RP-UHPLC-DAD/CAD. Analytical and Bioanalytical Chemistry, 2018, 410, 7711-7721.	1.9	5
46	Ceftriaxone Absorption Enhancement for Noninvasive Administration as an Alternative to Injectable Solutions. Antimicrobial Agents and Chemotherapy, 2018, 62, .	1.4	5
47	Chromatographic methods for echinocandin antifungal drugs determination in bioanalysis. Bioanalysis, 2019, 11, 1215-1226.	0.6	5
48	Development of Rectodispersible Tablets and Granulate Capsules for the Treatment of Serious Neonatal Sepsis in Developing Countries. Journal of Pharmaceutical Sciences, 2019, 108, 2805-2813.	1.6	5
49	Analysis of lipid-oligonucleotide conjugates by cyclodextrin-modified capillary zone electrophoresis. Talanta, 2020, 219, 121204.	2.9	5
50	Determination of antifungal caspofungin in RPMI-1640 cell culture medium by column-switching HPLC-FLD. Journal of Pharmaceutical and Biomedical Analysis, 2020, 188, 113366.	1.4	3
51	Oligonucleotide Solid Nucleolipid Nanoparticles against Antibiotic Resistance of ESBL-Producing Bacteria. Pharmaceutics, 2022, 14, 299.	2.0	3
52	Nucleoside-Derived Low-Molecular-Weight Gelators as a Synthetic Microenvironment for 3D Cell Culture. ACS Biomaterials Science and Engineering, 2022, 8, 3387-3398.	2.6	2
53	N,N \hat{a} \in ² -Ethylenebisstearamide Additive in Intravaginal Drug Delivery Device Determined by NP-LC with ELSD. Chromatographia, 2009, 70, 1065-1071.	0.7	1
54	Preliminary pharmaceutical development of antimalarial–antibiotic cotherapy as a pre-referral paediatric treatment of fever in malaria endemic areas. International Journal of Pharmaceutics, 2014, 468, 55-63.	2.6	1

Karen Gaudin

#	Article	IF	CITATIONS
55	An analytical study of lipid-oligonucleotide aggregation properties. Journal of Pharmaceutical and Biomedical Analysis, 2021, 205, 114327.	1.4	1
56	Chromatographic methods for ceramide identification. Lipids, 2001, 36, 1387-1388.	0.7	0