

# Shuzi Hayase

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2756979/publications.pdf>

Version: 2024-02-01

88  
papers

5,314  
citations

109137

35  
h-index

82410

72  
g-index

89  
all docs

89  
docs citations

89  
times ranked

7175  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficient Surface Passivation and Electron Transport Enable Low Temperature-Processed Inverted Perovskite Solar Cells with Efficiency over 20%. ACS Sustainable Chemistry and Engineering, 2020, 8, 8848-8856.	3.2	9
2	Hot-injection and ultrasonic irradiation syntheses of Cs <sub>2</sub> SnI <sub>6</sub> quantum dot using Sn long-chain amino-complex. Journal of Nanoparticle Research, 2020, 22, 1.	0.8	5
3	Enhanced Device Performance with Passivation of the TiO <sub>2</sub> Surface Using a Carboxylic Acid Fullerene Monolayer for a SnPb Perovskite Solar Cell with a Normal Planar Structure. ACS Applied Materials & Interfaces, 2020, 12, 17776-17782.	4.0	24
4	Stability Improvement of Perovskite Solar Cells by Adding SbXanthate to Precursor Solution. Physica Status Solidi (A) Applications and Materials Science, 2020, 217, 2000144.	0.8	3
5	Structured crystallization for efficient all-inorganic perovskite solar cells with high phase stability. Journal of Materials Chemistry A, 2019, 7, 20390-20397.	5.2	25
6	Strain Relaxation and Light Management in Tin-Lead Perovskite Solar Cells to Achieve High Efficiencies. ACS Energy Letters, 2019, 4, 1991-1998.	8.8	114
7	The Effect of Transparent Conductive Oxide Substrate on the Efficiency of SnGe-perovskite Solar Cells. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2019, 32, 597-602.	0.1	5
8	Role of device architecture and AIOX interlayer in organic Schottky diodes and their interpretation by analytical modeling. Journal of Applied Physics, 2019, 126, .	1.1	11
9	Achievable high <i>V<sub>oc</sub></i> of carbon based all-inorganic CsPbI <sub>2</sub> perovskite solar cells through interface engineering. Journal of Materials Chemistry A, 2019, 7, 1227-1232.	5.2	115
10	Pb-free Sn Perovskite Solar Cells Doped with Samarium Iodide. Chemistry Letters, 2019, 48, 836-839.	0.7	6
11	Dependence of ITO-Coated Flexible Substrates in the Performance and Bending Durability of Perovskite Solar Cells. Advanced Engineering Materials, 2019, 21, 1900288.	1.6	32
12	Niobium Incorporation into CsPb <sub>2</sub> Br for Stable and Efficient All-Inorganic Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2019, 11, 19994-20003.	4.0	106
13	Passivation of Grain Boundary by Squaraine Zwitterions for Defect Passivation and Efficient Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2019, 11, 10012-10020.	4.0	70
14	The Role of Lanthanum in a Nickel Oxide-Based Inverted Perovskite Solar Cell for Efficiency and Stability Improvement. ChemSusChem, 2019, 12, 518-526.	3.6	49
15	Solution-processed intermediate-band solar cells with lead sulfide quantum dots and lead halide perovskites. Nature Communications, 2019, 10, 43.	5.8	70
16	Role of GeI <sub>2</sub> and SnF <sub>2</sub> additives for SnGe perovskite solar cells. Nano Energy, 2019, 58, 130-137.	8.2	104
17	Ge <sub>2</sub> Additive for High Optoelectronic Quality CsPb <sub>3</sub> Quantum Dots and Their Application in Photovoltaic Devices. Chemistry of Materials, 2019, 31, 798-807.	3.2	112
18	Tunable Open Circuit Voltage by Engineering Inorganic Cesium Lead Bromide/Iodide Perovskite Solar Cells. Scientific Reports, 2018, 8, 2482.	1.6	62

#	ARTICLE	IF	CITATIONS
19	Rapid Formation and Macroscopic Self-Assembly of Liquid-Crystalline, High-Mobility, Semiconducting Thienothiophene. <i>Advanced Materials Interfaces</i> , 2018, 5, 1700875.	1.9	41
20	Effects of Temperature on Electrochemical Properties of Bismuth Oxide/Manganese Oxide Pseudocapacitor. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 2146-2154.	1.8	54
21	Ultrafast Electron Injection from Photoexcited Perovskite CsPb <sub>3</sub> QDs into TiO <sub>2</sub> Nanoparticles with Injection Efficiency near 99%. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 294-297.	2.1	75
22	Cesium Lead Halide Inorganic-Based Perovskite-Sensitized Solar Cell for Photo-Supercapacitor Application under High Humidity Condition. <i>ACS Applied Energy Materials</i> , 2018, 1, 692-699.	2.5	52
23	Enhanced Crystallization by Methanol Additive in Antisolvent for Achieving High-Quality MAPb <sub>3</sub> Perovskite Films in Humid Atmosphere. <i>ChemSusChem</i> , 2018, 11, 2348-2357.	3.6	70
24	Highly Efficient 17.6% Tin-Lead Mixed Perovskite Solar Cells Realized through Spike Structure. <i>Nano Letters</i> , 2018, 18, 3600-3607.	4.5	114
25	Anisotropic charge transport in highly oriented films of semiconducting polymer prepared by ribbon-shaped floating film. <i>Applied Physics Letters</i> , 2018, 112, .	1.5	40
26	Crystal Growth, Exponential Optical Absorption Edge, and Ground State Energy Level of PbS Quantum Dots Adsorbed on the (001), (110), and (111) Surfaces of Rutile-TiO <sub>2</sub> . <i>Journal of Physical Chemistry C</i> , 2018, 122, 13590-13599.	1.5	3
27	Mixed Sn-Ge Perovskite for Enhanced Perovskite Solar Cell Performance in Air. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 1682-1688.	2.1	206
28	Recombination Suppression in PbS Quantum Dot Heterojunction Solar Cells by Energy-Level Alignment in the Quantum Dot Active Layers. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 26142-26152.	4.0	24
29	Anisotropic Crystal Growth, Optical Absorption, and Ground-State Energy Level of CdSe Quantum Dots Adsorbed on the (001) and (102) Surfaces of Anatase-TiO <sub>2</sub> : Quantum Dot-Sensitization System. <i>Journal of Physical Chemistry C</i> , 2018, 122, 29200-29209.	1.5	3
30	High Electrical Conductivity 2D MXene Serves as Additive of Perovskite for Efficient Solar Cells. <i>Small</i> , 2018, 14, e1802738.	5.2	193
31	Synthesis and Optoelectrical Characterization of Novel Squaraine Dyes Derived from Benzothiophene and Benzofuran. <i>ACS Omega</i> , 2018, 3, 13919-13927.	1.6	5
32	New Tin(II) Fluoride Derivative as a Precursor for Enhancing the Efficiency of Inverted Planar Tin/Lead Perovskite Solar Cells. <i>Journal of Physical Chemistry C</i> , 2018, 122, 27284-27291.	1.5	26
33	Interfacial Sulfur Functionalization Anchoring SnO <sub>2</sub> and CH <sub>3</sub> NH <sub>3</sub> Pb <sub>3</sub> for Enhanced Stability and Trap Passivation in Perovskite Solar Cells. <i>ChemSusChem</i> , 2018, 11, 3941-3948.	3.6	58
34	All-Inorganic CsPb <sub>1-x</sub> Ge <sub>x</sub> I <sub>2</sub> Br Perovskite with Enhanced Phase Stability and Photovoltaic Performance. <i>Angewandte Chemie</i> , 2018, 130, 12927-12931.	1.6	31
35	All-Inorganic CsPb <sub>1-x</sub> Ge <sub>x</sub> I <sub>2</sub> Br Perovskite with Enhanced Phase Stability and Photovoltaic Performance. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 12745-12749.	7.2	157
36	Interface Passivation Effects on the Photovoltaic Performance of Quantum Dot Sensitized Inverse Opal TiO <sub>2</sub> Solar Cells. <i>Nanomaterials</i> , 2018, 8, 460.	1.9	20

#	ARTICLE	IF	CITATIONS
37	Effect of the conduction band offset on interfacial recombination behavior of the planar perovskite solar cells. <i>Nano Energy</i> , 2018, 53, 17-26.	8.2	110
38	Performance Enhancement of Mesoporous TiO <sub>2</sub> -Based Perovskite Solar Cells by SbI <sub>3</sub> Interfacial Modification Layer. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 29630-29637.	4.0	32
39	Anomalous Dielectric Behavior of a Pb/Sn Perovskite: Effect of Trapped Charges on Complex Photoconductivity. <i>ACS Photonics</i> , 2018, 5, 3189-3197.	3.2	21
40	Lead Selenide Colloidal Quantum Dot Solar Cells Achieving High Open-Circuit Voltage with One-Step Deposition Strategy. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 3598-3603.	2.1	38
41	Solution-Processed Air-Stable Copper Bismuth Iodide for Photovoltaics. <i>ChemSusChem</i> , 2018, 11, 2930-2935.	3.6	39
42	Combined theoretical and experimental approaches for development of squaraine dyes with small energy barrier for electron injection. <i>Solar Energy Materials and Solar Cells</i> , 2017, 159, 625-632.	3.0	18
43	Improvement of Photovoltaic Performance of Colloidal Quantum Dot Solar Cells Using Organic Small Molecule as Hole-Selective Layer. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 2163-2169.	2.1	35
44	Ligand-dependent exciton dynamics and photovoltaic properties of PbS quantum dot heterojunction solar cells. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 6358-6367.	1.3	31
45	Direct observation of dramatically enhanced hole formation in a perovskite-solar-cell material spiro-OMeTAD by Li-TFSI doping. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	53
46	Dependences of the Optical Absorption, Ground State Energy Level, and Interfacial Electron Transfer Dynamics on the Size of CdSe Quantum Dots Adsorbed on the (001), (110), and (111) Surfaces of Single Crystal Rutile TiO <sub>2</sub> . <i>Journal of Physical Chemistry C</i> , 2017, 121, 25390-25401.	1.5	6
47	Colloidal Synthesis of Air-Stable Alloyed CsSn <sub>1-x</sub> Pb <sub>x</sub> I <sub>3</sub> Perovskite Nanocrystals for Use in Solar Cells. <i>Journal of the American Chemical Society</i> , 2017, 139, 16708-16719.	6.6	314
48	Investigation of the minimum driving force for dye regeneration utilizing model squaraine dyes for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 22672-22682.	5.2	21
49	Slow hot carrier cooling in cesium lead iodide perovskites. <i>Applied Physics Letters</i> , 2017, 111, .	1.5	56
50	Highly Luminescent Phase-Stable CsPbI <sub>3</sub> Perovskite Quantum Dots Achieving Near 100% Absolute Photoluminescence Quantum Yield. <i>ACS Nano</i> , 2017, 11, 10373-10383.	7.3	748
51	In Situ Fabrication of Integrated Electrode of Perovskite Solar Cells. <i>Chemistry Letters</i> , 2017, 46, 1687-1690.	0.7	6
52	Efficient near infrared fluorescence detection of elastase enzyme using peptide-bound unsymmetrical squaraine dye. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 4024-4029.	1.0	10
53	Improved Reproducibility and Intercalation Control of Efficient Planar Inorganic Perovskite Solar Cells by Simple Alternate Vacuum Deposition of PbI <sub>2</sub> and CsI. <i>ACS Omega</i> , 2017, 2, 4464-4469.	1.6	49
54	Controlling Factors for Orientation of Conjugated Polymer Films in Dynamic Floating-Film Transfer Method. <i>Journal of Nanoscience and Nanotechnology</i> , 2017, 17, 1915-1922.	0.9	34

#	ARTICLE	IF	CITATIONS
55	Effect of Varying Alkyl Chain Length on Thermal Decomposition Temperature of Zinc(II) Xanthates and its Impact on Curing of Epoxy Resin. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2016, 642, 134-139.	0.6	9
56	Rapid Synthesis of Dye-Sensitized Solar Cells through a One-Pot Three-Component Suzuki-Miyaura Coupling and an Evaluation of their Photovoltaic Properties for Use in Dye-Sensitized Solar Cells. <i>Chemistry - A European Journal</i> , 2016, 22, 2507-2514.	1.7	17
57	Air Stable PbSe Colloidal Quantum Dot Heterojunction Solar Cells: Ligand-Dependent Exciton Dissociation, Recombination, Photovoltaic Property, and Stability. <i>Journal of Physical Chemistry C</i> , 2016, 120, 28509-28518.	1.5	45
58	Oxygen vacancy formation and migration in double perovskite $\text{Sr}_{2-x}\text{CrMoO}_6$ : a first-principles study. <i>RSC Advances</i> , 2016, 6, 43034-43040.	1.7	13
59	Mechanisms of charge accumulation in the dark operation of perovskite solar cells. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 14970-14975.	1.3	11
60	Transparent conductive oxide-less dye-sensitized solar cells (TCO-less DSSC) with titanium nitride compact layer on back contact Ti metal mesh. <i>Journal of Applied Electrochemistry</i> , 2016, 46, 551-557.	1.5	7
61	Architecture of the Interface between the Perovskite and Hole-Transport Layers in Perovskite Solar Cells. <i>ChemSusChem</i> , 2016, 9, 2634-2639.	3.6	27
62	Facile Synthesis and Characterization of Sulfur Doped Low Bandgap Bismuth Based Perovskites by Soluble Precursor Route. <i>Chemistry of Materials</i> , 2016, 28, 6436-6440.	3.2	87
63	Concentration gradient-controlled growth of large-grain $\text{CH}_3\text{NH}_3\text{PbI}_3$ films and enhanced photovoltaic performance of solar cells under ambient conditions. <i>CrystEngComm</i> , 2016, 18, 9243-9251.	1.3	11
64	First principles analysis of oxygen vacancy formation and migration in $\text{Sr}_2\text{BMO}_6$ (B = Mg, Co, Ni). <i>RSC Advances</i> , 2016, 6, 31968-31975.	1.7	15
65	Efficiency enhancement by changing perovskite crystal phase and adding a charge extraction interlayer in organic amine free-perovskite solar cells based on cesium. <i>Solar Energy Materials and Solar Cells</i> , 2016, 144, 532-536.	3.0	79
66	Investigation of metal xanthates as latent curing catalysts for epoxy resin via formation of in-situ metal sulfides. <i>Inorganica Chimica Acta</i> , 2015, 435, 292-298.	1.2	7
67	Electronic structures of two types of $\text{TiO}_2$ electrodes: inverse opal and nanoparticulate cases. <i>RSC Advances</i> , 2015, 5, 49623-49632.	1.7	26
68	Optical absorption, charge separation and recombination dynamics in Sn/Pb cocktail perovskite solar cells and their relationships to photovoltaic performances. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9308-9316.	5.2	85
69	Relationship between diffusion of $\text{Co}^{3+}/\text{Co}^{2+}$ redox species in nanopores of porous titania stained with dye molecules, dye molecular structures, and photovoltaic performances. <i>RSC Advances</i> , 2015, 5, 83725-83731.	1.7	5
70	Nonisothermal curing kinetics of epoxy resin composite utilizing Ga (III) xanthate as a latent catalyst. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	4
71	Transparent conductive oxide-less back contact dye-sensitized solar cells using cobalt electrolyte. <i>Progress in Photovoltaics: Research and Applications</i> , 2015, 23, 1100-1109.	4.4	17
72	All-Solid Perovskite Solar Cells with $\text{HOCO-R-NH}_3^+ \text{I}^-$ Anchor-Group Inserted between Porous Titania and Perovskite. <i>Journal of Physical Chemistry C</i> , 2014, 118, 16651-16659.	1.5	191

#	ARTICLE	IF	CITATIONS
73	Transparent conductive oxide-less back contact dye-sensitized solar cells using Zinc porphyrin dye employing cobalt complex redox shuttle. , 2014, , .		0
74	Gallium(iii) xanthate as a novel thermal latent curing agent for an epoxy resin composite. RSC Advances, 2014, 4, 24658-24661.	1.7	5
75	Fabrication and characterization of coil type transparent conductive oxide-less cylindrical dye-sensitized solar cells. RSC Advances, 2014, 4, 22959-22963.	1.7	5
76	Effect of TiO <sub>2</sub> Crystal Orientation on the Adsorption of CdSe Quantum Dots for Photosensitization Studied by the Photoacoustic and Photoelectron Yield Methods. Journal of Physical Chemistry C, 2014, 118, 16680-16687.	1.5	10
77	CH <sub>3</sub> NH <sub>3</sub> SnX <sub>3</sub> Pb(1-x)I <sub>3</sub> Perovskite Solar Cells Covering up to 1060 nm. Journal of Physical Chemistry Letters, 2014, 5, 1004-1011.	2.1	852
78	Transparent conductive oxide-less three-dimensional cylindrical dye-sensitized solar cell fabricated with flexible metal mesh electrode. Progress in Photovoltaics: Research and Applications, 2013, 21, 517-524.	4.4	8
79	Single-step fabrication of all-solid dye-sensitized solar cells using solution-processable precursor. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 1846-1850.	0.8	3
80	Electrophoretic deposition onto an insulator for thin film preparation toward electronic device fabrication. Applied Physics Letters, 2012, 101, .	1.5	17
81	The Application of Ti Precursor Solutions to Dye-Sensitized Solar Cells. Electrochemistry, 2011, 79, 807-809.	0.6	1
82	Multiple electron injection from dyes to titania layer for high efficiency-dye-sensitized solar cells. , 2011, , .		0
83	Transparent conductive oxide layer-less dye-sensitized solar cells consisting of floating electrode with gradient TiO <sub>x</sub> blocking layer. Applied Physics Letters, 2009, 94, .	1.5	38
84	Direction to High Efficiency-dye-sensitized Solar Cells. IEEJ Transactions on Fundamentals and Materials, 2008, 128, 573-576.	0.2	1
85	Fabrication of Ion-Paths for Ionic Liquid Type Quasi-Solid Dye Sensitized Solar Cell. Materials Research Society Symposia Proceedings, 2006, 965, 1.	0.1	0
86	Spun-on carbon antireflective layer with etch resistance for deep and vacuum ultraviolet lithography processes. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2001, 19, 2385.	1.6	2
87	Introduction of "spike-like" conduction band of TiO <sub>2</sub> compact layer for perovskite solar cells. , 0, , .		0
88	Prospects and Challenges with Dye-Sensitized Solar Cells utilizing Far-red Sensitive Dyes and Cobalt Complex Redox Electrolyte. , 0, , .		0