
## Kathrine J Vinknes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2756995/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Intake of carbohydrates and SFA and risk of CHD in middle-age adults: the Hordaland Health Study (HUSK). Public Health Nutrition, 2022, 25, 634-648.	1.1	4
2	Assessment of Dietary Choline Intake, Contributing Food Items, and Associations with One-Carbon and Lipid Metabolites in Middle-Aged and Elderly Adults: The Hordaland Health Study. Journal of Nutrition, 2022, 152, 513-524.	1.3	8
3	Plasma Sulfur Amino Acids and Risk of Cerebrovascular Diseases. Stroke, 2021, 52, 172-180.	1.0	5
4	Effects of short-term methionine and cysteine restriction and enrichment with polyunsaturated fatty acids on oral glucose tolerance, plasma amino acids, fatty acids, lactate and pyruvate: results from a pilot study. BMC Research Notes, 2021, 14, 43.	0.6	8
5	Sulfur amino acid restriction, energy metabolism and obesity: a study protocol of an 8-week randomized controlled dietary intervention with whole foods and amino acid supplements. Journal of Translational Medicine, 2021, 19, 153.	1.8	12
6	Food Sources Contributing to Intake of Choline and Individual Choline Forms in a Norwegian Cohort of Patients With Stable Angina Pectoris. Frontiers in Nutrition, 2021, 8, 676026.	1.6	9
7	Creatinine, total cysteine and uric acid are associated with serum retinol in patients with cardiovascular disease. European Journal of Nutrition, 2020, 59, 2383-2393.	1.8	10
8	Exhaustive Exercise and Post-exercise Protein Plus Carbohydrate Supplementation Affect Plasma and Urine Concentrations of Sulfur Amino Acids, the Ratio of Methionine to Homocysteine and Glutathione in Elite Male Cyclists. Frontiers in Physiology, 2020, 11, 609335.	1.3	8
9	Postprandial effects of a meal low in sulfur amino acids and high in polyunsaturated fatty acids compared to a meal high in sulfur amino acids and saturated fatty acids on stearoyl CoA-desaturase indices and plasma sulfur amino acids: a pilot study. BMC Research Notes, 2020, 13, 379.	0.6	9
10	Association of dietary vitamin K and risk of coronary heart disease in middle-age adults: the Hordaland Health Study Cohort. BMJ Open, 2020, 10, e035953.	0.8	21
11	Effects of dietary methionine and cysteine restriction on plasma biomarkers, serum fibroblast growth factor 21, and adipose tissue gene expression in women with overweight or obesity: a double-blind randomized controlled pilot study. Journal of Translational Medicine, 2020, 18, 122.	1.8	48
12	Why we can probably trust public policy dietary guidelines for prevention. European Journal of Preventive Cardiology, 2020, , .	0.8	0
13	Adherence to the Healthy Nordic Food Index and the incidence of acute myocardial infarction and mortality among patients with stable angina pectoris. Journal of Human Nutrition and Dietetics, 2019, 32, 86-97.	1.3	15
14	Does Lifestyle Intervention After Gastric Bypass Surgery Prevent Weight Regain? A Randomized Clinical Trial. Obesity Surgery, 2019, 29, 3419-3431.	1.1	14
15	Plasma Sulphur-Containing Amino Acids, Physical Exercise and Insulin Sensitivity in Overweight Dysglycemic and Normal Weight Normoglycemic Men. Nutrients, 2019, 11, 10.	1.7	44
16	Plasma amino acids, adiposity, and weight change after gastric bypass surgery: are amino acids associated with weight regain?. European Journal of Nutrition, 2018, 57, 2629-2637.	1.8	21
17	Combining Dietary Sulfur Amino Acid Restriction with Polyunsaturated Fatty Acid Intake in Humans: A Randomized Controlled Pilot Trial. Nutrients, 2018, 10, 1822.	1.7	38
18	The risk association of plasma total homocysteine with acute myocardial infarction is modified by serum vitamin A. European Journal of Preventive Cardiology, 2018, 25, 1612-1620.	0.8	9

KATHRINE J VINKNES

#	Article	IF	CITATIONS
19	Dietary Choline Intake Is Directly Associated with Bone Mineral Density in the Hordaland Health Study. Journal of Nutrition, 2017, 147, 572-578.	1.3	13
20	Cardiovascular disease risk associated with serum apolipoprotein B is modified by serum vitamin A. Atherosclerosis, 2017, 265, 325-330.	0.4	12
21	Association between weight change and mortality in community living older people followed for up to 14 years. The Hordaland Health Study (HUSK). Journal of Nutrition, Health and Aging, 2017, 21, 909-917.	1.5	21
22	The relation of CUN-BAE index and BMI with body fat, cardiovascular events and diabetes during a 6-year follow-up: the Hordaland Health Study. Clinical Epidemiology, 2017, Volume 9, 555-566.	1.5	23
23	Low-carbohydrate diets increase LDL-cholesterol, and thereby indicate increased risk of CVD. British Journal of Nutrition, 2016, 115, 2264-2266.	1.2	5
24	Effects of low-carbohydrate diets <i>v</i> . low-fat diets on body weight and cardiovascular risk factors: a meta-analysis of randomised controlled trials. British Journal of Nutrition, 2016, 115, 466-479.	1.2	348
25	Associations between plasma polyunsaturated fatty acids, plasma stearoyl oA desaturase indices and body fat. Obesity, 2013, 21, E512-9.	1.5	15
26	Plasma stearoyl oA desaturase indices: Association with lifestyle, diet, and body composition. Obesity, 2013, 21, E294-302.	1.5	47
27	Plasma sulfur amino acids and stearoyl-CoA desaturase activity in two caucasian populations. Prostaglandins Leukotrienes and Essential Fatty Acids, 2013, 89, 297-303.	1.0	12
28	Evaluation of the Body Adiposity Index in a Caucasian Population: The Hordaland Health Study. American Journal of Epidemiology, 2013, 177, 586-592.	1.6	35
29	Molecular Nutrition Research—The Modern Way Of Performing Nutritional Science. Nutrients, 2012, 4, 1898-1944.	1.7	58
30	Dietary Intake of Protein Is Positively Associated with Percent Body Fat in Middle-Aged and Older Adults. Journal of Nutrition, 2011, 141, 440-446.	1.3	33