

Ligita Jokubkiene

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2757871/ligita-jokubkiene-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33

papers

355

citations

12

h-index

18

g-index

64

ext. papers

507

ext. citations

5.5

avg, IF

3.29

L-index

#	Paper	IF	Citations
33	Intrauterine vertical SARS-CoV-2 infection: a case confirming transplacental transmission followed by divergence of the viral genome. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1388-1394	3.7	14
32	Psychological impact of early miscarriage and client satisfaction with treatment: comparison between expectant management and misoprostol treatment in a randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 757-765	5.8	1
31	Typical ultrasound features of various endometrial pathologies described using International Endometrial Tumor Analysis (IETA) terminology in women with abnormal uterine bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 164-172	5.8	12
30	Vessel morphology depicted by three-dimensional power Doppler ultrasound as second-stage test in adnexal tumors that are difficult to classify: prospective diagnostic accuracy study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 324-334	5.8	4
29	Ovarian borderline tumor presenting as ovarian torsion in a 17-year-old patient: a case report. <i>Journal of Medical Case Reports</i> , 2021 , 15, 7	1.2	
28	Consensus on revised definitions of morphological uterus sonographic assessment (MUSA) features of adenomyosis: results of a modified Delphi procedure. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 ,	5.8	7
27	Predictors of complete miscarriage after expectant management or misoprostol treatment of non-viable early pregnancy in women with vaginal bleeding. <i>Archives of Gynecology and Obstetrics</i> , 2020 , 302, 1279-1296	2.5	1
26	Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020 , 370, m2614	5.9	16
25	Intra- and Inter-Rater Agreement Describing Myometrial Lesions Using Morphologic Uterus Sonographic Assessment: A Pilot Study. <i>Journal of Ultrasound in Medicine</i> , 2019 , 38, 2673-2683	2.9	5
24	Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. <i>Lancet Oncology, The</i> , 2019 , 20, 448-458	21.7	55
23	International Endometrial Tumor Analysis (IETA) terminology in women with postmenopausal bleeding and sonographic endometrial thickness ≥ 5 mm: agreement and reliability study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 259-268	5.8	13
22	Counting ovarian antral follicles by ultrasound: a practical guide. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 10-20	5.8	47
21	Misoprostol treatment vs expectant management in women with early non-viable pregnancy and vaginal bleeding: a pragmatic randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 24-32	5.8	12
20	The Impact of the Biological Variability or Assay Performance on AMH Measurements: A Prospective Cohort Study With AMH Tested on Three Analytical Assay-Platforms. <i>Frontiers in Endocrinology</i> , 2018 , 9, 603	5.7	14
19	Transvaginal ultrasound examination of the endometrium in postmenopausal women without vaginal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 48, 390-6	5.8	13
18	Appearance of the endometrium at saline contrast sonohysterography in the luteal phase of the menstrual cycle: a prospective observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 339-45	5.8	10
17	Prevalence of extrauterine pelvic lesions on transvaginal ultrasound in asymptomatic 20-39-year-old women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 44, 228-37	5.8	

16	Ovarian size and vascularization as assessed by three-dimensional grayscale and power Doppler ultrasound in asymptomatic women 20-39 years old using combined oral contraceptives. <i>Contraception</i> , 2012 , 86, 257-67	2.5	16
15	Number of antral follicles, ovarian volume, and vascular indices in asymptomatic women 20 to 39 years old as assessed by 3-dimensional sonography: a prospective cross-sectional study. <i>Journal of Ultrasound in Medicine</i> , 2012 , 31, 1635-49	2.9	26
14	OC17.06: Clinical Data Miner (CDM) web-based electronic data capture framework for multi-centric studies with imaging modalities. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 33-33	5.8	
13	OC27.03: Incidental ultrasound findings in the ovaries of asymptomatic premenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 49-49	5.8	
12	OP08.04: Showing pictograms in electronic data capture software improves interrater agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 78-79	5.8	1
11	OP19.07: Reference values for size and vascularization of ovaries in premenopausal women obtained by three-dimensional gray scale and power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 112-112	5.8	
10	OP24.05: Intra- and inter-observer reproducibility of Doppler ultrasound features in adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 126-126	5.8	
9	OP24.08: Intra- and inter-observer reproducibility of two morphological ultrasound features of adnexal masses and of ultrasound diagnosis regarding malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 127-127	5.8	
8	P11.02: The appearance of the endometrium at saline contrast sonohysterography in the luteal phase. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 208-208	5.8	
7	OC133: High prevalence of defects in caesarean section scars at transvaginal ultrasound examination. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 286-286	5.8	
6	OC134: Agreement between transvaginal ultrasound examination performed before and after hydrososonography with regard to caesarean section scar defects. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 286-286	5.8	
5	OP23.01: Long duration of labor and post-partum anemia increase the risk of large defects in caesarean section scars. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 389-389	5.8	2
4	Does three-dimensional power Doppler ultrasound help in discrimination between benign and malignant ovarian masses?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 29, 215-25	5.8	82
3	OC16.04: Three-dimensional power Doppler ultrasound for discrimination between benign and malignant ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 335-335	5.8	
2	OC16.07: Assessment of the vascular tree in ovarian tumors using 3D power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 336-336	5.8	
1	P13.08: Assessment of changes in volume and vascularity of the ovaries during the normal menstrual cycle using three-dimensional power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 460-460	5.8	