

Udo Radius

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2758265/udo-radius-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140

papers

5,283

citations

41

h-index

66

g-index

154
ext. papers

6,192
ext. citations

5.8
avg, IF

6.19
L-index

#	Paper	IF	Citations
140	First-Row d-Block Element-Catalyzed Carbon-Boron Bond Formation and Related Processes. <i>Chemical Reviews</i> , 2021 , 121, 13238-13341	68.1	27
139	Visible-light-driven graphene supported Cu/Pd alloy nanoparticle-catalyzed borylation of alkyl bromides and chlorides in air. <i>Journal of Catalysis</i> , 2021 , 395, 258-265	7.3	5
138	Tris(pentafluoroethyl)difluorophosphorane and N-Heterocyclic Carbenes: Adduct Formation and Frustrated Lewis Pair Reactivity. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 1941-1960	2.3	2
137	Ni-Catalyzed Borylation of Aryl Sulfoxides. <i>Chemistry - A European Journal</i> , 2021 , 27, 8149-8158	4.8	5
136	Das 1,3-Bis(tricyanoboran)imidazolin-2-ylidenat-Anion [Ein ditopischer dianionischer N-heterocyclischer Carben-Ligand. <i>Angewandte Chemie</i> , 2021 , 133, 18118-18125	3.6	2
135	Transition Metal Catalyst-Free, Base-Promoted 1,2-Additions of Polyfluorophenylboronates to Aldehydes and Ketones. <i>Angewandte Chemie</i> , 2021 , 133, 16665-16674	3.6	0
134	Transition Metal Catalyst-Free, Base-Promoted 1,2-Additions of Polyfluorophenylboronates to Aldehydes and Ketones. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 16529-16538	16.4	0
133	1,3-Bis(tricyanoborane)imidazoline-2-ylidene Anion-A Ditopic Dianionic N-Heterocyclic Carbene Ligand. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 17974-17980	16.4	3
132	Base-Free Pd-Catalyzed C-Cl Borylation of Fluorinated Aryl Chlorides. <i>Chemistry - A European Journal</i> , 2021 , 27, 3869-3874	4.8	6
131	Fluorinated Aryl Boronates as Building Blocks in Organic Synthesis. <i>Advanced Synthesis and Catalysis</i> , 2021 , 363, 2224-2255	5.6	16
130	Tris(pentafluoroethyl)difluorophosphorane: A Versatile Fluoride Acceptor for Transition Metal Chemistry. <i>Chemistry - A European Journal</i> , 2021 , 27, 3504-3516	4.8	4
129	A General Synthetic Route to NHC-Phosphinidenes: NHC-mediated Dehydrogenation of Primary Phosphines. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2021 , 647, 881-895	1.3	1
128	N-Heterocyclic Silylene Main Group Element Chemistry: Adduct Formation, Insertion into E-X Bonds and Cyclization of Organoazides. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 548-561	2.3	3
127	Photoinduced Borylation for the Synthesis of Organoboron Compounds. <i>Chemical Reviews</i> , 2021 , 121, 3561-3597	68.1	45
126	[Ni(NHC)] as a Scaffold for Structurally Characterized trans [H-Ni-PR] and trans [R P-Ni-PR] Complexes. <i>Chemistry - A European Journal</i> , 2021 , 27, 13221-13234	4.8	1
125	N-Heterocyclic Carbene and Cyclic (Alkyl)(amino)carbene Adducts of Antimony(III). <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 4007	2.3	2
124	NON-Ligated N-Heterocyclic Tetrylenes. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 3591-3600	2.3	0

123	C-F bond activation of perfluorinated arenes using NHC-stabilized cobalt half-sandwich complexes. <i>New Journal of Chemistry</i> , 2021 , 45, 14999-15016	3.6	0
122	N-Heterocyclic silylenes as ambiphilic activators and ligands. <i>Dalton Transactions</i> , 2021 , 50, 6752-6765	4.3	9
121	N-Heterocyclic Silylenes as Ligands in Transition Metal Carbonyl Chemistry: Nature of Their Bonding and Supposed Innocence. <i>Chemistry - A European Journal</i> , 2020 , 26, 11276-11292	4.8	16
120	Regio- and Stereoselective Synthesis of 1,1-Diborylalkenes via Brønsted Base-Catalyzed Mixed Diboration of Alkynyl Esters and Amides with BpinBdan. <i>European Journal of Organic Chemistry</i> , 2020 , 2020, 1941-1946	3.2	15
119	Palladium-Catalyzed Homocoupling of Highly Fluorinated Arylboronates: Studies of the Influence of Strongly vs Weakly Coordinating Solvents on the Reductive Elimination Process. <i>Journal of the American Chemical Society</i> , 2020 , 142, 6036-6050	16.4	18
118	Large vs. Small NHC Ligands in Nickel(0) Complexes: The Coordination of Olefins, Ketones and Aldehydes at [Ni(NHC)2]. <i>European Journal of Inorganic Chemistry</i> , 2020 , 2020, 3194-3207	2.3	3
117	Ni-Catalyzed Traceless, Directed C3-Selective C-H Borylation of Indoles. <i>Journal of the American Chemical Society</i> , 2020 , 142, 13136-13144	16.4	30
116	High photocatalytic activity of a NiO nanodot-decorated Pd/SiC catalyst for the Suzuki-Miyaura cross-coupling of aryl bromides and chlorides in air under visible light. <i>Journal of Catalysis</i> , 2020 , 389, 517-524	7.3	16
115	Nickel Tetracarbonyl as Starting Material for the Synthesis of NHC-stabilized Nickel(II) Allyl Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2020 , 646, 692-704	1.3	2
114	NHC-stabilized copper(I) aryl complexes and their transmetalation reaction with aryl halides. <i>Journal of Organometallic Chemistry</i> , 2020 , 919, 121249	2.3	6
113	N-Heterocyclic Carbene and Cyclic (Alkyl)(amino)carbene Complexes of Titanium(IV) and Titanium(III). <i>European Journal of Inorganic Chemistry</i> , 2020 , 2020, 281-291	2.3	8
112	Visible-Light-Induced Ni-Catalyzed Radical Borylation of Chloroarenes. <i>Journal of the American Chemical Society</i> , 2020 , 142, 18231-18242	16.4	22
111	Coligand role in the NHC nickel catalyzed C-F bond activation: investigations on the insertion of bis(NHC) nickel into the C-F bond of hexafluorobenzene. <i>Chemical Science</i> , 2020 , 11, 11009-11023	9.4	11
110	Copper-Catalyzed Oxidative Cross-Coupling of Electron-Deficient Polyfluorophenylboronate Esters with Terminal Alkynes. <i>Chemistry - A European Journal</i> , 2020 , 26, 17267-17274	4.8	11
109	-Heterocyclic Silylenes as Metal-Metal Bridges and Metal-Halide Activators in Transition Metal Complexes. <i>Inorganic Chemistry</i> , 2020 , 59, 10976-10985	5.1	10
108	Bis-NHC Aluminium and Gallium Dihydride Cations [(NHC)2EH2] ⁺ (E = Al, Ga). <i>European Journal of Inorganic Chemistry</i> , 2020 , 2020, 4015-4023	2.3	8
107	Copper-Catalyzed Synthesis of Stereodefined Cyclopropyl Bis(boronates) from Alkenes with CO as the C1 Source. <i>Journal of the American Chemical Society</i> , 2020 , 142, 14074-14079	16.4	20
106	N-Heterocyclic carbene and cyclic (alkyl)(amino)carbene adducts of gallium hydrides, gallium chlorides and gallium hydrochlorides. <i>Dalton Transactions</i> , 2020 , 49, 11108-11119	4.3	14

105	NHC-Stabilized Nickel Olefin, Dialkyl, and Dicyanido Complexes. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 3061-3072	2.3	9
104	The Coupling of N-Heterocyclic Carbenes to Terminal Alkynes at Half Sandwich Cobalt NHC Complexes. <i>Organometallics</i> , 2019 , 38, 2558-2572	3.8	11
103	Copper-catalysed borylation of aryl chlorides. <i>Organic and Biomolecular Chemistry</i> , 2019 , 17, 6601-6606	3.9	24
102	FBpin and its adducts and their role in catalytic borylations. <i>Faraday Discussions</i> , 2019 , 220, 350-363	3.6	13
101	[Ni ₃ (iPr ₂ Im) ₃ (μ 2-CO) ₃ (μ 3-CO)] A CO-Stabilized NHC Analogue of the Parent Neutral Nickel Chini-Type Cluster. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 2618-2623	2.3	7
100	Stoichiometric and Catalytic Aryl-Cl Activation and Borylation using NHC-stabilized Nickel(0) Complexes. <i>Chemistry - A European Journal</i> , 2019 , 25, 9514-9521	4.8	23
99	Copper-Catalysed Suzuki-Miyaura Cross-Coupling of Highly Fluorinated Aryl Boronate Esters with Aryl Iodides and Bromides and Fluoroarene-Arene π-Stacking Interactions in the Products. <i>ChemCatChem</i> , 2019 , 11, 5387-5396	5.2	24
98	Intramolecular Ring-Expansion Reaction (RER) and Intermolecular Coordination of In Situ Generated Cyclic (Amino)(aryl)carbenes (cAArcs). <i>Chemistry - A European Journal</i> , 2019 , 25, 11365-11374	4.8	14
97	NHC Nickel Catalyzed Hiyama- and Negishi-Type Cross-Coupling of Aryl Fluorides and Investigations on the Stability of Nickel(II) Fluoroaryl Alkyl Complexes. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 1767-1775	2.3	11
96	Cyclische (Alkyl)(Amino) Carbene. <i>Chemie in Unserer Zeit</i> , 2019 , 53, 212-223	0.2	11
95	Copper(I) complexes of N-alkyl-substituted N-Heterocyclic carbenes. <i>Journal of Organometallic Chemistry</i> , 2019 , 881, 25-33	2.3	12
94	Asymmetrically Substituted Tetrahedral Cobalt NHC Complexes and Their Use as ALD as well as Low-Temperature CVD Precursors. <i>Organometallics</i> , 2018 , 37, 1181-1191	3.8	8
93	Hydride Amide and Hydride Phenolate Complexes of NHC Coordinated Aluminum. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2018 , 644, 1243-1251	1.3	11
92	Investigation of Organonickel-Pentafluoroorthotellurates. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2018 , 644, 1047-1050	1.3	1
91	Selective Photocatalytic C-F Borylation of Polyfluoroarenes by Rh/Ni Dual Catalysis Providing Valuable Fluorinated Arylboronate Esters. <i>Journal of the American Chemical Society</i> , 2018 , 140, 17612-17623	1.4	87
90	NHC-Alane Adducts as Hydride Sources in the Hydrodefluorination of Fluoroaromatics and Fluoroolefins. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 4031-4043	2.3	17
89	Ligand versus Complex: C-F and C-H Bond Activation of Polyfluoroaromatics at a Cyclic (Alkyl)(Amino)Carbene. <i>Chemistry - A European Journal</i> , 2017 , 23, 3993-4009	4.8	63
88	Electronic Structure and Excited-State Dynamics of an Arduengo-Type Carbene and its Imidazolone Oxidation Product. <i>Chemistry - A European Journal</i> , 2017 , 23, 3084-3090	4.8	6

87	B-B bond activation and NHC ring-expansion reactions of diboron(4) compounds, and accurate molecular structures of B(NMe), Beg, Bneop and Bpin. <i>Dalton Transactions</i> , 2017 , 46, 3661-3680	4.3	50
86	What Wanzlick Did Not Dare To Dream: Cyclic (Alkyl)(amino)carbenes (cAACs) as New Key Players in Transition-Metal Chemistry. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 3362-3375	2.3	94
85	Reactivity of NHC Alane Adducts towards N-Heterocyclic Carbenes and Cyclic (Alkyl)(amino)carbenes: Ring Expansion, Ring Opening, and Al-H Bond Activation. <i>Chemistry - A European Journal</i> , 2017 , 23, 12387-12398	4.8	53
84	Synthesis and Reactivity of Cyclic (Alkyl)(Amino)Carbene Stabilized Nickel Carbonyl Complexes. <i>Organometallics</i> , 2017 , 36, 1398-1407	3.8	25
83	Reversible Oxidative Addition at Carbon. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 10209-10213	4.4	134
82	Synthesis and Reactivity of NHC-Stabilized Iron(II)Mesityl Complexes. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 2600-2616	2.3	12
81	Facile insertion of a cyclic alkyl(amino) carbene carbon into the B-B bond of diboron(4) reagents. <i>Chemical Communications</i> , 2017 , 53, 11694-11696	5.8	35
80	Reversible oxidative Addition an Kohlenstoff. <i>Angewandte Chemie</i> , 2017 , 129, 10343-10347	3.6	17
79	Adduct Formation, B-H Activation and Ring Expansion at Room Temperature from Reactions of HBcat with NHCs. <i>Chemistry - A European Journal</i> , 2016 , 22, 13032-6	4.8	62
78	Synthesis and Thermal Properties of Novel NHC-Stabilized Cobalt Carbonyl Nitrosyl Complexes. <i>Organometallics</i> , 2016 , 35, 2806-2821	3.8	16
77	To Rearrange or not to Rearrange: Reactivity of NHCs towards Chloro- and Hydrostannanes R2SnCl2 (R = Me, Ph) and Ph3SnH. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2016 , 642, 1282-1286	1.3	15
76	NHC Nickel-Catalyzed Suzuki-Miyaura Cross-Coupling Reactions of Aryl Boronate Esters with Perfluorobenzenes. <i>Journal of Organic Chemistry</i> , 2016 , 81, 5789-94	4.2	65
75	Iridium-catalysed dehydrocoupling of aryl phosphine-borane adducts: synthesis and characterisation of high molecular weight poly(phosphinoboranes). <i>Chemical Communications</i> , 2016 , 52, 8573-6	5.8	30
74	25 years of N-heterocyclic carbenes: activation of both main-group element-element bonds and NHCs themselves. <i>Dalton Transactions</i> , 2016 , 45, 5880-95	4.3	112
73	Preparing (Multi)Fluoroarenes as Building Blocks for Synthesis: Nickel-Catalyzed Borylation of Polyfluoroarenes via C-F Bond Cleavage. <i>Journal of the American Chemical Society</i> , 2016 , 138, 5250-3	16.4	136
72	Cyclic (Alkyl)(Amino)Carbene Complexes of Rhodium and Nickel and Their Steric and Electronic Parameters. <i>Chemistry - A European Journal</i> , 2016 , 22, 11005-14	4.8	49
71	From NHC to Imidazolyl Ligand: Synthesis of Platinum and Palladium Complexes d10-[M(NHC)2] (M = Pd, Pt) of the NHC 1,3-Diisopropylimidazolin-2-ylidene. <i>Organometallics</i> , 2015 , 34, 3236-3245	3.8	26
70	Synthesis, Structure, and Reactivity of Anionic sp(2)-sp(3) Diboron Compounds: Readily Accessible Boryl Nucleophiles. <i>Chemistry - A European Journal</i> , 2015 , 21, 7082-98	4.8	145

69	Bite-angle bending as a key for understanding group-10 metal reactivity of d-[M(NHC)] complexes with sterically modest NHC ligands. <i>Chemical Science</i> , 2015 , 6, 1426-1432	9.4	25
68	The reductive P-P coupling of primary and secondary phosphines mediated by N-heterocyclic carbenes. <i>Chemical Communications</i> , 2015 , 51, 10138-41	5.8	44
67	Monomeric Chiral and Achiral Basket-Handle Porphyrins: Synthesis, Structural Features, and Arrested Tautomerism. <i>Journal of Organic Chemistry</i> , 2015 , 80, 12359-78	4.2	12
66	Room temperature ring expansion of N-heterocyclic carbenes and B-B bond cleavage of diboron(4) compounds. <i>Chemistry - A European Journal</i> , 2015 , 21, 9018-21	4.8	69
65	Bisimido Molybdenum Complexes of the Extremely Bulky Pr* Framework. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2015 , 641, 2530-2535	1.3	1
64	A facile route to backbone-tethered N-heterocyclic carbene (NHC) ligands via NHC to aNHC rearrangement in NHC silicon halide adducts. <i>Chemistry - A European Journal</i> , 2015 , 21, 2793-7	4.8	28
63	Intramolecular C-N bond activation and ring-expansion reactions of N-heterocyclic carbenes. <i>Chemistry - A European Journal</i> , 2015 , 21, 1434-8	4.8	31
62	Chiral and achiral basket-handle porphyrins: short synthesis and stereostructures of these versatile building blocks. <i>Organic Letters</i> , 2015 , 17, 210-3	6.2	16
61	Si-H bond activation at $\{(\text{NHC})\text{Ni}\}$ leading to hydrido silyl and bis(silyl) complexes: a versatile tool for catalytic Si-H/D exchange, acceptorless dehydrogenative coupling of hydrosilanes, and hydrogenation of disilanes to hydrosilanes. <i>Dalton Transactions</i> , 2014 , 43, 10816-27	4.3	56
60	P4 Activation at Ni0: Selective Formation of an NHC-Stabilized, Dinuclear Nickel Complex $[\text{Ni}_2(\text{iPr}_2\text{Im})_4(\text{P}_2:2-\text{P}_2)]$. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 2051-2058	2.3	25
59	Unimolecular reaction mechanism of an imidazolin-2-ylidene: an iPEPICO study on the complex dissociation of an Arduengo-type carbene. <i>Chemistry - A European Journal</i> , 2013 , 19, 7090-9	4.8	33
58	Symmetrical P4 cleavage at cobalt half sandwich complexes $[(\text{B}-\text{C}_5\text{H}_5)\text{Co}(\text{L})]$ ($\text{L} = \text{CO, NHC}$)--a computational case study on the mechanism of symmetrical P4 degradation to P2 ligands. <i>Dalton Transactions</i> , 2013 , 42, 7468-81	4.3	17
57	Remanent Si-H Interactions in Late Transition Metal Silane Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013 , 639, 1996-2004	1.3	23
56	Carbon Halide Bond Activation of Aroyl Halides using an NHC-stabilized Nickel(0) Complex. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013 , 639, 334-339	1.3	14
55	Decisive Steps of the Hydrodefluorination of Fluoroaromatics using $[\text{Ni}(\text{NHC})_2]$. <i>Organometallics</i> , 2012 , 31, 1374-1383	3.8	125
54	C-N-Bindungsspaltung und Ringerweiterung N-heterocyclischer Carbene durch Hydrosilane. <i>Angewandte Chemie</i> , 2012 , 124, 9011-9015	3.6	48
53	Symmetrical P4 cleavage at cobalt: characterization of intermediates on the way from P4 to coordinated P2 units. <i>Inorganic Chemistry</i> , 2012 , 51, 3904-9	5.1	41
52	$[\text{Ni}(\text{iPr}_2\text{Im})_2\text{Br}_2]$: A Convenient Entry into NHC Nickel Chemistry. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012 , 638, 1491-1496	1.3	25

51	CBr Activation of Aryl Bromides at Ni0(NHC)2: Stoichiometric Reactions, Catalytic Application in Suzuki-Miyaura Cross-Coupling, and Catalyst Degradation. <i>Organometallics</i> , 2012 , 31, 5065-5073	3.8	46
50	Aerobic CO Oxidation of a Metal-Bound Carbonyl in a NHC-Stabilized Cobalt Half-Sandwich Complex. <i>Organometallics</i> , 2012 , 31, 1730-1742	3.8	29
49	C-N bond cleavage and ring expansion of N-heterocyclic carbenes using hydrosilanes. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 8881-5	16.4	108
48	Carbon Halide Bond Activation of Benzyl Chloride and Benzyl Bromide Using An NHC-Stabilized Nickel(0) Complex. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011 , 637, 1858-1862	1.3	27
47	Synthesis and Characterization of Tetrakis(carbene)ruthenium(II) Complexes Featuring an [Ru(NHC)4]2+ Core. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 405-415	2.3	25
46	Consecutive C-H Bond Activation of Hexafluorobenzene and Decafluorobiphenyl. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 3122-3126	2.3	48
45	Si-H activation of hydrosilanes leading to hydrido silyl and bis(silyl) nickel complexes. <i>Dalton Transactions</i> , 2011 , 40, 1852-4	4.3	70
44	Stoichiometric and catalytic C-Cl activation of Aryl Chlorides using an NHC-stabilized nickel(0) complex. <i>Journal of Organometallic Chemistry</i> , 2011 , 696, 1380-1387	2.3	54
43	Bonding capabilities of imidazol-2-ylidene ligands in group-10 transition-metal chemistry. <i>Coordination Chemistry Reviews</i> , 2009 , 253, 678-686	23.2	116
42	Synergistic Effect of a Low-Valent Cobalt Complex and a Trimethylphosphine Ligand on Selective C-H Bond Activation of Perfluorinated Toluene. <i>Organometallics</i> , 2009 , 28, 5771-5776	3.8	51
41	Facile C-S, S-H, and S-S bond cleavage using a nickel(0) NHC complex. <i>Dalton Transactions</i> , 2009 , 7071-9	4.3	59
40	Bonding of Imidazol-2-ylidene Ligands in Nickel Complexes. <i>Organometallics</i> , 2008 , 27, 3410-3414	3.8	51
39	C-F activation of fluorinated arenes using NHC-stabilized nickel(0) complexes: selectivity and mechanistic investigations. <i>Journal of the American Chemical Society</i> , 2008 , 130, 9304-17	16.4	207
38	Pyridine-Based Sulfoxide Pincer Complexes of Rhodium and Iridium. <i>Organometallics</i> , 2008 , 27, 1892-19018	2.3	27
37	Square-Planar (Pentafluorophenyl)nickel(II) Complexes by Derivatization of a C-H Activation Product. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 2680-2690	2.3	71
36	Efficient nickel mediated carbon-carbon bond cleavage of organonitriles. <i>Dalton Transactions</i> , 2007 , 1993-200288	2.3	71
35	Unusual nickel-mediated C-S cleavage of alkyl and aryl sulfoxides. <i>Chemical Communications</i> , 2007 , 2037-98	2.3	64
34	On the prospects of polynuclear complexes with acetylenedithiolate bridging units. <i>Inorganic Chemistry</i> , 2007 , 46, 9616-29	5.1	19

33	Dinukleare Titankomplexe des Thiocalix[4]arens. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007 , 633, 741-746	1.3	8
32	A Stable Ω-Bonded Diazoalkane Complex. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007 , 633, 2168-2172	1.3	30
31	To boldly pass the metal-metal quadruple bond. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 3006-10	16.4	58
30	Hinter dem Horizont der Metall-Metall-Vierfachbindung. <i>Angewandte Chemie</i> , 2006 , 118, 3072-3077	3.6	13
29	Nickel(0) Complexes of N-Alkyl-Substituted N-Heterocyclic Carbenes and Their Use in the Catalytic Carbon-Carbon Bond Activation of Biphenylene. <i>Organometallics</i> , 2006 , 25, 4196-4206	3.8	163
28	Catalytic C-C bond formation accomplished by selective C-F activation of perfluorinated arenes. <i>Journal of the American Chemical Society</i> , 2006 , 128, 15964-5	16.4	336
27	Alkali-metallated forms of thiocalix[4]arenes. <i>Inorganic Chemistry</i> , 2006 , 45, 9487-92	5.1	25
26	A Diazabutadiene stabilized Nickel(0) Cyclooctadiene Complex: Synthesis, Characterization and the Reaction with Diphenylacetylene. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006 , 632, 807-813	1.3	26
25	A Mononuclear Ω-Bonded Phosphaalkyne Nickel(0) Complex. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006 , 632, 981-984	1.3	38
24	Synthese, Charakterisierung und Magnetische Eigenschaften eines tetranuklearen, Thiocalix[4]aren-stabilisierten Mangankomplexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006 , 632, 2439-2442	1.3	13
23	Calix[4]arene supported group 5 imido complexes. <i>Inorganica Chimica Acta</i> , 2006 , 359, 4215-4226	2.7	17
22	A convenient synthesis of biphenylene. <i>Tetrahedron Letters</i> , 2005 , 46, 8195-8197	2	11
21	Synthesis, Molecular Structure and Reactivity of a Calix[4]arene Monomethyl Ether Supported Nitridomolybdenum Complex. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 2037-2043	2.3	8
20	Efficient C-F and C-C activation by a novel N-heterocyclic carbene-nickel(0) complex. <i>Chemistry - A European Journal</i> , 2005 , 11, 5024-30	4.8	227
19	A Calix[4]arene Monoalkyl Ether as a Model of a Tris(phenolate) Ligand with a Hemilabile Anisole Moiety: Syntheses, Molecular Structures and Bonding of Calix[4]arene Ether Supported Titanium Complexes and Their Catalytic Activity in Epoxidation Reactions. <i>European Journal of Inorganic Chemistry</i> , 2004 , 2004, 4300-4316	2.3	24
18	Synthesis and structural analysis of calix[4]arene-supported iron(III) complexes. <i>Inorganica Chimica Acta</i> , 2004 , 357, 1813-1821	2.7	23
17	The (Calix[4]arene)chloromolybdate(IV) anion [MoCl(Calix)](-): a convenient entry into molybdenum Calix[4]arene chemistry. <i>Inorganic Chemistry</i> , 2004 , 43, 8587-99	5.1	15
16	Synthesis and reactivity of calix[4]arene-supported group 4 imido complexes. <i>Chemistry - A European Journal</i> , 2003 , 9, 3634-54	4.8	77

LIST OF PUBLICATIONS

15	The First Structurally Characterized 4-Halo-2,5-Cyclohexadienone Transition Metal Complex. <i>European Journal of Inorganic Chemistry</i> , 2002 , 2002, 161-164	2.3	9
14	Dimers of highly Eloaded organoimido d1 metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy. <i>Journal of Organometallic Chemistry</i> , 2002 , 655, 96-104	2.3	13
13	Bis(cyclopentadienyl) Diimido Complexes of Molybdenum and Tungsten [Cp ₂ M(NR) ₂] at the Limit of Pi-Bond Saturation. <i>European Journal of Inorganic Chemistry</i> , 2001 , 2001, 1617-1623	2.3	11
12	Syntheses and molecular structures of new cali. <i>Chemistry - A European Journal</i> , 2001 , 7, 783-90	4.8	47
11	Shaping the cavity of the macrocyclic ligand in metallocalix[4]arenes: the role of the ligand sphere. <i>Inorganic Chemistry</i> , 2001 , 40, 6637-42	5.1	28
10	Syntheses, Molecular Structures, and Bonding of Molybdenum and Tungsten Calix[4]arene Imido Complexes. <i>European Journal of Inorganic Chemistry</i> , 1999 , 1999, 2221-2231	2.3	25
9	Novel Complexes with a Short Tungsten-Phosphorus Triple Bond. <i>Chemistry - A European Journal</i> , 1999 , 5, 2890-2898	4.8	41
8	Dinuclear Molybdenum(III) and Tungsten(III) Calix[4]arene Complexes [Metal-Metal Triple Bonds Supported by Bridging Calix[4]arene Ligands. <i>European Journal of Inorganic Chemistry</i> , 1998 , 1998, 299-303	3.3	19
7	Alternatives to the CO Ligand: Coordination of the Isolobal Analogues BF, BNH ₂ , BN(CH ₃) ₂ , and BO ₃ ⁻ in Mono- and Binuclear First-Row Transition Metal Complexes. <i>Chemistry - A European Journal</i> , 1998 , 4, 210-221	4.8	165
6	Might BF and BN ₂ be alternatives to CO? A theoretical quest for new ligands in organometallic chemistry. <i>New Journal of Chemistry</i> , 1998 , 22, 1-3	3.6	58
5	Is CO a Special Ligand in Organometallic Chemistry? Theoretical Investigation of AB, Fe(CO)4AB, and Fe(AB)5 (AB = N ₂ , CO, BF, SiO). <i>Inorganic Chemistry</i> , 1998 , 37, 1080-1090	5.1	149
4	The d ₂ -M(NR) ₂ Fragment, High Valent and Low Valent Organometallic Equivalents, and an Unusual Mode of Ethylene Complexation. <i>Chemische Berichte</i> , 1996 , 129, 1345-1353	4	
3	Diimidokomplexe [M(NR) ₂ (PM ₃) ₂ (L)] des vierwertigen Molybd $\ddot{\text{e}}$ s und Wolframs: Struktur, Molek $\ddot{\text{l}}$ dynamik und Aktivierung f $\ddot{\text{a}}$ cider Liganden. <i>Chemische Berichte</i> , 1994 , 127, 1827-1835		27
2	Organometall-Imide I H $\ddot{\text{a}}$ ervalente Derivate der d-Metall-S $\ddot{\text{u}}$ re, 2. Alkyl-, Aryl- und Cyclopentadienyl-substituierte Molybd $\ddot{\text{e}}$ (VI)- und Wolfram(VI)-Imide. <i>Chemische Berichte</i> , 1992 , 125, 2183-2186		36
1	Organometall-Imide I H $\ddot{\text{a}}$ ervalente Derivate der d-Metall-S $\ddot{\text{u}}$ ren, 3. Synthese und Reaktionen von (Pentamethylcyclopentadienyl)(imido)-Komplexen des Molybd $\ddot{\text{e}}$ s und Wolframs und eine effiziente Strategie zur Synthese der Organometallate NBu ₄ [Cp [*] MO ₃] (M = Mo, W). <i>Chemische Berichte</i> , 1992 , 125, 2379-2384		59