

Isao Oze

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2759703/publications.pdf>

Version: 2024-02-01

110
papers

2,758
citations

172207

29
h-index

223531

46
g-index

112
all docs

112
docs citations

112
times ranked

5170
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Long-term survival and conditional survival of cancer patients in Japan using population-based cancer registry data. <i>Cancer Science</i> , 2014, 105, 1480-1486. | 1.7 | 131 |
| 2 | DNA Methylation in Peripheral Blood: A Potential Biomarker for Cancer. <i>Molecular Epidemiology</i> , 2012, 22, 384-394. | 1.1 | 121 |
| 3 | Genome-wide association study identifies seven novel susceptibility loci for primary open-angle glaucoma. <i>Human Molecular Genetics</i> , 2018, 27, 1486-1496. | 1.4 | 111 |
| 4 | Large-Scale Genome-Wide Association Study of East Asians Identifies Loci Associated With Risk for Colorectal Cancer. <i>Gastroenterology</i> , 2019, 156, 1455-1466. | 0.6 | 111 |
| 5 | Burden of Total and Cause-Specific Mortality Related to Tobacco Smoking among Adults Aged ≥ 45 Years in Asia: A Pooled Analysis of 21 Cohorts. <i>PLoS Medicine</i> , 2014, 11, e1001631. | 3.9 | 98 |
| 6 | Diabetes mellitus and cancer risk: Pooled analysis of eight cohort studies in Japan. <i>Cancer Science</i> , 2013, 104, 1499-1507. | 1.7 | 94 |
| 7 | Phase II Trial of Gefitinib in Combination with Bevacizumab as First-Line Therapy for Advanced Non-Small Cell Lung Cancer with Activating EGFR Gene Mutations: The Okayama Lung Cancer Study Group Trial 1001. <i>Journal of Thoracic Oncology</i> , 2015, 10, 486-491. | 0.5 | 93 |
| 8 | Twenty-Seven Years of Phase III Trials for Patients with Extensive Disease Small-Cell Lung Cancer: Disappointing Results. <i>PLoS ONE</i> , 2009, 4, e7835. | 1.1 | 87 |
| 9 | The aldehyde dehydrogenase 2 (ALDH2) Glu504Lys polymorphism interacts with alcohol drinking in the risk of stomach cancer. <i>Carcinogenesis</i> , 2013, 34, 1510-1515. | 1.3 | 74 |
| 10 | Meta-analysis of neutropenia or leukopenia as a prognostic factor in patients with malignant disease undergoing chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 68, 301-307. | 1.1 | 71 |
| 11 | Alcohol Drinking and Esophageal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 677-692. | 0.6 | 69 |
| 12 | Comparison between self-reported facial flushing after alcohol consumption and ALDH2 Glu504Lys polymorphism for risk of upper aerodigestive tract cancer in a Japanese population. <i>Cancer Science</i> , 2010, 101, 1875-1880. | 1.7 | 68 |
| 13 | Genome-wide meta-analysis identifies multiple novel loci associated with serum uric acid levels in Japanese individuals. <i>Communications Biology</i> , 2019, 2, 115. | 2.0 | 66 |
| 14 | Impact of Multiple Alcohol Dehydrogenase Gene Polymorphisms on Risk of Upper Aerodigestive Tract Cancers in a Japanese Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3097-3102. | 1.1 | 61 |
| 15 | Cigarette Smoking and Esophageal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 63-73. | 0.6 | 53 |
| 16 | Inverse association between toothbrushing and upper aerodigestive tract cancer risk in a Japanese population. <i>Head and Neck</i> , 2011, 33, 1628-1637. | 0.9 | 51 |
| 17 | Impact of smoking status on clinical outcome in oral cavity cancer patients. <i>Oral Oncology</i> , 2012, 48, 186-191. | 0.8 | 41 |
| 18 | Study Profile of the Japan Multi-institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2021, 31, 660-668. | 1.1 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Genome-wide association study identifies gastric cancer susceptibility loci at 12q24.11 and 20q11.21. <i>Cancer Science</i> , 2018, 109, 4015-4024. | 1.7 | 39 |
| 20 | Impact of smoking on lung cancer risk is stronger in those with the homozygous aldehyde dehydrogenase 2 null allele in a Japanese population. <i>Carcinogenesis</i> , 2010, 31, 660-665. | 1.3 | 38 |
| 21 | Heterogeneous impact of alcohol consumption according to treatment method on survival in head and neck cancer: A prospective study. <i>Cancer Science</i> , 2017, 108, 91-100. | 1.7 | 38 |
| 22 | Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 626-640. | 0.9 | 37 |
| 23 | Association between ALDH2 and ADH1B polymorphisms, alcohol drinking and gastric cancer: a replication and mediation analysis. <i>Gastric Cancer</i> , 2018, 21, 936-945. | 2.7 | 36 |
| 24 | Genomewide Association Study of Leisure-Time Exercise Behavior in Japanese Adults. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 2433-2441. | 0.2 | 36 |
| 25 | Immunohistochemical detection of neuroendocrine differentiation in non-small-cell lung cancer and its clinical implications. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009, 135, 1055-1059. | 1.2 | 32 |
| 26 | Aldehyde dehydrogenase 2 (ALDH2) and alcohol dehydrogenase 1B (ADH1B) polymorphisms exacerbate bladder cancer risk associated with alcohol drinking: gene-environment interaction. <i>Carcinogenesis</i> , 2016, 37, 583-588. | 1.3 | 32 |
| 27 | A genome-wide association study in the Japanese population identifies the 12q24 locus for habitual coffee consumption: The J-MICC Study. <i>Scientific Reports</i> , 2018, 8, 1493. | 1.6 | 32 |
| 28 | Folate, alcohol, and aldehyde dehydrogenase 2 polymorphism and the risk of oral and pharyngeal cancer in Japanese. <i>European Journal of Cancer Prevention</i> , 2012, 21, 193-198. | 0.6 | 31 |
| 29 | Coffee and green tea consumption is associated with upper aerodigestive tract cancer in Japan. <i>International Journal of Cancer</i> , 2014, 135, 391-400. | 2.3 | 30 |
| 30 | A phase II study of cisplatin plus S-1 with concurrent thoracic radiotherapy for locally advanced non-small-cell lung cancer: The Okayama Lung Cancer Study Group Trial 0501. <i>Lung Cancer</i> , 2015, 87, 141-147. | 0.9 | 30 |
| 31 | Reproducibility and validity of food group intake in a short food frequency questionnaire for the middle-aged Japanese population. <i>Environmental Health and Preventive Medicine</i> , 2021, 26, 28. | 1.4 | 29 |
| 32 | Trends in the incidence of head and neck cancer by subsite between 1993 and 2015 in Japan. <i>Cancer Medicine</i> , 2022, 11, 1553-1560. | 1.3 | 29 |
| 33 | Insulin-like growth factor 2 hypomethylation of blood leukocyte DNA is associated with gastric cancer risk. <i>International Journal of Cancer</i> , 2012, 131, 2596-2603. | 2.3 | 27 |
| 34 | Establishment and validation of prognostic nomograms in first-line metastatic gastric cancer patients. <i>Journal of Gastrointestinal Oncology</i> , 2018, 9, 52-63. | 0.6 | 26 |
| 35 | Identification of Novel Loci and New Risk Variant in Known Loci for Colorectal Cancer Risk in East Asians. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 477-486. | 1.1 | 25 |
| 36 | Body mass index and colorectal cancer risk: A Mendelian randomization study. <i>Cancer Science</i> , 2021, 112, 1579-1588. | 1.7 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Development of a prediction model and estimation of cumulative risk for upper aerodigestive tract cancer on the basis of the aldehyde dehydrogenase 2 genotype and alcohol consumption in a Japanese population. <i>European Journal of Cancer Prevention</i> , 2017, 26, 38-47. | 0.6 | 24 |
| 38 | Associations of Nutrient Patterns with the Prevalence of Metabolic Syndrome: Results from the Baseline Data of the Japan Multi-Institutional Collaborative Cohort Study. <i>Nutrients</i> , 2019, 11, 990. | 1.7 | 24 |
| 39 | Changes in trends in colorectal cancer incidence rate by anatomic site between 1978 and 2004 in Japan. <i>European Journal of Cancer Prevention</i> , 2017, 26, 269-276. | 0.6 | 23 |
| 40 | Association of Dietary Acid Load with the Prevalence of Metabolic Syndrome among Participants in Baseline Survey of the Japan Multi-Institutional Collaborative Cohort Study. <i>Nutrients</i> , 2020, 12, 1605. | 1.7 | 23 |
| 41 | Revisit of an unanswered question by pooled analysis of eight cohort studies in Japan: Does cigarette smoking and alcohol drinking have interaction for the risk of esophageal cancer?. <i>Cancer Medicine</i> , 2019, 8, 6414-6425. | 1.3 | 22 |
| 42 | Across-Site Differences in the Mechanism of Alcohol-Induced Digestive Tract Carcinogenesis: An Evaluation by Mediation Analysis. <i>Cancer Research</i> , 2020, 80, 1601-1610. | 0.4 | 22 |
| 43 | Heterogeneous impact of smoking on major salivary gland cancer according to histopathological subtype: A case-control study. <i>Cancer</i> , 2018, 124, 118-124. | 2.0 | 21 |
| 44 | Phase 2 Study of Afatinib Alone or Combined With Bevacizumab in Chemonaive Patients With Advanced Non-Small-Cell Lung Cancer Harboring EGFR Mutations: AfaBev-CS Study Protocol. <i>Clinical Lung Cancer</i> , 2019, 20, 134-138. | 1.1 | 19 |
| 45 | Cigarette smoking, alcohol drinking, and oral cavity and pharyngeal cancer in the Japanese: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2018, 27, 171-179. | 0.6 | 19 |
| 46 | Genome-Wide Association Study of Renal Function Traits: Results from the Japan Multi-Institutional Collaborative Cohort Study. <i>American Journal of Nephrology</i> , 2018, 47, 304-316. | 1.4 | 18 |
| 47 | Polymorphisms in Base Excision Repair Genes Are Associated With Endometrial Cancer Risk Among Postmenopausal Japanese Women. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 1561-1568. | 1.2 | 17 |
| 48 | Body Mass Index and Thyroid Cancer Risk: A Pooled Analysis of Half a Million Men and Women in the Asia Cohort Consortium. <i>Thyroid</i> , 2022, 32, 306-314. | 2.4 | 17 |
| 49 | Association between brain-muscle-ARNT-like protein-2 (BMAL2) gene polymorphism and type 2 diabetes mellitus in obese Japanese individuals: A cross-sectional analysis of the Japan Multi-institutional Collaborative Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2015, 110, 301-308. | 1.1 | 16 |
| 50 | Prognostic Value of Drinking Status and Aldehyde Dehydrogenase 2 Polymorphism in Patients With Head and Neck Squamous Cell Carcinoma. <i>Journal of Epidemiology</i> , 2016, 26, 292-299. | 1.1 | 16 |
| 51 | A risk prediction model for colorectal cancer using genome-wide association study-identified polymorphisms and established risk factors among Japanese: results from two independent case-control studies. <i>European Journal of Cancer Prevention</i> , 2016, 25, 500-507. | 0.6 | 16 |
| 52 | Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. <i>Sleep</i> , 2019, 42, . | 0.6 | 16 |
| 53 | Induction of cytotoxic T cells as a novel independent survival factor in malignant melanoma with percutaneous peptide immunization. <i>Journal of Dermatological Science</i> , 2014, 75, 43-48. | 1.0 | 14 |
| 54 | Lack of Association between the BIM Deletion Polymorphism and the Risk of Lung Cancer with and without EGFR Mutations. <i>Journal of Thoracic Oncology</i> , 2015, 10, 59-66. | 0.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Cognitive, behavioural and psychosocial factors associated with successful and maintained quit smoking status among patients who received smoking cessation intervention with nursesâ€™ counselling. <i>Journal of Advanced Nursing</i> , 2017, 73, 1681-1695. | 1.5 | 13 |
| 56 | Changes in self-efficacy associated with success in quitting smoking in participants in Japanese smoking cessation therapy. <i>International Journal of Nursing Practice</i> , 2018, 24, e12647. | 0.8 | 13 |
| 57 | GWAS analysis reveals a significant contribution of PSCA to the risk of <i>Helicobacter pylori</i> -induced gastric atrophy. <i>Carcinogenesis</i> , 2019, 40, 661-668. | 1.3 | 13 |
| 58 | Trends in Small-Cell Lung Cancer Survival in 1993â€“2006 Based on Population-Based Cancer Registry Data in Japan. <i>Journal of Epidemiology</i> , 2019, 29, 347-353. | 1.1 | 13 |
| 59 | Time to First Cigarette and Upper Aerodigestive Tract Cancer Risk in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1986-1992. | 1.1 | 12 |
| 60 | Treatment-Related Death in Patients with Small-Cell Lung Cancer in Phase III Trials over the Last Two Decades. <i>PLoS ONE</i> , 2012, 7, e42798. | 1.1 | 12 |
| 61 | Impact of metallothionein gene polymorphisms on the risk of lung cancer in a Japanese population. <i>Molecular Carcinogenesis</i> , 2015, 54, E122-8. | 1.3 | 12 |
| 62 | The more from East-Asian, the better: risk prediction of colorectal cancer risk by GWAS-identified SNPs among Japanese. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 2481-2492. | 1.2 | 12 |
| 63 | Association of genetic risk score and chronic kidney disease in a Japanese population. <i>Nephrology</i> , 2019, 24, 670-673. | 0.7 | 12 |
| 64 | Risk of second primary malignancies after definitive treatment for esophageal cancer: A competing risk analysis. <i>Cancer Medicine</i> , 2020, 9, 394-400. | 1.3 | 12 |
| 65 | Perceptions and Practices of Japanese Nurses Regarding Tobacco Intervention for Cancer Patients. <i>Journal of Epidemiology</i> , 2011, 21, 391-397. | 1.1 | 11 |
| 66 | Varenicline Is More Effective in Attenuating Weight Gain Than Nicotine Patch 12 Months After the End of Smoking Cessation Therapy: An Observational Study in Japan. <i>Nicotine and Tobacco Research</i> , 2014, 16, 1026-1029. | 1.4 | 11 |
| 67 | Bone Scan Index predicts skeletal-related events in patients with metastatic breast cancer. <i>SpringerPlus</i> , 2016, 5, 1095. | 1.2 | 11 |
| 68 | Genetic Variants of <i>RAMP2</i> and <i>CLR</i> are Associated with Stroke. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 1267-1281. | 0.9 | 11 |
| 69 | Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1861-1867. | 1.1 | 11 |
| 70 | The interaction between ABCA1 polymorphism and physical activity on the HDL-cholesterol levels in a Japanese population. <i>Journal of Lipid Research</i> , 2020, 61, 86-94. | 2.0 | 11 |
| 71 | Polymorphisms in <i>PPAR</i> Genes (<i>PPARD</i> , <i>PPARG</i> , and <i>PPARGC1A</i>) and the Risk of Chronic Kidney Disease in Japanese: Cross-Sectional Data from the J-MICC Study. <i>PPAR Research</i> , 2013, 1-8. | 1.1 | 10 |
| 72 | Methylation Status of Blood Leukocyte DNA and Risk of Gastric Cancer in a High-Risk Chinese Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2019-2026. | 1.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Plasma microRNA-103, microRNA-107, and microRNA-194 levels are not biomarkers for human diffuse gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 551-554. | 1.2 | 10 |
| 74 | Smoking and subsequent risk of acute myeloid leukaemia: A pooled analysis of 9 cohort studies in Japan. <i>Hematological Oncology</i> , 2018, 36, 262-268. | 0.8 | 10 |
| 75 | Perceived Barriers to Career Progression Among Early-Career Epidemiologists: Report of a Workshop at the 22nd World Congress of Epidemiology. <i>Journal of Epidemiology</i> , 2019, 29, 38-41. | 1.1 | 10 |
| 76 | Inverse association between yoghurt intake and upper aerodigestive tract cancer risk in a Japanese population. <i>European Journal of Cancer Prevention</i> , 2012, 21, 453-459. | 0.6 | 9 |
| 77 | Polymorphisms in CYP19A1, HSD17B1 and HSD17B2 genes and serum sex hormone level among postmenopausal Japanese women. <i>Maturitas</i> , 2015, 82, 394-401. | 1.0 | 9 |
| 78 | Association between Socioeconomic Status and Digestive Tract Cancers: A Case-Control Study. <i>Cancers</i> , 2020, 12, 3258. | 1.7 | 9 |
| 79 | Impact of <i>PSCA</i> Polymorphisms on the Risk of Duodenal Ulcer. <i>Journal of Epidemiology</i> , 2021, 31, 12-20. | 1.1 | 9 |
| 80 | A genome-wide association study in Japanese identified one variant associated with a preference for a Japanese dietary pattern. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 937-945. | 1.3 | 8 |
| 81 | Association between body mass index and oesophageal cancer mortality: a pooled analysis of prospective cohort studies with >800,000 individuals in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 1190-1203. | 0.9 | 8 |
| 82 | Factors Associated With Weight Gain After Smoking Cessation Therapy in Japan. <i>Nursing Research</i> , 2013, 62, 414-421. | 0.8 | 7 |
| 83 | Genetic variants of SLC17A1 are associated with cholesterol homeostasis and hyperhomocysteinaemia in Japanese men. <i>Scientific Reports</i> , 2015, 5, 15888. | 1.6 | 7 |
| 84 | Moderate-to-vigorous Physical Activity and Sedentary Behavior Are Independently Associated With Renal Function: A Cross-sectional Study. <i>Journal of Epidemiology</i> , 2023, 33, 285-293. | 1.1 | 7 |
| 85 | Favorable Response of Heavily Treated Wilms' Tumor to Paclitaxel and Carboplatin. <i>Onkologie</i> , 2012, 35, 283-286. | 1.1 | 6 |
| 86 | Improvement in 5-Year Relative Survival in Cancer of the Corpus Uteri From 1993-2000 to 2001-2006 in Japan. <i>Journal of Epidemiology</i> , 2018, 28, 75-80. | 1.1 | 6 |
| 87 | A genome-wide association study on confection consumption in a Japanese population: the Japan Multi-Institutional Collaborative Cohort Study. <i>British Journal of Nutrition</i> , 2021, 126, 1843-1851. | 1.2 | 6 |
| 88 | Cigarette Smoking and Pancreatic Cancer Risk: A Revisit with an Assessment of the Nicotine Dependence Phenotype. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 4409-4413. | 0.5 | 6 |
| 89 | Clinical Characteristics Associated with Long-term Survival in Metastatic Gastric Cancer after Systemic Chemotherapy. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 16, 5433-5438. | 0.5 | 6 |
| 90 | Association of skipping breakfast and short sleep duration with the prevalence of metabolic syndrome in the general Japanese population: Baseline data from the Japan Multi-Institutional Collaborative cohort study. <i>Preventive Medicine Reports</i> , 2021, 24, 101613. | 0.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Differential Effect of Polymorphisms on Body Mass Index Across the Life Course of Japanese: The Japan Multi-Institutional Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2021, 31, 172-179. | 1.1 | 5 |
| 92 | A genome-wide association study on fish consumption in a Japanese population—the Japan Multi-Institutional Collaborative Cohort study. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 480-488. | 1.3 | 5 |
| 93 | Associations of breastfeeding history with metabolic syndrome and cardiovascular risk factors in community-dwelling parous women: The Japan Multi-Institutional Collaborative Cohort Study. <i>PLoS ONE</i> , 2022, 17, e0262252. | 1.1 | 5 |
| 94 | Developing and validating polygenic risk scores for colorectal cancer risk prediction in East Asians. <i>International Journal of Cancer</i> , 2022, 151, 1726-1736. | 2.3 | 5 |
| 95 | A Personal Breast Cancer Risk Stratification Model Using Common Variants and Environmental Risk Factors in Japanese Females. <i>Cancers</i> , 2021, 13, 3796. | 1.7 | 4 |
| 96 | Japanese Nurses’s Perceptions Toward Tobacco Use Intervention for Hospitalized Cancer Patients Who Entered End of Life. <i>Cancer Nursing</i> , 2016, 39, E45-E51. | 0.7 | 3 |
| 97 | A genome-wide association study on meat consumption in a Japanese population: the Japan Multi-Institutional Collaborative Cohort study. <i>Journal of Nutritional Science</i> , 2021, 10, e61. | 0.7 | 3 |
| 98 | Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. <i>Cancer Science</i> , 2022, 113, 261-276. | 1.7 | 3 |
| 99 | Relationship between the strength of craving as assessed by the Tobacco Craving Index and success of quitting smoking in Japanese smoking cessation therapy. <i>PLoS ONE</i> , 2020, 15, e0243374. | 1.1 | 3 |
| 100 | Risk Prediction for Gastric Cancer Using GWAS-Identified Polymorphisms, Helicobacter pylori Infection and Lifestyle-Related Risk Factors in a Japanese Population. <i>Cancers</i> , 2021, 13, 5525. | 1.7 | 3 |
| 101 | New insights into the genetic contribution of <i>ALDH2</i> rs671 in pancreatic carcinogenesis: Evaluation by mediation analysis. <i>Cancer Science</i> , 2022, 113, 1441-1450. | 1.7 | 3 |
| 102 | Large-scale Integrated Analysis of Genetics and Metabolomic Data Reveals Potential Links Between Lipids and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1216-1226. | 1.1 | 3 |
| 103 | Alcohol Drinking and Bladder Cancer Risk From a Pooled Analysis of Ten Cohort Studies in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 309-313. | 1.1 | 2 |
| 104 | The association of reproductive history with hypertension and obesity according to menopausal status: the J-MICC Study. <i>Hypertension Research</i> , 2022, 45, 708-714. | 1.5 | 2 |
| 105 | Association between germline pathogenic variants and breast cancer risk in Japanese women: The HERPACC study. <i>Cancer Science</i> , 2022, 113, 1451-1462. | 1.7 | 2 |
| 106 | Networks for early career epidemiologists around the world: the current status and future directions. <i>International Journal of Epidemiology</i> , 2019, 48, 1021-1023. | 0.9 | 1 |
| 107 | Genome-wide association study of serum prostate-specific antigen levels based on 1000 Genomes imputed data in Japanese: the Japan Multi-Institutional Collaborative Cohort Study. <i>Nagoya Journal of Medical Science</i> , 2021, 83, 183-194. | 0.6 | 1 |
| 108 | A genome-wide association study on adherence to low-carbohydrate diets in Japanese. <i>European Journal of Clinical Nutrition</i> , 2022, , . | 1.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Response to Yokoyama <i>et al.</i> : Past and current tendency for facial flushing after a small dose of alcohol is a marker for increased risk of upper aerodigestive tract cancer in Japanese drinkers. <i>Cancer Science</i> , 2010, 101, 2499-2500. | 1.7 | 0 |
| 110 | Combined effect of weight gain within normal weight range and parental hypertension on the prevalence of hypertension; from the J-MICC Study. <i>Journal of Human Hypertension</i> , 2020, 34, 125-131. | 1.0 | 0 |