

Martin Sundberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2761456/publications.pdf>

Version: 2024-02-01

18
papers

392
citations

1162889

8
h-index

839398

18
g-index

18
all docs

18
docs citations

18
times ranked

475
citing authors

#	ARTICLE	IF	CITATIONS
1	Preserved periprosthetic bone stock at 5 years post-operatively with uncemented short hip stem in both collared and collarless version. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 3489-3496.	1.3	4
2	Vitamin E infused highly cross-linked cemented cups in total hip arthroplasty show good wear pattern and stabilize satisfactorily: a randomized, controlled RSA trial with 5-year follow-up. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 249-255.	1.2	5
3	Migration pattern of a short uncemented stem with or without collar: a randomised RSA-study with 2 years follow-up. HIP International, 2021, 31, 500-506.	0.9	3
4	Unexpected varus deformity and concomitant metal ion release and MRI findings of modular-neck hip stems: descriptive RSA study in 75 hips with 8 years follow-up. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 67-73.	1.2	4
5	Fast-Track Programs in Total Hip and Knee Replacement at Swedish Hospitals Influence on 2-Year Risk of Revision and Mortality. Journal of Clinical Medicine, 2021, 10, 1680.	1.0	6
6	Highly cross-linked polyethylene still outperforms conventional polyethylene in THA: 10-year RSA results. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 568-574.	1.2	8
7	Higher Risk of Loosening for a Four-Pegged TKA Tibial Baseplate Than for a Stemmed One: A Register-based Study. Clinical Orthopaedics and Related Research, 2020, 478, 58-65.	0.7	11
8	Polyethylene Wear With Ceramic and Metal Femoral Heads at 5 Years: A Randomized Controlled Trial With Radiostereometric Analysis. Journal of Arthroplasty, 2020, 35, 3769-3776.	1.5	11
9	Effect of symmetrical restoration for the migration of uncemented total hip arthroplasty: a randomized RSA study with 75 patients and 5-year follow-up. Journal of Orthopaedic Surgery and Research, 2020, 15, 225.	0.9	6
10	Influence of fast-track programs on patient-reported outcomes in total hip and knee replacement (THR/TKR) at Swedish hospitals 2011-2015: an observational study including 51,169 THR and 8,393 TKR operations. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 306-312.	1.2	18
11	Locally administered bisphosphonate in hip stem revisions using the bone impaction grafting technique: a randomised, placebo-controlled study with DXA and five-year RSA follow-up. HIP International, 2019, 29, 26-34.	0.9	1
12	No increase in readmissions or adverse events after implementation of fast-track program in total hip and knee replacement at 8 Swedish hospitals: An observational before-and-after study of 14,148 total joint replacements 2011-2015. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 522-527.	1.2	51
13	Decreased migration with locally administered bisphosphonate in cemented cup revisions using impaction bone grafting technique. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 17-22.	1.2	4
14	Higher risk of revision for infection using systemic clindamycin prophylaxis than with cloxacillin. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 562-567.	1.2	30
15	Comparable Results With Porous Metal Augments in Combination With Either Cemented or Uncemented Cups in Revision Hip Arthroplasty: An Analysis of One Hundred Forty-Seven Revisions at a Mean of Five Years. Journal of Arthroplasty, 2017, 32, 1612-1617.	1.5	21
16	Preoperative Anxiety and Depression Correlate With Dissatisfaction After Total Knee Arthroplasty: A Prospective Longitudinal Cohort Study of 186 Patients, With 4-Year Follow-Up. Journal of Arthroplasty, 2017, 32, 767-770.	1.5	130
17	Similar patient-reported outcomes and performance after total knee arthroplasty with or without patellar resurfacing. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 274-279.	1.2	38
18	All-Polyethylene Versus Metal-Backed Tibial Components An Analysis of 27,733 Cruciate-Retaining Total Knee Replacements from the Swedish Knee Arthroplasty Register. Journal of Bone and Joint Surgery - Series A, 2014, 96, 994-999.	1.4	41