

Marie-Louise A Schuttelaar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2761850/marie-louise-a-schuttelaar-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

1,803
citations

26
h-index

36
g-index

126
ext. papers

2,325
ext. citations

3
avg, IF

5.14
L-index

#	Paper	IF	Citations
116	The European baseline series and recommended additions: 2019. <i>Contact Dermatitis</i> , 2019 , 80, 1-4	2.7	101
115	Safety and efficacy of pimecrolimus in atopic dermatitis: a 5-year randomized trial. <i>Pediatrics</i> , 2015 , 135, 597-606	7.4	91
114	A randomized controlled trial in children with eczema: nurse practitioner vs. dermatologist. <i>British Journal of Dermatology</i> , 2010 , 162, 162-70	4	60
113	Dupilumab is very effective in a large cohort of difficult-to-treat adult atopic dermatitis patients: First clinical and biomarker results from the BioDay registry. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 116-126	9.3	59
112	Clinical relevance of positive patch test reactions to the 26 EU-labelled fragrances. <i>Contact Dermatitis</i> , 2009 , 61, 217-23	2.7	51
111	Drug survival for ciclosporin A in a long-term daily practice cohort of adult patients with atopic dermatitis. <i>British Journal of Dermatology</i> , 2015 , 172, 1621-1627	4	47
110	Prevalence of skin disease in a population-based sample of adults from five European countries. <i>British Journal of Dermatology</i> , 2018 , 178, 1111-1118	4	46
109	Goblet cell scarcity and conjunctival inflammation during treatment with dupilumab in patients with atopic dermatitis. <i>British Journal of Dermatology</i> , 2019 , 180, 1248-1249	4	45
108	A proposal to create an extension to the European baseline series. <i>Contact Dermatitis</i> , 2018 , 78, 101-108	2.7	43
107	Report from the fifth international consensus meeting to harmonize core outcome measures for atopic eczema/dermatitis clinical trials (HOME initiative). <i>British Journal of Dermatology</i> , 2018 , 178, e332-e341	4	42
106	Patch test results with fragrance markers of the baseline series - analysis of the European Surveillance System on Contact Allergies (ESSCA) network 2009-2012. <i>Contact Dermatitis</i> , 2015 , 73, 163-171	2.7	41
105	European Task Force on Contact Dermatitis statement on coronavirus disease-19 (COVID-19) outbreak and the risk of adverse cutaneous reactions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e353-e354	4.6	40
104	Prevalence of contact allergy to metals in the European general population with a focus on nickel and piercings: The EDEN Fragrance Study. <i>Contact Dermatitis</i> , 2018 , 79, 1-9	2.7	35
103	Costs and cost-effectiveness analysis of treatment in children with eczema by nurse practitioner vs. dermatologist: results of a randomized, controlled trial and a review of international costs. <i>British Journal of Dermatology</i> , 2011 , 165, 600-11	4	35
102	Proliferative nodules in a giant congenital melanocytic nevus-case report and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2010 , 37, 764-76	1.7	34
101	Patch test results of hand eczema patients: relation to clinical types. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 940-7	4.6	33
100	Systematic review of cost-of-illness studies in hand eczema. <i>Contact Dermatitis</i> , 2016 , 75, 67-76	2.7	33

99	Two decades of occupational (meth)acrylate patch test results and focus on isobornyl acrylate. <i>Contact Dermatitis</i> , 2013 , 69, 86-92	2.7	30
98	Anaphylaxis and severe systemic reactions caused by skin contact with persulfates in hair-bleaching products. <i>Contact Dermatitis</i> , 2012 , 66, 317-22	2.7	29
97	p-Phenylenediamine exposure in real life - a case-control study on sensitization rate, mode and elicitation reactions in the northern Netherlands. <i>Contact Dermatitis</i> , 2015 , 72, 355-61	2.7	28
96	ESSCA results with nickel, cobalt and chromium, 2009-2012. <i>Contact Dermatitis</i> , 2016 , 75, 117-21	2.7	28
95	Bullous eosinophilic cellulitis (Wells syndrome) associated with Churg-Strauss syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2003 , 17, 91-3	4.6	28
94	European Surveillance System on Contact Allergies (ESSCA): Contact allergies in relation to body sites in patients with allergic contact dermatitis. <i>Contact Dermatitis</i> , 2019 , 80, 263-272	2.7	28
93	Strategies used for measuring long-term control in atopic dermatitis trials: A systematic review. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 1038-1044	4.5	27
92	Drug survival for methotrexate in a daily practice cohort of adult patients with severe atopic dermatitis. <i>British Journal of Dermatology</i> , 2016 , 174, 201-3	4	27
91	Contact dermatitis caused by a new rubber compound detected in canvas shoes. <i>Contact Dermatitis</i> , 2018 , 78, 12-17	2.7	26
90	Contact sensitization to hydroperoxides of limonene and linalool: Results of consecutive patch testing and clinical relevance. <i>Contact Dermatitis</i> , 2019 , 80, 101-109	2.7	25
89	Effect of dupilumab on hand eczema in patients with atopic dermatitis: An observational study. <i>Journal of Dermatology</i> , 2019 , 46, 680-685	1.6	24
88	Low levels of vitamin D are associated with multimorbidity: results from the LifeLines Cohort Study. <i>Annals of Medicine</i> , 2015 , 47, 474-81	1.5	24
87	Interventions for preventing occupational irritant hand dermatitis. <i>The Cochrane Library</i> , 2018 , 4, CD004414	3.14	24
86	Drug survival for azathioprine and enteric-coated mycophenolate sodium in a long-term daily practice cohort of adult patients with atopic dermatitis. <i>British Journal of Dermatology</i> , 2016 , 175, 199-202	4	23
85	Contact allergy in Indonesian patients with foot eczema attributed to shoes. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1582-9	4.6	22
84	Association of food allergy and atopic dermatitis exacerbations. <i>Annals of Allergy, Asthma and Immunology</i> , 2016 , 116, 334-8	3.2	21
83	Alitretinoin and acitretin in severe chronic hand eczema; results from a retrospective daily practice study. <i>Dermatologic Therapy</i> , 2016 , 29, 364-371	2.2	20
82	Dupilumab Treatment of Very Severe Refractory Atopic Hand Eczema. <i>JAMA Dermatology</i> , 2018 , 154, 969-970	5.1	19

81	ESSCA results with the baseline series, 2002-2012: p-phenylenediamine. <i>Contact Dermatitis</i> , 2016 , 75, 165-72	2.7	18
80	Anaphylaxis caused by topical application of a sunscreen containing benzophenone-3. <i>Contact Dermatitis</i> , 2008 , 59, 248-9	2.7	18
79	Two-year drug survival of dupilumab in a large cohort of difficult-to-treat adult atopic dermatitis patients compared to cyclosporine A and methotrexate: Results from the BioDay registry. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 2376-2379	9.3	16
78	Dupilumab shows long-term effectiveness in a large cohort of treatment-refractory atopic dermatitis patients in daily practice: 52-Week results from the Dutch BioDay registry. <i>Journal of the American Academy of Dermatology</i> , 2021 , 84, 1000-1009	4.5	16
77	Extended documentation for hand dermatitis patients: Pilot study on irritant exposures. <i>Contact Dermatitis</i> , 2018 , 79, 168-174	2.7	15
76	European Surveillance System on Contact Allergies (ESSCA): polysensitization, 2009-2014. <i>Contact Dermatitis</i> , 2018 , 78, 373-385	2.7	14
75	Two decades of p-phenylenediamine and toluene-2,5-diamine patch testing - focus on co-sensitizations in the European baseline series and cross-reactions with chemically related substances. <i>Contact Dermatitis</i> , 2017 , 76, 81-88	2.7	14
74	Drug survival of methotrexate treatment in hand eczema patients: results from a retrospective daily practice study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1405-7	4.6	14
73	New positive patch test reactions on day 7-The additional value of the day 7 patch test reading. <i>Contact Dermatitis</i> , 2019 , 81, 280-287	2.7	13
72	Presenteeism in a Dutch hand eczema population-a cross-sectional survey. <i>Contact Dermatitis</i> , 2018 , 79, 10-19	2.7	13
71	Drug survival of cyclosporine in the treatment of hand eczema: a multicentre, daily use study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 63-6	4.6	13
70	Contact urticaria caused by the ultraviolet absorber octocrylene in sunscreens. <i>Contact Dermatitis</i> , 2017 , 77, 254-256	2.7	13
69	Bullous allergic reaction caused by colophonium in medical adhesives. <i>Contact Dermatitis</i> , 2014 , 70, 256-7	2.7	13
68	Allergic contact dermatitis caused by dimethylthiocarbamylbenzothiazole sulfide (DMTBS) in canvas shoes: in search of the culprit allergen. <i>Contact Dermatitis</i> , 2018 , 78, 7-11	2.7	13
67	Thin-layer chromatography and gas chromatography-mass spectrometry examination of shoe materials from patients with shoe dermatitis. <i>Contact Dermatitis</i> , 2015 , 72, 248-52	2.7	12
66	Azathioprine treatment and drug survival in patients with chronic hand eczema - results from daily practice. <i>Contact Dermatitis</i> , 2017 , 76, 304-307	2.7	11
65	Cutaneous adverse drug reaction after apomorphine infusion, possibly caused by a systemic type IV hypersensitivity reaction to sodium metabisulfite: Report of 2 cases. <i>Contact Dermatitis</i> , 2018 , 79, 316-318	2.7	11
64	Cross-elicitation responses to 2-methoxymethyl-p-phenylenediamine in p-phenylenediamine-allergic individuals: Results from open use testing and diagnostic patch testing. <i>Contact Dermatitis</i> , 2018 , 79, 288-294	2.7	11

63	The role of the antioxidant ascorbic acid in the elicitation of contact allergic reactions to p-phenylenediamine. <i>Contact Dermatitis</i> , 2016 , 74, 267-72	2.7	11
62	Defining and measuring eczema control: an international qualitative study to explore the views of those living with and treating atopic eczema. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1124-1132	4.6	10
61	Which outcomes have been measured in hand eczema trials? A systematic review. <i>Contact Dermatitis</i> , 2019 , 80, 201-207	2.7	10
60	Three cases of non-atopic hyperkeratotic hand eczema treated with dupilumab. <i>Contact Dermatitis</i> , 2021 , 84, 124-127	2.7	10
59	Results of patch testing in Indonesian shoe factory workers. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e15-e17	4.6	9
58	Immunology and genetics of tumour necrosis factor in allergic contact dermatitis. <i>Contact Dermatitis</i> , 2017 , 76, 257-271	2.7	9
57	Co-sensitization to ascaridole and tea tree oil. <i>Contact Dermatitis</i> , 2013 , 69, 187-9	2.7	9
56	Persistence of contact allergy: a retrospective analysis. <i>Contact Dermatitis</i> , 2018 , 78, 143-150	2.7	9
55	The feasibility of an allergy management support system (AMSS) for IgE-mediated allergy in primary care. <i>Clinical and Translational Allergy</i> , 2018 , 8, 18	5.2	8
54	Pilot study on a new concept of documenting the clinical relevance of patch test results in contact dermatitis patients. <i>Contact Dermatitis</i> , 2018 , 79, 370-377	2.7	8
53	The optimal patch test concentration for ascaridole as a sensitizing component of tea tree oil. <i>Contact Dermatitis</i> , 2014 , 71, 129-37	2.7	8
52	Severe bullous allergic contact dermatitis caused by glycidyl methacrylate and other acrylates. <i>Contact Dermatitis</i> , 2014 , 71, 247-9	2.7	8
51	Increase in vesicular hand eczema after house dust mite inhalation provocation: a double-blind, placebo-controlled, cross-over study. <i>Contact Dermatitis</i> , 2013 , 68, 76-85	2.7	8
50	Allergic contact dermatitis presenting as severe and persistent blepharoconjunctivitis and centrofacial oedema after dyeing of eyelashes. <i>Contact Dermatitis</i> , 2014 , 71, 304-6	2.7	8
49	Responsiveness and interpretability of the Hand Eczema Severity Index. <i>British Journal of Dermatology</i> , 2020 , 182, 932-939	4	8
48	Patch test results with the European baseline series and additions thereof in the ESSCA network, 2015-2018. <i>Contact Dermatitis</i> , 2021 , 84, 109-120	2.7	8
47	Guidelines for diagnosis, prevention and treatment of hand eczema.. <i>Contact Dermatitis</i> , 2021 ,	2.7	8
46	Guideline for translation and national validation of the Quality of Life in Hand Eczema Questionnaire (QOLHEQ). <i>Contact Dermatitis</i> , 2017 , 77, 106-115	2.7	7

45	Contact Allergy to Hair Dyes. <i>Cosmetics</i> , 2016 , 3, 21	2.7	7
44	Morphine-induced cutaneous adverse drug reaction following occupational diacetylmorphine contact dermatitis: A case report. <i>Contact Dermatitis</i> , 2019 , 81, 313-315	2.7	6
43	Risk of Non-melanoma Skin Cancer in Patients with Atopic Dermatitis Treated with Oral Immunosuppressive Drugs. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 724-730	2.2	6
42	Validation of the Dutch Quality of Life in Hand Eczema Questionnaire (QOLHEQ). <i>British Journal of Dermatology</i> , 2020 , 183, 86-95	4	6
41	Formaldehyde 2% is not a useful means of detecting allergy to formaldehyde releasers- results of the ESSCA network, 2015-2018. <i>Contact Dermatitis</i> , 2021 , 84, 95-102	2.7	6
40	Hyperkeratotic hand eczema: Eczema or not?. <i>Contact Dermatitis</i> , 2020 , 83, 196-205	2.7	5
39	Comparing patch test results of methylchloroisothiazolinone/methylisothiazolinone tested with both TRUE Test [®] and 100 ppm using investigator-loaded chambers. <i>Contact Dermatitis</i> , 2018 , 78, 159-161	2.7	5
38	Interpretability of the Quality Of Life in Hand Eczema Questionnaire. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 785-790	4.3	5
37	Hand eczema among Dutch beekeepers - a cross-sectional study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019 , 17, 158-166	1.2	4
36	Evaluation of risk modification for p-phenylenediamine sensitization by N-acetyltransferase 1 and 2 for two highly sensitive cases. <i>Contact Dermatitis</i> , 2019 , 81, 138-140	2.7	4
35	Skin exposure to scented products used in daily life and fragrance contact allergy in the European general population - The EDEN Fragrance Study. <i>Contact Dermatitis</i> , 2021 , 84, 385-394	2.7	4
34	Recurrence of conjunctival goblet cells after discontinuation of dupilumab in a patient with dupilumab-related conjunctivitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e64-e66	4.6	4
33	Care for children with atopic dermatitis in the Netherlands during the COVID-19 pandemic: Lessons from the first wave and implications for the future. <i>Journal of Dermatology</i> , 2021 , 48, 1863-1870	1.6	4
32	Handekzeme bei niederländischen Imkern - eine Querschnittsuntersuchung. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019 , 17, 158-166	1.2	3
31	Allergic contact dermatitis caused by 1,6-hexanediol diacrylate in a hospital wristband. <i>Contact Dermatitis</i> , 2019 , 81, 446-449	2.7	3
30	European Surveillance System on Contact Allergies (ESSCA): Characteristics of patients patch tested and diagnosed with irritant contact dermatitis. <i>Contact Dermatitis</i> , 2021 , 85, 186	2.7	3
29	Developing a cosmetic series: Results from the ESSCA network, 2009-2018. <i>Contact Dermatitis</i> , 2021 , 84, 82-94	2.7	3
28	The attitude of patients with p-phenylenediamine or 2,5-toluenediamine contact allergy to hair dyeing. <i>Contact Dermatitis</i> , 2017 , 76, 358-361	2.7	2

27	Allergic contact dermatitis in two employees of an ethylene amine-producing factory. <i>Contact Dermatitis</i> , 2017 , 76, 310-312	2.7	2
26	Protocol for the development of a core domain set for hand eczema trials. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2871-2876	4.6	2
25	European patch test results with audit allergens as candidates for inclusion in the European Baseline Series, 2019/20 - Joint results of the ESSCA and the EBS working groups of the ESCD, and the GEIDAC.. <i>Contact Dermatitis</i> , 2022 ,	2.7	2
24	Quality of life, treatment satisfaction, and adherence to treatment in patients with vesicular hand eczema: A cross-sectional study. <i>Contact Dermatitis</i> , 2020 , 82, 201-210	2.7	2
23	A survey of members of the European Surveillance System on Contact Allergy and the EU project "StanDerm" to identify allergens tested in cosmetic series across Europe. <i>Contact Dermatitis</i> , 2020 , 82, 195-200	2.7	2
22	Vesicular hand eczema transcriptome analysis provides insights into its pathophysiology. <i>Experimental Dermatology</i> , 2021 , 30, 1775-1786	4	2
21	Anaphylactic reaction caused by skin contact with the disinfectant chloramine-T. <i>Contact Dermatitis</i> , 2019 , 80, 321-322	2.7	2
20	Hand eczema and lifestyle factors in the Dutch general population: Evidence for smoking, chronic stress, and obesity. <i>Contact Dermatitis</i> , 2021 ,	2.7	2
19	A case of postoperative bullous allergic contact dermatitis caused by injection with lidocaine. <i>Contact Dermatitis</i> , 2019 , 81, 304-306	2.7	1
18	Successful oral desensitization and reintroduction in selected glioma patients with procarbazine-mediated hypersensitivity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 2974-2976	9.3	1
17	Occupationally relevant positive patch test reactions in Indonesian batik workers. <i>Contact Dermatitis</i> , 2020 , 82, 387-389	2.7	1
16	Cheilitis caused by contact allergy to toothpaste containing stannous (tin) - two cases. <i>Contact Dermatitis</i> , 2020 , 83, 126-129	2.7	1
15	Hand Eczema 2014 , 117-126		1
14	The expression pattern of N-acetyltransferase 1 in healthy human skin. <i>Contact Dermatitis</i> , 2021 , 85, 1-6	2.7	1
13	Disease burden and treatment history among adults with atopic dermatitis receiving systemic therapy: baseline characteristics of participants on the EUROSTAD prospective observational study. <i>Journal of Dermatological Treatment</i> , 2021 , 32, 164-173	2.8	1
12	The effectiveness of antibacterial therapeutic clothing based on silver or chitosan as compared with non-antibacterial therapeutic clothing in patients with moderate to severe atopic dermatitis (ABC trial): study protocol for a pragmatic randomized controlled trial.. <i>Trials</i> , 2021 , 22, 902	2.8	1
11	Validation of questionnaire algorithm based on repeated open application testing with the constituents of fragrance mix II: the EDEN Fragrance Study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1692-1701	4.6	0
10	Eczema control and treatment satisfaction in atopic dermatitis patients treated with dupilumab - a cross-sectional study from the BioDay registry. <i>Journal of Dermatological Treatment</i> , 2021 , 1-4	2.8	0

9	Prevalence of adult atopic dermatitis in the general population, with a focus on moderate-to-severe disease: results from the Lifelines Cohort Study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e787-e790	4.6	○
8	Dupilumab in a child with severe atopic dermatitis and severe asthma-a rare case with severe limbic and exercise-induced anaphylaxis.. <i>International Journal of Dermatology</i> , 2022 ,	1.7	○
7	The value of ongoing surveillance on the prevalence of contact sensitization. <i>British Journal of Dermatology</i> , 2020 , 183, 800-801	4	
6	Irritant Contact Dermatitis: Diagnosis and Risk Factors 2016 , 71-79		
5	Filaggrin Mutations, Skin Barrier Dysfunction, and Sensitization in Allergic Rhinitis 2014 , 183-193		
4	P54Prevalence of skin changes in the cleaning industry. <i>Contact Dermatitis</i> , 2008 , 50, 198-198	2.7	
3	Prevalence of contact allergies in the population compared to a tertiary referral patch test clinic in Jena/Germany. <i>Contact Dermatitis</i> , 2021 , 85, 563-571	2.7	
2	Use of systemic therapies in adults with atopic dermatitis: 12-month results from the European prospective observational study in patients eligible for systemic therapy for atopic dermatitis (EUROSTAD).. <i>Journal of Dermatological Treatment</i> , 2022 , 1-6	2.8	
1	Efficacy and safety of oral alitretinoin versus oral azathioprine in patients with severe chronic hand eczema: results from a prematurely discontinued randomized controlled trial.. <i>Contact Dermatitis</i> , 2022 ,	2.7	