

Pieter Van West

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2762414/publications.pdf>

Version: 2024-02-01

75
papers

6,830
citations

126858

33
h-index

71651

76
g-index

79
all docs

79
docs citations

79
times ranked

5174
citing authors

#	ARTICLE	IF	CITATIONS
1	Current practices and emerging possibilities for reducing the spread of oomycete pathogens in terrestrial and aquatic production systems in the European Union. <i>Fungal Biology Reviews</i> , 2022, 40, 19-36.	1.9	5
2	Can Ulcerative Dermal Necrosis (UDN) in Atlantic salmon be attributed to ultraviolet radiation and secondary <i>Saprolegnia parasitica</i> infections?. <i>Fungal Biology Reviews</i> , 2022, 40, 70-75.	1.9	3
3	Transcriptome analysis reveals immune pathways underlying resistance in the common carp <i>Cyprinus carpio</i> against the oomycete <i>Aphanomyces invadans</i> . <i>Genomics</i> , 2021, 113, 944-956.	1.3	16
4	Development of a 3D spheroid cell culture system from fish cell lines for in vitro infection studies: Evaluation with <i>Saprolegnia parasitica</i> . <i>Journal of Fish Diseases</i> , 2021, 44, 701-710.	0.9	9
5	Pathogenicity and Host Range of <i>Pythium kashmirensis</i> —A Soil-Borne Oomycete Recently Discovered in the UK. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 479.	1.5	5
6	Evaluation of Potential Transfer of the Pathogen <i>Saprolegnia parasitica</i> between Farmed Salmonids and Wild Fish. <i>Pathogens</i> , 2021, 10, 926.	1.2	7
7	Phylogenetic and Functional Diversity of Saprolegniales and Fungi Isolated from Temperate Lakes in Northeast Germany. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 968.	1.5	5
8	Transformation systems, gene silencing and gene editing technologies in oomycetes. <i>Fungal Biology Reviews</i> , 2021, , .	1.9	6
9	<i>Saprolegnia</i> infection after vaccination in Atlantic salmon is associated with differential expression of stress and immune genes in the host. <i>Fish and Shellfish Immunology</i> , 2020, 106, 1095-1105.	1.6	7
10	The chaperone Lhs1 contributes to the virulence of the fish-pathogenic oomycete <i>Aphanomyces invadans</i> . <i>Fungal Biology</i> , 2020, 124, 1024-1031.	1.1	5
11	Molecular insights into the mechanisms of susceptibility of <i>Labeo rohita</i> against oomycete <i>Aphanomyces invadans</i> . <i>Scientific Reports</i> , 2020, 10, 19531.	1.6	11
12	Morphological, genotypic and metabolomic signatures confirm interfamilial hybridization between the ubiquitous kelps <i>Macrocystis</i> (Arthrothamnaceae) and <i>Lessonia</i> (Lessoniaceae). <i>Scientific Reports</i> , 2020, 10, 8279.	1.6	9
13	The influence of depth and season on the benthic communities of a <i>Macrocystis pyrifera</i> forest in the Falkland Islands. <i>Polar Biology</i> , 2020, 43, 573-586.	0.5	9
14	Biological Concepts for the Control of Aquatic Zoosporic Diseases. <i>Trends in Parasitology</i> , 2019, 35, 571-582.	1.5	11
15	Oomycete-Root Interactions. <i>Rhizosphere Biology</i> , 2019, , 83-103.	0.4	7
16	<i>Exophiala angulospora</i> infection in hatchery-reared lumpfish (<i>Cyclopterus lumpus</i>) broodstock. <i>Journal of Fish Diseases</i> , 2019, 42, 335-343.	0.9	9
17	<i>Galleria melonella</i> as an experimental in vivo host model for the fish-pathogenic oomycete <i>Saprolegnia parasitica</i> . <i>Fungal Biology</i> , 2018, 122, 182-189.	1.1	16
18	The fungal ecology of seabird nesting sites in the Falkland Islands indicates a niche for mycoparasites. <i>Fungal Ecology</i> , 2018, 36, 99-108.	0.7	3

#	ARTICLE	IF	CITATIONS
19	Aphanomyces invadans, the causal agent of Epizootic Ulcerative Syndrome, is a global threat to wild and farmed fish. Fungal Biology Reviews, 2018, 32, 118-130.	1.9	29
20	Cell entry of a host-targeting protein of oomycetes requires gp96. Nature Communications, 2018, 9, 2347.	5.8	28
21	Specialized attachment structure of the fish pathogenic oomycete Saprolegnia parasitica. PLoS ONE, 2018, 13, e0190361.	1.1	14
22	Marine benthic algal flora of Ascension Island, South Atlantic. Journal of the Marine Biological Association of the United Kingdom, 2017, 97, 681-688.	0.4	10
23	Pathogens of brown algae: culture studies of <i>Anisolpidium ectocarpii</i> and <i>A. rosenvingei</i> reveal that the Anisolpidiales are unflagellated oomycetes. European Journal of Phycology, 2017, 52, 133-148.	0.9	34
24	The RxLR Motif of the Host Targeting Effector AVR3a of <i>Phytophthora infestans</i> Is Cleaved before Secretion. Plant Cell, 2017, 29, 1184-1195.	3.1	123
25	Isolation of fungal pathogens from eggs of the endangered sea turtle species <i>Chelonia mydas</i> in Ascension Island. Journal of the Marine Biological Association of the United Kingdom, 2017, 97, 661-667.	0.4	23
26	NmPin from the marine thaumarchaeote Nitrosopumilus maritimus is an active membrane associated prolyl isomerase. BMC Biology, 2016, 14, 53.	1.7	8
27	Emerging oomycete threats to plants and animals. Philosophical Transactions of the Royal Society B: Biological Sciences, 2016, 371, 20150459.	1.8	114
28	Infection of the brown alga <i>Ectocarpus siliculosus</i> by the oomycete <i>Urychasma dicksonii</i> induces oxidative stress and halogen metabolism. Plant, Cell and Environment, 2016, 39, 259-271.	2.8	30
29	New records and observations of macroalgae and associated pathogens from the Falkland Islands, Patagonia and Tierra del Fuego. Botanica Marina, 2016, 59, 105-121.	0.6	13
30	Nonagonal cadherins: A new protein family found within the Stramenopiles. Gene, 2016, 593, 64-75.	1.0	5
31	Arctic marine phytobenthos of northern Baffin Island. Journal of Phycology, 2016, 52, 532-549.	1.0	31
32	Mobilization of Pollutant-Degrading Bacteria by Eukaryotic Zoospores. Environmental Science & Technology, 2016, 50, 7633-7640.	4.6	9
33	Export of malaria proteins requires co-translational processing of the PEXEL motif independent of phosphatidylinositol-3-phosphate binding. Nature Communications, 2016, 7, 10470.	5.8	65
34	Development of eukaryotic zoospores within polycyclic aromatic hydrocarbon (PAH)-polluted environments: A set of behaviors that are relevant for bioremediation. Science of the Total Environment, 2015, 511, 767-776.	3.9	14
35	Chaxapeptin, a Lasso Peptide from Extremotolerant <i>Streptomyces leeuwenhoekii</i> Strain C58 from the Hyperarid Atacama Desert. Journal of Organic Chemistry, 2015, 80, 10252-10260.	1.7	83
36	Global Distribution of Two Fungal Pathogens Threatening Endangered Sea Turtles. PLoS ONE, 2014, 9, e85853.	1.1	78

#	ARTICLE	IF	CITATIONS
37	A putative serine protease, SpSsp1, from <i>Saprolegnia parasitica</i> is recognised by sera of rainbow trout, <i>Oncorhynchus mykiss</i> . <i>Fungal Biology</i> , 2014, 118, 630-639.	1.1	26
38	Animal pathogenic Oomycetes. <i>Fungal Biology</i> , 2014, 118, 525-526.	1.1	12
39	Role of Pathogen-Derived Cell Wall Carbohydrates and Prostaglandin E ₂ in Immune Response and Suppression of Fish Immunity by the Oomycete <i>Saprolegnia parasitica</i> . <i>Infection and Immunity</i> , 2014, 82, 4518-4529.	1.0	49
40	Deciphering microbial landscapes of fish eggs to mitigate emerging diseases. <i>ISME Journal</i> , 2014, 8, 2002-2014.	4.4	64
41	Seaweed biodiversity in the south-western Antarctic Peninsula: surveying macroalgal community composition in the Adelaide Island/Marguerite Bay region over a 35-year time span. <i>Polar Biology</i> , 2014, 37, 1607-1619.	0.5	37
42	Reprint of: <i>Saprolegnia</i> strains isolated from river insects and amphipods are broad spectrum pathogens. <i>Fungal Biology</i> , 2014, 118, 579-590.	1.1	9
43	Functional characterization of a tyrosinase gene from the oomycete <i>Saprolegnia parasitica</i> by RNAi silencing. <i>Fungal Biology</i> , 2014, 118, 621-629.	1.1	12
44	The impact of the water moulds <i>Saprolegnia diclina</i> and <i>Saprolegnia parasitica</i> on natural ecosystems and the aquaculture industry. <i>Fungal Biology Reviews</i> , 2013, 27, 33-42.	1.9	121
45	<i>Saprolegnia</i> strains isolated from river insects and amphipods are broad spectrum pathogens. <i>Fungal Biology</i> , 2013, 117, 752-763.	1.1	29
46	A family of small tyrosine rich proteins is essential for oogonial and oospore cell wall development of the mycoparasitic oomycete <i>Pythium oligandrum</i> . <i>Fungal Biology</i> , 2013, 117, 163-172.	1.1	14
47	Parental Transfer of the Antimicrobial Protein LBP/BPI Protects <i>Biomphalaria glabrata</i> Eggs against Oomycete Infections. <i>PLoS Pathogens</i> , 2013, 9, e1003792.	2.1	61
48	Distinctive Expansion of Potential Virulence Genes in the Genome of the Oomycete Fish Pathogen <i>Saprolegnia parasitica</i> . <i>PLoS Genetics</i> , 2013, 9, e1003272.	1.5	221
49	Managing scientific diving operations in a remote location: the Canadian high Arctic. <i>Diving and Hyperbaric Medicine</i> , 2013, 43, 239-43.	0.2	5
50	Avirulence Protein 3a (AVR3a) from the Potato Pathogen <i>Phytophthora infestans</i> Forms Homodimers through Its Predicted Translocation Region and Does Not Specifically Bind Phospholipids. <i>Journal of Biological Chemistry</i> , 2012, 287, 38101-38109.	1.6	28
51	Host-targeting protein 1 (SpHtp1) from the oomycete <i>Saprolegnia parasitica</i> translocates specifically into fish cells in a tyrosine-O-sulphate-dependent manner. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 2096-2101.	3.3	79
52	Immune gene expression in trout cell lines infected with the fish pathogenic oomycete <i>Saprolegnia parasitica</i> . <i>Developmental and Comparative Immunology</i> , 2012, 38, 44-54.	1.0	53
53	The oomycete <i>Pythium oligandrum</i> expresses putative effectors during mycoparasitism of <i>Phytophthora infestans</i> and is amenable to transformation. <i>Fungal Biology</i> , 2012, 116, 24-41.	1.1	74
54	Secretion, delivery and function of oomycete effector proteins. <i>Current Opinion in Microbiology</i> , 2012, 15, 685-691.	2.3	90

#	ARTICLE	IF	CITATIONS
55	Presence/absence, differential expression and sequence polymorphisms between <i>PiAVR2</i> and <i>PiAVR2</i> -like in <i>Phytophthora infestans</i> determine virulence on <i>R2</i> plants. <i>New Phytologist</i> , 2011, 191, 763-776.	3.5	142
56	A Molecular Insight into Algal-Oomycete Warfare: cDNA Analysis of <i>Ectocarpus siliculosus</i> Infected with the Basal Oomycete <i>Eurycyba dicksonii</i> . <i>PLoS ONE</i> , 2011, 6, e24500.	1.1	33
57	The putative RxLR effector protein SpHtp1 from the fish pathogenic oomycete <i>Saprolegnia parasitica</i> is translocated into fish cells. <i>FEMS Microbiology Letters</i> , 2010, 310, 127-137.	0.7	51
58	Identification of appressorial and mycelial cell wall proteins and a survey of the membrane proteome of <i>Phytophthora infestans</i> . <i>Fungal Biology</i> , 2010, 114, 702-723.	1.1	41
59	Genome sequence of the necrotrophic plant pathogen <i>Pythium ultimum</i> reveals original pathogenicity mechanisms and effector repertoire. <i>Genome Biology</i> , 2010, 11, R73.	13.9	391
60	Genome sequence and analysis of the Irish potato famine pathogen <i>Phytophthora infestans</i> . <i>Nature</i> , 2009, 461, 393-398.	13.7	1,405
61	New insights into animal pathogenic oomycetes. <i>Trends in Microbiology</i> , 2008, 16, 13-19.	3.5	198
62	Internuclear gene silencing in <i>Phytophthora infestans</i> is established through chromatin remodelling. <i>Microbiology (United Kingdom)</i> , 2008, 154, 1482-1490.	0.7	71
63	Cellulose Synthesis in <i>Phytophthora infestans</i> Is Required for Normal Appressorium Formation and Successful Infection of Potato. <i>Plant Cell</i> , 2008, 20, 720-738.	3.1	133
64	<i>Plasmodium falciparum</i> and <i>Hyaloperonospora parasitica</i> effector translocation motifs are functional in <i>Phytophthora infestans</i> . <i>Microbiology (United Kingdom)</i> , 2008, 154, 3743-3751.	0.7	94
65	A translocation signal for delivery of oomycete effector proteins into host plant cells. <i>Nature</i> , 2007, 450, 115-118.	13.7	760
66	<i>Saprolegnia parasitica</i> , an oomycete pathogen with a fishy appetite: new challenges for an old problem. <i>The Mycologist</i> , 2006, 20, 99-104.	0.5	277
67	A method for double-stranded RNA-mediated transient gene silencing in <i>Phytophthora infestans</i> . <i>Molecular Plant Pathology</i> , 2005, 6, 153-163.	2.0	108
68	Expressed sequence tags from the oomycete fish pathogen <i>Saprolegnia parasitica</i> reveal putative virulence factors. <i>BMC Microbiology</i> , 2005, 5, 46.	1.3	90
69	Advances in research on oomycete root pathogens. <i>Physiological and Molecular Plant Pathology</i> , 2003, 62, 99-113.	1.3	125
70	EST Mining and Functional Expression Assays Identify Extracellular Effector Proteins From the Plant Pathogen <i>Phytophthora</i> . <i>Genome Research</i> , 2003, 13, 1675-1685.	2.4	333
71	Green fluorescent protein (GFP) as a reporter gene for the plant pathogenic oomycete <i>Phytophthora palmivora</i> . <i>FEMS Microbiology Letters</i> , 1999, 178, 71-80.	0.7	45
72	Internuclear Gene Silencing in <i>Phytophthora infestans</i> . <i>Molecular Cell</i> , 1999, 3, 339-348.	4.5	168

#	ARTICLE	IF	CITATIONS
73	Title is missing!. European Journal of Plant Pathology, 1998, 104, 521-525.	0.8	26
74	TheipiO Gene ofPhytophthora infestansIs Highly Expressed in Invading Hyphae during Infection. Fungal Genetics and Biology, 1998, 23, 126-138.	0.9	115
75	Resistance of Nicotiana benthamiana to Phytophthora infestans Is Mediated by the Recognition of the Elicitor Protein INF1. Plant Cell, 1998, 10, 1413-1425.	3.1	371