Sylwia Fudala-Ksiazek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2763207/publications.pdf

Version: 2024-02-01

20 papers 600 citations

933447 10 h-index 752698 20 g-index

20 all docs

20 docs citations

times ranked

20

691 citing authors

#	Article	IF	CITATIONS
1	Influence of Cement Replacement with Sewage Sludge Ash (SSA) on the Heat of Hydration of Cement Mortar. Materials, 2022, 15, 1547.	2.9	18
2	Insights into the microbial community of treated wastewater, its year-round variability and impact on the receiver, using cultivation, microscopy and amplicon-based methods. Science of the Total Environment, 2022, 829, 154630.	8.0	6
3	Electrochemical oxidation of landfill leachate using boron-doped diamond anodes: pollution degradation rate, energy efficiency and toxicity assessment. Environmental Science and Pollution Research, 2022, 29, 65625-65641.	5.3	6
4	Electrochemical oxidation of PFOA and PFOS in landfill leachates at low and highly boron-doped diamond electrodes. Journal of Hazardous Materials, 2021, 403, 123606.	12.4	106
5	Carbon nanoarchitectures as high-performance electrodes for the electrochemical oxidation of landfill leachate. Journal of Hazardous Materials, 2021, 401, 123407.	12.4	35
6	The microbial community, its biochemical potential, and the antimicrobial resistance of Enterococcus spp. in Arctic lakes under natural and anthropogenic impact (West Spitsbergen). Science of the Total Environment, 2021, 763, 142998.	8.0	6
7	Kinetics of the Organic Compounds and Ammonium Nitrogen Electrochemical Oxidation in Landfill Leachates at Boron-Doped Diamond Anodes. Materials, 2021, 14, 4971.	2.9	4
8	Biomass in biogas production: Pretreatment and codigestion. Renewable and Sustainable Energy Reviews, 2021, 150, 111509.	16.4	101
9	First evaluation of wastewater discharge influence on marine water contamination in the vicinity of Arctowski Station (Maritime Antarctica). Science of the Total Environment, 2021, 789, 147912.	8.0	10
10	Electrodes criticality: the impact of CRMs in the leachate electrochemical oxidation. Manufacturing Review, 2020, 7, 7.	1.5	2
11	Landfill leachates and wastewater of maritime origin as possible sources of endocrine disruptors in municipal wastewater. Environmental Science and Pollution Research, 2019, 26, 25690-25701.	5. 3	31
12	Differences between selected volatile aromatic compound concentrations in sludge samples in various steps of wastewater treatment plant operations. Journal of Environmental Management, 2019, 249, 109426.	7.8	9
13	The evaluation of COD fractionation and modeling as a key factor for appropriate optimization and monitoring of modern cost-effective activated sludge systems. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2019, 54, 736-744.	1.7	7
14	Nitrification, denitrification, and dephosphatation capability of activated sludge during co-treatment of intermediate-age landfill leachates with municipal wastewater. Environmental Technology (United) Tj ETQq0 () 0 2 gBT /C	Ove¶lock 10 Tf
15	Efficiency of landfill leachate treatment in a MBR/UF system combined with NF, with a special focus on phthalates and bisphenol A removal. Waste Management, 2018, 78, 94-103.	7.4	52
16	Fate and significance of phthalates and bisphenol A in liquid by-products generated during municipal solid waste mechanical-biological pre-treatment and disposal. Waste Management, 2017, 64, 28-38.	7.4	33
17	A modern solid waste management strategy $\hat{a}\in$ " the generation of new by-products. Waste Management, 2016, 49, 516-529.	7.4	37
18	Antimicrobial resistance of Pseudomonas spp. isolated from wastewater and wastewater-impacted marine coastal zone. Environmental Science and Pollution Research, 2015, 22, 19823-19834.	5. 3	70

#	Article	IF	CITATIONS
19	Nitrogen removal via the nitrite pathway during wastewater co-treatment with ammonia-rich landfill leachates in a sequencing batch reactor. Environmental Science and Pollution Research, 2014, 21, 7307-7318.	5.3	56
20	A distillery by-product as an external carbon source for enhancing denitrification in mainstream and sidestream treatment processes. Water Science and Technology, 2011, 64, 2072-2079.	2.5	7