

Kai He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2764121/publications.pdf>

Version: 2024-02-01

25
papers

1,271
citations

516710
16
h-index

610901
24
g-index

25
all docs

25
docs citations

25
times ranked

1755
citing authors

#	ARTICLE	IF	CITATIONS
1	The underlying rationality of Chinese medicine herb pair <i>Coptis chinensis</i> and <i>Dolomiaea souliei</i> : From the perspective of metabolomics and intestinal function. <i>Journal of Ethnopharmacology</i> , 2022, 289, 115065.	4.1	2
2	Myricetin and myricetrin alleviate liver and colon damage in a chronic colitis mice model: Effects on tight junction and intestinal microbiota. <i>Journal of Functional Foods</i> , 2021, 87, 104790.	3.4	3
3	Assembly of a DNA Origami Chinese Knot by Only 15% of the Staple Strands. <i>ChemBioChem</i> , 2020, 21, 2132-2136.	2.6	6
4	The anti-hyperglycemia effects of <i>Rhizoma Coptidis</i> alkaloids: A systematic review of modern pharmacological studies of the traditional herbal medicine. <i>FÄ-toterapÄ-Ä¢</i> , 2019, 134, 210-220.	2.2	27
5	A new glycoprotein SPG-8700 isolated from sweet potato with potential anti-cancer activity against colon cancer. <i>Natural Product Research</i> , 2019, 33, 2322-2328.	1.8	8
6	Coptisine from <i>Rhizoma Coptidis</i> Suppresses HCT-116 Cells-related Tumor Growth in vitro and in vivo. <i>Scientific Reports</i> , 2017, 7, 38524.	3.3	49
7	Activation of Akt and JNK/Nrf2/NQO1 pathway contributes to the protective effect of coptisine against AAPH-induced oxidative stress. <i>Biomedicine and Pharmacotherapy</i> , 2017, 85, 313-322.	5.6	48
8	Anti-hyperlipidemic effects of <i>Rhizoma Coptidis</i> alkaloids are achieved through modulation of the enterohepatic circulation of bile acids and cross-talk between the gut microbiota and the liver. <i>Journal of Functional Foods</i> , 2017, 35, 205-215.	3.4	14
9	The protective effect of coptisine on experimental atherosclerosis ApoEÄ~/Ä~ mice is mediated by MAPK/NF-ÎB-dependent pathway. <i>Biomedicine and Pharmacotherapy</i> , 2017, 93, 721-729.	5.6	30
10	The Hypoglycemic and Synergistic Effect of Loganin, Morroniside, and Ursolic Acid Isolated from the Fruits of <i>Cornus officinalis</i> . <i>Phytotherapy Research</i> , 2016, 30, 283-291.	5.8	80
11	Hypolipidemic effects of <i>Myrica rubra</i> extracts and main compounds in C57BL/6j mice. <i>Food and Function</i> , 2016, 7, 3505-3515.	4.6	11
12	Purification of Î-Ä-glucosidase from mouse intestine by countercurrent chromatography coupled with a reverse micelle solvent system. <i>Journal of Separation Science</i> , 2016, 39, 703-708.	2.5	9
13	<i>Rhizoma Coptidis</i> alkaloids alleviate hyperlipidemia in B6 mice by modulating gut microbiota and bile acid pathways. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016, 1862, 1696-1709.	3.8	111
14	Hypolipidemic Effects of Alkaloids from <i>Rhizoma Coptidis</i> in Diet-Induced Hyperlipidemic Hamsters. <i>Planta Medica</i> , 2016, 82, 690-697.	1.3	49
15	Synergetic cholesterol-lowering effects of main alkaloids from <i>Rhizoma Coptidis</i> in HepG2 cells and hypercholesterolemia hamsters. <i>Life Sciences</i> , 2016, 151, 50-60.	4.3	29
16	The Safety and Anti-Hypercholesterolemic Effect of Coptisine in Syrian Golden Hamsters. <i>Lipids</i> , 2015, 50, 185-194.	1.7	41
17	Coptisine attenuates obesity-related inflammation through LPS/TLR-4-mediated signaling pathway in Syrian golden hamsters. <i>FÄ-toterapÄ-Ä¢</i> , 2015, 105, 139-146.	2.2	70
18	Synergy effects of herb extracts: Pharmacokinetics and pharmacodynamic basis. <i>FÄ-toterapÄ-Ä¢</i> , 2014, 92, 133-147.	2.2	243

#	ARTICLE	IF	CITATIONS
19	The antihypercholesterolemic effect of jatrorrhizine isolated from <i>Rhizoma Coptidis</i> . <i>Phytomedicine</i> , 2014, 21, 1373-1381.	5.3	43
20	Fluorescence analysis of interaction between 5 alkaloids from <i>Rhizoma Coptidis</i> with protein and DNA. <i>Academic Journal of Second Military Medical University</i> , 2014, 35, 106.	0.0	0
21	Safety evaluation of main alkaloids from <i>Rhizoma Coptidis</i> . <i>Journal of Ethnopharmacology</i> , 2013, 145, 303-310.	4.1	113
22	A mitochondria-based method for the determination of antioxidant activities using 2,7-dichlorofluorescein diacetate oxidation. <i>Food Research International</i> , 2012, 48, 454-461.	6.2	5
23	Separation of two constituents from purple sweet potato by combination of silica gel column and high-speed counter-current chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 881-882, 49-54.	2.3	21
24	Cytotoxicity and antihyperglycemic effect of minor constituents from <i>Rhizoma Coptis</i> in HepG2 cells. <i>FA-journal of Food and Agriculture</i> , 2012, 83, 67-73.	2.2	121
25	Evaluation of antidiabetic potential of selected traditional Chinese medicines in STZ-induced diabetic mice. <i>Journal of Ethnopharmacology</i> , 2011, 137, 1135-1142.	4.1	138