

Bhupendra Singh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2765217/publications.pdf>

Version: 2024-02-01

70
papers

1,030
citations

393982

19
h-index

500791

28
g-index

70
all docs

70
docs citations

70
times ranked

893
citing authors

#	ARTICLE	IF	CITATIONS
1	Mixed ionic-electronic conducting (MIEC) oxide ceramics for electrochemical applications. , 2022, , 201-230.		0
2	Defect Structure, Transport Properties, and Chemical Expansion in Ba _{0.95} La _{0.05} FeO ₃ . Journal of the Electrochemical Society, 2021, 168, 034511.	1.3	5
3	Locating Shunt Currents in a Multistack System of All-Vanadium Redox Flow Batteries. ACS Sustainable Chemistry and Engineering, 2021, 9, 4648-4659.	3.2	7
4	Mathematical Model to Study Vanadium Ion Crossover in an All-Vanadium Redox Flow Battery. ACS Sustainable Chemistry and Engineering, 2021, 9, 5377-5387.	3.2	21
5	Characteristics of Graphite Felt Electrodes Treated by Atmospheric Pressure Plasma Jets for an All-Vanadium Redox Flow Battery. Materials, 2021, 14, 3847.	1.3	4
6	Advancements in spontaneous microbial desalination technology for sustainable water purification and simultaneous power generation: A review. Journal of Environmental Management, 2021, 297, 113374.	3.8	18
7	Phase, microstructure, and wear behavior of Al ₂ O ₃ -reinforced Fe-Si alloy-based metal matrix nanocomposites. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2020, 234, 467-480.	0.7	2
8	Polybenzimidazole-Based High-Temperature Polymer Electrolyte Membrane Fuel Cells: New Insights and Recent Progress. Electrochemical Energy Reviews, 2020, 3, 793-845.	13.1	92
9	Structural and electrical properties of novel phosphate based composite electrolyte for low-temperature fuel cells. Composites Part B: Engineering, 2020, 202, 108405.	5.9	29
10	Defect chemistry of highly defective La _{0.1} Sr _{0.9} Co _{0.8} Fe _{0.2} O ₃ by considering oxygen interstitials: Effect of hole degeneracy. Solid State Ionics, 2020, 347, 115251.	1.3	5
11	Physicochemical and electrochemical behaviours of manganese oxide electrodes for supercapacitor application. Journal of Energy Storage, 2020, 28, 101228.	3.9	4
12	A new solution phase synthesis of cerium(IV) pyrophosphate compounds of different morphologies using cerium(III) precursor. Journal of Alloys and Compounds, 2019, 793, 686-694.	2.8	5
13	Investigations on Defect Equilibrium, Thermodynamic Quantities, and Transport Properties of La _{0.5} Sr _{0.5} FeO ₃ . Journal of the Electrochemical Society, 2019, 166, F180-F189.	1.3	20
14	Improved functional response of spark plasma sintered hydroxyapatite based functionally graded materials: An impedance spectroscopy perspective. Ceramics International, 2019, 45, 6673-6683.	2.3	5
15	Sintering and electrical behavior of ZrP ₂ O ₇ -CeP ₂ O ₇ solid solutions Zr _{1-x} Ce _x P ₂ O ₇ ; x=0.2 and (Zr _{0.92} Y _{0.08}) _{1-y} Ce _y P ₂ O ₇ ; y=0.1 for application as electrolyte in intermediate temperature fuel cells. Ionics, 2019, 25, 155-162.		6
16	Investigation on Hydration Process and Biocompatibility of Calcium Silicate-Based Experimental Portland Cements. Journal of the Korean Ceramic Society, 2019, 56, 403-411.	1.1	7
17	Fabrication of dense Ce _{0.9} Mg _{0.1} P ₂ O ₇ -PmOn composites by microwave heating for application as electrolyte in intermediate-temperature fuel cells. Ceramics International, 2018, 44, 6170-6175.	2.3	9
18	Synthesis and characterization of Fe ₃ O ₄ /Polythiophene hybrid nanocomposites for electroanalytical application. Materials Chemistry and Physics, 2018, 205, 462-469.	2.0	18

#	ARTICLE	IF	CITATIONS
19	High temperature polymer electrolyte membrane fuel cells with Polybenzimidazole-Ce _{0.9} Gd _{0.1} P ₂ O ₇ and polybenzimidazole-Ce _{0.9} Gd _{0.1} P ₂ O ₇ -graphite oxide composite electrolytes. Journal of Power Sources, 2018, 401, 149-157.	4.0	15
20	Lithium Ion Conductivity and Thermodynamic Activity of Li ₂ O in Li _{0.23} La _{0.61} TiO ₃ . Chemistry Letters, 2018, 47, 1032-1035.	0.7	1
21	Spatial distribution of oxygen chemical potential under potential gradients and performance of solid oxide fuel cells with Ce _{0.9} Gd _{0.1} O ₂ electrolyte. Solid State Ionics, 2018, 324, 150-156.	1.3	5
22	Thermodynamic Quantities and Defect Chemical Properties of La _{0.8} Sr _{0.2} FeO ₃ . Journal of the Electrochemical Society, 2018, 165, F641-F651.	1.3	12
23	Influence of Different Side-groups and Cross-links on Phosphoric Acid Doped Radel-based Polysulfone Membranes for High Temperature Polymer Electrolyte Fuel Cells. Electrochimica Acta, 2017, 224, 306-313.	2.6	32
24	Fast ionic conduction in tetravalent metal pyrophosphate-alkali carbonate composites: New potential electrolytes for intermediate-temperature fuel cells. Journal of Power Sources, 2017, 345, 176-181.	4.0	15
25	Isothermal Charge Transport Properties of La _{0.1} Sr _{0.9} Co _{0.8} Fe _{0.2} O ₃ by Blocking Cell Method. Journal of the Electrochemical Society, 2017, 164, F400-F404.	1.3	1
26	Synthesis and characterization of MnO-doped titanium pyrophosphates (Ti _{1-x} Mn _x P ₂ O ₇ ; x=0.2) for intermediate-temperature proton-conducting ceramic-electrolyte fuel cells. Ionics, 2017, 23, 1675-1684.	1.2	5
27	Pd-YSZ cermet membranes with self-repairing capability in extreme H ₂ S conditions. Ceramics International, 2017, 43, 2291-2296.	2.3	0
28	Investigation of Effect of Al ³⁺ -Doping on Mass/Charge Transport Properties of La ₂ NiO ₄ by Blocking Cell Method. Journal of the Electrochemical Society, 2016, 163, F1302-F1307.	1.3	3
29	Defect Chemistry of Highly Defective La _{0.1} Sr _{0.9} Co _{0.8} Fe _{0.2} O ₃ by Considering Oxygen Interstitials. Journal of the Electrochemical Society, 2016, 163, F1588-F1595.	1.3	3
30	Study of mass transport kinetics in co-doped Ba _{0.9} Sr _{0.1} Ce _{0.85} Y _{0.15} O ₃ by electrical conductivity relaxation. Solid State Ionics, 2016, 289, 9-16.	1.3	3
31	Effect of MnO doping in tetravalent metal pyrophosphate (MP ₂ O ₇ ; M=Ce, Sn, Zr) electrolytes. Ceramics International, 2016, 42, 2983-2989.	2.3	20
32	Electrical Behavior and Stability of K ₂ HPO ₄ -KH ₅ (PO ₄) ₂ -Ce _{0.9} Gd _{0.1} P ₂ O ₇ Electrolytes for Intermediate Temperature Proton-Conducting Fuel Cells. Journal of the Electrochemical Society, 2016, 163, F225-F229.	1.3	7
33	Dense composite electrolytes of Gd ³⁺ -doped cerium phosphates for low-temperature proton-conducting ceramic-electrolyte fuel cells. Ceramics International, 2015, 41, 4814-4821.	2.3	11
34	Oxygen permeation through dense La _{0.1} Sr _{0.9} Co _{0.8} Fe _{0.2} O ₃ perovskite membranes: Catalytic effect of porous La _{0.1} Sr _{0.9} Co _{0.8} Fe _{0.2} O ₃ layers. Ceramics International, 2015, 41, 7446-7452.	2.3	8
35	Fabrication of Dense Cerium Pyrophosphate-Polystyrene Composite for Application as Low-Temperature Proton-Conducting Electrolytes. Journal of the Electrochemical Society, 2015, 162, F1159-F1164.	1.3	10
36	Investigation of Oxygen Reduction Reaction on La _{0.1} Sr _{0.9} Co _{0.8} Fe _{0.2} O ₃ Electrode by Electrochemical Impedance Spectroscopy. Journal of the Electrochemical Society, 2015, 162, F728-F735.	1.3	22

#	ARTICLE	IF	CITATIONS
37	Investigations on Electrochemical Performance of a Proton-Conducting Ceramic-Electrolyte Fuel Cell with $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_3$ Cathode. Journal of the Electrochemical Society, 2015, 162, F547-F554.	1.3	34
38	La_2NiO_4 as oxygen electrode in reversible solid oxide cells. Ceramics International, 2015, 41, 6448-6454.	2.3	25
39	Steam/ CO_2 -Co-Electrolysis Performance of Reversible Solid Oxide Cell with $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$ -Gd $_{0.1}\text{Ce}_{0.9}\text{O}_{3-\delta}$ Electrode. Journal of the Electrochemical Society, 2015, 162, F54-F59.		
40	Effect of partial substitution of Sn^{4+} by M^{4+} (M=Si, Ti, and Ce) on sinterability and ionic conductivity of SnP_2O_7 . Ceramics International, 2015, 41, 3339-3343.	2.3	10
41	Oxygen Nonstoichiometry and Thermodynamic Quantities of $\text{La}_{2-x}\text{Ni}_{1-x}\text{Al}_x\text{O}_{7-\delta}$. Journal of the American Ceramic Society, 2014, 97, 1489-1496.		
42	Ionic Conductivity of Gd^{3+} -Doped Cerium Pyrophosphate Electrolytes with Core-Shell Structure. Journal of the Electrochemical Society, 2014, 161, F464-F472.	1.3	20
43	Mn^{2+} -Doped CeP_2O_7 Composite Electrolytes for Application in Low Temperature Proton-Conducting Ceramic Electrolyte Fuel Cells. Journal of the Electrochemical Society, 2014, 161, F133-F138.	1.3	14
44	Partial Conductivities and Chemical Diffusivities of Multi-Ion Transporting $\text{BaZr}_x\text{Ce}_{0.85-x}\text{Y}_{0.15}\text{O}_{3-\delta}$ ($x = 0, 0.2, 0.4$ and 0.6). Journal of the Electrochemical Society, 2014, 161, F991-F1001.	1.3	9
45	Charge and Mass Transport Properties of $\text{BaCe}_{0.45}\text{Zr}_{0.4}\text{Y}_{0.15}\text{O}_{3-\delta}$. Journal of the Electrochemical Society, 2014, 161, F710-F716.	1.3	15
46	Ionic conductivity of Mn^{2+} doped dense tin pyrophosphate electrolytes synthesized by a new co-precipitation method. Journal of the European Ceramic Society, 2014, 34, 2967-2976.	2.8	16
47	Charge and mass transport properties of $\text{La}_2\text{Ni}_{0.95}\text{Al}_{0.05}\text{O}_{4.025}$. Journal of Alloys and Compounds, 2014, 589, 572-578.	2.8	10
48	Comparative study of an experimental Portland cement and ProRoot MTA by electrochemical impedance spectroscopy. Ceramics International, 2014, 40, 1741-1746.	2.3	7
49	Proton-Conducting $\text{Ce}_{0.9}\text{Mn}_{0.1}\text{P}_2\text{O}_7$ Composite Electrolytes for Low Temperature Ceramic Electrolyte Fuel Cells. ECS Transactions, 2014, 61, 353-360.	0.3	1
50	Oxygen Reduction Properties of $\text{La}_{0.1}\text{Sr}_{0.9}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ Cathode for SOFC Using Electrochemical Method. ECS Transactions, 2014, 61, 347-352.	0.3	1
51	Surface exchange kinetics and chemical diffusivities of $\text{BaZr}_{0.2}\text{Ce}_{0.65}\text{Y}_{0.15}\text{O}_{3-\delta}$ by electrical conductivity relaxation. Journal of Alloys and Compounds, 2014, 610, 301-307.	2.8	8
52	Correlation between defect structure and electrochemical properties of mixed conducting $\text{La}_{0.1}\text{Sr}_{0.9}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$. Acta Materialia, 2014, 65, 373-382.	3.8	12
53	Determination of isothermal mass and charge transport properties of $\text{La}_2\text{NiO}_{4+\delta}$ by ion-blocking cell method. Ceramics International, 2014, 40, 16785-16790.	2.3	4
54	Effectiveness of Protonic Conduction in $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ Cathode in Intermediate Temperature Proton-Conducting Ceramic-Electrolyte Fuel Cell. Journal of the Electrochemical Society, 2014, 161, F754-F760.	1.3	18

#	ARTICLE	IF	CITATIONS
55	Cerium Pyrophosphate-based Proton-conducting Ceramic Electrolytes for Low Temperature Fuel Cells. <i>Journal of the Korean Ceramic Society</i> , 2014, 51, 248-259.	1.1	3
56	A thermodynamically stable $\text{La}_2\text{NiO}_4/\text{Gd}_{0.1}\text{Ce}_{0.9}\text{O}_{1.95}$ bilayer oxygen transport membrane in membrane-assisted water splitting for hydrogen production. <i>Ceramics International</i> , 2013, 39, 3893-3899.	2.3	19
57	Hydrogen separation by dual functional cermet membranes with self-repairing capability against the damage by H_2S . <i>Journal of Membrane Science</i> , 2013, 428, 46-51.	4.1	15
58	Electrical conductivity of M^{2+} -doped (M = Mg, Ca, Sr, Ba) cerium pyrophosphate-based composite electrolytes for low-temperature proton conducting electrolyte fuel cells. <i>Journal of Alloys and Compounds</i> , 2013, 578, 279-285.	2.8	17
59	Performance of $\text{La}_{0.1}\text{Sr}_{0.9}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ and $\text{La}_{0.1}\text{Sr}_{0.9}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}/\text{Ce}_{0.9}\text{Gd}_{0.1}\text{O}_2$ oxygen electrodes with $\text{Ce}_{0.9}\text{Gd}_{0.1}\text{O}_2$ barrier layer in reversible solid oxide fuel cells. <i>Journal of Power Sources</i> , 2013, 239, 361-373.	4.0	78
60	Study of Oxygen Nonstoichiometry and Transport in $\text{Y}_{0.08}\text{Sr}_{0.92}\text{Fe}_{0.1}\text{Ti}_{0.9}\text{O}_{3-\delta}$ for Application as SOFC Anode. <i>Journal of the Electrochemical Society</i> , 2013, 160, F1048-F1054.	1.3	2
61	Electrochemical hydrogen charge and discharge properties of $\text{La}_{0.1}\text{Sr}_{0.9}\text{Co}_{1-\gamma}\text{Fe}_{\gamma}\text{O}_{3-\delta}$ ($\gamma = 0, 0.2, 1$) electrodes in alkaline electrolyte solution. <i>Electrochimica Acta</i> , 2013, 102, 393-399.	2.6	31
62	Study of electrochemical hydrogen charge/discharge properties of FePO_4 for application as negative electrodes in hydrogen batteries. <i>Ceramics International</i> , 2013, 39, 6559-6568.	2.3	7
63	Effect of humidification on the performance of intermediate-temperature proton conducting ceramic fuel cells with ceramic composite cathodes. <i>Journal of Power Sources</i> , 2013, 232, 224-233.	4.0	37
64	Studies on Ionic Conductivity of Sr^{2+} -Doped CeP_2O_7 Electrolyte in Humid Atmosphere. <i>Journal of Physical Chemistry C</i> , 2013, 117, 2653-2661.	1.5	43
65	Conductivity Relaxation in Mixed Perovskite-Type Oxide $\text{Ba}_3\text{Ca}_{1.18}\text{Nb}_{1.82}\text{O}_{8.73}$ upon Oxidation/Reduction and Hydration/Dehydration. <i>Journal of the Electrochemical Society</i> , 2013, 160, F623-F628.	1.3	14
66	Study of Hydration/Dehydration Kinetics of SOFC Cathode Material $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ by Electrical Conductivity Relaxation Technique. <i>Journal of the Electrochemical Society</i> , 2013, 160, F764-F768.	1.3	19
67	Electrical Behavior of CeP_2O_7 Electrolyte for the Application in Low-Temperature Proton-Conducting Ceramic Electrolyte Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2012, 159, F819-F825.	1.3	25
68	Controlled synthesis and magnetic properties of nickel phosphide and bimetallic iron-nickel phosphide nanorods. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	0.8	8
69	Library of electrocatalytic sites in nano-structured domains: Electrocatalysis of hydrogen peroxide. <i>Biosensors and Bioelectronics</i> , 2008, 24, 842-848.	5.3	30
70	Chemically sensitized ormosil-modified electrodes—Studies on the enhancement of selectivity in electrochemical oxidation of hydrogen peroxide. <i>Sensors and Actuators B: Chemical</i> , 2007, 122, 30-41.	4.0	11