

Amanda J Lloyd

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2766047/publications.pdf>

Version: 2024-02-01

29
papers

1,827
citations

394286

19
h-index

501076

28
g-index

30
all docs

30
docs citations

30
times ranked

3166
citing authors

#	ARTICLE	IF	CITATIONS
1	The hypersensitive response; the centenary is upon us but how much do we know?. <i>Journal of Experimental Botany</i> , 2008, 59, 501-520.	2.4	597
2	Evaluation of FTIR Spectroscopy as a diagnostic tool for lung cancer using sputum. <i>BMC Cancer</i> , 2010, 10, 640.	1.1	159
3	Proline betaine and its biotransformation products in fasting urine samples are potential biomarkers of habitual citrus fruit consumption. <i>British Journal of Nutrition</i> , 2011, 106, 812-824.	1.2	133
4	Flow infusion electrospray ionisation mass spectrometry for high throughput, non-targeted metabolite fingerprinting: a review. <i>Metabolomics</i> , 2013, 9, 4-29.	1.4	124
5	Use of mass spectrometry fingerprinting to identify urinary metabolites after consumption of specific foods. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 981-991.	2.2	122
6	Metabolomic approaches reveal that cell wall modifications play a major role in ethylene-mediated resistance against <i>Botrytis cinerea</i> . <i>Plant Journal</i> , 2011, 67, 852-868.	2.8	77
7	Development and validation of a standardized protocol to monitor human dietary exposure by metabolite fingerprinting of urine samples. <i>Metabolomics</i> , 2011, 7, 469-484.	1.4	66
8	Data-driven strategy for the discovery of potential urinary biomarkers of habitual dietary exposure. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 377-389.	2.2	61
9	Hydroxylated phenylacetamides derived from bioactive benzoxazinoids are bioavailable in humans after habitual consumption of whole grain sourdough rye bread. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 1859-1873.	1.5	48
10	Use of biomarkers to assess fruit and vegetable intake. <i>Proceedings of the Nutrition Society</i> , 2017, 76, 308-315.	0.4	48
11	The application of MANOVA to analyse <i>Arabidopsis thaliana</i> metabolomic data from factorially designed experiments. <i>Metabolomics</i> , 2007, 3, 517-530.	1.4	45
12	Dietary exposure biomarker-lead discovery based on metabolomics analysis of urine samples. <i>Proceedings of the Nutrition Society</i> , 2013, 72, 352-361.	0.4	42
13	Direct Detection and Quantification of Methylation in Nucleic Acid Sequences Using High-Resolution Melting Analysis. <i>Analytical Chemistry</i> , 2010, 82, 9100-9108.	3.2	39
14	Differential Effect of Three Base Modifications on DNA Thermostability Revealed by High Resolution Melting. <i>Analytical Chemistry</i> , 2012, 84, 7336-7342.	3.2	35
15	Ultra high performance liquid chromatography-high resolution mass spectrometry plasma lipidomics can distinguish between canine breeds despite uncontrolled environmental variability and non-standardized diets. <i>Metabolomics</i> , 2017, 13, 15.	1.4	32
16	Spot and Cumulative Urine Samples Are Suitable Replacements for 24-Hour Urine Collections for Objective Measures of Dietary Exposure in Adults Using Metabolite Biomarkers. <i>Journal of Nutrition</i> , 2019, 149, 1692-1700.	1.3	31
17	Biphasic ethylene production during the hypersensitive response in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2009, 4, 610-613.	1.2	28
18	Changes in the human plasma and urinary metabolome associated with acute dietary exposure to sucrose and the identification of potential biomarkers of sucrose intake. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 444-457.	1.5	28

#	ARTICLE	IF	CITATIONS
19	Separating the Inseparable: The Metabolomic Analysis of Plant-Pathogen Interactions. <i>Methods in Molecular Biology</i> , 2011, 860, 31-49.	0.4	21
20	Characterisation of the main drivers of intra- and inter- breed variability in the plasma metabolome of dogs. <i>Metabolomics</i> , 2016, 12, 72.	1.4	21
21	Developing a Food Exposure and Urine Sampling Strategy for Dietary Exposure Biomarker Validation in Free-Living Individuals. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1900062.	1.5	19
22	Validation of a new software eAT24 used to assess dietary intake in the adult Portuguese population. <i>Public Health Nutrition</i> , 2020, 23, 3093-3103.	1.1	14
23	Developing community-based urine sampling methods to deploy biomarker technology for the assessment of dietary exposure. <i>Public Health Nutrition</i> , 2020, 23, 3081-3092.	1.1	11
24	A Standardized Strategy for Simultaneous Quantification of Urine Metabolites to Validate Development of a Biomarker Panel Allowing Comprehensive Assessment of Dietary Exposure. <i>Molecular Nutrition and Food Research</i> , 2020, 64, 2000517.	1.5	7
25	Assessing Adherence to Healthy Dietary Habits Through the Urinary Food Metabolome: Results From a European Two-Center Study. <i>Frontiers in Nutrition</i> , 0, 9, .	1.6	5
26	Design and Characterisation of a Randomized Food Intervention That Mimics Exposure to a Typical UK Diet to Provide Urine Samples for Identification and Validation of Metabolite Biomarkers of Food Intake. <i>Frontiers in Nutrition</i> , 2020, 7, 561010.	1.6	4
27	Calystegines are Potential Urine Biomarkers for Dietary Exposure to Potato Products. <i>Molecular Nutrition and Food Research</i> , 2020, 64, e2000515.	1.5	4
28	Challenges Associated With the Design and Deployment of Food Intake Urine Biomarker Technology for Assessment of Habitual Diet in Free-Living Individuals and Populations—A Perspective. <i>Frontiers in Nutrition</i> , 2020, 7, 602515.	1.6	3
29	Healthy for My Baby Research Protocol- a Randomized Controlled Trial Assessing a Preconception Intervention to Improve the Lifestyle of Overweight Women and Their Partners. <i>Frontiers in Public Health</i> , 2021, 9, 670304.	1.3	3