

# Anna Szmigielska-Kaplon

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2766185/anna-szmigielska-kaplon-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56  
papers

471  
citations

13  
h-index

19  
g-index

57  
ext. papers

528  
ext. citations

2.9  
avg, IF

2.84  
L-index

#	Paper	IF	Citations
56	The role of NF- $\kappa$ B and Smac/DIABLO proteins in the treatment response and survival of acute myeloid leukemia patients. <i>Archives of Medical Science</i> , <b>2021</b> , 17, 700-707	2.9	0
55	Stem cell mobilization in multiple myeloma patients relapsing after previous autologous hematopoietic stem cell transplantation: A multicenter report by the Polish Myeloma Study Group. <i>Journal of Clinical Apheresis</i> , <b>2021</b> , 36, 443-453	3.2	2
54	Alterations in microRNA Expression during Hematopoietic Stem Cell Mobilization. <i>Biology</i> , <b>2021</b> , 10,	4.9	1
53	Salvage autologous hematopoietic stem cell transplantation for multiple myeloma performed with stem cells procured after previous high dose therapy - a multicenter report by the Polish Myeloma Study Group. <i>Leukemia and Lymphoma</i> , <b>2021</b> , 62, 3226-3234	1.9	
52	Allogeneic Hematopoietic Stem Cell Transplantation for Paroxysmal Nocturnal Hemoglobinuria: Multicenter Analysis by the Polish Adult Leukemia Group. <i>Biology of Blood and Marrow Transplantation</i> , <b>2020</b> , 26, 1833-1839	4.7	6
51	Early induction intensification with cladribine, cytarabine, and mitoxantrone (CLAM) in AML patients treated with the DAC induction regimen: a prospective, non-randomized, phase II study of the Polish Adult Leukemia Group (PALG). <i>Leukemia and Lymphoma</i> , <b>2020</b> , 61, 588-603	1.9	0
50	Associations of Ficolins With Hematological Malignancies in Patients Receiving High-Dose Chemotherapy and Autologous Hematopoietic Stem Cell Transplantations. <i>Frontiers in Immunology</i> , <b>2019</b> , 10, 3097	8.4	7
49	Long Term Nomacopan Administration Results in Complete Transfusion Independence in Previously Transfusion-Dependent PNH Patients. <i>Blood</i> , <b>2019</b> , 134, 4797-4797	2.2	1
48	The role of neuronal apoptosis inhibitory protein (NAIP) in acute myeloid leukemia patients. <i>Acta Haematologica Polonica</i> , <b>2019</b> , 50, 74-80	0.4	
47	miRNA-15a, miRNA-16, miRNA-126, miRNA-146a, and miRNA-223 expressions in autologous hematopoietic stem cell transplantation and their impact on engraftment. <i>European Journal of Haematology</i> , <b>2018</b> , 100, 426-435	3.8	5
46	Selected factors influencing angiogenesis and hematopoietic niche. <i>Acta Haematologica Polonica</i> , <b>2018</b> , 49, 112-120	0.4	1
45	The Influence of Comprehensive Cardiac Rehabilitation on Heart Rate Variability Indices after CABG is More Effective than after PCI. <i>Journal of Cardiovascular Translational Research</i> , <b>2018</b> , 11, 50-57	3.3	3
44	The Role of Complement Activating Collectins and Associated Serine Proteases in Patients With Hematological Malignancies, Receiving High-Dose Chemotherapy, and Autologous Hematopoietic Stem Cell Transplantations (Auto-HSCT). <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 2153	8.4	13
43	Safety and feasibility of therapeutic platelet depletion with Spectra Optia in a pregnant woman. <i>Transfusion and Apheresis Science</i> , <b>2017</b> , 56, 563-565	2.4	4
42	Are myelodysplastic syndromes underdiagnosed in Poland? A report by the Polish Adult Leukaemia Group. <i>European Journal of Haematology</i> , <b>2017</b> , 98, 154-159	3.8	1
41	VEGF, ANGPT1, ANGPT2, and MMP-9 expression in the autologous hematopoietic stem cell transplantation and its impact on the time to engraftment. <i>Annals of Hematology</i> , <b>2017</b> , 96, 2103-2112	3	13
40	Blood pressure response to exercise in young athletes aged 10 to 18 years. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2016</b> , 41, 41-8	3	6

39	Cladribine, Cytarabine and Mitoxantrone As Treatment Intensification for Patients with Acute Myeloid Leukemia with the Excess of Bone Marrow Blasts on Day 14 of the First Induction. Prospective, Multicenter Study By the Polish Adult Leukemia Group (PALG). <i>Blood</i> , <b>2016</b> , 128, 213-213	2.2	1
38	Slower Engraftment in Patients with High Expression of miRNA-15a, miRNA-16, miRNA-126, miRNA-146a, miRNA-223 Prior to Autologous Stem Cell Transplantation and at Early Time after Transplantation. <i>Blood</i> , <b>2016</b> , 128, 5717-5717	2.2	1
37	Red Blood Cell Transfusion Dependency and Hyperferritinemia Are Associated with Impaired Survival in Patients Diagnosed with Myelodysplastic Syndromes: Results from the First Polish MDS-PALG Registry. <i>Advances in Clinical and Experimental Medicine</i> , <b>2016</b> , 25, 633-41	1.8	11
36	Demographic, Hematologic, and Clinical Features of Myelodysplastic Syndrome Patients: Results from the First Polish Myelodysplastic Syndrome Registry. <i>Acta Haematologica</i> , <b>2015</b> , 134, 125-34	2.7	7
35	Jagged-1: a new promising factor associated with favorable prognosis in patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , <b>2015</b> , 56, 401-6	1.9	10
34	The kinetics of hematopoietic niche cytokines and their influence on mobilization efficacy and timing in patients with hematological malignancies. <i>Journal of Clinical Apheresis</i> , <b>2015</b> , 30, 247-51	3.2	3
33	Prognostic value of inhibitor of apoptosis protein family expression in patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , <b>2015</b> , 56, 2529-35	1.9	13
32	Angiopoietins in haematopoietic stem cell mobilisation in patients with haematological malignancies. <i>Blood Transfusion</i> , <b>2015</b> , 13, 102-8	3.6	3
31	Polymorphism of CD44 influences the efficacy of CD34(+) cells mobilization in patients with hematological malignancies. <i>Biology of Blood and Marrow Transplantation</i> , <b>2014</b> , 20, 986-91	4.7	22
30	The kinetics and apoptotic profile of circulating endothelial cells in autologous hematopoietic stem cell transplantation in patients with lymphoproliferative disorders. <i>Annals of Hematology</i> , <b>2013</b> , 92, 1255 <sup>3</sup> -62		7
29	Circulating endothelial cell kinetics and their potential predictive value during mobilization procedure. <i>Journal of Clinical Apheresis</i> , <b>2013</b> , 28, 341-8	3.2	3
28	Polymorphism Of CD44 Influences Efficacy Of CD34+Cells Mobilization In Patients With Hematological Malignancies. <i>Blood</i> , <b>2013</b> , 122, 3270-3270	2.2	
27	Purine Analogues Based Induction Regimen Followed By Allo-HSCT Is An Effective Treatment Modality Of Philadelphia Chromosome-Positive Acute Myeloid Leukemia-Retrospective Analysis Of Polish Adult Leukemia Group (PALG). <i>Blood</i> , <b>2013</b> , 122, 1461-1461	2.2	
26	Ciprofloxacin prophylaxis for patients undergoing high-dose chemotherapy and autologous stem cell transplantation (ASCT) - a single-center experience. <i>Advances in Medical Sciences</i> , <b>2012</b> , 57, 118-23	2.8	3
25	Diverse Impact of Notch-1, Jagged-1 and Dll-1 Expression On Response to Treatment and Relapse Free Survival in Acute Myeloid Leukemia.. <i>Blood</i> , <b>2012</b> , 120, 2520-2520	2.2	
24	Hypomethylating agents in the treatment of myelodysplastic syndromes and myeloid leukemia. <i>Current Cancer Drug Targets</i> , <b>2011</b> , 11, 837-48	2.8	16
23	Hematopoietic stem cell mobilization with the reversible CXCR4 receptor inhibitor plerixafor (AMD3100)-Polish compassionate use experience. <i>Annals of Hematology</i> , <b>2011</b> , 90, 557-68	3	30
22	Novel and emerging drugs for acute myeloid leukemia: pharmacology and therapeutic activity. <i>Current Medicinal Chemistry</i> , <b>2011</b> , 18, 638-66	4.3	21

21	Prognostic value of the bone marrow microvessel density in progressive B-cell chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , <b>2010</b> , 51, 1351-3	1.9	6
20	Influence of high expression of Smac/DIABLO protein on the clinical outcome in acute myeloid leukemia patients. <i>Leukemia Research</i> , <b>2010</b> , 34, 1308-13	2.7	25
19	Evaluation of circulating endothelial cells as noninvasive marker of angiogenesis in patients with chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , <b>2009</b> , 50, 62-7	1.9	19
18	The Prognostic Role of Smac/DIABLO Protein Expression in Acute Myeloid Leukemia.. <i>Blood</i> , <b>2009</b> , 114, 2626-2626	2.2	
17	Impact of Interleukin-10 Gene Promoter Polymorphisms on Clinical Course of Chronic Lymphocytic Leukemia. <i>Blood</i> , <b>2008</b> , 112, 4168-4168	2.2	
16	Human leukocyte antigens HLA DRB1 influence clinical outcome of chronic lymphocytic leukemia?. <i>Haematologica</i> , <b>2007</b> , 92, 710-1	6.6	10
15	Influence of cladribine alone and in combination with cyclophosphamide or cyclophosphamide and mitoxantrone on bone marrow angiogenesis in chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , <b>2007</b> , 48, 1042-4	1.9	5
14	Rituximab combined with cladribine or with cladribine and cyclophosphamide in heavily pretreated patients with indolent lymphoproliferative disorders and mantle cell lymphoma. <i>Cancer</i> , <b>2006</b> , 107, 1542-50	6.4	46
13	Proapoptotic activity of alemtuzumab alone and in combination with rituximab or purine nucleoside analogues in chronic lymphocytic leukemia cells. <i>Leukemia and Lymphoma</i> , <b>2005</b> , 46, 87-100	1.9	45
12	Activity of cladribine combined with etoposide in heavily pretreated patients with indolent lymphoid malignancies. <i>Chemotherapy</i> , <b>2005</b> , 51, 247-51	3.2	5
11	The VH3-21 Gene Status Correlates with Elevated $\beta_2$ -Microglobulin Serum Levels and Shorter Overall Survival of Patients with Chronic Lymphocytic Leukemia.. <i>Blood</i> , <b>2005</b> , 106, 4988-4988	2.2	
10	Acute lymphoblastic leukemia in elderly: the Polish Adult Leukemia Group (PALG) experience. <i>Annals of Hematology</i> , <b>2004</b> , 83, 225-31	3	25
9	Relation of P-glycoprotein expression with spontaneous in vitro apoptosis in B-cell chronic lymphocytic leukemia. <i>Neoplasma</i> , <b>2004</b> , 51, 181-7	3.3	9
8	Hodgkin's type of Richter's syndrome in familial chronic lymphocytic leukemia treated with cladribine and cyclophosphamide. <i>Leukemia and Lymphoma</i> , <b>2003</b> , 44, 859-66	1.9	21
7	Efficacy and toxicity of low-dose melphalan in myelodysplastic syndromes and acute myeloid leukemia with multilineage dysplasia. <i>Neoplasma</i> , <b>2003</b> , 50, 172-5	3.3	9
6	Anthracyclines potentiate activity against murine leukemias L1210 and P388 in vivo and in vitro. <i>European Journal of Haematology</i> , <b>2002</b> , 68, 370-5	3.8	17
5	Evaluation of apoptosis induced in vitro by cladribine (2-CdA) combined with anthracyclines in lymphocytes from patients with B-cell chronic lymphocytic leukemia. <i>Annals of Hematology</i> , <b>2002</b> , 81, 508-13	3	8
4	Acute lymphoblastic leukemia in adult first manifested as severe aplastic anemia--role of molecular analysis in correct diagnosis. <i>Leukemia and Lymphoma</i> , <b>2002</b> , 43, 1147-52	1.9	3

3	Cytotoxic effect of cyclosporin A alone and in combination with 2-chlorodeoxyadenosine against P388 murine leukemia in vivo. <i>Medical Science Monitor</i> , <b>2002</b> , 8, BR373-7	3.2	1
2	Dexamethasone does not enhance antileukemic activity of cladribine in mice with leukemias L1210 and P388. <i>Neoplasma</i> , <b>2000</b> , 47, 168-71	3.3	1
1	Additive Action of Gemcitabine (2,2'-difluorodeoxycytidine) and 2-Chlorodeoxyadenosine on Murine Leukemias L1210 and P388. <i>Cancer Investigation</i> , <b>1999</b> , 17, 95-101	2.1	2