# Francisco J Seorns

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/2766212/francisco-j-senorans-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124 4,973 39 65 g-index

124 5,405 4.2 5.37 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
124	Subcritical water extraction of antioxidant compounds from rosemary plants. <i>Journal of Agricultural and Food Chemistry</i> , <b>2003</b> , 51, 375-82	5.7	314
123	Screening for bioactive compounds from algae. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2010</b> , 51, 450-5	3.5	291
122	Optimization of accelerated solvent extraction of antioxidants from Spirulina platensis microalga. <i>Food Chemistry</i> , <b>2005</b> , 93, 417-423	8.5	159
121	Chemical composition and antimicrobial activity of Rosmarinus officinalis L. essential oil obtained via supercritical fluid extraction. <i>Journal of Food Protection</i> , <b>2005</b> , 68, 790-5	2.5	153
120	Subcritical water extraction of nutraceuticals with antioxidant activity from oregano. Chemical and functional characterization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2006</b> , 41, 1560-5	3.5	149
119	Subcritical water extraction and characterization of bioactive compounds from Haematococcus pluvialis microalga. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2010</b> , 51, 456-63	3.5	140
118	Liquid chromatographic-mass spectrometric analysis of supercritical-fluid extracts of rosemary plants. <i>Journal of Chromatography A</i> , <b>2000</b> , 870, 491-9	4.5	127
117	Screening of functional compounds in supercritical fluid extracts from Spirulina platensis. <i>Food Chemistry</i> , <b>2007</b> , 102, 1357-1367	8.5	114
116	New trends in food processing. <i>Critical Reviews in Food Science and Nutrition</i> , <b>2003</b> , 43, 507-26	11.5	110
115	Separation and characterization of antioxidants from Spirulina platensis microalga combining pressurized liquid extraction, TLC, and HPLC-DAD. <i>Journal of Separation Science</i> , <b>2005</b> , 28, 2111-9	3.4	102
114	Countercurrent supercritical fluid extraction and fractionation of high-added-value compounds from a hexane extract of olive leaves. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 4774-9	5.7	100
113	Pressurized liquids as an alternative process to antioxidant carotenoidsSextraction from Haematococcus pluvialis microalgae. <i>LWT - Food Science and Technology</i> , <b>2010</b> , 43, 105-112	5.4	96
112	Supercritical fluid extraction of oregano (Origanum vulgare) essentials oils: anti-inflammatory properties based on cytokine response on THP-1 macrophages. <i>Food and Chemical Toxicology</i> , <b>2010</b> , 48, 1568-75	4.7	96
111	Truffle aroma characterization by headspace solid-phase microextraction. <i>Journal of Chromatography A</i> , <b>2003</b> , 1017, 207-14	4.5	93
110	Supercritical fluid extraction of antioxidant compounds from oregano: Chemical and functional characterization via LCIMS and in vitro assays. <i>Journal of Supercritical Fluids</i> , <b>2006</b> , 38, 62-69	4.2	90
109	Comprehensive characterization of the functional activities of pressurized liquid and ultrasound-assisted extracts from Chlorella vulgaris. <i>LWT - Food Science and Technology</i> , <b>2012</b> , 46, 245-7	2 <i>5</i> 3 <sup>4</sup>	79
108	Supercritical fluid and solid[Iquid extraction of phenolic antioxidants from grape pomace: a comparative study. <i>European Food Research and Technology</i> , <b>2007</b> , 226, 199-205	3.4	78

## (2011-2008)

107	Pressurized fluid extraction of bioactive compounds from Phormidium species. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 3517-23	5.7	68	
106	Alternative oil extraction methods from Echium plantagineum L. seeds using advanced techniques and green solvents. <i>Food Chemistry</i> , <b>2018</b> , 244, 75-82	8.5	66	
105	Separation of rosemary antioxidant compounds by supercritical fluid chromatography on coated packed capillary columns. <i>Journal of Chromatography A</i> , <b>2004</b> , 1057, 241-5	4.5	61	
104	Analysis of fatty acids in foods by supercritical fluid chromatography. <i>Analytica Chimica Acta</i> , <b>2002</b> , 465, 131-144	6.6	60	
103	Truffle aroma analysis by headspace solid phase microextraction. <i>Journal of Agricultural and Food Chemistry</i> , <b>2002</b> , 50, 6468-72	5.7	60	
102	Green processes based on the extraction with pressurized fluids to obtain potent antimicrobials from Haematococcus pluvialis microalgae. <i>LWT - Food Science and Technology</i> , <b>2009</b> , 42, 1213-1218	5.4	59	
101	Recovery of squalene from vegetable oil sources using countercurrent supercritical carbon dioxide extraction. <i>Journal of Supercritical Fluids</i> , <b>2007</b> , 40, 59-66	4.2	59	
100	Enrichment of vitamin E from Spirulina platensis microalga by SFE. <i>Journal of Supercritical Fluids</i> , <b>2008</b> , 43, 484-489	4.2	58	
99	Beta-carotene isomer composition of sub- and supercritical carbon dioxide extracts. Antioxidant activity measurement. <i>Journal of Agricultural and Food Chemistry</i> , <b>2007</b> , 55, 10585-90	5.7	57	
98	Supercritical carbon dioxide extraction of compounds with antimicrobial activity from Origanum vulgare L.: determination of optimal extraction parameters. <i>Journal of Food Protection</i> , <b>2006</b> , 69, 369-	75 <sup>2.5</sup>	57	
97	Use of supercritical CO2 to obtain extracts with antimicrobial activity from Chaetoceros muelleri microalga. A correlation with their lipidic content. <i>European Food Research and Technology</i> , <b>2007</b> , 224, 505-510	3.4	52	
96	Isolation and separation of tocopherols from olive by-products with supercritical fluids. <i>JAOCS, Journal of the American Oil Chemistsmociety</i> , <b>2000</b> , 77, 187-190	1.8	52	
95	Isolation of functional ingredients from rosemary by preparative-supercritical fluid chromatography (Prep-SFC). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2006</b> , 41, 1606-13	3.5	51	
94	Characterization via liquid chromatography coupled to diode array detector and tandem mass spectrometry of supercritical fluid antioxidant extracts of Spirulina platensis microalga. <i>Journal of Separation Science</i> , <b>2005</b> , 28, 1031-8	3.4	51	
93	In vitro antioxidant analysis of supercritical fluid extracts from rosemary (Rosmarinus officinalis L.). <i>European Food Research and Technology</i> , <b>2005</b> , 221, 478-486	3.4	51	
92	Metabolomic approach with LC-QTOF to study the effect of a nutraceutical treatment on urine of diabetic rats. <i>Journal of Proteome Research</i> , <b>2011</b> , 10, 837-44	5.6	50	
91	Antimicrobial activity of sub- and supercritical CO2 extracts of the green alga Dunaliella salina. <i>Journal of Food Protection</i> , <b>2008</b> , 71, 2138-43	2.5	50	
90	Pressurized liquids as an alternative green process to extract antiviral agents from the edible seaweed Himanthalia elongata. <i>Journal of Applied Phycology</i> , <b>2011</b> , 23, 909-917	3.2	46	

89	Study of the analysis of alkoxyglycerols and other non-polar lipids by liquid chromatography coupled with evaporative light scattering detector. <i>Journal of Chromatography A</i> , <b>2005</b> , 1078, 28-34	4.5	43
88	Plasma and urine metabolic fingerprinting of type 1 diabetic children. <i>Electrophoresis</i> , <b>2013</b> , 34, 2882-9	03.6	41
87	Combined use of supercritical fluid extraction, micellar electrokinetic chromatography, and reverse phase high performance liquid chromatography for the analysis of antioxidants from rosemary (Rosmarinus officinalis L.). <i>Journal of Agricultural and Food Chemistry</i> , <b>2000</b> , 48, 4060-5	5.7	41
86	Functional characterization of pressurized liquid extracts of Spirulina platensis. <i>European Food Research and Technology</i> , <b>2006</b> , 224, 75-81	3.4	40
85	Pressurized liquid extraction as an alternative process to obtain antiviral agents from the edible microalga Chlorella vulgaris. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 8522-7	5.7	38
84	Oxidative stability of structured lipids. European Food Research and Technology, <b>2010</b> , 231, 635-653	3.4	38
83	Supercritical fluid extraction of antioxidant and antimicrobial compounds from Laurus nobilis L. Chemical and functional characterization. <i>European Food Research and Technology</i> , <b>2006</b> , 222, 565-571	3.4	38
82	Testing and enhancing the in vitro bioaccessibility and bioavailability of Rosmarinus officinalis extracts with a high level of antioxidant abietanes. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 1144-52	5.7	37
81	Experimental Design Optimization of Large Volume Sampling in a Programmed Temperature Vaporizer. Application in Food Analysis. <i>Journal of Chromatographic Science</i> , <b>1992</b> , 30, 261-266	1.4	36
80	Kinetic study of pilot-scale supercritical CO2 extraction of rosemary (Rosmarinus officinalis) leaves. Journal of Supercritical Fluids, <b>2011</b> , 55, 971-976	4.2	35
79	Acute oral safety study of rosemary extracts in rats. <i>Journal of Food Protection</i> , <b>2008</b> , 71, 790-5	2.5	35
78	A two steps enzymatic procedure to obtain sterol esters, tocopherols and fatty acid ethyl esters from soybean oil deodorizer distillate. <i>Process Biochemistry</i> , <b>2007</b> , 42, 1335-1341	4.8	35
77	Countercurrent packed column supercritical CO2 extraction of olive oil. Mass transfer evaluation. Journal of Supercritical Fluids, <b>2004</b> , 28, 29-35	4.2	35
76	Variables affecting the introduction of large sample volumes in capillary gas chromatography using a programmed-temperature vaporizer. <i>Journal of Chromatography A</i> , <b>1993</b> , 648, 407-414	4.5	35
75	Ultrasonic Removal of Mucilage for Pressurized Liquid Extraction of Omega-3 Rich Oil from Chia Seeds (Salvia hispanica L.). <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 2572-2579	5.7	33
74	Optimization of countercurrent supercritical fluid extraction conditions for spirits fractionation. Journal of Supercritical Fluids, <b>2001</b> , 21, 41-49	4.2	32
73	Deacidification of olive oil by countercurrent supercritical carbon dioxide extraction: Experimental and thermodynamic modeling. <i>Journal of Food Engineering</i> , <b>2009</b> , 90, 463-470	6	31
72	Tuning of mobile and stationary phase polarity for the separation of polar compounds by SFC. <i>Journal of Proteomics</i> , <b>2000</b> , 43, 25-43		31

#### (2008-1995)

71	Analysis of Wine Aroma by Direct Injection in Gas Chromatography without Previous Extraction.  Journal of Agricultural and Food Chemistry, 1995, 43, 717-722	5.7	31
70	Countercurrent supercritical fluid extraction of different lipid-type materials: Experimental and thermodynamic modeling. <i>Journal of Supercritical Fluids</i> , <b>2008</b> , 45, 206-212	4.2	30
69	Isolation of brandy aroma by countercurrent supercritical fluid extraction. <i>Journal of Supercritical Fluids</i> , <b>2003</b> , 26, 129-135	4.2	29
68	On-line reversed-phase liquid chromatography-capillary gas chromatography using a programmed temperature vaporizer as interface. <i>Journal of High Resolution Chromatography</i> , <b>1995</b> , 18, 433-438		29
67	Simultaneous extraction and fractionation of omega-3 acylglycerols and glycolipids from wet microalgal biomass of Nannochloropsis gaditana using pressurized liquids. <i>Algal Research</i> , <b>2019</b> , 37, 74-3	82	29
66	Profiling of different bioactive compounds in functional drinks by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , <b>2008</b> , 1188, 234-41	4.5	27
65	Rapid Separation of Free Sterols in Edible Oils by On-Line Coupled Reversed Phase Liquid Chromatography Las Chromatography. <i>Journal of Agricultural and Food Chemistry</i> , <b>1996</b> , 44, 3189-3192	5.7	27
64	Enzymatic synthesis of triacylglycerols of docosahexaenoic acid: Transesterification of its ethyl esters with glycerol. <i>Food Chemistry</i> , <b>2015</b> , 187, 225-9	8.5	26
63	Production of phytosterol esters from soybean oil deodorizer distillates. <i>European Journal of Lipid Science and Technology</i> , <b>2009</b> , 111, 459-463	3	26
62	Optimization of summer truffle aroma analysis by SPME: Comparison of extraction with different polarity fibres. <i>LWT - Food Science and Technology</i> , <b>2009</b> , 42, 1253-1259	5.4	26
61	Use of a Programmed Temperature Injector for On-Line Reversed-Phase Liquid Chromatography-Capillary Gas Chromatography. <i>Journal of Chromatographic Science</i> , <b>1995</b> , 33, 446-450	1.4	26
60	Isolation of antioxidant compounds from orange juice by using countercurrent supercritical fluid extraction (CC-SFE). <i>Journal of Agricultural and Food Chemistry</i> , <b>2001</b> , 49, 6039-44	5.7	25
59	Dunaliella salina extract effect on diabetic rats: metabolic fingerprinting and target metabolite analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2009</b> , 49, 786-92	3.5	24
58	Simplex Optimization of the Direct Analysis of Free Sterols in Sunflower Oil by On-Line Coupled Reversed Phase Liquid Chromatography Las Chromatography. <i>Journal of Agricultural and Food Chemistry</i> , <b>1998</b> , 46, 1022-1026	5.7	24
57	Countercurrent supercritical fluid extraction and fractionation of alcoholic beverages. <i>Journal of Agricultural and Food Chemistry</i> , <b>2001</b> , 49, 1895-9	5.7	23
56	Intestinal digestion of fish oils and EB concentrates under in vitro conditions. <i>European Journal of Lipid Science and Technology</i> , <b>2010</b> , 112, 1315-1322	3	22
55	Thermodynamic modeling of dealcoholization of beverages using supercritical CO2: Application to wine samples. <i>Journal of Supercritical Fluids</i> , <b>2010</b> , 52, 183-188	4.2	22
54	Supercritical carbon dioxide fractionation of nonesterified alkoxyglycerols obtained from shark liver oil. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 1078-83	5.7	22

53	Applying UNIFAC-based models to predict the solubility of solids in subcritical water. <i>Journal of Supercritical Fluids</i> , <b>2008</b> , 46, 245-251	4.2	22
52	Supercritical fluid extraction of minor lipids from pretreated sunflower oil deodorizer distillates. <i>European Journal of Lipid Science and Technology</i> , <b>2006</b> , 108, 659-665	3	22
51	Concentration of sterols and tocopherols from olive oil with supercritical carbon dioxide. <i>JAOCS, Journal of the American Oil Chemistsn</i> Society, <b>2002</b> , 79, 1255-1260	1.8	21
50	Isolation of phenolic antioxidant compounds by SFC. Journal of Supercritical Fluids, 2005, 35, 128-132	4.2	21
49	Metabolomic approach to the nutraceutical effect of rosemary extract plus B PUFAs in diabetic children with capillary electrophoresis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2010</b> , 53, 129	8 <sup>2</sup> 3 <sup>5</sup> 04	20
48	Analysis of antioxidants from orange juice obtained by countercurrent supercritical fluid extraction, using micellar electrokinetic chromatography and reverse-phase liquid chromatography. <i>Journal of Agricultural and Food Chemistry</i> , <b>2002</b> , 50, 6648-52	5.7	20
47	Design of natural food antioxidant ingredients through a chemometric approach. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 787-92	5.7	19
46	High-Pressure Phase Equilibria of the Pseudoternary Mixture Sunflower Oil + Ethanol + Carbon Dioxide. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2008</b> , 53, 2632-2636	2.8	19
45	Solvent-free preparation of phytosteryl esters with fatty acids from butterfat in equimolecular conditions in the presence of a lipase from Candida rugosa. <i>Journal of Chemical Technology and Biotechnology</i> , <b>2009</b> , 84, 745-750	3.5	18
44	Phase equilibria for the removal of ethanol from alcoholic beverages using supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , <b>2009</b> , 50, 91-96	4.2	18
43	Ethanolysis of a waste material from olive oil distillation catalyzed by three different commercial lipases: A kinetic study. <i>Biochemical Engineering Journal</i> , <b>2007</b> , 34, 165-171	4.2	18
42	Accelerated solvent extraction of the antioxidant Irganox 1076 in linear low density polyethylene (LLDPE) granules before and after Erradiation. <i>Analyst, The</i> , <b>1998</b> , 123, 1205-1207	5	17
41	Stepwise esterification of phytosterols with conjugated linoleic acid catalyzed by Candida rugosa lipase in solvent-free medium. <i>Journal of Bioscience and Bioengineering</i> , <b>2008</b> , 106, 559-62	3.3	17
40	Meat-based functional foods for dietary equilibrium omega-6/omega-3. <i>Molecular Nutrition and Food Research</i> , <b>2008</b> , 52, 1153-61	5.9	16
39	Use of specially designed columns for antioxidants and antimicrobials enrichment by preparative supercritical fluid chromatography. <i>Journal of Chromatography A</i> , <b>2007</b> , 1143, 234-42	4.5	15
38	Capillary electrophoresis separation of rosemary antioxidants from subcritical water extracts. <i>European Food Research and Technology</i> , <b>2004</b> , 219, 549-556	3.4	15
37	Critical Role of Different Immobilized Biocatalysts of a Given Lipase in the Selective Ethanolysis of Sardine Oil. <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 117-122	5.7	14
36	Enzymatic modification to produce health-promoting lipids from fish oil, algae and other new omega-3 sources: A review. <i>New Biotechnology</i> , <b>2020</b> , 57, 45-54	6.4	14

## (2013-2019)

35	Synthesis of omega-3 ethyl esters from chia oil catalyzed by polyethylene glycol-modified lipases with improved stability. <i>Food Chemistry</i> , <b>2019</b> , 271, 433-439	8.5	14
34	Determination of tocopherols and vitamin A in vegetable oils using packed capillary column supercritical fluid chromatography with electrochemical detection. <i>Journal of Separation Science</i> , <b>1999</b> , 11, 385-391		14
33	Simulation and optimization of supercritical fluid purification of phytosterol esters. <i>AICHE Journal</i> , <b>2009</b> , 55, 1023-1029	3.6	13
32	Enzymatic synthesis of short-chain diacylated alkylglycerols: A kinetic study. <i>Process Biochemistry</i> , <b>2009</b> , 44, 1025-1031	4.8	13
31	In vitro intestinal bioaccessibility of alkylglycerols versus triacylglycerols as vehicles of butyric acid. <i>Lipids</i> , <b>2011</b> , 46, 277-85	1.6	12
30	An Efficient Methodology for the Preparation of Alkoxyglycerols Rich in Conjugated Linoleic Acid and Eicosapentaenoic Acid. <i>JAOCS, Journal of the American Oil Chemistsm</i> ociety, <b>2007</b> , 84, 443-448	1.8	12
29	Very large volume sample introduction in capillary gas chromatography using a programmed temperature injector for pesticide analysis. <i>Journal of Separation Science</i> , <b>1999</b> , 11, 89-95		12
28	Advanced Extraction of Lipids with DHA from with Enzymatic Pre-Treatment Combined with Pressurized Liquids and Ultrasound Assisted Extractions. <i>Molecules</i> , <b>2020</b> , 25,	4.8	12
27	Taguchi Experimental Design Study of Very Large Sample Injection of Pesticides in Capillary Gas Chromatography. <i>Journal of Chromatographic Science</i> , <b>1998</b> , 36, 535-540	1.4	10
26	Supercritical fluid fractionation of fatty acid ethyl esters from butteroil. <i>Journal of Dairy Science</i> , <b>2009</b> , 92, 1840-5	4	9
25	Enzymatic transesterification in a solvent-free system: synthesis of sn-2 docosahexaenoyl monoacylglycerol. <i>Biocatalysis and Biotransformation</i> , <b>2018</b> , 36, 265-270	2.5	8
25 24	Enzymatic transesterification in a solvent-free system: synthesis of sn-2 docosahexaenoyl	2.5	8
	Enzymatic transesterification in a solvent-free system: synthesis of sn-2 docosahexaenoyl monoacylglycerol. <i>Biocatalysis and Biotransformation</i> , <b>2018</b> , 36, 265-270  Optimization of Countercurrent Supercritical Fluid Extraction of Minor Components from Olive Oil.		0
24	Enzymatic transesterification in a solvent-free system: synthesis of sn-2 docosahexaenoyl monoacylglycerol. <i>Biocatalysis and Biotransformation</i> , <b>2018</b> , 36, 265-270  Optimization of Countercurrent Supercritical Fluid Extraction of Minor Components from Olive Oil. <i>Current Analytical Chemistry</i> , <b>2013</b> , 10, 78-85  A predictive kinetic study of lipase-catalyzed ethanolysis reactions for the optimal reutilization of	1.7	8
24	Enzymatic transesterification in a solvent-free system: synthesis of sn-2 docosahexaenoyl monoacylglycerol. <i>Biocatalysis and Biotransformation</i> , <b>2018</b> , 36, 265-270  Optimization of Countercurrent Supercritical Fluid Extraction of Minor Components from Olive Oil. <i>Current Analytical Chemistry</i> , <b>2013</b> , 10, 78-85  A predictive kinetic study of lipase-catalyzed ethanolysis reactions for the optimal reutilization of the biocatalyst. <i>Biochemical Engineering Journal</i> , <b>2008</b> , 42, 105-110  A Versatile GC Method for the Analysis of Alkylglycerols and Other Neutral Lipid Classes.	1.7	8
24 23 22	Enzymatic transesterification in a solvent-free system: synthesis of sn-2 docosahexaenoyl monoacylglycerol. <i>Biocatalysis and Biotransformation</i> , <b>2018</b> , 36, 265-270  Optimization of Countercurrent Supercritical Fluid Extraction of Minor Components from Olive Oil. <i>Current Analytical Chemistry</i> , <b>2013</b> , 10, 78-85  A predictive kinetic study of lipase-catalyzed ethanolysis reactions for the optimal reutilization of the biocatalyst. <i>Biochemical Engineering Journal</i> , <b>2008</b> , 42, 105-110  A Versatile GC Method for the Analysis of Alkylglycerols and Other Neutral Lipid Classes. <i>Chromatographia</i> , <b>2009</b> , 69, 729-734  Immobilized lipases from Candida antarctica for producing tyrosyl oleate in solvent-free medium.	1.7 4.2 2.1	8 8 7
<ul><li>24</li><li>23</li><li>22</li><li>21</li></ul>	Enzymatic transesterification in a solvent-free system: synthesis of sn-2 docosahexaenoyl monoacylglycerol. <i>Biocatalysis and Biotransformation</i> , <b>2018</b> , 36, 265-270  Optimization of Countercurrent Supercritical Fluid Extraction of Minor Components from Olive Oil. <i>Current Analytical Chemistry</i> , <b>2013</b> , 10, 78-85  A predictive kinetic study of lipase-catalyzed ethanolysis reactions for the optimal reutilization of the biocatalyst. <i>Biochemical Engineering Journal</i> , <b>2008</b> , 42, 105-110  A Versatile GC Method for the Analysis of Alkylglycerols and Other Neutral Lipid Classes. <i>Chromatographia</i> , <b>2009</b> , 69, 729-734  Immobilized lipases from Candida antarctica for producing tyrosyl oleate in solvent-free medium. <i>Biocatalysis and Biotransformation</i> , <b>2012</b> , 30, 245-254  Accelerated Solvent Extraction: A New Procedure To Obtain Functional Ingredients from Natural	1.7 4.2 2.1 2.5	8 8 7 7

17	High-Pressure Phase Equilibria of Squalene + Carbon Dioxide: New Data and Thermodynamic Modeling. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2010</b> , 55, 3606-3611	2.8	6
16	A Method for the Direct Isolation and Gas Chromatographic Analysis of Milk Flavor Components Using a Programmed Temperature Vaporizer. <i>Journal of Dairy Science</i> , <b>1996</b> , 79, 1706-1712	4	6
15	Strategies for Enzymatic Synthesis of Omega-3 Structured Triacylglycerols from Camelina sativa Oil Enriched in EPA and DHA. <i>European Journal of Lipid Science and Technology</i> , <b>2019</b> , 121, 1800412	3	5
14	Acute and repeated dose (28 days) oral safety studies of an alkoxyglycerol extract from shark liver oil in rats. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 2040-6	5.7	5
13	Analysis of volatile components by direct injection of real-life samples by using a programmed-temperature vaporizer. <i>Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung</i> , <b>1996</b> , 202, 270-274		5
12	In vitro study of the effect of diesterified alkoxyglycerols with conjugated linoleic acid on adipocyte inflammatory mediators. <i>Lipids in Health and Disease</i> , <b>2010</b> , 9, 36	4.4	4
11	Pressurized liquid extracts from Spirulina platensis microalga. <i>Journal of Chromatography A</i> , <b>2004</b> , 1047, 195-203	4.5	3
10	Biobased Solvents for Pressurized Liquid Extraction of Omega-3 Lipids. <i>Marine Drugs</i> , <b>2021</b> , 19,	6	3
9	A kinetic study of the lipase-catalyzed ethanolysis of two short-chain triradylglycerols: Alkylglycerols vs. triacylglycerols. <i>Journal of Molecular Catalysis B: Enzymatic</i> , <b>2010</b> , 64, 101-106		2
8	Pressurized Fluid Extraction of Squalene from Olive Biomass. <i>ACS Symposium Series</i> , <b>2006</b> , 96-106	0.4	2
7	Large-volume GC injections I two different views. <i>Journal of High Resolution Chromatography</i> , <b>1995</b> , 18, 665-665		2
6	Integrated Green and Enzymatic Process to Produce Omega-3 Acylglycerols from Echium plantagineum Using Immobilized Lipases. <i>JAOCS, Journal of the American Oil Chemistsm</i> ociety, <b>2021</b> , 98, 341-352	1.8	2
5	Rebuttal on Truffle Aroma Analysis by Headspace Solid Phase Microextraction (Wrong Information or Wrong Interpretation?). <i>Journal of Agricultural and Food Chemistry</i> , <b>2003</b> , 51, 4484-4484	5.7	1
4	Combination of Synergic Enzymes and Ultrasounds as an Effective Pretreatment Process to Break Microalgal Cell Wall and Enhance Algal Oil Extraction. <i>Foods</i> , <b>2021</b> , 10,	4.9	1
3	Supercritical Fluid Extraction. <i>Food Additives</i> , <b>2004</b> , 539-553		O
2	Cross-Linked Enzyme Aggregates and Their Application in Enzymatic Pretreatment of Microalgae: Comparison Between CLEAs and Combi-CLEAs <i>Frontiers in Bioengineering and Biotechnology</i> , <b>2021</b> , 9, 794672	5.8	О
1	Supercritical and enzymatic technologies for the production of lysophosphatidylcholine. <i>Journal of Chemical Technology and Biotechnology</i> , <b>2013</b> , 88, 153-162	3.5	