

Lilla Hably

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2766336/publications.pdf>

Version: 2024-02-01

23
papers

277
citations

1163117
8
h-index

940533
16
g-index

23
all docs

23
docs citations

23
times ranked

342
citing authors

#	ARTICLE	IF	CITATIONS
1	Fruits of <i>Sloanea</i> L. (Elaeocarpaceae) from the Oligocene of Petroșani Basin, Romania. Review of Palaeobotany and Palynology, 2022, 297, 104586.	1.5	2
2	Large-magnitude (VEI 7) explosive silicic eruption preserved a Lower Miocene habitat at the Ipolytarnóc Fossil Site, North Hungary. Scientific Reports, 2022, 12, .	3.3	4
3	Fossil <i>Gordonia</i> (s.l.)-like (Theaceae) winged seeds from the early Miocene of the Mecsek Mts, W Hungary. Palaeobiodiversity and Palaeoenvironments, 2021, 101, 59-67.	1.5	1
4	The Karpatian (late early Miocene) flora of the Mecsek area. , 2020, 60, 51-122.		7
5	Miocene syn-rift lacustrine sediments in the Mecsek Mts. (SW Hungary). Swiss Journal of Geosciences, 2019, 112, 83-100.	1.2	9
6	Late Miocene vegetation of the Pannonian Basin. Palaeogeography, Palaeoclimatology, Palaeoecology, 2017, 467, 131-148.	2.3	27
7	A new Upper Oligocene flora from Tarján (Gerecse Mts, NW Hungary). Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2017, 285, 303-312.	0.4	1
8	A late Miocene thermophilous flora from Pács-Danitzpuszta, Mecsek Mts., Hungary. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2016, 279, 261-272.	0.4	5
9	A late Oligocene (Egerian) flora from Kőrnye, near Tatabánya, N Hungary. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2015, 276, 285-302.	0.4	6
10	The Whole Plant Reconstruction of <i>Banisteriaecarpum Giganteum</i> and <i>Byttneriophyllum Tiliifolium</i> - A Preliminary Report. Folia Musei Rerum Naturalium Bohemiae Occidentalis Geologica Et Paleobiologica, 2015, 48, 1-10.	0.1	1
11	A refugium of <i>Mastixia</i> in the late Miocene of eastern Central Europe. Review of Palaeobotany and Palynology, 2013, 197, 218-225.	1.5	10
12	Oligocene plant remains from Oroszlány, Hungary. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2010, 256, 353-361.	0.4	2
13	The buried Miocene forest at Tatabánya, Hungary. Review of Palaeobotany and Palynology, 2009, 155, 69-79.	1.5	39
14	Unidirectional shift in leaf morphology of coexisting species – a possible indicator of palaeoclimatic differences. Palaeogeography, Palaeoclimatology, Palaeoecology, 2009, 271, 185-195.	2.3	2
15	Nomenclatural types and taxonomy of Unger's (1850) and Ettingshausen's (1853) fossil leaves recognized as new <i>Sloanea</i> records in the European Paleogene. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2008, 249, 139-142.	0.4	4
16	The first macrofossil record of <i>Ginkgo</i> from the Iberian Peninsula. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2007, 244, 65-70.	0.4	1
17	Neogene flora and vegetation development of the Pannonian domain in relation to palaeoclimate and palaeogeography. Palaeogeography, Palaeoclimatology, Palaeoecology, 2007, 253, 115-140.	2.3	82
18	<i>Sloanea peolai</i> n. comb. – A new European record of <i>Sloanea</i> (Elaeocarpaceae) in the Italian Oligocene. Review of Palaeobotany and Palynology, 2007, 146, 18-28.	1.5	9

#	ARTICLE	IF	CITATIONS
19	Prospects of flora and vegetation reconstructions dependent on sediment petrological conditions, exemplified by Egerian floras of Hungary. <i>Geobios</i> , 2006, 39, 385-393.	1.4	3
20	The morphometrical analysis of <i>Sloanea elliptica</i> (Andrejnszky) Z. Kvaček & Hably from the Oligocene of the Buda and Bükk Mountains and its palaeogeographic implications. <i>Review of Palaeobotany and Palynology</i> , 2005, 134, 257-268.	1.5	4
21	Fruits of <i>Tetrapterys</i> (Malpighiaceae) from the Oligocene of Hungary and Slovenia. <i>Review of Palaeobotany and Palynology</i> , 2000, 111, 93-101.	1.5	21
22	Pliocene mesophytic forests surrounding crater lakes in western Hungary. <i>Review of Palaeobotany and Palynology</i> , 1998, 101, 257-269.	1.5	23
23	Revision of <i>Abelia</i> -fruits from the Paleogene of Hungary, Czech Republic and England. <i>Review of Palaeobotany and Palynology</i> , 1997, 96, 231-240.	1.5	14