Axel Karl Walch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/276681/publications.pdf

Version: 2024-02-01

315 papers 22,491 citations

14644 66 h-index 133 g-index

328 all docs 328 docs citations

times ranked

328

29244 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Metabolic tumor constitution is superior to tumor regression grading for evaluating response to neoadjuvant therapy of esophageal adenocarcinoma patients. Journal of Pathology, 2022, 256, 202-213. | 2.1 | 11 |
| 2 | Atlas of exercise metabolism reveals time-dependent signatures of metabolic homeostasis. Cell Metabolism, 2022, 34, 329-345.e8. | 7.2 | 86 |
| 3 | The synergism of spatial metabolomics and morphometry improves machine learningâ€based renal tumour subtype classification. Clinical and Translational Medicine, 2022, 12, e666. | 1.7 | 7 |
| 4 | Adrenal tropism of SARS-CoV-2 and adrenal findings in a post-mortem case series of patients with severe fatal COVID-19. Nature Communications, 2022, 13, 1589. | 5.8 | 24 |
| 5 | Combining gene expression analysis of gastric cancer cell lines and tumor specimens to identify biomarkers for anti-HER therapies—the role of HAS2, SHB and HBEGF. BMC Cancer, 2022, 22, 254. | 1.1 | 4 |
| 6 | MALDI Mass Spectrometry Imagingâ€"Prognostic Pathways and Metabolites for Renal Cell Carcinomas. Cancers, 2022, 14, 1763. | 1.7 | 8 |
| 7 | A simple preparation step to remove excess liquid lipids in white adipose tissue enabling improved detection of metabolites via MALDI-FTICR imaging MS. Histochemistry and Cell Biology, 2022, , 1. | 0.8 | 3 |
| 8 | Spatial Metabolomics Identifies Distinct Tumor-Specific Subtypes in Gastric Cancer Patients. Clinical Cancer Research, 2022, 28, 2865-2877. | 3.2 | 27 |
| 9 | Therapy-Related Transcriptional Subtypes in Matched Primary and Recurrent Head and Neck Cancer. Clinical Cancer Research, 2022, 28, 1038-1052. | 3.2 | 13 |
| 10 | Spatial metabolomics for evaluating response to neoadjuvant therapy in nonâ€small cell lung cancer patients. Cancer Communications, 2022, 42, 517-535. | 3.7 | 19 |
| 11 | Early detection of radiation-induced lung damage with X-ray dark-field radiography in mice. European Radiology, 2021, 31, 4175-4183. | 2.3 | 7 |
| 12 | Digital scoring of EpCAM and slug expression as prognostic markers in head and neck squamous cell carcinomas. Molecular Oncology, 2021, 15, 1040-1053. | 2.1 | 6 |
| 13 | Unbiased analysis of obesity related, fat depot specific changes of adipocyte volumes and numbers using light sheet fluorescence microscopy. PLoS ONE, 2021, 16, e0248594. | 1.1 | 1 |
| 14 | Inhibition of HSP90 as a Strategy to Radiosensitize Glioblastoma: Targeting the DNA Damage Response and Beyond. Frontiers in Oncology, 2021, 11, 612354. | 1.3 | 12 |
| 15 | Transcriptomic landscape of radiation-induced murine thyroid proliferative lesions. Endocrine-Related Cancer, 2021, 28, 213-224. | 1.6 | 0 |
| 16 | Facile Synthesis of a Croconaineâ€Based Nanoformulation for Optoacoustic Imaging and Photothermal Therapy. Advanced Healthcare Materials, 2021, 10, e2002115. | 3.9 | 34 |
| 17 | HER2 Expression, Test Deviations, and Their Impact on Survival in Metastatic Gastric Cancer: Results From the Prospective Multicenter VARIANZ Study. Journal of Clinical Oncology, 2021, 39, 1468-1478. | 0.8 | 54 |
| 18 | Croconaine-based nanoparticles enable efficient optoacoustic imaging of murine brain tumors. Photoacoustics, 2021, 22, 100263. | 4.4 | 19 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Mass spectrometry imaging identifies metabolic patterns associated with malignant potential in pheochromocytoma and paraganglioma. European Journal of Endocrinology, 2021, 185, 179-191. | 1.9 | 12 |
| 20 | Inhibition of metabotropic glutamate receptor III facilitates sensitization to alkylating chemotherapeutics in glioblastoma. Cell Death and Disease, 2021, 12, 723. | 2.7 | 14 |
| 21 | Translatomic profiling reveals novel self-restricting virus-host interactions during HBV infection. Journal of Hepatology, 2021, 75, 74-85. | 1.8 | 16 |
| 22 | Metabolomic therapy response prediction in pretherapeutic tissue biopsies for trastuzumab in patients with HER2â€positive advanced gastric cancer. Clinical and Translational Medicine, 2021, 11, e547. | 1.7 | 4 |
| 23 | Diet-induced alteration of intestinal stem cell function underlies obesity and prediabetes in mice. Nature Metabolism, 2021, 3, 1202-1216. | 5.1 | 47 |
| 24 | Identification and characterization of distinct brown adipocyte subtypes in C57BL/6J mice. Life Science Alliance, 2021, 4, e202000924. | 1.3 | 14 |
| 25 | Patterns of Carbon-Bound Exogenous Compounds in Patients with Lung Cancer and Association with Disease Pathophysiology. Cancer Research, 2021, 81, 5862-5875. | 0.4 | 12 |
| 26 | Multiomics interrogation into HBV (Hepatitis B virus)-host interaction reveals novel coding potential in human genome, and identifies canonical and non-canonical proteins as host restriction factors against HBV. Cell Discovery, 2021, 7, 105. | 3.1 | 9 |
| 27 | PITX2 DNA-Methylation: Predictive versus Prognostic Value for Anthracycline-Based Chemotherapy in Triple-Negative Breast Cancer Patients. Breast Care, 2021, 16, 523-531. | 0.8 | 3 |
| 28 | Native glycan fragments detected by MALDI mass spectrometry imaging are independent prognostic factors in pancreatic ductal adenocarcinoma. EJNMMI Research, 2021, 11, 120. | 1.1 | 3 |
| 29 | Glutathione peroxidase 4 and vitamin E control reticulocyte maturation, stress erythropoiesis and iron homeostasis. Haematologica, 2020, 105, 937-950. | 1.7 | 42 |
| 30 | Mass Spectrometry Imaging of atherosclerosis-affine Gadofluorine following Magnetic Resonance Imaging. Scientific Reports, 2020, 10, 79. | 1.6 | 9 |
| 31 | Definitive chemoradiotherapy in patients with squamous cell cancers of the head and neck - results from an unselected cohort of the clinical cooperation group "Personalized Radiotherapy in Head and Neck Cancer†Radiation Oncology, 2020, 15, 7. | 1.2 | 28 |
| 32 | Derangements of amino acids in cachectic skeletal muscle are caused by mitochondrial dysfunction. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 226-240. | 2.9 | 20 |
| 33 | Effect of Dietary Sodium Modulation on Pig Adrenal Steroidogenesis and Transcriptome Profiles. Hypertension, 2020, 76, 1769-1777. | 1.3 | 5 |
| 34 | Optimized protocol for metabolomic and lipidomic profiling in formalin-fixed paraffin-embedded kidney tissue by LC-MS. Analytica Chimica Acta, 2020, 1134, 125-135. | 2.6 | 15 |
| 35 | Morphometric Cell Classification for Singleâ€Cell MALDIâ€Mass Spectrometry Imaging. Angewandte Chemie - International Edition, 2020, 59, 17447-17450. | 7.2 | 47 |
| 36 | A multi-test strategy for adrenal tumours. Lancet Diabetes and Endocrinology, the, 2020, 8, 733-734. | 5.5 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 37 | Light sheet fluorescence microscopy guided MALDI-imaging mass spectrometry of cleared tissue samples. Scientific Reports, 2020, 10, 14461. | 1.6 | 22 |
| 38 | Post-surgical adhesions are triggered by calcium-dependent membrane bridges between mesothelial surfaces. Nature Communications, 2020, 11, 3068. | 5.8 | 42 |
| 39 | In situ Metabolite Mass Spectrometry Imaging: New Insights into the Adrenal Gland. Hormone and Metabolic Research, 2020, 52, 435-447. | 0.7 | 3 |
| 40 | Active steroid hormone synthesis renders adrenocortical cells highly susceptible to type II ferroptosis induction. Cell Death and Disease, 2020, 11, 192. | 2.7 | 39 |
| 41 | De novo discovery of metabolic heterogeneity with immunophenotype-guided imaging mass spectrometry. Molecular Metabolism, 2020, 36, 100953. | 3.0 | 32 |
| 42 | Mass Spectrometry Imaging Establishes 2 Distinct Metabolic Phenotypes of Aldosterone-Producing Cell Clusters in Primary Aldosteronism. Hypertension, 2020, 75, 634-644. | 1.3 | 33 |
| 43 | The Intratumoral Heterogeneity Reflects the Intertumoral Subtypes of Glioblastoma Multiforme: A Regional Immunohistochemistry Analysis. Frontiers in Oncology, 2020, 10, 494. | 1.3 | 50 |
| 44 | In Situ Metabolomics Expands the Spectrum of Renal Tumours Positive on 99mTc-sestamibi Single Photon Emission Computed Tomography/Computed Tomography Examination. European Urology Open Science, 2020, 22, 88-96. | 0.2 | 6 |
| 45 | A practical guide to unbiased quantitative morphological analyses of the gills of rainbow trout (Oncorhynchus mykiss) in ecotoxicological studies. PLoS ONE, 2020, 15, e0243462. | 1.1 | 9 |
| 46 | High levels of KLK7 protein expression are related to a favorable prognosis in triple-negative breast cancer patients. American Journal of Cancer Research, 2020, 10, 1785-1792. | 1.4 | 0 |
| 47 | Heat Shock Protein 90 as a Prognostic Marker and Therapeutic Target for Adrenocortical Carcinoma. Frontiers in Endocrinology, 2019, 10, 487. | 1.5 | 14 |
| 48 | In situ metabolomics in cancer tissue by high-resolution mass spectrometry imaging. , 2019, , 253-279. | | 6 |
| 49 | Multimodal Precision Imaging of Pulmonary Nanoparticle Delivery in Mice: Dynamics of Application, Spatial Distribution, and Dosimetry. Small, 2019, 15, e1904112. | 5. 2 | 21 |
| 50 | Gene-by-Sex Interactions in Mitochondrial Functions and Cardio-Metabolic Traits. Cell Metabolism, 2019, 29, 932-949.e4. | 7.2 | 79 |
| 51 | Prognostic Relevance of Steroid Sulfation in Adrenocortical Carcinoma Revealed by Molecular Phenotyping Using High-Resolution Mass Spectrometry Imaging. Clinical Chemistry, 2019, 65, 1276-1286. | 1.5 | 19 |
| 52 | Iron-Sequestering Nanocompartments as Multiplexed Electron Microscopy Gene Reporters. ACS Nano, 2019, 13, 8114-8123. | 7.3 | 33 |
| 53 | Multimodal analysis of formalin-fixed and paraffin-embedded tissue by MALDI imaging and fluorescence in situ hybridization for combined genetic and metabolic analysis. Laboratory Investigation, 2019, 99, 1535-1546. | 1.7 | 10 |
| 54 | Impact of Extrinsic and Intrinsic Hypoxia on Catecholamine Biosynthesis in Absence or Presence of Hif2 \hat{l}_{\pm} in Pheochromocytoma Cells. Cancers, 2019, 11, 594. | 1.7 | 24 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 55 | Bioengineered bacterial vesicles as biological nano-heaters for optoacoustic imaging. Nature Communications, 2019, 10, 1114. | 5.8 | 128 |
| 56 | Novel methods in adrenal research: a metabolomics approach. Histochemistry and Cell Biology, 2019, 151, 201-216. | 0.8 | 10 |
| 57 | Dusp8 affects hippocampal size and behavior in mice and humans. Scientific Reports, 2019, 9, 19483. | 1.6 | 5 |
| 58 | Patch repair of deep wounds by mobilized fascia. Nature, 2019, 576, 287-292. | 13.7 | 129 |
| 59 | Beam size limit for pencil minibeam radiotherapy determined from side effects in an in-vivo mouse ear model. PLoS ONE, 2019, 14, e0221454. | 1.1 | 12 |
| 60 | A Five-MicroRNA Signature Predicts Survival and Disease Control of Patients with Head and Neck Cancer Negative for HPV Infection. Clinical Cancer Research, 2019, 25, 1505-1516. | 3.2 | 67 |
| 61 | Integrative Clustering in Mass Spectrometry Imaging for Enhanced Patient Stratification. Proteomics - Clinical Applications, 2019, 13, e1800137. | 0.8 | 8 |
| 62 | Three-Dimensional Quantitative Co-Mapping of Pulmonary Morphology and Nanoparticle Distribution with Cellular Resolution in Nondissected Murine Lungs. ACS Nano, 2019, 13, 1029-1041. | 7.3 | 42 |
| 63 | Levels of the Autophagy-Related 5 Protein Affect Progression and Metastasis of Pancreatic Tumors in Mice. Gastroenterology, 2019, 156, 203-217.e20. | 0.6 | 50 |
| 64 | Fluorescent blood–brain barrier tracing shows intact leptin transport in obese mice. International Journal of Obesity, 2019, 43, 1305-1318. | 1.6 | 64 |
| 65 | In situ metabolomics of aldosterone-producing adenomas. JCI Insight, 2019, 4, . | 2.3 | 27 |
| 66 | PITX2 DNA-methylation predicts response to anthracycline-based adjuvant chemotherapy in triple-negative breast cancer patients. International Journal of Oncology, 2018, 52, 755-767. | 1.4 | 15 |
| 67 | A genomic copy number signature predicts radiation exposure in post―C hernobyl breast cancer. International Journal of Cancer, 2018, 143, 1505-1515. | 2.3 | 10 |
| 68 | Selenium Utilization by GPX4 Is Required to Prevent Hydroperoxide-Induced Ferroptosis. Cell, 2018, 172, 409-422.e21. | 13.5 | 920 |
| 69 | hIAPP forms toxic oligomers in plasma. Chemical Communications, 2018, 54, 5426-5429. | 2.2 | 28 |
| 70 | High-Resolution Tissue Mass Spectrometry Imaging Reveals a Refined Functional Anatomy of the Human Adult Adrenal Gland. Endocrinology, 2018, 159, 1511-1524. | 1.4 | 37 |
| 71 | PAXgene fixation enables comprehensive metabolomic and proteomic analyses of tissue specimens by MALDI MSI. Biochimica Et Biophysica Acta - General Subjects, 2018, 1862, 51-60. | 1.1 | 14 |
| 72 | Molecular similarities and differences from human pulmonary fibrosis and corresponding mouse model: MALDI imaging mass spectrometry in comparative medicine. Laboratory Investigation, 2018, 98, 141-149. | 1.7 | 25 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Expression of mi <scp>RNA</scp> â€26bâ€5p and its target <scp>TRPS</scp> 1 is associated with radiation exposure in postâ€ <scp>C</scp> hernobyl breast cancer. International Journal of Cancer, 2018, 142, 573-583. | 2.3 | 29 |
| 74 | Correlative mass spectrometry imaging, applying timeâ€ofâ€flight secondary ion mass spectrometry and atmospheric pressure matrixâ€assisted laser desorption/ionization to a single tissue section. Rapid Communications in Mass Spectrometry, 2018, 32, 159-166. | 0.7 | 35 |
| 75 | A prognostic mRNA expression signature of four 16q24.3 genes in radio(chemo)therapyâ€treated head and neck squamous cell carcinoma (HNSCC). Molecular Oncology, 2018, 12, 2085-2101. | 2.1 | 21 |
| 76 | Round robin study of formalin-fixed paraffin-embedded tissues in mass spectrometry imaging. Analytical and Bioanalytical Chemistry, 2018, 410, 5969-5980. | 1.9 | 39 |
| 77 | Postoperative (chemo) radiation in patients with squamous cell cancers of the head and neck – clinical results from the cohort of the clinical cooperation group "Personalized Radiotherapy in Head and Neck Cancerâ€, Radiation Oncology, 2018, 13, 123. | 1.2 | 24 |
| 78 | Pharmacometabolic response to pirfenidone in pulmonary fibrosis detected by MALDI-FTICR-MSI. European Respiratory Journal, 2018, 52, 1702314. | 3.1 | 26 |
| 79 | Increased Extracellular Vesicles Mediate WNT5A Signaling in Idiopathic Pulmonary Fibrosis. American Journal of Respiratory and Critical Care Medicine, 2018, 198, 1527-1538. | 2.5 | 127 |
| 80 | Chronic d-serine supplementation impairs insulin secretion. Molecular Metabolism, 2018, 16, 191-202. | 3.0 | 29 |
| 81 | Molecular imaging of myocardial infarction with Gadofluorine P \hat{a} \in 4 combined magnetic resonance and mass spectrometry imaging approach. Heliyon, 2018, 4, e00606. | 1.4 | 12 |
| 82 | Abstract A068: Metabolic signature in lethal vs. nonlethal prostate cancer., 2018,,. | | 0 |
| 83 | Pharmacometabolic effect of pirfenidone treatment in IPF detected by high resolution MALDI-FTICR imaging. , 2018, , . | | 0 |
| 84 | A Novel Antifibrotic Mechanism of Nintedanib and Pirfenidone. Inhibition of Collagen Fibril Assembly. American Journal of Respiratory Cell and Molecular Biology, 2017, 57, 77-90. | 1.4 | 125 |
| 85 | Imaging of pH in vivo using hyperpolarized 13C-labelled zymonic acid. Nature Communications, 2017, 8, 15126. | 5.8 | 94 |
| 86 | N-acyl Taurines and Acylcarnitines Cause an Imbalance in Insulin Synthesis and Secretion Provoking \hat{l}^2 Cell Dysfunction in Type 2 Diabetes. Cell Metabolism, 2017, 25, 1334-1347.e4. | 7.2 | 87 |
| 87 | Expression patterns of programmed death-ligand 1 in esophageal adenocarcinomas: comparison between primary tumors and metastases. Cancer Immunology, Immunotherapy, 2017, 66, 777-786. | 2.0 | 20 |
| 88 | The redox environment triggers conformational changes and aggregation of hIAPP in Type II Diabetes. Scientific Reports, 2017, 7, 44041. | 1.6 | 75 |
| 89 | Integrin-Targeted Hybrid Fluorescence Molecular Tomography/X-ray Computed Tomography for Imaging Tumor Progression and Early Response in Non-Small Cell Lung Cancer. Neoplasia, 2017, 19, 8-16. | 2.3 | 17 |
| 90 | Plasmin(ogen) serves as a favorable biomarker for prediction of survival in advanced high-grade serous ovarian cancer. Biological Chemistry, 2017, 398, 765-773. | 1.2 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | A new model system identifies epidermal growth factor receptor-human epidermal growth factor receptor 2 (HER2) and HER2-human epidermal growth factor receptor 3 heterodimers as potent inducers of oesophageal epithelial cell invasion. Journal of Pathology, 2017, 243, 481-495. | 2.1 | 9 |
| 92 | Investigating the influence of standard staining procedures on the copper distribution and concentration in Wilson's disease liver samples by laser ablation-inductively coupled plasma-mass spectrometry. Journal of Trace Elements in Medicine and Biology, 2017, 44, 71-75. | 1.5 | 13 |
| 93 | Tissue kallikrein-related peptidase 4 (KLK4), a novel biomarker in triple-negative breast cancer. Biological Chemistry, 2017, 398, 1151-1164. | 1.2 | 17 |
| 94 | The target landscape of clinical kinase drugs. Science, 2017, 358, . | 6.0 | 609 |
| 95 | ACSL4 dictates ferroptosis sensitivity by shaping cellular lipid composition. Nature Chemical Biology, 2017, 13, 91-98. | 3.9 | 2,069 |
| 96 | Threshold Analysis and Biodistribution of Fluorescently Labeled Bevacizumab in Human Breast Cancer. Cancer Research, 2017, 77, 623-631. | 0.4 | 34 |
| 97 | Native glycan fragments detected by MALDI-FT-ICR mass spectrometry imaging impact gastric cancer biology and patient outcome. Oncotarget, 2017, 8, 68012-68025. | 0.8 | 34 |
| 98 | Stabilization and structural analysis of a membrane-associated hIAPP aggregation intermediate. ELife, 2017, 6, . | 2.8 | 61 |
| 99 | Platelet GPIIb supports initial pulmonary retention but inhibits subsequent proliferation of melanoma cells during hematogenic metastasis. PLoS ONE, 2017, 12, e0172788. | 1.1 | 25 |
| 100 | In Situ Metabolomics in Cancer by Mass Spectrometry Imaging. Advances in Cancer Research, 2017, 134, 117-132. | 1.9 | 28 |
| 101 | Steroid metabolome analysis reveals prevalent glucocorticoid excess in primary aldosteronism. JCI Insight, 2017, 2, . | 2.3 | 187 |
| 102 | Functional imaging in combination with mutation status aids prediction of response to inhibiting B-cell receptor signaling in lymphoma. Oncotarget, 2017, 8, 78917-78929. | 0.8 | 3 |
| 103 | Fluorescently labeled bevacizumab in human breast cancer: defining the classification threshold. Proceedings of SPIE, 2017, , . | 0.8 | 0 |
| 104 | Inside front cover: In situ detection of histone variants and modifications in mouse brain using imaging mass spectrometry. Proteomics, 2016, 16, NA. | 1.3 | 0 |
| 105 | In situ detection of histone variants and modifications in mouse brain using imaging mass spectrometry. Proteomics, 2016, 16, 437-447. | 1.3 | 19 |
| 106 | High-Resolution Multispectral Optoacoustic Tomography of the Vascularization and Constitutive Hypoxemia of Cancerous Tumors. Neoplasia, 2016, 18, 459-467. | 2.3 | 23 |
| 107 | Disulfide HMGB1 derived from platelets coordinates venous thrombosis in mice. Blood, 2016, 128, 2435-2449. | 0.6 | 219 |
| 108 | How Suitable is Matrix-Assisted Laser Desorption/Ionization-Time-of-Flight for Metabolite Imaging from Clinical Formalin-Fixed and Paraffin-Embedded Tissue Samples in Comparison to Matrix-Assisted Laser Desorption/Ionization-Fourier Transform Ion Cyclotron Resonance Mass Spectrometry?. Analytical Chemistry, 2016, 88, 5281-5289. | 3.2 | 24 |

| # | Article | IF | CITATIONS |
|-----|--|-------------|-----------|
| 109 | Spatial Autocorrelation in Mass Spectrometry Imaging. Analytical Chemistry, 2016, 88, 5871-5878. | 3.2 | 29 |
| 110 | Deep tissue imaging: a review from a preclinical cancer research perspective. Histochemistry and Cell Biology, 2016, 146, 781-806. | 0.8 | 50 |
| 111 | Tumor Uptake of Anti-CD20 Fabs Depends on Tumor Perfusion. Journal of Nuclear Medicine, 2016, 57, 1971-1977. | 2.8 | 15 |
| 112 | High-mass-resolution MALDI mass spectrometry imaging of metabolites from formalin-fixed paraffin-embedded tissue. Nature Protocols, 2016, 11, 1428-1443. | 5. 5 | 190 |
| 113 | Data-driven identification of prognostic tumor subpopulations using spatially mapped t-SNE of mass spectrometry imaging data. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 12244-12249. | 3.3 | 154 |
| 114 | uPAR enhances malignant potential of triple-negative breast cancer by directly interacting with uPA and IGF1R. BMC Cancer, 2016, 16, 615. | 1.1 | 26 |
| 115 | Proton Minibeam Radiation Therapy Reduces Side Effects in an InÂVivo Mouse Ear Model. International Journal of Radiation Oncology Biology Physics, 2016, 95, 234-241. | 0.4 | 82 |
| 116 | Bezafibrate Improves Insulin Sensitivity and Metabolic Flexibility in STZ-Induced Diabetic Mice. Diabetes, 2016, 65, 2540-2552. | 0.3 | 35 |
| 117 | Pharmacokinetic and pharmacometabolomic study of pirfenidone in normal mouse tissues using high mass resolution MALDI-FTICR-mass spectrometry imaging. Histochemistry and Cell Biology, 2016, 145, 201-211. | 0.8 | 43 |
| 118 | Elemental bioimaging and speciation analysis for the investigation of Wilson's disease using $\hat{1}$ 4XRF and XANES. Metallomics, 2016, 8, 648-653. | 1.0 | 35 |
| 119 | Element bioimaging of liver needle biopsy specimens from patients with Wilson's disease by laser ablation-inductively coupled plasma-mass spectrometry. Journal of Trace Elements in Medicine and Biology, 2016, 35, 97-102. | 1.5 | 31 |
| 120 | MALDI imaging mass spectrometry as a novel tool for detecting histone modifications in clinical tissue samples. Expert Review of Proteomics, 2016, 13, 275-284. | 1.3 | 13 |
| 121 | Modeling Therapy Response and Spatial Tissue Distribution of Erlotinib in Pancreatic Cancer. Molecular Cancer Therapeutics, 2016, 15, 1145-1152. | 1.9 | 27 |
| 122 | Sphingomyelin Synthase 1 Is Essential for Male Fertility in Mice. PLoS ONE, 2016, 11, e0164298. | 1.1 | 19 |
| 123 | Cyr61 and YB-1 are novel interacting partners of uPAR and elevate the malignancy of triple-negative breast cancer. Oncotarget, 2016, 7, 44062-44075. | 0.8 | 7 |
| 124 | LSC Abstract – Non-canonical WNT signaling is mediated by extracellular vesicles in pulmonary fibrosis. , 2016, , . | | 0 |
| 125 | LSC Abstract – Non-canonical WNT signaling is mediated by extracellular vesicles in pulmonary fibrosis. , 2016, , . | | 0 |
| 126 | Nintedanib and pirfenidone inhibit collagen synthesis and maturation at several regulatory levels. , 2016, , . | | 0 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | Assessment of kallikrein-related peptidase 5 (KLK5) protein expression in tumor tissue of advanced ovarian cancer patients by immunohistochemistry and ELISA: correlation with clinical outcome. American Journal of Cancer Research, 2016, 6, 61-70. | 1.4 | 5 |
| 128 | Highâ€resolution MALDIâ€FTâ€ICR MS imaging for the analysis of metabolites from formalinâ€fixed, paraffinâ€embedded clinical tissue samples. Journal of Pathology, 2015, 237, 123-132. | 2.1 | 123 |
| 129 | Characterization of Magnetic Viral Complexes for Targeted Delivery in Oncology. Theranostics, 2015, 5, 667-685. | 4.6 | 40 |
| 130 | Supremacy of modern morphometry in typing renal oncocytoma and malignant look-alikes. Histochemistry and Cell Biology, 2015, 144, 147-156. | 0.8 | 12 |
| 131 | Benchmark datasets for 3D MALDI- and DESI-imaging mass spectrometry. GigaScience, 2015, 4, 20. | 3.3 | 53 |
| 132 | High-resolution MALDI mass spectrometric imaging of lipids in the mammalian retina. Histochemistry and Cell Biology, 2015, 143, 453-462. | 0.8 | 26 |
| 133 | Image analysis of immunohistochemistry is superior to visual scoring as shown for patient outcome of esophageal adenocarcinoma. Histochemistry and Cell Biology, 2015, 143, 1-9. | 0.8 | 50 |
| 134 | Spatially Resolved Quantification of Gadolinium(III)â∈Based Magnetic Resonance Agents in Tissue by MALDI Imaging Mass Spectrometry after In Vivo MRI. Angewandte Chemie - International Edition, 2015, 54, 4279-4283. | 7.2 | 24 |
| 135 | High fat diet-induced modifications in membrane lipid and mitochondrial-membrane protein signatures precede the development of hepatic insulin resistance in mice. Molecular Metabolism, 2015, 4, 39-50. | 3.0 | 34 |
| 136 | Impaired Autophagy Induces Chronic Atrophic Pancreatitis in Mice via Sex- and Nutrition-Dependent Processes. Gastroenterology, 2015, 148, 626-638.e17. | 0.6 | 130 |
| 137 | <i>De novo</i> discovery of phenotypic intratumour heterogeneity using imaging mass spectrometry. Journal of Pathology, 2015, 235, 3-13. | 2.1 | 116 |
| 138 | MALDI Imaging mass spectrometry: current frontiers and perspectives in pathology research and practice. Laboratory Investigation, 2015, 95, 422-431. | 1.7 | 334 |
| 139 | Model Matters: Differences in Orthotopic Rat Hepatocellular Carcinoma Physiology Determine Therapy Response to Sorafenib. Clinical Cancer Research, 2015, 21, 4440-4450. | 3.2 | 25 |
| 140 | Expression of a Catalytically Inactive Mutant Form of Glutathione Peroxidase 4 (Gpx4) Confers a Dominant-negative Effect in Male Fertility. Journal of Biological Chemistry, 2015, 290, 14668-14678. | 1.6 | 69 |
| 141 | Epstein–Barr Virus in Gastro-Esophageal Adenocarcinomas – Single Center Experiences in the Context of Current Literature. Frontiers in Oncology, 2015, 5, 73. | 1.3 | 36 |
| 142 | Clinical Significance of NOTCH1 and NOTCH2 Expression in Gastric Carcinomas: An Immunohistochemical Study. Frontiers in Oncology, 2015, 5, 94. | 1.3 | 19 |
| 143 | Knocking Down of Isoprene Emission Modifies the Lipid Matrix of Thylakoid Membranes and Influences the Chloroplast Ultrastructure in Poplar. Plant Physiology, 2015, 168, 859-870. | 2.3 | 37 |
| 144 | Calcineurin Links Mitochondrial Elongation with Energy Metabolism. Cell Metabolism, 2015, 22, 838-850. | 7.2 | 71 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | Optical mesoscopy without the scatter: broadband multispectral optoacoustic mesoscopy. Biomedical Optics Express, 2015, 6, 3134. | 1.5 | 14 |
| 146 | Heart‧pecific Knockout of the Mitochondrial Thioredoxin Reductase (<i>Txnrd2</i>) Induces Metabolic and Contractile Dysfunction in the Aging Myocardium. Journal of the American Heart Association, 2015, 4, . | 1.6 | 54 |
| 147 | RNAi-mediated downregulation of poplar plasma membrane intrinsic proteins (PIPs) changes plasma membrane proteome composition and affects leaf physiology. Journal of Proteomics, 2015, 128, 321-332. | 1.2 | 19 |
| 148 | Early recognition of lung cancer by integrin targeted imaging in <scp>K</scp> â€ras mouse model. International Journal of Cancer, 2015, 137, 1107-1118. | 2.3 | 10 |
| 149 | CLIP2 as radiation biomarker in papillary thyroid carcinoma. Oncogene, 2015, 34, 3917-3925. | 2.6 | 41 |
| 150 | Distribution and quantification of irinotecan and its active metabolite SN-38 in colon cancer murine model systems using MALDI MSI. Analytical and Bioanalytical Chemistry, 2015, 407, 2107-2116. | 1.9 | 84 |
| 151 | Discussion point: reporting guidelines for mass spectrometry imaging. Analytical and Bioanalytical Chemistry, 2015, 407, 2035-2045. | 1.9 | 51 |
| 152 | Opposing role of Notch1 and Notch2 in a KrasG12D-driven murine non-small cell lung cancer model. Oncogene, 2015, 34, 578-588. | 2.6 | 67 |
| 153 | uPA receptor and its interaction partners: Impact as potential therapeutic targets in triple-negative breast cancer Journal of Clinical Oncology, 2015, 33, 150-150. | 0.8 | 1 |
| 154 | Preclinical Evaluation of CD40-Directed Immunotherapy in B-Cell Lymphoma Using [¹⁸ F]Fluorothymidine-PET. Advances in Molecular Imaging, 2015, 05, 17-28. | 0.3 | 1 |
| 155 | MTO1-Deficient Mouse Model Mirrors the Human Phenotype Showing Complex I Defect and Cardiomyopathy. PLoS ONE, 2014, 9, e114918. | 1.1 | 17 |
| 156 | Positron emission tomographic monitoring of dual phosphatidylinositol-3-kinase and mTOR inhibition in anaplastic large cell lymphoma. OncoTargets and Therapy, 2014, 7, 789. | 1.0 | 11 |
| 157 | <i>In situ</i> drug and metabolite analysis in biological and clinical research by MALDIÂMS imaging. Bioanalysis, 2014, 6, 1241-1253. | 0.6 | 22 |
| 158 | Assessment of Myocardial Infarction and Postinfarction Scar Remodeling With an Elastin-Specific Magnetic Resonance Agent. Circulation: Cardiovascular Imaging, 2014, 7, 321-329. | 1.3 | 41 |
| 159 | Heat Shock Protein 90 (HSP90) and Her2 in Adenocarcinomas of the Esophagus. Cancers, 2014, 6, 1382-1393. | 1.7 | 13 |
| 160 | Highâ€resolution metabolite imaging of light and dark treated retina using <scp>MALDI</scp> â€ <scp>FTICR</scp> mass spectrometry. Proteomics, 2014, 14, 913-923. | 1.3 | 40 |
| 161 | Optoacoustic Imaging and Staging of Inflammation in a Murine Model of Arthritis. Arthritis and Rheumatology, 2014, 66, 2071-2078. | 2.9 | 42 |
| 162 | Mitochondrial Dysfunction and Decrease in Body Weight of a Transgenic Knock-in Mouse Model for TDP-43. Journal of Biological Chemistry, 2014, 289, 10769-10784. | 1.6 | 100 |

| # | Article | lF | Citations |
|-----|---|-----|-----------|
| 163 | Digital pathology: Multiple instance learning can detect Barrett's cancer. , 2014, , . | | 19 |
| 164 | Novel Approach of MALDI Drug Imaging, Immunohistochemistry, and Digital Image Analysis for Drug Distribution Studies in Tissues. Analytical Chemistry, 2014, 86, 10568-10575. | 3.2 | 41 |
| 165 | Inactivation of the ferroptosis regulator Gpx4 triggers acute renal failure in mice. Nature Cell Biology, 2014, 16, 1180-1191. | 4.6 | 2,241 |
| 166 | Multicenter Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry Imaging (MALDI MSI) Identifies Proteomic Differences in Breast-Cancer-Associated Stroma. Journal of Proteome Research, 2014, 13, 4730-4738. | 1.8 | 72 |
| 167 | MSiMass List: A Public Database of Identifications for Protein MALDI MS Imaging. Journal of Proteome Research, 2014, 13, 1138-1142. | 1.8 | 40 |
| 168 | In Brief: The (molecular) pathogenesis of Barrett's oesophagus. Journal of Pathology, 2014, 232, 383-385. | 2.1 | 7 |
| 169 | A rapid ex vivo tissue model for optimising drug detection and ionisation in MALDI imaging studies. Histochemistry and Cell Biology, 2014, 142, 361-371. | 0.8 | 17 |
| 170 | MALDI mass spectrometry imaging of formalin-fixed paraffin-embedded tissues in clinical research. Histology and Histopathology, 2014, 29, 1365-76. | 0.5 | 24 |
| 171 | Epidermal growth factor receptor (EGFR) is an independent adverse prognostic factor in esophageal adenocarcinoma patients treated with cisplatin-based neoadjuvant chemotherapy. Oncotarget, 2014, 5, 6620-6632. | 0.8 | 35 |
| 172 | Proteomic and metabolic prediction of response to therapy in gastric cancer. World Journal of Gastroenterology, 2014, 20, 13648. | 1.4 | 20 |
| 173 | Flattop regulates basal body docking and positioning in mono- and multiciliated cells. ELife, 2014, 3, . | 2.8 | 47 |
| 174 | MRI-compatible pipeline for three-dimensional MALDI imaging mass spectrometry using PAXgene fixation. Journal of Proteomics, 2013, 90, 52-60. | 1.2 | 58 |
| 175 | The impact of Cysteine-Rich Intestinal Protein 1 (CRIP1) in human breast cancer. Molecular Cancer, 2013, 12, 28. | 7.9 | 41 |
| 176 | Qualitative and quantitative mass spectrometry imaging of drugs and metabolites in tissue at therapeutic levels. Histochemistry and Cell Biology, 2013, 140, 93-104. | 0.8 | 63 |
| 177 | MALDI imaging mass spectrometry in cancer research: Combining proteomic profiling and histological evaluation. Clinical Biochemistry, 2013, 46, 539-545. | 0.8 | 77 |
| 178 | MALDI-MS tissue imaging identification of biliverdin reductase B overexpression in prostate cancer. Journal of Proteomics, 2013, 91, 500-514. | 1.2 | 45 |
| 179 | Progressive stages of mitochondrial destruction caused by cell toxic bile salts. Biochimica Et Biophysica Acta - Biomembranes, 2013, 1828, 2121-2133. | 1.4 | 62 |
| 180 | Current frontiers in clinical research application of MALDI imaging mass spectrometry. Expert Review of Proteomics, 2013, 10, 259-273. | 1.3 | 28 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | MiR-221/-222 differentiate prognostic groups in advanced breast cancers and influence cell invasion. British Journal of Cancer, 2013, 109, 2714-2723. | 2.9 | 54 |
| 182 | Epidermal growth factor receptor, phosphatidylinositol-3-kinase catalytic subunit/PTEN, and KRAS/NRAS/BRAF in primary resected esophageal adenocarcinomas: loss of PTEN is associated with worse clinical outcome. Human Pathology, 2013, 44, 829-836. | 1.1 | 30 |
| 183 | Clinical response to chemotherapy in oesophageal adenocarcinoma patients is linked to defects in mitochondria. Journal of Pathology, 2013, 230, 410-419. | 2.1 | 71 |
| 184 | Multispectral optoacoustic tomography of myocardial infarction. Photoacoustics, 2013, 1, 3-8. | 4.4 | 61 |
| 185 | Comprehensive Identification of Proteins from MALDI Imaging. Molecular and Cellular Proteomics, 2013, 12, 2901-2910. | 2.5 | 69 |
| 186 | Combined Deficiency in Glutathione Peroxidase 4 and Vitamin E Causes Multiorgan Thrombus Formation and Early Death in Mice. Circulation Research, 2013, 113, 408-417. | 2.0 | 127 |
| 187 | Cardioprotective C-kit+ Bone Marrow Cells Attenuate Apoptosis after Acute Myocardial Infarction in Mice - In-vivo Assessment with Fluorescence Molecular Imaging. Theranostics, 2013, 3, 903-913. | 4.6 | 21 |
| 188 | p62 Links \hat{l}^2 -adrenergic input to mitochondrial function and thermogenesis. Journal of Clinical Investigation, 2013, 123, 469-478. | 3.9 | 107 |
| 189 | X-Ray Phase-Contrast CT of a Pancreatic Ductal Adenocarcinoma Mouse Model. PLoS ONE, 2013, 8, e58439. | 1.1 | 28 |
| 190 | Association between HSP90 and Her2 in Gastric and Gastroesophageal Carcinomas. PLoS ONE, 2013, 8, e69098. | 1,1 | 25 |
| 191 | Efficient Isolation of Pure and Functional Mitochondria from Mouse Tissues Using Automated Tissue Disruption and Enrichment with Anti-TOM22 Magnetic Beads. PLoS ONE, 2013, 8, e82392. | 1.1 | 74 |
| 192 | Automated Co-Analysis of MALDI and H&E Images of Retinal Tissue for an Improved Spatial MALDI Resolution. Informatik Aktuell, 2013, , 217-222. | 0.4 | 0 |
| 193 | Molecular imaging for early prediction of response to Sorafenib treatment in sarcoma. American Journal of Nuclear Medicine and Molecular Imaging, 2013, 4, 70-9. | 1.0 | 10 |
| 194 | Bile Acids Down-Regulate Caveolin-1 in Esophageal Epithelial Cells through Sterol Responsive Element-Binding Protein. Molecular Endocrinology, 2012, 26, 819-832. | 3.7 | 10 |
| 195 | FLT-PET Is Superior to FDG-PET for Very Early Response Prediction in NPM-ALK-Positive Lymphoma Treated with Targeted Therapy. Cancer Research, 2012, 72, 5014-5024. | 0.4 | 37 |
| 196 | Efficient internalization and intracellular translocation of inhaled gold nanoparticles in rat alveolar macrophages. Nanomedicine, 2012, 7, 855-865. | 1.7 | 35 |
| 197 | Stromal cell-associated expression of kallikrein-related peptidase 6 (KLK6) indicates poor prognosis of ovarian cancer patients. Biological Chemistry, 2012, 393, 391-401. | 1.2 | 36 |
| 198 | Molecular Analysis of HER2 Signaling in Human Breast Cancer by Functional Protein Pathway Activation Mapping. Clinical Cancer Research, 2012, 18, 6426-6435. | 3.2 | 110 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Tumor Classification of Six Common Cancer Types Based on Proteomic Profiling by MALDI Imaging. Journal of Proteome Research, 2012, 11, 1996-2003. | 1.8 | 123 |
| 200 | uPA and PAI-1-Related Signaling Pathways Differ between Primary Breast Cancers and Lymph Node Metastases. Translational Oncology, 2012, 5, 98-IN3. | 1.7 | 29 |
| 201 | MALDI imaging mass spectrometry reveals COX7A2, TAGLN2 and S100-A10 as novel prognostic markers in Barrett's adenocarcinoma. Journal of Proteomics, 2012, 75, 4693-4704. | 1.2 | 90 |
| 202 | Direct Molecular Tissue Analysis by MALDI Imaging Mass Spectrometry in the Field of Gastrointestinal Disease. Gastroenterology, 2012, 143, 544-549.e2. | 0.6 | 24 |
| 203 | MALDI Imaging Mass Spectrometry for Direct Tissue Analysis. Methods in Molecular Biology, 2012, 931, 537-546. | 0.4 | 20 |
| 204 | Enhanced efficacy of combined 213Bi-DTPA-F3 and paclitaxel therapy of peritoneal carcinomatosis is mediated by enhanced induction of apoptosis and G2/M phase arrest. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 1886-1897. | 3.3 | 14 |
| 205 | Exploring Three-Dimensional Matrix-Assisted Laser Desorption/Ionization Imaging Mass Spectrometry Data: Three-Dimensional Spatial Segmentation of Mouse Kidney. Analytical Chemistry, 2012, 84, 6079-6087. | 3.2 | 122 |
| 206 | MALDI Imaging Mass Spectrometry for In Situ Proteomic Analysis of Preneoplastic Lesions in Pancreatic Cancer. PLoS ONE, 2012, 7, e39424. | 1.1 | 52 |
| 207 | Evidence of Prognostic Relevant Expression Profiles of Heat-Shock Proteins and Glucose-Regulated Proteins in Oesophageal Adenocarcinomas. PLoS ONE, 2012, 7, e41420. | 1.1 | 25 |
| 208 | Tissueâ€based proteomics reveals FXYD3, S100A11 and GSTM3 as novel markers for regional lymph node metastasis in colon cancer. Journal of Pathology, 2012, 228, 459-470. | 2.1 | 107 |
| 209 | Monocytes, neutrophils, and platelets cooperate to initiate and propagate venous thrombosis in mice in vivo. Journal of Experimental Medicine, 2012, 209, 819-835. | 4.2 | 1,441 |
| 210 | Diet intervention reduces uptake of $\hat{l}\pm v\hat{l}^23$ integrin-targeted PET tracer 18F-galacto-RGD in mouse atherosclerotic plaques. Journal of Nuclear Cardiology, 2012, 19, 775-784. | 1.4 | 33 |
| 211 | Filtering blue light reduces lightâ€induced oxidative stress, senescence and accumulation of extracellular matrix proteins in human retinal pigment epithelium cells. Clinical and Experimental Ophthalmology, 2012, 40, e87-97. | 1.3 | 32 |
| 212 | Profiling signalling pathways in formalinâ€fixed and paraffinâ€embedded breast cancer tissues reveals crossâ€ŧalk between EGFR, HER2, HER3 and uPAR. Journal of Cellular Physiology, 2012, 227, 204-212. | 2.0 | 21 |
| 213 | S100-A10, thioredoxin, and S100-A6 as biomarkers of papillary thyroid carcinoma with lymph node metastasis identified by MALDI Imaging. Journal of Molecular Medicine, 2012, 90, 163-174. | 1.7 | 56 |
| 214 | Immunotherapeutic Targeting of Membrane Hsp70-Expressing Tumors Using Recombinant Human Granzyme B. PLoS ONE, 2012, 7, e41341. | 1.1 | 29 |
| 215 | Revisiting Rat Spermatogenesis with MALDI Imaging at 20- \hat{l} /4m Resolution. Molecular and Cellular Proteomics, 2011, 10, M110.005991. | 2.5 | 68 |
| 216 | MALDI Imaging Identifies Prognostic Seven-Protein Signature of Novel Tissue Markers in Intestinal-Type Gastric Cancer. American Journal of Pathology, 2011, 179, 2720-2729. | 1.9 | 127 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Nuclear Position and Shape Deformation of Chromosome 8 Territories in Pancreatic Ductal Adenocarcinoma. Analytical Cellular Pathology, 2011, 34, 21-33. | 0.7 | 15 |
| 218 | Immunocytochemical and Ultrastructural Evidence of Glial Cells and Hyalocytes in Internal Limiting Membrane Specimens of Idiopathic Macular Holes., 2011, 52, 7822. | | 84 |
| 219 | Protein Microarray-based Comparison of HER2, Estrogen Receptor, and Progesterone Receptor Status in Core Biopsies and Surgical Specimens From FFPE Breast Cancer Tissues. Applied Immunohistochemistry and Molecular Morphology, 2011, 19, 300-305. | 0.6 | 22 |
| 220 | Farnesoid X receptor protects human and murine gastric epithelial cells against inflammation-induced damage. Biochemical Journal, 2011, 438, 315-323. | 1.7 | 38 |
| 221 | In vivo imaging of CT26 mouse tumours by using cmHsp70.1 monoclonal antibody. Journal of Cellular and Molecular Medicine, 2011, 15, 874-887. | 1.6 | 42 |
| 222 | Super-resolution segmentation of imaging mass spectrometry data: Solving the issue of low lateral resolution. Journal of Proteomics, 2011, 75, 237-245. | 1.2 | 28 |
| 223 | Clinical Significance of the Costimulatory Molecule B7-H1 in Barrett Carcinoma. Annals of Thoracic Surgery, 2011, 91, 1025-1031. | 0.7 | 45 |
| 224 | Quantitative Chemical Proteomics Reveals New Potential Drug Targets in Head and Neck Cancer. Molecular and Cellular Proteomics, 2011, 10, M111.011635. | 2.5 | 65 |
| 225 | MALDI imaging mass spectrometry for direct tissue analysis: technological advancements and recent applications. Histochemistry and Cell Biology, 2011, 136, 227-244. | 0.8 | 108 |
| 226 | Normalization in MALDI-TOF imaging datasets of proteins: practical considerations. Analytical and Bioanalytical Chemistry, 2011, 401, 167-181. | 1.9 | 190 |
| 227 | Detection of Lymph Node Involvement by Cytokeratin Immunohistochemistry is an Independent Prognostic Factor After Curative Resection of Esophageal Cancer. Journal of Gastrointestinal Surgery, 2011, 15, 29-37. | 0.9 | 9 |
| 228 | Biomarker analysis of cetuximab plus oxaliplatin/leucovorin/5-fluorouracil in first-line metastatic gastric and oesophago-gastric junction cancer: results from a phase II trial of the Arbeitsgemeinschaft Internistische Onkologie (AIO). BMC Cancer, 2011, 11, 509. | 1.1 | 58 |
| 229 | Signalling networks associated with urokinaseâ€type plasminogen activator (uPA) and its inhibitor PAIâ€1 in breast cancer tissues: new insights from protein microarray analysis. Journal of Pathology, 2011, 223, 54-63. | 2.1 | 38 |
| 230 | Assessment of ErbB2 (Her2) in oesophageal adenocarcinomas: summary of a revised immunohistochemical evaluation system, bright field double in situ hybridisation and fluorescence in situ hybridisation. Modern Pathology, 2011, 24, 908-916. | 2.9 | 44 |
| 231 | Mutations in the mitochondrial thioredoxin reductase gene TXNRD2 cause dilated cardiomyopathy. European Heart Journal, 2011, 32, 1121-1133. | 1.0 | 84 |
| 232 | CRIP1 expression is correlated with a favorable outcome and less metastases in osteosarcoma patients. Oncotarget, 2011, 2, 970-975. | 0.8 | 29 |
| 233 | Nuclear position and shape deformation of chromosome 8 territories in pancreatic ductal adenocarcinoma. Analytical Cellular Pathology, 2011, 34, 21-33. | 0.7 | 12 |
| 234 | MALDI Imaging Mass Spectrometry on Formalin-Fixed Paraffin-Embedded Tissues., 2011,, 293-295. | | 0 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | HER2 diagnostics in gastric cancerâ€"guideline validation and development of standardized immunohistochemical testing. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2010, 457, 299-307. | 1.4 | 431 |
| 236 | Interaction of Snail and p38 mitogen-activated protein kinase results in shorter overall survival of ovarian cancer patients. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2010, 457, 705-713. | 1.4 | 30 |
| 237 | High number of CD45RO+ tumor infiltrating lymphocytes is an independent prognostic factor in non-metastasized (stage I-IIA) esophageal adenocarcinoma. BMC Cancer, 2010, 10, 608. | 1.1 | 51 |
| 238 | Developmental expression of neuromodulators in the central complex of the grasshopper <i>Schistocerca gregaria</i> . Journal of Morphology, 2010, 271, 1509-1526. | 0.6 | 26 |
| 239 | Platelets contribute to postnatal occlusion of the ductus arteriosus. Nature Medicine, 2010, 16, 75-82. | 15.2 | 158 |
| 240 | Establishment and Molecular Cytogenetic Characterization of a Cell Culture Model of Head and Neck Squamous Cell Carcinoma (HNSCC). Genes, 2010, 1, 388-412. | 1.0 | 11 |
| 241 | Genomic Alterations and Allelic Imbalances Are Strong Prognostic Predictors in Osteosarcoma. Clinical Cancer Research, 2010, 16, 4256-4267. | 3.2 | 101 |
| 242 | Novel gene rearrangements in transformed breast cells identified by high-resolution breakpoint analysis of chromosomal aberrations. Endocrine-Related Cancer, 2010, 17, 87-98. | 1.6 | 33 |
| 243 | Classification of HER2 Receptor Status in Breast Cancer Tissues by MALDI Imaging Mass Spectrometry. Journal of Proteome Research, 2010, 9, 1854-1863. | 1.8 | 256 |
| 244 | Classification of HER2/neu Status in Gastric Cancer Using a Breast-Cancer Derived Proteome Classifier. Journal of Proteome Research, 2010, 9, 6317-6322. | 1.8 | 71 |
| 245 | Approaching MALDI molecular imaging for clinical proteomic research: current state and fields of application. Expert Review of Proteomics, 2010, 7, 927-941. | 1.3 | 47 |
| 246 | Proteomic Analysis of PAXgene-Fixed Tissues. Journal of Proteome Research, 2010, 9, 5188-5196. | 1.8 | 67 |
| 247 | Methods in Cellular and Molecular Pathology. , 2010, , 1-44. | | 0 |
| 248 | Inflammation and mitochondrial fatty acid \hat{l}^2 -oxidation link obesity to early tumor promotion. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 3354-3359. | 3.3 | 174 |
| 249 | Evaluation of \hat{l}_{\pm} _v \hat{l}^2 ₃ Integrin-Targeted Positron Emission Tomography Tracer ¹⁸ F-Galacto-RGD for Imaging of Vascular Inflammation in Atherosclerotic Mice. Circulation: Cardiovascular Imaging, 2009, 2, 331-338. | 1.3 | 145 |
| 250 | Cadherin-2 Controls Directional Chain Migration of Cerebellar Granule Neurons. PLoS Biology, 2009, 7, e1000240. | 2.6 | 78 |
| 251 | Centrosome abnormalities in head and neck squamous cell carcinoma (HNSCC). Acta Oto-Laryngologica, 2009, 129, 205-213. | 0.3 | 12 |
| 252 | Activation of epidermal growth factor receptor results in Snail protein but not mRNA overexpression in endometrial cancer. Journal of Cellular and Molecular Medicine, 2009, 13, 3858-3867. | 1.6 | 29 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 253 | Hematopoietically expressed homeobox is a target gene of farnesoid X receptor in chenodeoxycholic acid-induced liver hypertrophy. Hepatology, 2009, 49, 979-988. | 3.6 | 28 |
| 254 | Genome-wide analysis of genetic alterations in Barrett's adenocarcinoma using single nucleotide polymorphism arrays. Laboratory Investigation, 2009, 89, 385-397. | 1.7 | 39 |
| 255 | Proteomic and metabolic prediction of response to therapy in gastrointestinal cancers. Nature Reviews Gastroenterology and Hepatology, 2009, 6, 170-183. | 8.2 | 18 |
| 256 | Mitochondrial glutathione peroxidase 4 disruption causes male infertility. FASEB Journal, 2009, 23, 3233-3242. | 0.2 | 251 |
| 257 | Precise measurement of the E-cadherin repressor Snail in formalin-fixed endometrial carcinoma using protein lysate microarrays. Clinical and Experimental Metastasis, 2008, 25, 679-683. | 1.7 | 16 |
| 258 | A Fibrin Glue Composition as Carrier for Nucleic Acid Vectors. Pharmaceutical Research, 2008, 25, 2946-2962. | 1.7 | 49 |
| 259 | Chromosomal changes characterize head and neck cancer with poor prognosis. Journal of Molecular Medicine, 2008, 86, 1353-1365. | 1.7 | 33 |
| 260 | MALDI imaging mass spectrometry for direct tissue analysis: a new frontier for molecular histology. Histochemistry and Cell Biology, 2008, 130, 421-34. | 0.8 | 310 |
| 261 | Combined analysis of Rac1, IQGAP1, Tiam1 and E-cadherin expression in gastric cancer. Modern Pathology, 2008, 21, 544-552. | 2.9 | 71 |
| 262 | Array CGH demonstrates characteristic aberration signatures in human papillary thyroid carcinomas governed by RET/PTC. Oncogene, 2008, 27, 4592-4602. | 2.6 | 34 |
| 263 | Prognostic value of protein tyrosine kinase 6 (PTK6) for long-term survival of breast cancer patients. British Journal of Cancer, 2008, 99, 1089-1095. | 2.9 | 45 |
| 264 | A Case of Heterogeneous Breast Cancer with Clonally Expanded T-Cells in the HER2+ and Metastasis of the HER2â° Tumor Cells. Breast Journal, 2008, 14, 487-491. | 0.4 | 6 |
| 265 | Microarray comparative genomic hybridization analysis of tubular breast carcinoma shows recurrent loss of the CDH13 locus on 16q. Human Pathology, 2008, 39, 1621-1629. | 1.1 | 31 |
| 266 | Enhanced Activation of Epidermal Growth Factor Receptor Caused by Tumor-Derived E-Cadherin Mutations. Cancer Research, 2008, 68, 707-714. | 0.4 | 72 |
| 267 | Premature Apoptosis of <i>Chlamydia</i> â€Infected Cells Disrupts Chlamydial Development. Journal of Infectious Diseases, 2008, 198, 1536-1544. | 1.9 | 24 |
| 268 | Cytopathicity of <i>Chlamydia</i> is largely reproduced by expression of a single chlamydial protease. Journal of Cell Biology, 2008, 182, 117-127. | 2.3 | 63 |
| 269 | Extracellular Matrix Metalloproteinase Inducer (CD147) Is a Novel Receptor on Platelets, Activates Platelets, and Augments Nuclear Factor κB–Dependent Inflammation in Monocytes. Circulation Research, 2008, 102, 302-309. | 2.0 | 138 |
| 270 | Isolation of Highly Pure Rat Liver Mitochondria with the Aid of Zone-Electrophoresis in a Free Flow Device (ZE-FFE). Methods in Molecular Biology, 2008, 424, 333-348. | 0.4 | 18 |

| # | Article | IF | Citations |
|-----|---|-----|------------|
| 271 | PTK (protein tyrosine kinase)-6 and HER2 and 4, but not HER1 and 3 predict long-term survival in breast carcinomas. British Journal of Cancer, 2007, 96, 801-807. | 2.9 | 7 5 |
| 272 | Predictive Value of Aurora-A/STK15 Expression for Late Stage Epithelial Ovarian Cancer Patients Treated by Adjuvant Chemotherapy. Clinical Cancer Research, 2007, 13, 4083-4091. | 3.2 | 63 |
| 273 | Classification of mass-spectrometric data in clinical proteomics using learning vector quantization methods. Briefings in Bioinformatics, 2007, 9, 129-143. | 3.2 | 38 |
| 274 | Significance of HER2 Low-Level Copy Gain in Barrett's Cancer: Implications for Fluorescence In situ Hybridization Testing in Tissues. Clinical Cancer Research, 2007, 13, 5115-5123. | 3.2 | 51 |
| 275 | Distribution Pattern of Inhaled Ultrafine Gold Particles in the Rat Lung. Inhalation Toxicology, 2006, 18, 733-740. | 0.8 | 173 |
| 276 | RET rearrangements in post-Chernobyl papillary thyroid carcinomas with a short latency analysed by interphase FISH. British Journal of Cancer, 2006, 94, 1472-1477. | 2.9 | 34 |
| 277 | Centrosome-, chromosomal-passenger- and cell-cycle-associated mRNAs are differentially regulated in the development of sporadic colorectal cancer. Journal of Pathology, 2006, 208, 462-472. | 2.1 | 29 |
| 278 | STAT3 mRNA and protein expression in colorectal cancer: effects on STAT3-inducible targets linked to cell survival and proliferation. Journal of Clinical Pathology, 2006, 60, 173-179. | 1.0 | 92 |
| 279 | Aurora Kinase A Messenger RNA Overexpression Is Correlated with Tumor Progression and Shortened Survival in Head and Neck Squamous Cell Carcinoma. Clinical Cancer Research, 2006, 12, 5136-5141. | 3.2 | 176 |
| 280 | Copy number gains on 22q13 in adenoid cystic carcinoma of the salivary gland revealed by comparative genomic hybridization and tissue microarray analysis. Cancer Genetics and Cytogenetics, 2005, 159, 89-95. | 1.0 | 37 |
| 281 | Differential KIT expression in histological subtypes of adenoid cystic carcinoma (ACC) of the salivary gland. Oral Oncology, 2005, 41, 934-939. | 0.8 | 53 |
| 282 | Human archival tissues provide a valuable source for the analysis of spatial genome organization. Histochemistry and Cell Biology, 2005, 123, 229-238. | 0.8 | 38 |
| 283 | Numerical and structural centrosome aberrations are an early and stable event in the adenoma–carcinoma sequence of colorectal carcinomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2005, 447, 61-65. | 1.4 | 32 |
| 284 | Histopathological Classification of Nonneoplastic and Neoplastic Gastrointestinal Submucosal Lesions. Endoscopy, 2005, 37, 630-634. | 1.0 | 99 |
| 285 | Inhibition of MMP-dependent chemotaxis and amelioration of experimental autoimmune uveitis with a selective metalloproteinase-2 and -9 inhibitor. Journal of Neuroimmunology, 2004, 155, 13-20. | 1.1 | 17 |
| 286 | Array-based comparative genomic hybridization for the detection of DNA sequence copy number changes in Barrett's adenocarcinoma. Journal of Pathology, 2004, 203, 780-788. | 2.1 | 56 |
| 287 | Coamplification and coexpression of GRB7 and ERBB2 is found in high grade intraepithelial neoplasia and in invasive Barrett's carcinoma. International Journal of Cancer, 2004, 112, 747-753. | 2.3 | 41 |
| 288 | Giant ancient schwannoma of pancreatic head treated by extended pancreatoduodenectomy. Pancreatology, 2004, 4, 505-508. | 0.5 | 20 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 289 | Heterotopic Pancreatitis with Obstruction of the Major Duodenal Papilla - A Rare Trigger of Obstructive Orthotopic Pancreatitis. Pancreatology, 2004, 4, 244-248. | 0.5 | 9 |
| 290 | Effects of neoadjuvant radio-chemotherapy on 18F-FDG-PET in esophageal carcinoma. European Journal of Surgical Oncology, 2004, 30, 544-550. | 0.5 | 65 |
| 291 | Histopathological diagnosis of Barrett's mucosa and associated neoplasias: results of a consensus conference of the Working Group for Gastroenterological Pathology of the German Society for Pathology on 22 September 2001 in Erlangen. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin. 2003. 443. 597-601. | 1.4 | 32 |
| 292 | Distinct Chromosomal Imbalances in Nonpolypoid and Polypoid Colorectal Adenomas Indicate Different Genetic Pathways in the Development of Colorectal Neoplasms. American Journal of Pathology, 2003, 163, 287-294. | 1.9 | 43 |
| 293 | Chromosomal Imbalances are Associated with Metastasis-Free Survival in Breast Cancer Patients. Analytical Cellular Pathology, 2002, 24, 77-87. | 2.1 | 35 |
| 294 | Analysis of the PTCH coding region in human rhabdomyosarcoma. Human Mutation, 2002, 20, 233-234. | 1.1 | 38 |
| 295 | Quantitative Gene Expression Analysis in Microdissected Archival Formalin-Fixed and Paraffin-Embedded Tumor Tissue. American Journal of Pathology, 2001, 158, 419-429. | 1.9 | 461 |
| 296 | Tissue microdissection techniques in quantitative genome and gene expression analyses. Histochemistry and Cell Biology, 2001, 115, 269-276. | 0.8 | 48 |
| 297 | TO-PRO-3 is an optimal fluorescent dye for nuclear counterstaining in dual-colour FISH on paraffin sections. Histochemistry and Cell Biology, 2001, 115, 293-299. | 0.8 | 53 |
| 298 | Chromosomal changes during development and progression of prostate adenocarcinomas. British Journal of Cancer, 2001, 84, 202-208. | 2.9 | 61 |
| 299 | Her-2/neu Gene Amplification, Elevated mRNA Expression, and Protein Overexpression in the Metaplasia-Dysplasia-Adenocarcinoma Sequence of Barrett's Esophagus. Laboratory Investigation, 2001, 81, 791-801. | 1.7 | 59 |
| 300 | Sequential Multilocus Fluorescence In Situ Hybridization Can Detect Complex Patterns of Increased Gene Dosage at the Single Cell Level in Tissue Sections. Laboratory Investigation, 2001, 81, 1457-1459. | 1.7 | 15 |
| 301 | Extensive ductal carcinomaln situ with small foci of invasive ductal carcinoma: Evidence of genetic resemblance by CGH. International Journal of Cancer, 2000, 85, 82-86. | 2.3 | 97 |
| 302 | Molecular Genetic Changes in Metastatic Primary Barrett's Adenocarcinoma and Related Lymph Node Metastases: Comparison with Nonmetastatic Barrett's Adenocarcinoma. Modern Pathology, 2000, 13, 814-824. | 2.9 | 33 |
| 303 | Comparison of loss of heterozygosity and microsatellite instability in adenocarcinomas of the distal esophagus and proximal stomach. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2000, 437, 605-610. | 1.4 | 30 |
| 304 | Microdissection of Tissue Sections: Application to the Molecular Genetic Characterisation of Premalignant Lesions. Pathobiology, 2000, 68, 9-17. | 1.9 | 17 |
| 305 | Evaluation of C-ErbB-2 Overexpression and Her-2/ <i>neu</i> Gene Copy Number Heterogeneity in Barrett's Adenocarcinoma. Analytical Cellular Pathology, 2000, 20, 25-32. | 2.1 | 28 |
| 306 | Heterogeneous Chromosomal Aberrations in Intraductal Breast Lesions Adjacent to Invasive Carcinoma. Analytical Cellular Pathology, 2000, 20, 17-24. | 2.1 | 33 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Re: Clonal Expansion and Loss of Heterozygosity at Chromosomes 9p and 17p in Premalignant Esophageal (Barrett's) Tissue. Journal of the National Cancer Institute, 2000, 92, 1182-1182. | 3.0 | 2 |
| 308 | Chromosomal Imbalances in Barrett's Adenocarcinoma and the Metaplasia-Dysplasia-Carcinoma Sequence. American Journal of Pathology, 2000, 156, 555-566. | 1.9 | 144 |
| 309 | Accumulation of Chromosomal Imbalances From Intraductal Proliferative Lesions to Adjacent In Situ and Invasive Ductal Breast Cancer. Diagnostic Molecular Pathology, 2000, 9, 14-19. | 2.1 | 71 |
| 310 | Extensive ductal carcinoma In situ with small foci of invasive ductal carcinoma: Evidence of genetic resemblance by CGH. International Journal of Cancer, 2000, 85, 82. | 2.3 | 9 |
| 311 | Intratumoral Heterogeneity in Breast Carcinoma Revealed by Laser-Microdissection and Comparative Genomic Hybridization. Cancer Genetics and Cytogenetics, 1999, 110, 94-102. | 1.0 | 122 |
| 312 | The molecular pathology of Barrett's esophagus. Histology and Histopathology, 1999, 14, 553-9. | 0.5 | 34 |
| 313 | Distinct cytogenetic alterations in squamous intraepithelial lesions of the cervix revealed by laser-assisted microdissection and comparative genomic hybridization., 1998, 84, 375-379. | | 36 |
| 314 | Genetic heterogeneity in a prostatic carcinoma and associated prostatic intraepithelial neoplasia as demonstrated by combined use of laser-microdissection, degenerate oligonucleotide primed PCR and comparative genomic hybridization. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 1998, 433, 297-304. | 1.4 | 71 |
| 315 | Typical and Atypical Carcinoid Tumors of the Lung Are Characterized by 11q Deletions as Detected by Comparative Genomic Hybridization. American Journal of Pathology, 1998, 153, 1089-1098. | 1.9 | 151 |