

Zuyi Yuan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2767069/zuyi-yuan-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

2,138
citations

25
h-index

40
g-index

131
ext. papers

2,603
ext. citations

4.7
avg, IF

4.67
L-index

#	Paper	IF	Citations
127	Effects of acarbose on cardiovascular and diabetes outcomes in patients with coronary heart disease and impaired glucose tolerance (ACE): a randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 877-886	18.1	164
126	Glycosylated hemoglobin in relationship to cardiovascular outcomes and death in patients with type 2 diabetes: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2012 , 7, e42551	3.7	121
125	Activation of AMPK α in adipocytes is essential for nicotine-induced insulin resistance in vivo. <i>Nature Medicine</i> , 2015 , 21, 373-82	50.5	107
124	Curcumin induces M2 macrophage polarization by secretion IL-4 and/or IL-13. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 85, 131-9	5.8	94
123	Isoproterenol instigates cardiomyocyte apoptosis and heart failure via AMPK inactivation-mediated endoplasmic reticulum stress. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2013 , 18, 800-10	5.4	74
122	Activation of Th17/Th1 and Th1, but not Th17, is associated with the acute cardiac event in patients with acute coronary syndrome. <i>Atherosclerosis</i> , 2011 , 217, 518-24	3.1	67
121	Activation of cannabinoid CB2 receptor ameliorates atherosclerosis associated with suppression of adhesion molecules. <i>Journal of Cardiovascular Pharmacology</i> , 2010 , 55, 292-8	3.1	61
120	High glucose promotes intracellular lipid accumulation in vascular smooth muscle cells by impairing cholesterol influx and efflux balance. <i>Cardiovascular Research</i> , 2010 , 86, 141-50	9.9	53
119	Association of Blood Pressure Trajectories in Early Life with Subclinical Renal Damage in Middle Age. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2835-2846	12.7	44
118	Peroxisome proliferation-activated receptor-gamma ligands ameliorate experimental autoimmune myocarditis. <i>Cardiovascular Research</i> , 2003 , 59, 685-94	9.9	36
117	Innate-adaptive immunity interplay and redox regulation in immune response. <i>Redox Biology</i> , 2020 , 37, 101759	11.3	35
116	Metformin ameliorates the proinflammatory state in patients with carotid artery atherosclerosis through sirtuin 1 induction. <i>Translational Research</i> , 2015 , 166, 451-8	11	34
115	Molecular analysis of curcumin-induced polarization of murine RAW264.7 macrophages. <i>Journal of Cardiovascular Pharmacology</i> , 2014 , 63, 544-52	3.1	34
114	Insulin ameliorates miR-1-induced injury in H9c2 cells under oxidative stress via Akt activation. <i>Molecular and Cellular Biochemistry</i> , 2012 , 369, 167-74	4.2	34
113	Endothelial dysfunction in rheumatoid arthritis: the role of monocyte chemoattractant protein-1-induced protein. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1384-91	9.4	34
112	MicroRNA-92a-1-5p increases CDX2 by targeting FOXD1 in bile acids-induced gastric intestinal metaplasia. <i>Gut</i> , 2019 , 68, 1751-1763	19.2	34
111	Pioglitazone stabilizes atherosclerotic plaque by regulating the Th17/Treg balance in AMPK-dependent mechanisms. <i>Cardiovascular Diabetology</i> , 2017 , 16, 140	8.7	32

110	WIN55212-2 ameliorates atherosclerosis associated with suppression of pro-inflammatory responses in ApoE-knockout mice. <i>European Journal of Pharmacology</i> , 2010 , 649, 285-92	5.3	32
109	Olmesartan, a novel AT1 antagonist, suppresses cytotoxic myocardial injury in autoimmune heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 289, H1147-52	5.2	32
108	Allergic asthma accelerates atherosclerosis dependent on Th2 and Th17 in apolipoprotein E deficient mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 72, 20-7	5.8	29
107	Cardioprotection from oxidative stress in the newborn heart by activation of PPAR γ s mediated by catalase. <i>Free Radical Biology and Medicine</i> , 2012 , 53, 208-15	7.8	28
106	Modulation of the late sodium current by ATX-II and ranolazine affects the reverse use-dependence and proarrhythmic liability of IKr blockade. <i>British Journal of Pharmacology</i> , 2011 , 164, 308-16	8.6	28
105	PPAR γ gene C161T substitution is associated with reduced risk of coronary artery disease and decreased proinflammatory cytokine expression. <i>American Heart Journal</i> , 2007 , 154, 718-24	4.9	27
104	17 β -estradiol promotes cholesterol efflux from vascular smooth muscle cells through a liver X receptor β -dependent pathway. <i>International Journal of Molecular Medicine</i> , 2014 , 33, 550-8	4.4	25
103	Zotarolimus- and paclitaxel-eluting stents in an all-comer population in China: the RESOLUTE China randomized controlled trial. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 664-70	5	25
102	MCI-186 (edaravone), a novel free radical scavenger, protects against acute autoimmune myocarditis in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 289, H2514-8	5.2	23
101	The NLRP3 rs10754558 Polymorphism Is Associated with the Occurrence and Prognosis of Coronary Artery Disease in the Chinese Han Population. <i>BioMed Research International</i> , 2016 , 2016, 3185397	3	23
100	Homocysteine accelerates atherosclerosis via inhibiting LXR β -mediated ABCA1/ABCG1-dependent cholesterol efflux from macrophages. <i>Life Sciences</i> , 2018 , 214, 41-50	6.8	23
99	miR-590-3p Is a Novel MicroRNA in Myocarditis by Targeting Nuclear Factor Kappa-B in vivo. <i>Cardiology</i> , 2015 , 132, 182-8	1.6	22
98	Resveratrol inhibits high glucose induced collagen upregulation in cardiac fibroblasts through regulating TGF- β -Smad3 signaling pathway. <i>Chemico-Biological Interactions</i> , 2015 , 227, 45-52	5	22
97	Curcumin ameliorates atherosclerosis in apolipoprotein E deficient asthmatic mice by regulating the balance of Th2/Treg cells. <i>Phytomedicine</i> , 2019 , 52, 129-135	6.5	22
96	Hemoglobin A is associated with severity of coronary artery stenosis but not with long term clinical outcomes in diabetic and nondiabetic patients with acute myocardial infarction undergoing primary angioplasty. <i>Cardiovascular Diabetology</i> , 2017 , 16, 97	8.7	21
95	A Randomized Trial Comparing the NeoVas Sirolimus-Eluting Bioresorbable Scaffold and Metallic Everolimus-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 260-272	5	20
94	Left ventricular hypertrophy amplifies the QT, and Tp-e intervals and the Tp-e/QT ratio of left chest ECG. <i>Journal of Biomedical Research</i> , 2010 , 24, 69-72	1.5	20
93	Prognostic Significance of Plasma High-Sensitivity C-Reactive Protein in Patients With Hypertrophic Cardiomyopathy. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	19

92	Treatment with 24 hour isartroxime infusion in patients hospitalised for acute heart failure: a randomised, placebo-controlled trial. <i>European Journal of Heart Failure</i> , 2020 , 22, 1684-1693	12.3	19
91	Fasting serum total bile acid level is associated with coronary artery disease, myocardial infarction and severity of coronary lesions. <i>Atherosclerosis</i> , 2020 , 292, 193-200	3.1	19
90	Potassium supplementation inhibits IL-17A production induced by salt loading in human T lymphocytes via p38/MAPK-SGK1 pathway. <i>Experimental and Molecular Pathology</i> , 2016 , 100, 370-7	4.4	19
89	The activation of mTOR is required for monocyte pro-inflammatory response in patients with coronary artery disease. <i>Clinical Science</i> , 2015 , 128, 517-26	6.5	17
88	Peroxisome proliferator-activated receptor-gamma ligands ameliorate experimental autoimmune myocarditis associated with inhibition of self-sensitive T cells. <i>Journal of Cardiovascular Pharmacology</i> , 2004 , 43, 868-75	3.1	16
87	Metabolic Reprogramming in Immune Response and Tissue Inflammation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020 , 40, 1990-2001	9.4	16
86	Combined Value of Red Blood Cell Distribution Width and Global Registry of Acute Coronary Events Risk Score for Predicting Cardiovascular Events in Patients with Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>PLoS ONE</i> , 2015 , 10, e0140532	3.7	15
85	High salt intake fails to enhance plasma adiponectin in normotensive salt-sensitive subjects. <i>Nutrition</i> , 2012 , 28, 422-5	4.8	15
84	Hydroxychloroquine, a promising choice for coronary artery disease?. <i>Medical Hypotheses</i> , 2016 , 93, 5-7	3.8	15
83	A combination of the neutrophil-to-lymphocyte ratio and the GRACE risk score better predicts PCI outcomes in Chinese Han patients with acute coronary syndrome. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 995-1001	0.8	14
82	Weighted gene co-expression network analysis to identify key modules and hub genes associated with atrial fibrillation. <i>International Journal of Molecular Medicine</i> , 2020 , 45, 401-416	4.4	14
81	ODYSSEY EAST: Alirocumab efficacy and safety vs ezetimibe in high cardiovascular risk patients with hypercholesterolemia and on maximally tolerated statin in China, India, and Thailand. <i>Journal of Clinical Lipidology</i> , 2020 , 14, 98-108.e8	4.9	14
80	Involvement of NLRP3 inflammasome in the impacts of sodium and potassium on insulin resistance in normotensive Asians. <i>British Journal of Nutrition</i> , 2018 , 119, 228-237	3.6	13
79	Ghrelin ameliorates atherosclerosis by inhibiting endoplasmic reticulum stress. <i>Fundamental and Clinical Pharmacology</i> , 2017 , 31, 147-154	3.1	13
78	Plasma Uric Acid as a Prognostic Marker in Patients With Hypertrophic Cardiomyopathy. <i>Canadian Journal of Cardiology</i> , 2015 , 31, 1252-8	3.8	12
77	Common variation in with no-lysine kinase 1 (WNK1) and blood pressure responses to dietary sodium or potassium interventions- family-based association study. <i>Circulation Journal</i> , 2013 , 77, 169-74 ^{2.9}	2.9	12
76	IL-17A contributes to myocardial ischemic injury by activating NLRP3 inflammasome in macrophages through AMPK/p38MAPK/ERK1/2 signal pathway in mice. <i>Molecular Immunology</i> , 2019 , 105, 240-250	4.3	12
75	Randomized study of evolocumab in patients with type 2 diabetes and dyslipidaemia on background statin: Pre-specified analysis of the Chinese population from the BERSON clinical trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1464-1473	6.7	11

74	Autophagy involved in lipopolysaccharide-induced foam cell formation is mediated by adipose differentiation-related protein. <i>Lipids in Health and Disease</i> , 2014 , 13, 10	4.4	11
73	The synergistic effect of homocysteine and lipopolysaccharide on the differentiation and conversion of raw264.7 macrophages. <i>Journal of Inflammation</i> , 2014 , 11, 13	6.7	11
72	The double-faced metabolic and inflammatory effects of standard drug therapy in patients after percutaneous treatment with drug-eluting stent. <i>Atherosclerosis</i> , 2011 , 215, 170-5	3.1	11
71	Effects of long-term ouabain treatment on blood pressure, sodium excretion, and renal dopamine D(1) receptor levels in rats. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2010 , 180, 117-24	2.2	11
70	Overexpression of FGF19 alleviates hypoxia/reoxygenation-induced injury of cardiomyocytes by regulating GSK-3 β /Nrf2/ARE signaling. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 503, 2355-2362	3.4	11
69	Relation of Direct, Indirect, and Total bilirubin to Adverse Long-term Outcomes Among Patients With Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2019 , 123, 1244-1248	3	10
68	Baseline plasma fibrinogen is associated with haemoglobin A1c and 2-year major adverse cardiovascular events following percutaneous coronary intervention in patients with acute coronary syndrome: a single-centre, prospective cohort study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 52	8.7	10
67	New ST-segment algorithms to determine culprit artery location in acute inferior myocardial infarction. <i>American Journal of Emergency Medicine</i> , 2016 , 34, 1772-8	2.9	10
66	Platelet-to-Lymphocyte Ratio Improves the Predictive Power of GRACE Risk Score for Long-Term Cardiovascular Events in Patients with Acute Coronary Syndrome. <i>Cardiology</i> , 2016 , 134, 39-46	1.6	10
65	Elevated Methylation of FOXP3 (Forkhead Box P3)-TSDR (Regulatory T-Cell-Specific Demethylated Region) Is Associated With Increased Risk for Adverse Outcomes in Patients With Acute Coronary Syndrome. <i>Hypertension</i> , 2019 , 74, 581-589	8.5	10
64	IFN- γ aggravates neointimal hyperplasia by inducing endoplasmic reticulum stress and apoptosis in macrophages by promoting ubiquitin-dependent liver X receptor- β degradation. <i>FASEB Journal</i> , 2017 , 31, 5321-5331	0.9	10
63	CD34+ cell mobilization and upregulation of myocardial cytokines in a rabbit model of myocardial ischemia. <i>International Journal of Cardiology</i> , 2011 , 152, 18-23	3.2	10
62	Plasma growth differentiation factor 15 predicts first-ever stroke in hypertensive patients. <i>Medicine (United States)</i> , 2016 , 95, e4342	1.8	10
61	The activation of p38 MAPK limits the abnormal proliferation of vascular smooth muscle cells induced by high sodium concentrations. <i>International Journal of Molecular Medicine</i> , 2016 , 37, 74-82	4.4	10
60	IL-17 intensifies IFN- γ -induced NOS2 upregulation in RAW 264.7 cells by further activating STAT1 and NF- κ B. <i>International Journal of Molecular Medicine</i> , 2016 , 37, 347-58	4.4	10
59	Correlation of Triiodothyronine Level with In-Hospital Cardiac Function and Long-Term Prognosis in Patients with Acute Myocardial Infarction. <i>Disease Markers</i> , 2018 , 2018, 5236267	3.2	10
58	The role of monocyte chemoattractant protein-1 (MCP-1) in angiotensin II-induced macrophage apoptosis and vulnerable plaque formation. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 515, 378-385	3.4	9
57	Safety and efficacy of a novel abluminal groove-filled biodegradable polymer sirolimus-eluting stent for the treatment of de novo coronary lesions: two-year results from a prospective patient-level pooled analysis of TARGET trials. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 85 (Suppl 1), 731-43	2.7	9

56	A randomised comparison of biodegradable polymer- and permanent polymer-coated platinum-chromium everolimus-eluting coronary stents in China: the EVOLVE China study. <i>EuroIntervention</i> , 2017 , 13, 1210-1217	3.1	9
55	Antiatherogenic effect of pioglitazone on uremic apolipoprotein E knockout mice by modulation of the balance of regulatory and effector T cells. <i>Atherosclerosis</i> , 2011 , 218, 330-8	3.1	8
54	A randomised comparison of healing response between the BuMA Supreme stent and the XIENCE stent at one-month and two-month follow-up: PIONEER-II OCT randomised controlled trial. <i>EuroIntervention</i> , 2018 , 14, e1306-e1315	3.1	8
53	Meta-Analysis Comparing Dual Versus Single Antiplatelet Therapy in Combination With Antithrombotic Therapy in Patients With Atrial Fibrillation Who Underwent Percutaneous Coronary Intervention With Stent Implantation. <i>American Journal of Cardiology</i> , 2018 , 122, 604-611	3	8
52	Reduced expression of HCN channels in the sinoatrial node of streptozotocin-induced diabetic rats. <i>Canadian Journal of Physiology and Pharmacology</i> , 2017 , 95, 586-594	2.4	7
51	Eosinophils count in peripheral circulation is associated with coronary artery disease. <i>Atherosclerosis</i> , 2019 , 286, 128-134	3.1	7
50	Safety and Incidence of Cardiovascular Events in Chinese Patients with Acute Coronary Syndrome Treated with Ticagrelor: the 12-Month, Phase IV, Multicenter, Single-Arm DAYU Study. <i>Cardiovascular Drugs and Therapy</i> , 2018 , 32, 47-56	3.9	7
49	Targeting erythropoietin protects against proteinuria in type 2 diabetic patients and in zebrafish. <i>Molecular Metabolism</i> , 2018 , 8, 189-202	8.8	7
48	Clinical characteristics and protective factors in patients with acute myocardial infarction undergoing in-hospital myocardial free wall rupture: a single-center, retrospective analysis. <i>Journal of Investigative Medicine</i> , 2019 , 67, 1097-1102	2.9	7
47	Allergic asthma aggravated atherosclerosis increases cholesterol biosynthesis and foam cell formation in apolipoprotein E-deficient mice. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 519, 861-867	3.4	6
46	The Amelioration of Insulin Resistance in Salt Loading Subjects by Potassium Supplementation is Associated with a Reduction in Plasma IL-17A Levels. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017 , 125, 571-576	2.3	6
45	The contribution of genetic diversity to subdivide populations living in the silk road of China. <i>PLoS ONE</i> , 2014 , 9, e97344	3.7	6
44	Ginsenoside Rg1 inhibits myocardial ischaemia and reperfusion injury HIF-1 ERK signalling pathways in a diabetic rat model. <i>Die Pharmazie</i> , 2019 , 74, 157-162	1.5	6
43	Outcomes of stenting extra-small (0.25 mm) vessels using the Resolute zotarolimus-eluting stent (R-ZES). <i>EuroIntervention</i> , 2016 , 12, 1215-1221	3.1	6
42	Zinc supplementation protects against diabetic endothelial dysfunction via GTP cyclohydrolase 1 restoration. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 521, 1049-1054	3.4	6
41	Pu-erh Tea Ameliorates Atherosclerosis Associated with Promoting Macrophage Apoptosis by Reducing NF- κ B Activation in ApoE Knockout Mice. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 3197829	6.7	6
40	Serum lipids profiling perturbances in patients with ischemic heart disease and ischemic cardiomyopathy. <i>Lipids in Health and Disease</i> , 2020 , 19, 89	4.4	5
39	Immunoglobulin treatment suppressed adoptively transferred autoimmune myocarditis in severe combined immunodeficient mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H2619-25	5.2	5

38	Predictors of suboptimal coronary blood flow after primary angioplasty and its implications on short-term outcomes in patients with acute anterior STEMI. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 391	2.3	5
37	Targeting amino acids metabolic profile to identify novel metabolic characteristics in atrial fibrillation. <i>Clinical Science</i> , 2018 , 132, 2135-2146	6.5	5
36	Genetic compensation by in pronephros development in mutant zebrafish. <i>Cell Cycle</i> , 2019 , 18, 2683-2696	4.7	4
35	L-arginine ameliorates experimental autoimmune myocarditis by maintaining extracellular matrix and reducing cytotoxic activity of lymphocytes. <i>International Journal of Experimental Pathology</i> , 2008 , 89, 382-8	2.8	4
34	Functional pseudogenes inhibit the superoxide production 2015 , 1,		4
33	Polymorphism of HDAC9 Gene Is Associated with Increased Risk of Acute Coronary Syndrome in Chinese Han Population. <i>BioMed Research International</i> , 2016 , 2016, 3746276	3	4
32	Impact of completeness of revascularization in complex coronary artery disease as measured with the SYNTAX revascularization index: An SEEDS Substudy. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 541-548	2.7	3
31	Drug-eluting stent, but not bare metal stent, accentuates the systematic inflammatory response in patients. <i>Cardiology</i> , 2014 , 128, 259-65	1.6	3
30	Small artery elasticity predicts future cardiovascular events in chinese patients with angiographic coronary artery disease. <i>Angiology</i> , 2014 , 65, 298-302	2.1	3
29	C-reactive protein reduces protein S-nitrosylation in endothelial cells. <i>Molecular and Cellular Biochemistry</i> , 2013 , 375, 131-8	4.2	3
28	Naloxone, an opiate receptor antagonist, ameliorates acute experimental autoimmune myocarditis by reducing cytotoxic activities. <i>Journal of Cardiovascular Pharmacology</i> , 2008 , 52, 445-51	3.1	3
27	Pioglitazone Attenuates Drug-Eluting Stent-Induced Proinflammatory State in Patients by Blocking Ubiquitination of PPAR. <i>PPAR Research</i> , 2016 , 2016, 7407153	4.3	3
26	Chest Pain after Aortic Valve Replacement: Rupture of Right Sinus of Valsalva Presenting as Myocardial Infarction. <i>Cardiology</i> , 2016 , 134, 22-5	1.6	3
25	Impact of depression and/or anxiety on patients with percutaneous coronary interventions after acute coronary syndrome: a protocol for a real-world prospective cohort study. <i>BMJ Open</i> , 2019 , 9, e027964	2.64	3
24	Prognostic significance and dynamic change of plasma macrophage migration inhibitory factor in patients with acute ST-elevation myocardial infarction. <i>Medicine (United States)</i> , 2018 , 97, e12991	1.8	3
23	Three-year follow up of biodegradable polymer cobalt-chromium sirolimus-eluting stent (EXCROSSAL) in treating de novo coronary artery disease: Pooled analysis of CREDIT II and CREDIT III trials. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 95 Suppl 1, 565-571	2.7	2
22	Efficacy and safety of a second-generation biodegradable polymer sirolimus-eluting stent: One-year results of the CREDIT 2 trial. <i>Cardiovascular Therapeutics</i> , 2018 , 36, e12327	3.3	2
21	Severe right axis deviation during acute myocardial infarction. <i>International Journal of Cardiology</i> , 2014 , 174, e57-8	3.2	2

20	The role of Fcγ receptors in atherosclerosis. <i>Experimental Biology and Medicine</i> , 2012 , 237, 609-16	3.7	2
19	Increased macrophage activation mediated by caspase recruitment domain 6 knockdown through negatively targeting AMPK. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 525, 412-417	3.4	1
18	Fcγ1 and cardiovascular inflammatory disease. <i>Circulation Research</i> , 2006 , 98, e26	15.7	1
17	Lack of family-based association between common variations in WNK1 and blood pressure level. <i>Medical Science Monitor</i> , 2014 , 20, 1958-62	3.2	1
16	Prognostic Value of Admission Mean Corpuscular Volume for Major Adverse Cardiovascular Events following Stent Implantation in Nondiabetic and Diabetic Patients with Acute Coronary Syndrome. <i>Disease Markers</i> , 2020 , 2020, 7054596	3.2	1
15	Long-term antiplatelet therapy in medically managed non-ST-segment elevation acute coronary syndromes: The EPICOR Asia study. <i>International Journal of Cardiology</i> , 2021 , 327, 19-24	3.2	1
14	Severe coronary artery calcification in a patient with end stage renal disease 2018 , k3887		1
13	Targeted metabolomic analysis of plasma fatty acids in acute myocardial infarction in young adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 3131-3141	4.5	1
12	Meta-Analysis Comparing the Effect of Combined Omega-3 + Statin Therapy Versus Statin Therapy Alone on Coronary Artery Plaques. <i>American Journal of Cardiology</i> , 2021 , 151, 15-24	3	1
11	Apolipoprotein B/A1 Ratio Is Associated with Severity of Coronary Artery Stenosis in CAD Patients but Not in Non-CAD Patients Undergoing Percutaneous Coronary Intervention.. <i>Disease Markers</i> , 2021 , 2021, 8959019	3.2	1
10	The Usefulness of C-Reactive Protein to Albumin Ratio in the Prediction of Adverse Cardiovascular Events in Coronary Chronic Total Occlusion Undergoing Percutaneous Coronary Intervention. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 731261	5.4	0
9	HDL-C/apoA-I Ratio Is Associated with the Severity of Coronary Artery Stenosis in Diabetic Patients with Acute Coronary Syndrome. <i>Disease Markers</i> , 2021 , 2021, 6689056	3.2	0
8	The effect of Sacubitril/Valsartan on cardiac function and cardiac remodeling in patients with heart failure with reduced ejection fraction. <i>Annals of Palliative Medicine</i> , 2021 , 10, 8684-8691	1.7	0
7	Plasma Urotensin II Act as a Diagnostic Biomarker for Acute Coronary Syndromes. <i>International Journal of Peptide Research and Therapeutics</i> , 2014 , 20, 145-151	2.1	
6	Potassium supplementation ameliorates increased plasma homocysteine induced by salt loading in normotensive salt-sensitive subjects. <i>Clinical and Experimental Hypertension</i> , 2017 , 39, 769-773	2.2	
5	Is Reducing Dietary Sodium Helpful in Reducing Blood Pressure and Cardiovascular Disease Risk? An Argument Generated From the PURE Study. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 911-2	2.3	
4	Successful treatment of left main shock syndrome induced by thrombosed coronary artery dissection: A case report. <i>Medicine (United States)</i> , 2018 , 97, e0496	1.8	
3	An Optimized Model of Hypertrophic Preconditioning Confers Cardioprotection in the Mouse. <i>Journal of Surgical Research</i> , 2021 , 264, 544-552	2.5	

- | | | |
|---|--|-----|
| 2 | Influence of hemoglobin concentration on the in-hospital outcomes in newly diagnosed heart failure patients with atrial fibrillation: Finding from CCC-AF (improving care for cardiovascular disease in China-atrial fibrillation) project.. <i>Medicine (United States)</i> , 2022 , 101, e28978 | 1.8 |
| 1 | Sex differences in the impact of day/night distribution of ST-segment elevation myocardial infarction onset on in-hospital outcomes: findings from the Improving Care for Cardiovascular Disease in China-Acute Coronary Syndrome Project.. <i>Sleep Medicine</i> , 2022 , 95, 112-119 | 4.6 |