

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2767888/yu-liu-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40 papers	874 citations	18 h-index	29 g-index
46 ext. papers	1,177 ext. citations	8.5 avg, IF	4.15 L-index

#	Paper	IF	Citations
40	Arylfluorosulfates Inactivate Intracellular Lipid Binding Protein(s) through Chemoselective SuFEx Reaction with a Binding Site Tyr Residue. <i>Journal of the American Chemical Society</i> , 2016 , 138, 7353-64	16.4	146
39	Modulation of Fluorescent Protein Chromophores To Detect Protein Aggregation with Turn-On Fluorescence. <i>Journal of the American Chemical Society</i> , 2018 , 140, 7381-7384	16.4	78
38	A fluorogenic aryl fluorosulfate for intraorganellar transthyretin imaging in living cells and in <i>Caenorhabditis elegans</i> . <i>Journal of the American Chemical Society</i> , 2015 , 137, 7404-14	16.4	65
37	AgHalo: A Facile Fluorogenic Sensor to Detect Drug-Induced Proteome Stress. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 8672-8676	16.4	52
36	The Cation-Interaction Enables a Halo-Tag Fluorogenic Probe for Fast No-Wash Live Cell Imaging and Gel-Free Protein Quantification. <i>Biochemistry</i> , 2017 , 56, 1585-1595	3.2	45
35	Fluorescence Turn-On Folding Sensor To Monitor Proteome Stress in Live Cells. <i>Journal of the American Chemical Society</i> , 2015 , 137, 11303-11	16.4	33
34	Synthesis of Sulfotyrosine-Containing Peptides by Incorporating Fluorosulfated Tyrosine Using an Fmoc-Based Solid-Phase Strategy. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 1835-8	16.4	33
33	Individual and collective contributions of chaperoning and degradation to protein homeostasis in <i>E. coli</i> . <i>Cell Reports</i> , 2015 , 11, 321-33	10.6	31
32	AggFluor: Fluorogenic Toolbox Enables Direct Visualization of the Multi-Step Protein Aggregation Process in Live Cells. <i>Journal of the American Chemical Society</i> , 2020 , 142, 17515-17523	16.4	31
31	Stabilizing the CH2 Domain of an Antibody by Engineering in an Enhanced Aromatic Sequon. <i>ACS Chemical Biology</i> , 2016 , 11, 1852-61	4.9	29
30	Small molecule probes to quantify the functional fraction of a specific protein in a cell with minimal folding equilibrium shifts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 4449-54	11.5	27
29	Stilbene vinyl sulfonamides as fluorogenic sensors of and traceless covalent kinetic stabilizers of transthyretin that prevent amyloidogenesis. <i>Journal of the American Chemical Society</i> , 2013 , 135, 17869-80	16.4	27
28	A HaloTag-Based Multicolor Fluorogenic Sensor Visualizes and Quantifies Proteome Stress in Live Cells Using Solvatochromic and Molecular Rotor-Based Fluorophores. <i>Biochemistry</i> , 2018 , 57, 4663-4674	3.2	26
27	Phosphorylation switches protein disulfide isomerase activity to maintain proteostasis and attenuate ER stress. <i>EMBO Journal</i> , 2020 , 39, e103841	13	25
26	A Fluorogenic AggTag Method Based on Halo- and SNAP-Tags to Simultaneously Detect Aggregation of Two Proteins in Live Cells. <i>ChemBioChem</i> , 2019 , 20, 1078-1087	3.8	24
25	A Molecular Rotor-Based Halo-Tag Ligand Enables a Fluorogenic Proteome Stress Sensor to Detect Protein Misfolding in Mildly Stressed Proteome. <i>Bioconjugate Chemistry</i> , 2018 , 29, 215-224	6.3	23
24	A General Strategy to Enhance Donor-Acceptor Molecules Using Solvent-Excluding Substituents. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 4785-4792	16.4	22

23	De novo-designed enzymes as small-molecule-regulated fluorescence imaging tags and fluorescent reporters. <i>Journal of the American Chemical Society</i> , 2014 , 136, 13102-5	16.4	18
22	Synthesis of Sulfotyrosine-Containing Peptides by Incorporating Fluorosulfated Tyrosine Using an Fmoc-Based Solid-Phase Strategy. <i>Angewandte Chemie</i> , 2016 , 128, 1867-1870	3.6	16
21	Monitoring the Dynamics of Proteome Aggregation in Live Cells Using a Solubilized and Noncovalent Analogue of Fluorescent Protein Chromophores. <i>Analytical Chemistry</i> , 2021 , 93, 1717-1724	7.8	16
20	Heat-shock response transcriptional program enables high-yield and high-quality recombinant protein production in <i>Escherichia coli</i> . <i>ACS Chemical Biology</i> , 2014 , 9, 1945-9	4.9	15
19	Covalent Probes for Aggregated Protein Imaging via Michael Addition. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 11335-11343	16.4	12
18	A SNAP-tag fluorogenic probe mimicking the chromophore of the red fluorescent protein Kaede. <i>Organic and Biomolecular Chemistry</i> , 2019 , 17, 1906-1915	3.9	12
17	Rational Design of Crystallization-Induced-Emission Probes To Detect Amorphous Protein Aggregation in Live Cells. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 16067-16076	16.4	11
16	AgHalo: A Facile Fluorogenic Sensor to Detect Drug-Induced Proteome Stress. <i>Angewandte Chemie</i> , 2017 , 129, 8798-8802	3.6	9
15	Fluorogenic small molecules requiring reaction with a specific protein to create a fluorescent conjugate for biological imaging--what we know and what we need to learn. <i>Biopolymers</i> , 2014 , 101, 484-95	2.2	7
14	Quantitative interrogation of protein co-aggregation using multi-color fluorogenic protein aggregation sensors. <i>Chemical Science</i> , 2021 , 12, 8468-8476	9.4	7
13	A Solvatochromic Fluorescent Probe Reveals Polarity Heterogeneity upon Protein Aggregation in Cells. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 25865-25871	16.4	7
12	Super-Resolution Optical Lithography with DNA. <i>Nano Letters</i> , 2019 , 19, 6035-6042	11.5	6
11	Heat Shock Protein Reports on Proteome Stress. <i>Biotechnology Journal</i> , 2018 , 13,	5.6	4
10	Covalent Probes for Aggregated Protein Imaging via Michael Addition. <i>Angewandte Chemie</i> , 2021 , 133, 11436-11444	3.6	4
9	Illuminating Protein Phase Separation: Reviewing Aggregation-Induced Emission, Fluorescent Molecular Rotor and Solvatochromic Fluorophore Based Probes. <i>Chemistry - A European Journal</i> , 2021 , 27, 14564-14576	4.8	3
8	Chemical Biology Toolbox to Visualize Protein Aggregation in Live Cells. <i>ChemBioChem</i> , 2021 ,	3.8	2
7	Monitoring Proteome Stress in Live Cells Using HaloTag-Based Fluorogenic Sensor. <i>Methods in Molecular Biology</i> , 2019 , 1873, 171-182	1.4	2
6	A quinoline derived D-A-D type fluorescent probe for sensing tetrameric transthyretin. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021 , 52, 128408	2.9	1

5	A Solvatochromic Fluorescent Probe Reveals Polarity Heterogeneity upon Protein Aggregation in Cells.. <i>Angewandte Chemie</i> ,	3.6	1
4	Detecting the insoluble protein aggregates in live cells using an AIE derivative of fluorescent protein chromophore. <i>Sensors and Actuators B: Chemical</i> , 2022 , 353, 131098	8.5	o
3	Derivatizing merocyanine dyes to balance their polarity and viscosity sensitivities for protein aggregation detection. <i>Chemical Communications</i> , 2021 , 57, 13313-13316	5.8	o
2	Rational Design of Crystallization-Induced-Emission Probes To Detect Amorphous Protein Aggregation in Live Cells. <i>Angewandte Chemie</i> , 2021 , 133, 16203-16212	3.6	o
1	Common Pitfalls and Recommendations for Using a Turbidity Assay to Study Protein Phase Separation. <i>Biochemistry</i> , 2021 , 60, 2447-2456	3.2	