
Varol Gülseren

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2768194/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Do estrogen, progesterone, P53 and Ki67 receptor ratios determined from curettage materials in endometrioid-type endometrial carcinoma predict lymph node metastasis?. Current Problems in Cancer, 2020, 44, 100498.	2.0	18
2	Postoperative nomogram for the prediction of disease-free survival in lymph node-negative stage l–IIA cervical cancer patients treated with radical hysterectomy. Journal of Obstetrics and Gynaecology, 2020, 40, 699-704.	0.9	9
3	Active management of the third stage of labor: A brief overview of key issues. Tâ^šÂºrk Jinekoloji Ve Obstetrik Dernei Dergisi, 2018, 15, 188-192.	0.8	8
4	Evaluation of the optimal laparoscopic method for benign ovarian mass extraction: a transumbilical route using a bag made from a surgical glove versus a lateral transabdominal route employing a standard endobag. Journal of Obstetrics and Gynaecology, 2020, 40, 378-381.	0.9	5
5	Isolated pulmonary metastases in patients with cervical cancer and the factors affecting survival after recurrence. Ginekologia Polska, 2018, 89, 593-598.	0.7	4
6	ls the measurement of the size of uterine lesions with positron emission tomography consistent in pre- and postmenopausal periods in endometrioid-type endometrial cancer?. Tâ^šAºrk Jinekoloji Ve Obstetrik Dernei Dergisi, 2018, 15, 60-64.	0.8	3
7	The role of changes in systemic inflammatory response markers during neoadjuvant chemotherapy in predicting suboptimal surgery in ovarian cancer. Current Problems in Cancer, 2020, 44, 100536.	2.0	1
8	Survival outcomes of women with grade 3 endometrioid endometrial cancer: the impact of adjuvant treatment strategies. Archives of Gynecology and Obstetrics, 2021, , 1.	1.7	1
9	Stage IB1 cervical cancer treated with modified radical or radical hysterectomy: does size determine risk factors?. Ginekologia Polska, 2018, 89, 667-671.	0.7	1
10	Is the Oncological Outcome of Early Stage Uterine Carcinosarcoma Different from That of Grade 3 Endometrioid Adenocarcinoma?. Oncology Research and Treatment, 2021, 44, 43-51.	1.2	0
11	Association Between Maximum Standardize Uptake Value and Prognostic Factors at Endometrioid Type Endometrial Carcinoma. Gynecology Obstetrics & Reproductive Medicine (gorm), 2020, 26, 58-63.	0.3	0
12	Ischemia modified albumin levels in intrauterine growth restriction: levels are increased in fetal cord blood but not in maternal blood. Ginekologia Polska, 2022, , .	0.7	0