
JarosÅ,aw Daniluk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2771648/publications.pdf Version: 2024-02-01



ΙΔΡΟΘΑ ΔΑΛΟ ΠΑΝΙΙΤΙΚ

#	Article	IF	CITATIONS
1	An NF-κB pathway–mediated positive feedback loop amplifies Ras activity to pathological levels in mice. Journal of Clinical Investigation, 2012, 122, 1519-1528.	3.9	235
2	Activation of Nuclear Factor-κB in Acinar Cells Increases the Severity of Pancreatitis in Mice. Gastroenterology, 2013, 144, 202-210.	0.6	199
3	A High-Fat Diet Activates Oncogenic Kras and COX2 to Induce Development of Pancreatic Ductal Adenocarcinoma in Mice. Gastroenterology, 2013, 145, 1449-1458.	0.6	194
4	Ras Activity Levels Control the Development of Pancreatic Diseases. Gastroenterology, 2009, 137, 1072-1082.e6.	0.6	177
5	Oncogenic K-Ras requires activation for enhanced activity. Oncogene, 2014, 33, 532-535.	2.6	118
6	Intracellular activation of trypsinogen in transgenic mice induces acute but not chronic pancreatitis. Gut, 2011, 60, 1379-1388.	6.1	96
7	Endoscopic management of gastrointestinal perforations, leaks and fistulas. World Journal of Gastroenterology, 2015, 21, 10542.	1.4	68
8	Seroprevalence of Helicobacter pylori infection in Polish children and adults depending on socioeconomic status and living conditions. Advances in Medical Sciences, 2014, 59, 147-150.	0.9	61
9	Untargeted Metabolomics and Inflammatory Markers Profiling in Children With Crohn's Disease and Ulcerative Colitis—A Preliminary Study. Inflammatory Bowel Diseases, 2019, 25, 1120-1128.	0.9	59
10	Endoscopic management of leaks and fistulas after bariatric surgery: a systematic review and meta-analysis. Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 1067-1087.	1.3	59
11	Chronic inflammation initiates multiple forms of K-Ras-independent mouse pancreatic cancer in the absence of TP53. Oncogene, 2017, 36, 3149-3158.	2.6	43
12	The combination of fecal calprotectin with ESR, CRP and albumin discriminates more accurately children with Crohn's disease. Advances in Medical Sciences, 2019, 64, 9-14.	0.9	33
13	The effect of highâ€fat diet and inhibition of ceramide production on insulin action in liver. Journal of Cellular Physiology, 2019, 234, 1851-1861.	2.0	30
14	Transgenic Expression of PRSS1R122H Sensitizes Mice to Pancreatitis. Gastroenterology, 2020, 158, 1072-1082.e7.	0.6	27
15	Protective effect of cigarette smoke on the course of dextran sulfate sodium-induced colitis is accompanied by lymphocyte subpopulation changes in the blood and colon. International Journal of Colorectal Disease, 2017, 32, 1551-1559.	1.0	14
16	Ultrastructural Characteristics of Rat Hepatic Oval Cells and Their Intercellular Contacts in the Model of Biliary Fibrosis: New Insights into Experimental Liver Fibrogenesis. Gastroenterology Research and Practice, 2017, 2017, 1-9.	0.7	12
17	The Efficacy of Mebeverine in the Treatment of Irritable Bowel Syndrome—A Systematic Review. Journal of Clinical Medicine, 2022, 11, 1044.	1.0	10
18	CerS1 but Not CerS5 Gene Silencing, Improves Insulin Sensitivity and Glucose Uptake in Skeletal Muscle. Cells, 2022, 11, 206.	1.8	8

JarosÅ,aw Daniluk

#	Article	IF	CITATIONS
19	Usefulness of metalloproteinaseâ€9 and tissue inhibitor of metalloproteinaseâ€1 in clinical characterisation of children with newly diagnosed Crohn's disease. Journal of Paediatrics and Child Health, 2020, 56, 1233-1241.	0.4	6
20	Liver Pathology in Children with Diagnosed Inflammatory Bowel Disease—A Single Center Experience. Journal of Clinical Medicine, 2021, 10, 5359.	1.0	6
21	Comparative Effectiveness of Various Eradication Regimens for Helicobacter Pylori Infection in the Northeastern Region of Poland. International Journal of Environmental Research and Public Health, 2022, 19, 6921.	1.2	6
22	Smart Model to Distinguish Crohn's Disease from Ulcerative Colitis. Applied Sciences (Switzerland), 2019, 9, 1650.	1.3	5
23	The effect of penicillin administration in early life on murine gut microbiota and blood lymphocyte subsets. Anaerobe, 2017, 47, 18-24.	1.0	4
24	Minimal hepatic encephalopathy may be present despite the absence of non-invasive and elastography evidence of cirrhosis in patients with primary biliary cholangitis. Advances in Medical Sciences, 2021, 66, 293-301.	0.9	3
25	Microbiome—Friend or Foe of Pancreatic Cancer?. Journal of Clinical Medicine, 2021, 10, 5624.	1.0	3
26	Gastrointestinal hemorrhage as an acute-on-chronic liver failure trigger in cirrhotic patients. Advances in Clinical and Experimental Medicine, 2022, 31, 0-0.	0.6	3
27	Expression of VEGF, EGF, and Their Receptors in Squamous Esophageal Mucosa, with Correlations to Histological Findings and Endoscopic Minimal Changes, in Patients with Different GERD Phenotypes. International Journal of Environmental Research and Public Health, 2022, 19, 5298.	1.2	2
28	Recommender System for Diagnosis of Colon Diseases. , 2018, , .		1
29	Abstract LB-425: An NF-κB pathway mediated positive feedback loop amplifies Ras activity to pathological levels in mice. , 2012, , .		1
30	Pseudomyxoma peritonei – diagnostic and therapeutic difficulties. Literature review and. Przeglad Gastroenterologiczny, 2012, 3, 176-184.	0.3	0
31	Tu1496 Cigarette Smoke (CS) Exposure Enhances Expression of K-RAS Protein in Pancreas and Promotes Development of Chronic Pancreatitis (CP) in Mice. Gastroenterology, 2016, 150, S917.	0.6	Ο
32	Reply to Letter to the Editor of Dr. Sitkin et al., Regarding "Altered Sphingolipid Metabolism and its Interaction With the Intestinal Microbiome is Another Key to the Pathogenesis of Inflammatory Bowel Disease― Inflammatory Bowel Diseases, 2019, 25, e159-e159.	0.9	0
33	The development of cigarette smoke induced chronic pancreatitis in mice is associated with increased expression of K-Ras and NF-κB. Annals of Agricultural and Environmental Medicine, 2021, , .	0.5	0