

# Xiaolan Zhu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/277168/publications.pdf>

Version: 2024-02-01

25  
papers

683  
citations

759233

12  
h-index

580821

25  
g-index

25  
all docs

25  
docs citations

25  
times ranked

814  
citing authors

#	ARTICLE	IF	CITATIONS
1	Simultaneous Determination of Fifteen Polyphenols in Fruit Juice Using Ultrahigh-Performance Liquid Chromatography-Tandem Mass Spectrometry Combining Dispersive Liquid-Liquid Microextraction. <i>International Journal of Analytical Chemistry</i> , 2022, 2022, 1-12.	1.0	3
2	Effect of starch-based flame retardant on the thermal degradation and combustion properties of reconstituted tobacco sheet. <i>Cellulose</i> , 2021, 28, 741-755.	4.9	15
3	Fabrication of recoverable magnetic composite material based on graphene oxide for fast removal of lead and cadmium ions from aqueous solution. <i>Journal of Chemical Technology and Biotechnology</i> , 2021, 96, 1345-1357.	3.2	9
4	Fabrication of recoverable magnetic surface ion-imprinted polymer based on graphene oxide for fast and selective removal of lead ions from aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 625, 126949.	4.7	24
5	Preparation and Thermal Analysis of Flame-retardant Chitosan Thin Films on Ammonium Polyphosphate Treated Reconstituted Tobacco Sheet. <i>Current Analytical Chemistry</i> , 2020, 16, 711-721.	1.2	1
6	Effects of ternary potassium containing intumescent flame retardant coating on the combustion and thermal degradation properties of reconstituted tobacco sheet. <i>Thermochimica Acta</i> , 2019, 678, 178310.	2.7	9
7	Fabrication of an efficient surface ion-imprinted polymer based on sandwich-like graphene oxide composite materials for fast and selective removal of lead ions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 566, 218-228.	4.7	60
8	A comparative study of structure, thermal degradation, and combustion behavior of starch from different plant sources. <i>Journal of Thermal Analysis and Calorimetry</i> , 2018, 132, 927-935.	3.6	25
9	Simultaneous Structural and Quantitative Analysis of Starch from Flue-Cured Tobacco Leaves by <sup>13</sup> C CP/MAS NMR Spectroscopy. <i>Current Analytical Chemistry</i> , 2018, 14, 166-173.	1.2	3
10	Quantitative and Structure Analysis of Cellulose in Tobacco by <sup>13</sup> C CP / MAS NMR Spectroscopy. <i>Beitrag Zur Tabakforschung International/ Contributions To Tobacco Research</i> , 2016, 27, 126-135.	0.3	4
11	Research on degradation of cellulose using enzyme treatment in flue-cured tobacco by <sup>13</sup> C NMR spectroscopy. <i>Cellulose</i> , 2015, 22, 2693-2702.	4.9	9
12	Determination of Acrolein-Derived 3-Hydroxypropylmercapturic Acid in Human Urine Using Solid-Phase Extraction Combined with Molecularly Imprinted Mesoporous Silica and LC-MS/MS Detection. <i>Journal of the Chinese Chemical Society</i> , 2014, 61, 227-232.	1.4	3
13	Development of a sensitive method for the quantification of urinary 3-hydroxybenzo[a]pyrene by solid phase extraction, dansyl chloride derivatization and liquid chromatography-tandem mass spectrometry detection. <i>Analytical Methods</i> , 2014, 6, 6488-6493.	2.7	10
14	Quantitative and structure analysis of pectin in tobacco by <sup>13</sup> C CP/MAS NMR spectroscopy. <i>Analytical Methods</i> , 2014, 6, 6407-6413.	2.7	25
15	Ultrasound-assisted extraction followed by dispersive liquid-liquid microextraction before gas chromatography-mass spectrometry for the simultaneous determination of flavouring compounds in tobacco additives. <i>Analytical Methods</i> , 2012, 4, 995.	2.7	14
16	A new restriction effect of aging time on the shrinkage of ordered mesoporous carbon during carbonization. <i>RSC Advances</i> , 2012, 2, 5071.	3.6	11
17	Pressurized Liquid Extraction Combined with Dispersive Liquid-Liquid Microextraction as an Efficient Sample Preparation Method for Determination of Volatile Components in Tobacco. <i>Journal of the Chinese Chemical Society</i> , 2012, 59, 909-916.	1.4	2
18	Development of an Analytical Method Based on Accelerated Solvent Extraction, Solid-Phase Extraction Clean-Up, then GC-ECD for Analysis of Fourteen Organochlorine Pesticides in Cereal Crops. <i>Chromatographia</i> , 2011, 73, 385-391.	1.3	14

#	ARTICLE	IF	CITATIONS
19	Development of a Chromatographic Fingerprint of Tobacco Flavor by Use of GC and GC-MS. <i>Chromatographia</i> , 2009, 69, 735-742.	1.3	36
20	Optimization of microwave-assisted solvent extraction for volatile organic acids in tobacco and its comparison with conventional extraction methods. <i>Analytica Chimica Acta</i> , 2006, 579, 88-94.	5.4	37
21	Films coated with molecular imprinted polymers for the selective stir bar sorption extraction of monocrotophos. <i>Journal of Chromatography A</i> , 2006, 1131, 37-44.	3.7	126
22	Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from aqueous solutions. <i>Journal of Applied Polymer Science</i> , 2006, 101, 4468-4473.	2.6	36
23	Selective solid-phase extraction using molecularly imprinted polymer for the analysis of polar organophosphorus pesticides in water and soil samples. <i>Journal of Chromatography A</i> , 2005, 1092, 161-169.	3.7	144
24	Molecularly Imprinted Polymer for Monocrotophos and its Binding Characteristics for Organophosphorus Pesticides. <i>Annali Di Chimica</i> , 2005, 95, 877-885.	0.6	7
25	Determination of glucosamine in impure chitin samples by high-performance liquid chromatography. <i>Carbohydrate Research</i> , 2005, 340, 1732-1738.	2.3	56