

# Gunnar Steineck

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2771770/publications.pdf>

Version: 2024-02-01

427  
papers

21,275  
citations

11608

70  
h-index

13727

129  
g-index

438  
all docs

438  
docs citations

438  
times ranked

17407  
citing authors

#	ARTICLE	IF	CITATIONS
1	Radical Prostatectomy versus Watchful Waiting in Early Prostate Cancer. <i>New England Journal of Medicine</i> , 2011, 364, 1708-1717.	13.9	1,044
2	Radical Prostatectomy or Watchful Waiting in Early Prostate Cancer. <i>New England Journal of Medicine</i> , 2014, 370, 932-942.	13.9	825
3	Quality of Life after Radical Prostatectomy or Watchful Waiting. <i>New England Journal of Medicine</i> , 2002, 347, 790-796.	13.9	661
4	Vaginal Changes and Sexuality in Women with a History of Cervical Cancer. <i>New England Journal of Medicine</i> , 1999, 340, 1383-1389.	13.9	616
5	Sequence variants at the TERT-CLPTM1L locus associate with many cancer types. <i>Nature Genetics</i> , 2009, 41, 221-227.	9.4	572
6	Talking about Death with Children Who Have Severe Malignant Disease. <i>New England Journal of Medicine</i> , 2004, 351, 1175-1186.	13.9	405
7	Insulin glargine use and short-term incidence of malignancies—a population-based follow-up study in Sweden. <i>Diabetologia</i> , 2009, 52, 1745-1754.	2.9	386
8	Sequence variant on 8q24 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2008, 40, 1307-1312.	9.4	377
9	Urinary Incontinence and Erectile Dysfunction After Robotic Versus Open Radical Prostatectomy: A Prospective, Controlled, Nonrandomised Trial. <i>European Urology</i> , 2015, 68, 216-225.	0.9	347
10	Radical Prostatectomy or Watchful Waiting in Prostate Cancer — 29-Year Follow-up. <i>New England Journal of Medicine</i> , 2018, 379, 2319-2329.	13.9	338
11	Genetic variation in the prostate stem cell antigen gene PSCA confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2009, 41, 991-995.	9.4	321
12	Long-term quality-of-life outcomes after radical prostatectomy or watchful waiting: the Scandinavian Prostate Cancer Group-4 randomised trial. <i>Lancet Oncology</i> , The, 2011, 12, 891-899.	5.1	311
13	Meat, cooking methods and colorectal cancer: A case-referent study in Stockholm. <i>International Journal of Cancer</i> , 1991, 49, 520-525.	2.3	294
14	Polymorphisms in DNA repair and metabolic genes in bladder cancer. <i>Carcinogenesis</i> , 2003, 25, 729-734.	1.3	292
15	<i>TERT</i> promoter mutations in bladder cancer affect patient survival and disease recurrence through modification by a common polymorphism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 17426-17431.	3.3	291
16	Bias in odds ratios by logistic regression modelling and sample size. <i>BMC Medical Research Methodology</i> , 2009, 9, 56.	1.4	275
17	Dietary heterocyclic amines and cancer of the colon, rectum, bladder, and kidney: a population-based study. <i>Lancet</i> , The, 1999, 353, 703-707.	6.3	247
18	Epidemiology of urinary bladder cancer: from tumor development to patient's death. <i>World Journal of Urology</i> , 2007, 25, 285-295.	1.2	221

#	ARTICLE	IF	CITATIONS
19	Anxiety and depression in parents 4â€“9 years after the loss of a child owing to a malignancy: a population-based follow-up. <i>Psychological Medicine</i> , 2004, 34, 1431-1441.	2.7	208
20	Dietary acrylamide and cancer of the large bowel, kidney, and bladder: Absence of an association in a population-based study in Sweden. <i>British Journal of Cancer</i> , 2003, 88, 84-89.	2.9	207
21	Comparative effectiveness of radical prostatectomy and radiotherapy in prostate cancer: observational study of mortality outcomes. <i>BMJ</i> , The, 2014, 348, g1502-g1502.	3.0	204
22	Effect of cooking temperature on the formation of heterocyclic amines in fried meat products and pan residues. <i>Carcinogenesis</i> , 1995, 16, 861-867.	1.3	192
23	Symptoms Affecting Children With Malignancies During the Last Month of Life: A Nationwide Follow-up. <i>Pediatrics</i> , 2006, 117, 1314-1320.	1.0	179
24	Hormone-refractory (D3) prostate cancer: Refining the concept. <i>Urology</i> , 1995, 46, 142-148.	0.5	175
25	Polar and non-polar heterocyclic amines in cooked fish and meat products and their corresponding pan residues. <i>Food and Chemical Toxicology</i> , 1997, 35, 555-565.	1.8	174
26	Care-Related Distress: A Nationwide Study of Parents Who Lost Their Child to Cancer. <i>Journal of Clinical Oncology</i> , 2005, 23, 9162-9171.	0.8	171
27	A sequence variant at 4p16.3 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2010, 42, 415-419.	9.4	169
28	Psychological complications after stillbirthâ€”influence of memories and immediate management: population based study. <i>BMJ: British Medical Journal</i> , 1996, 312, 1505-1508.	2.4	167
29	Waning sexual functionâ€”the most important disease-specific distress for patients with prostate cancer. <i>British Journal of Cancer</i> , 1996, 73, 1417-1421.	2.9	161
30	Epidemiology and Etiology of Premalignant and Malignant Urothelial Changes. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000, 34, 105-115.	1.4	157
31	Vitamin A supplements, fried foods, fat and urothelial cancer. A case-referent study in Stockholm in 1985â€“87. <i>International Journal of Cancer</i> , 1990, 45, 1006-1011.	2.3	153
32	Recent results of management of palpable clinically localized prostate cancer. <i>Cancer</i> , 1993, 72, 310-322.	2.0	146
33	Sexual Desire, Erection, Orgasm and Ejaculatory Functions and Their Importance to Elderly Swedish Men: A Population-based Study. <i>Age and Ageing</i> , 1996, 25, 285-291.	0.7	145
34	Patient-rating of distressful symptoms after treatment for early cervical cancer. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 443-450.	1.3	143
35	European genome-wide association study identifies SLC14A1 as a new urinary bladder cancer susceptibility gene. <i>Human Molecular Genetics</i> , 2011, 20, 4268-4281.	1.4	134
36	Assessment of the human exposure to heterocyclic amines. <i>Carcinogenesis</i> , 1997, 18, 1931-1935.	1.3	131

#	ARTICLE	IF	CITATIONS
37	Decreased sexual capacity after external radiation therapy for prostate cancer impairs quality of life. <i>International Journal of Radiation Oncology Biology Physics</i> , 1995, 32, 33-39.	0.4	128
38	Distressful symptoms after radical radiotherapy for urinary bladder cancer. <i>Radiotherapy and Oncology</i> , 2002, 62, 215-225.	0.3	128
39	Distressful Symptoms and Well-being After Radical Cystectomy and Orthotopic Bladder Substitution Compared With a Matched Control Population. <i>Journal of Urology</i> , 2002, 168, 168-175.	0.2	127
40	Intake of fried meat and risk of cancer: A follow-up study in Finland. <i>International Journal of Cancer</i> , 1994, 59, 756-760.	2.3	123
41	Nausea in cancer chemotherapy is inversely related to urinary cortisol excretion. <i>British Journal of Cancer</i> , 1992, 65, 779-780.	2.9	118
42	Diet, body mass and colorectal cancer: A case-referent study in Stockholm. <i>International Journal of Cancer</i> , 1990, 46, 832-838.	2.3	116
43	Symptom Documentation in Cancer Survivors as a Basis for Therapy Modifications. <i>Acta Oncologica</i> , 2002, 41, 244-252.	0.8	114
44	Polymorphisms in DNA Repair Genes, Smoking, and Bladder Cancer Risk: Findings from the International Consortium of Bladder Cancer. <i>Cancer Research</i> , 2009, 69, 6857-6864.	0.4	107
45	Surgery-related Complications in 1253 Robot-assisted and 485 Open Retropubic Radical Prostatectomies at the Karolinska University Hospital, Sweden. <i>Urology</i> , 2010, 75, 1092-1097.	0.5	107
46	Degree of Preservation of the Neurovascular Bundles During Radical Prostatectomy and Urinary Continence 1 Year after Surgery. <i>European Urology</i> , 2015, 67, 559-568.	0.9	107
47	Dietary acrylamide and risk of renal cell cancer. <i>International Journal of Cancer</i> , 2004, 109, 774-776.	2.3	105
48	Physical activity and colon cancer: A case-referent study in Stockholm. <i>International Journal of Cancer</i> , 1990, 46, 985-989.	2.3	104
49	A population-based nationwide study of parents' perceptions of a questionnaire on their child's death due to cancer. <i>Lancet</i> , The, 2004, 364, 787-789.	6.3	103
50	Individualized Estimation of the Benefit of Radical Prostatectomy from the Scandinavian Prostate Cancer Group Randomized Trial. <i>European Urology</i> , 2012, 62, 204-209.	0.9	99
51	Lymphedema and bladder-emptying difficulties after radical hysterectomy for early cervical cancer and among population controls. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 1130-1139.	1.2	97
52	Obesity and Treatment of Diabetes With Glyburide May Both Be Risk Factors for Acute Pancreatitis. <i>Diabetes Care</i> , 2002, 25, 298-302.	4.3	94
53	Time, Symptom Burden, Androgen Deprivation, and Self-Assessed Quality of Life after Radical Prostatectomy or Watchful Waiting: The Randomized Scandinavian Prostate Cancer Group Study Number 4 (SPCG-4) Clinical Trial. <i>European Urology</i> , 2009, 55, 422-432.	0.9	93
54	A hierarchical step-model for causation of bias-evaluating cancer treatment with epidemiological methods. <i>Acta Oncologica</i> , 2006, 45, 421-429.	0.8	92

#	ARTICLE	IF	CITATIONS
55	Late symptoms in long-term gynaecological cancer survivors after radiation therapy: a population-based cohort study. <i>British Journal of Cancer</i> , 2011, 105, 737-745.	2.9	91
56	Suicide Risk in Men with Prostate-Specific Antigen-“Detected Early Prostate Cancer: A Nationwide Population-Based Cohort Study from PCBaSe Sweden. <i>European Urology</i> , 2010, 57, 390-395.	0.9	90
57	Robot-assisted radical cystectomy (<sc>RARC</sc>) with intracorporeal neobladder – what is the effect of the learning curve on outcomes?. <i>BJU International</i> , 2014, 113, 100-107.	1.3	90
58	Parents' intellectual and emotional awareness of their child's impending death to cancer: a population-based long-term follow-up study. <i>Lancet Oncology</i> , The, 2007, 8, 706-714.	5.1	86
59	Awareness of husband's impending death from cancer and long-term anxiety in widowhood: a nationwide follow-up. <i>Palliative Medicine</i> , 2004, 18, 432-443.	1.3	85
60	Biochemical Recurrence After Robot-assisted Radical Prostatectomy in a European Single-centre Cohort with a Minimum Follow-up Time of 5 Years. <i>European Urology</i> , 2012, 62, 768-774.	0.9	85
61	Detecting homozygous deletions in the CDKN2A(p16(INK4a))/ARF(p14(ARF)) gene in urinary bladder cancer using real-time quantitative PCR. <i>Clinical Cancer Research</i> , 2003, 9, 235-42.	3.2	85
62	Short-term Results after Robot-assisted Laparoscopic Radical Prostatectomy Compared to Open Radical Prostatectomy. <i>European Urology</i> , 2015, 67, 660-670.	0.9	84
63	Recombinant Leukocyte Interferon Alpha-2A and Medroxyprogesterone in Advanced Renal Cell Carcinoma: A Randomized Trial. <i>Acta Oncologica</i> , 1990, 29, 155-162.	0.8	83
64	Lower limb lymphedema in gynecological cancer survivors—effect on daily life functioning. <i>Supportive Care in Cancer</i> , 2013, 21, 3063-3070.	1.0	81
65	Mutations in <sc><i>TERT</i></sc> promoter and <sc><i>FGFR3</i></sc> and telomere length in bladder cancer. <i>International Journal of Cancer</i> , 2015, 137, 1621-1629.	2.3	81
66	The unrecognised cost of cancer patients' unrelieved symptoms:a nationwide follow-up of their surviving partners. <i>British Journal of Cancer</i> , 2002, 86, 1540-1545.	2.9	77
67	Inguinal Hernia After Radical Prostatectomy for Prostate Cancer: Results From a Randomized Setting and a Nonrandomized Setting. <i>European Urology</i> , 2010, 58, 719-726.	0.9	76
68	Distressful Symptoms after Radical Cystectomy with Urinary Diversion for Urinary Bladder Cancer: A Swedish Population-Based Study. <i>European Urology</i> , 2001, 40, 151-162.	0.9	75
69	Acupuncture compared with placebo acupuncture in radiotherapy-induced nausea—a randomized controlled study. <i>Annals of Oncology</i> , 2012, 23, 1353-1361.	0.6	74
70	Long-term Distress After Radical Prostatectomy Versus Watchful Waiting in Prostate Cancer: A Longitudinal Study from the Scandinavian Prostate Cancer Group-4 Randomized Clinical Trial. <i>European Urology</i> , 2013, 64, 920-928.	0.9	73
71	The natural history of untreated muscle-invasive bladder cancer. <i>BJU International</i> , 2020, 125, 270-275.	1.3	72
72	A Population-based Study of 538 Patients with Newly Detected Urinary Bladder Neoplasms Followed during 5 Years. <i>Scandinavian Journal of Urology and Nephrology</i> , 2003, 37, 195-201.	1.4	72

#	ARTICLE	IF	CITATIONS
73	One third of patients with radiotherapy-induced nausea consider their antiemetic treatment insufficient. <i>Supportive Care in Cancer</i> , 2009, 17, 23-32.	1.0	71
74	Urothelial cancer and some industry-related chemicals: An evaluation of the epidemiologic literature. <i>American Journal of Industrial Medicine</i> , 1990, 17, 371-391.	1.0	70
75	Factors Associated With Waning Sexual Function Among Elderly Men and Prostate Cancer Patients. <i>Journal of Urology</i> , 1997, 158, 155-159.	0.2	69
76	How is quality of life in prostate cancer patients influenced by modern treatment? the wallenberg symposium. <i>Urology</i> , 1997, 49, 66-76.	0.5	68
77	A Swedish case-control network for studies of drug-induced morbidity – acute pancreatitis. <i>European Journal of Clinical Pharmacology</i> , 2002, 58, 275-283.	0.8	68
78	Long-term Harm of Low Preparedness for a Wife's Death From Cancer--A Population-based Study of Widowers 4-5 Years After the Loss. <i>American Journal of Epidemiology</i> , 2010, 172, 389-396.	1.6	67
79	Skin cancer and non-Hodgkin's lymphoma as second malignancies. <i>European Journal of Cancer</i> , 2003, 39, 223-229.	1.3	65
80	Long-term outcomes for mothers who have or have not held their stillborn baby. <i>Midwifery</i> , 2009, 25, 422-429.	1.0	64
81	LAPPRO: A prospective multicentre comparative study of robot-assisted laparoscopic and retropubic radical prostatectomy for prostate cancer. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011, 45, 102-112.	1.4	63
82	Diet, Tobacco and Urothelial Cancer: A 14-year follow-up of 16477 subjects. <i>Acta Oncologica</i> , 1988, 27, 323-327.	0.8	62
83	Self-assessed health, sadness and happiness in relation to the total burden of symptoms from the lower urinary tract. <i>BJU International</i> , 2005, 95, 810-815.	1.3	62
84	Erectile Function and Oncologic Outcomes Following Open Retropubic and Robot-assisted Radical Prostatectomy: Results from the LAParoscopic Prostatectomy Robot Open Trial. <i>European Urology</i> , 2018, 73, 618-627.	0.9	62
85	Functional and Oncologic Outcomes Between Open and Robotic Radical Prostatectomy at 24-month Follow-up in the Swedish LAPPRO Trial. <i>European Urology Oncology</i> , 2018, 1, 353-360.	2.6	61
86	Model selection in Medical Research: A simulation study comparing Bayesian Model Averaging and Stepwise Regression. <i>BMC Medical Research Methodology</i> , 2010, 10, 108.	1.4	60
87	Self-reported symptoms of faecal incontinence among long-term gynaecological cancer survivors and population-based controls. <i>European Journal of Cancer</i> , 2010, 46, 606-615.	1.3	60
88	Psychiatric treatment in men with prostate cancer – Results from a Nation-wide, population-based cohort study from PCBaSe Sweden. <i>European Journal of Cancer</i> , 2011, 47, 2195-2201.	1.3	59
89	Tobacco smoking and long-lasting symptoms from the bowel and the anal-sphincter region after radiotherapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2011, 101, 495-501.	0.3	58
90	Feelings of loss and uneasiness or shame after removal of a testicle by orchidectomy: a population-based long-term follow-up of testicular cancer survivors. <i>Journal of Developmental and Physical Disabilities</i> , 2011, 34, 183-192.	3.6	58

#	ARTICLE	IF	CITATIONS
91	Thromboembolic Complications in 3,544 Patients Undergoing Radical Prostatectomy with or without Lymph Node Dissection. <i>Journal of Urology</i> , 2015, 193, 117-125.	0.2	58
92	Occupational exposures and cancer of the colon and rectum. <i>American Journal of Industrial Medicine</i> , 1992, 22, 291-303.	1.0	57
93	Perceptions of Inadequate Health Care and Feelings of Guilt in Parents after the Death of a Child to a Malignancy: A Population-Based Long-Term Follow-Up. <i>Journal of Palliative Medicine</i> , 2006, 9, 317-331.	0.6	57
94	Deferred treatment of clinically localized low-grade prostate cancer: Actual 10-year and projected 15-year follow-up of the karolinska series. <i>Urology</i> , 1997, 50, 722-726.	0.5	56
95	Neutral Third Party versus Treating Institution for Evaluating Quality of Life after Radical Cystectomy. <i>European Urology</i> , 2004, 46, 195-199.	0.9	56
96	Psychological health in siblings who lost a brother or sister to cancer 2 to 9 years earlier. <i>Psycho-Oncology</i> , 2013, 22, 683-691.	1.0	56
97	The impact of length and location of positive margins in predicting biochemical recurrence after robot-assisted radical prostatectomy with a minimum follow-up of 5 years. <i>BJU International</i> , 2015, 115, 106-113.	1.3	56
98	“A no means no” measuring depression using a single-item question versus Hospital Anxiety and Depression Scale (HADS-D). <i>Annals of Oncology</i> , 2010, 21, 1905-1909.	0.6	55
99	They still grieve—a nationwide follow-up of young adults 2–9 years after losing a sibling to cancer. <i>Psycho-Oncology</i> , 2014, 23, 658-664.	1.0	54
100	A Definition of Bias Founded on the Concept of the Study Base. <i>Epidemiology</i> , 1992, 3, 477-482.	1.2	52
101	Orgasm-Associated Urinary Incontinence and Sexual Life after Radical Prostatectomy. <i>Journal of Sexual Medicine</i> , 2011, 8, 2632-2639.	0.3	52
102	Similarities and differences in assessing nausea on a verbal category scale and a visual analogue scale. <i>Cancer Nursing</i> , 1997, 20, 260-266.	0.7	51
103	Dose-Response Relations for Anal Sphincter Regarding Fecal Leakage and Blood or Phlegm in Stools after Radiotherapy for Prostate Cancer. <i>Strahlentherapie Und Onkologie</i> , 2005, 181, 293-306.	1.0	50
104	Relative Importance of Sources of Symptom-Induced Distress in Urinary Bladder Cancer Survivors. <i>European Urology</i> , 2003, 43, 651-662.	0.9	49
105	Fecal Incontinence Affecting Quality of Life and Social Functioning Among Long-Term Gynecological Cancer Survivors. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 449-460.	1.2	48
106	Self-injury in Teenagers Who Lost a Parent to Cancer. <i>JAMA Pediatrics</i> , 2013, 167, 133.	3.3	48
107	Methodology and utility of a job-exposure matrix. <i>American Journal of Industrial Medicine</i> , 1993, 23, 491-502.	1.0	47
108	Impact of Social Support on Bereaved Siblings’ Anxiety. <i>Journal of Pediatric Oncology Nursing</i> , 2013, 30, 301-310.	1.5	47

#	ARTICLE	IF	CITATIONS
109	Toward a definition of a threshold for harmless doses to the anal-sphincter region and the rectum. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 61, 1035-1044.	0.4	46
110	Home care of a child dying of a malignancy and parental awareness of a child's impending death. <i>Palliative Medicine</i> , 2006, 20, 161-169.	1.3	46
111	Functional and Oncological Outcomes After Open Versus Robot-assisted Laparoscopic Radical Prostatectomy for Localised Prostate Cancer: 8-Year Follow-up. <i>European Urology</i> , 2021, 80, 650-660.	0.9	46
112	Endogenous cortisol exerts antiemetic effect similar to that of exogenous corticosteroids. <i>British Journal of Cancer</i> , 1993, 68, 112-114.	2.9	45
113	The epidemiological evidence concerning intake of mutagenic activity from the fried surface and the risk of cancer cannot justify preventive measures. <i>European Journal of Cancer Prevention</i> , 1993, 2, 293-300.	0.6	45
114	p53 mutations in urinary bladder cancer. <i>British Journal of Cancer</i> , 2001, 84, 1505-1511.	2.9	45
115	HIP FRACTURES IN MEN WITH PROSTATE CANCER TREATED WITH ORCHIECTOMY. <i>Journal of Urology</i> , 2004, 172, 2208-2212.	0.2	45
116	Influence of polymorphism in DNA repair and defence genes on p53 mutations in bladder tumours. <i>Cancer Letters</i> , 2006, 241, 142-149.	3.2	45
117	Interferon therapy in disseminated renal cell carcinoma. <i>Radiotherapy and Oncology</i> , 1985, 4, 21-26.	0.3	44
118	Industry-related urothelial carcinogens: Application of a job-exposure matrix to census data. <i>American Journal of Industrial Medicine</i> , 1989, 16, 209-224.	1.0	44
119	The ethics of doing nothing. Suicide-bereavement and research: ethical and methodological considerations. <i>Psychological Medicine</i> , 2014, 44, 3409-3420.	2.7	44
120	Siblings' experiences of their brother's or sister's cancer death: a nationwide follow-up 2-9 years later. <i>Psycho-Oncology</i> , 2016, 25, 435-440.	1.0	44
121	A comparison of women's memories of care during pregnancy, labour and delivery after stillbirth or live birth. <i>Midwifery</i> , 1998, 14, 111-117.	1.0	43
122	Long-term effects of widowhood after terminal cancer: a Swedish nationwide follow-up. <i>Scandinavian Journal of Public Health</i> , 2003, 31, 31-36.	1.2	43
123	Ala228 variant of trail receptor 1 affecting the ligand binding site is associated with chronic lymphocytic leukemia, mantle cell lymphoma, prostate cancer, head and neck squamous cell carcinoma and bladder cancer. <i>International Journal of Cancer</i> , 2006, 118, 1831-1835.	2.3	43
124	Anxiety is contagious—symptoms of anxiety in the terminally ill child affect long-term psychological well-being in bereaved parents. <i>Pediatric Blood and Cancer</i> , 2010, 54, 751-757.	0.8	43
125	Stillbirth Is No longer Managed as a Nonevent: A Nationwide Study in Sweden. <i>Birth</i> , 1996, 23, 209-215.	1.1	42
126	Measuring anxiety and depression in the oncology setting using visual-digital scales. <i>Acta Oncologica</i> , 2007, 46, 810-816.	0.8	42

#	ARTICLE	IF	CITATIONS
127	Preparatory Studies to a Population-Based Survey of Suicide-Bereaved Parents in Sweden. <i>Crisis</i> , 2013, 34, 200-210.	0.9	42
128	Increased risk of urothelial cancer in Stockholm during 1985-87 after exposure to benzene and exhausts. <i>International Journal of Cancer</i> , 1990, 45, 1012-1017.	2.3	41
129	Long-term Symptoms after External Beam Radiation Therapy for Prostate Cancer with Three or Four Fields. <i>Acta Oncol<sup>3</sup>gica</i> , 2002, 41, 532-542.	0.8	41
130	Risk Factors of Developing Long-Lasting Breast Pain After Breast Cancer Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 71-78.	0.4	41
131	Communication and Trust in the Care Provided to a Dying Parent: A Nationwide Study of Cancer-Bereaved Youths. <i>Journal of Clinical Oncology</i> , 2013, 31, 2886-2894.	0.8	41
132	Emotional Isolation: Prevalence and the Effect on Well-being among 50-80-Year-Old Prostate Cancer Patients. <i>Scandinavian Journal of Urology and Nephrology</i> , 2001, 35, 97-101.	1.4	40
133	Reduced vaginal elasticity, reduced lubrication, and deep and superficial dyspareunia in irradiated gynecological cancer survivors. <i>Acta Oncol<sup>3</sup>gica</i> , 2015, 54, 772-779.	0.8	40
134	Cytotoxic Treatment of Aggressive Prostate Tumors with or without Neuroendocrine Elements. <i>Acta Oncol<sup>3</sup>gica</i> , 2002, 41, 668-674.	0.8	39
135	Getting the Grip on Nonspecific Treatment Effects: Emesis in Patients Randomized to Acupuncture or Sham Compared to Patients Receiving Standard Care. <i>PLoS ONE</i> , 2011, 6, e14766.	1.1	39
136	Time after surgery, symptoms and well-being in survivors of urinary bladder cancer. <i>BJU International</i> , 2003, 91, 325-330.	1.3	38
137	Symptoms 10-17 years after breast cancer radiotherapy data from the randomised SWEBG91-RT trial. <i>Radiotherapy and Oncology</i> , 2010, 97, 281-287.	0.3	38
138	Age at surgery, educational level and long-term urinary incontinence after radical prostatectomy. <i>BJU International</i> , 2011, 108, 1572-1577.	1.3	38
139	Oncological and functional outcomes 1 year after radical prostatectomy for very-low-risk prostate cancer: results from the prospective LAPPRO trial. <i>BJU International</i> , 2016, 118, 205-212.	1.3	38
140	Radiotherapy-induced vaginal fibrosis in cervical cancer survivors. <i>Acta Oncol<sup>3</sup>gica</i> , 2017, 56, 661-666.	0.8	38
141	Quality of Life After Open Radical Prostatectomy Compared with Robot-assisted Radical Prostatectomy. <i>European Urology Focus</i> , 2019, 5, 389-398.	1.6	38
142	Acetaminophen, Some other Drugs, Some Diseases and the Risk of Transitional Cell Carcinoma: A population-based case-control study. <i>Acta Oncol<sup>3</sup>gica</i> , 1995, 34, 741-748.	0.8	37
143	Insulin glargine use and short-term incidence of malignancies - a three-year population-based observation. <i>Acta Oncol<sup>3</sup>gica</i> , 2011, 50, 685-693.	0.8	37
144	Parental trust in health care - a prospective study from the Children's Cancer Hospital in Egypt. <i>Psycho-Oncology</i> , 2013, 22, 548-554.	1.0	36

#	ARTICLE	IF	CITATIONS
145	Teenagers want to be told when a parent's death is near: A nationwide study of cancer-bereaved youths's™ opinions and experiences. <i>Acta Oncol³gica</i> , 2015, 54, 944-950.	0.8	36
146	Multiple Myeloma in Swedish Agricultural Workers. <i>International Journal of Epidemiology</i> , 1986, 15, 321-325.	0.9	35
147	Health care-related predictors of husbands's™ preparedness for the death of a wife to cancer's™ a population-based follow-up. <i>Annals of Oncology</i> , 2010, 21, 354-361.	0.6	35
148	Self-perceived penile shortening after radical prostatectomy. <i>International Journal of Impotence Research</i> , 2012, 24, 179-184.	1.0	35
149	Long-term symptoms after radiotherapy of supraclavicular lymph nodes in breast cancer patients. <i>Radiotherapy and Oncology</i> , 2012, 103, 155-160.	0.3	35
150	Results From the Scandinavian Prostate Cancer Group Trial Number 4: A Randomized Controlled Trial of Radical Prostatectomy Versus Watchful Waiting. <i>Journal of the National Cancer Institute Monographs</i> , 2012, 2012, 230-233.	0.9	35
151	Care at End of Life Influences Grief: A Nationwide Long-Term Follow-Up among Young Adults Who Lost a Brother or Sister to Childhood Cancer. <i>Journal of Palliative Medicine</i> , 2018, 21, 156-162.	0.6	35
152	Mindfulness to increase women's™ awareness of fetal movements and pregnancy outcomes: a cluster-randomised controlled trial including 39865 women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 829-837.	1.1	35
153	Delayed chemotherapy-induced nausea is augmented by high levels of endogenous noradrenaline. <i>British Journal of Cancer</i> , 1994, 70, 642-645.	2.9	34
154	Urinary and Bowel Symptoms in Men with and without Prostate Cancer: Results from an Observational Study in the Stockholm Area. <i>European Urology</i> , 1998, 33, 11-16.	0.9	34
155	DEFERRED TREATMENT OF LOCALLY ADVANCED NONMETASTATIC PROSTATE CANCER: A LONG-TERM FOLLOWUP. <i>Journal of Urology</i> , 1999, 161, 505-508.	0.2	34
156	Polymorphisms in XPD, XPC and the risk of death in patients with urinary bladder neoplasms. <i>Acta Oncol³gica</i> , 2007, 46, 31-41.	0.8	34
157	Self-injury in youths who lost a parent to cancer: nationwide study of the impact of family-related and health-care-related factors. <i>Psycho-Oncology</i> , 2014, 23, 989-997.	1.0	34
158	'Potency': the validation of information from a self-administered questionnaire using objective measurements of night-time erections and test-retest reliability. <i>BJU International</i> , 1998, 81, 135-141.	1.3	33
159	Improving the preservation of erectile function after external beam radiation therapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2000, 57, 201-206.	0.3	33
160	Can individuals identify if needling was performed with an acupuncture needle or a non-penetrating sham needle?. <i>Complementary Therapies in Medicine</i> , 2008, 16, 288-294.	1.3	33
161	Body Mass Index, Diet-Related Factors, and Bladder Cancer Prognosis: A Systematic Review and Meta-Analysis. <i>Bladder Cancer</i> , 2018, 4, 91-112.	0.2	33
162	Aspects of misclassification of confounding factors. <i>American Journal of Industrial Medicine</i> , 1992, 21, 107-112.	1.0	32

#	ARTICLE	IF	CITATIONS
163	A Comprehensive Clinical Epidemiological Theory Based On the Concept of the Source Person-Time and Four Distinct Study Stages. <i>Acta Oncol</i> 1998, 37, 15-23.	0.8	32
164	Expression of UPA and UPAR is associated with the clinical course of urinary bladder neoplasms. <i>International Journal of Cancer</i> , 2002, 99, 721-726.	2.3	32
165	Relationships between dose to the gastro-intestinal tract and patient-reported symptom domains after radiotherapy for localized prostate cancer. <i>Acta Oncol</i> 2015, 54, 1326-1334.	0.8	32
166	Unresolved grief and its consequences. A nationwide follow-up of teenage loss of a parent to cancer 6-9 years earlier. <i>Supportive Care in Cancer</i> , 2016, 24, 3095-103.	1.0	32
167	Oncologic Outcomes After Robot-assisted Radical Prostatectomy: A Large European Single-centre Cohort with Median 10-Year Follow-up. <i>European Urology Focus</i> , 2018, 4, 351-359.	1.6	32
168	Co-designing a digital platform with boundary objects: bringing together heterogeneous users in healthcare. <i>Health and Technology</i> , 2019, 9, 425-438.	2.1	32
169	Clinical course of bladder neoplasms and single nucleotide polymorphisms in the CDKN2A gene. <i>International Journal of Cancer</i> , 2003, 104, 98-103.	2.3	31
170	Sexual function in adolescent and young adult cancer survivors: a population-based study. <i>Journal of Cancer Survivorship</i> , 2018, 12, 450-459.	1.5	31
171	Events after Stillbirth in Relation to Maternal Depressive Symptoms: A Brief Report. <i>Birth</i> , 2008, 35, 153-157.	1.1	30
172	Disclosure of Incurable Illness to Spouses: Do They Want to Know? A Swedish Population-Based Follow-Up Study. <i>Journal of Clinical Oncology</i> , 2008, 26, 3372-3379.	0.8	30
173	Insufficient communication and anxiety in cancer-bereaved siblings: A nationwide long-term follow-up. <i>Palliative and Supportive Care</i> , 2016, 14, 488-494.	0.6	30
174	Identifying radiation-induced survivorship syndromes affecting bowel health in a cohort of gynecological cancer survivors. <i>PLoS ONE</i> , 2017, 12, e0171461.	1.1	30
175	Lymphedema and bladder-emptying difficulties after radical hysterectomy for early cervical cancer and among population controls. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 1130-1139.	1.2	29
176	Pursuing Quality in the Application of Bladder Cancer Quality of Life Research. <i>Bladder Cancer</i> , 2016, 2, 139-149.	0.2	29
177	Effect of Comorbidity on Prostate Cancer-Specific Mortality: A Prospective Observational Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 3566-3574.	0.8	29
178	Distress due to unwanted side-effects of prostate cancer treatment is related to impaired well-being (quality of life). <i>Prostate Cancer and Prostatic Diseases</i> , 1998, 1, 128-133.	2.0	28
179	A population-based dietary inventory of cooked meat and assessment of the daily intake of food mutagens. <i>Food Additives and Contaminants</i> , 1999, 16, 215-225.	2.0	28
180	Testicular-cancer survivors experience compromised language following chemotherapy: Findings in a Swedish population-based study 26 years after treatment. <i>Acta Oncol</i> 2012, 51, 185-197.	0.8	28

#	ARTICLE	IF	CITATIONS
181	Synergy Between Sexual Abuse and Cervical Cancer in Causing Sexual Dysfunction. <i>Journal of Sex and Marital Therapy</i> , 2005, 31, 361-383.	1.0	27
182	Couples' communication before the wife's death to cancer and the widower's feelings of guilt or regret after the loss – A population-based investigation. <i>European Journal of Cancer</i> , 2011, 47, 1564-1570.	1.3	25
183	Reply: Dietary acrylamide and cancer risk: additional data on coffee. <i>British Journal of Cancer</i> , 2003, 89, 775-776.	2.9	24
184	Sleep Disturbances Decrease Self-Assessed Quality of Life in Individuals Who Have Undergone Cystectomy. <i>Journal of Urology</i> , 2010, 184, 198-202.	0.2	24
185	Hematopoietic stem cell transplantation in children with cancer and the risk of long-term psychological morbidity in the bereaved parents. <i>Bone Marrow Transplantation</i> , 2011, 46, 1063-1070.	1.3	24
186	Dietary supplement use patterns in men with prostate cancer: the Cancer Prostate Sweden Study. <i>Annals of Oncology</i> , 2011, 22, 967-972.	0.6	24
187	Mean Absorbed Dose to the Anal-Sphincter Region and Fecal Leakage among Irradiated Prostate Cancer Survivors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, e181-e185.	0.4	24
188	Pad Use and Patient Reported Bother From Urinary Leakage After Radical Prostatectomy. <i>Journal of Urology</i> , 2012, 187, 196-200.	0.2	24
189	Self-Perceived Physical Attractiveness in Relation to Scars Among Adolescent and Young Adult Cancer Survivors: A Population-Based Study. <i>Journal of Adolescent and Young Adult Oncology</i> , 2018, 7, 358-366.	0.7	24
190	Surgeon heterogeneity significantly affects functional and oncological outcomes after radical prostatectomy in the Swedish LAPPRO trial. <i>BJU International</i> , 2021, 127, 361-368.	1.3	24
191	Treatment of Nausea and Emesis During Cancer Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2002, 24, 345-358.	0.6	23
192	Unrelieved symptoms of female cancer patients during their last months of life and long-term psychological morbidity in their widowers: A nationwide population-based study. <i>European Journal of Cancer</i> , 2009, 45, 1839-1845.	1.3	23
193	Intrusive thoughts and quality of life among men with prostate cancer before and three months after surgery. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 154.	1.0	23
194	Worry about one's own children, psychological well-being, and interest in psychosocial intervention. <i>Psycho-Oncology</i> , 2013, 22, 2117-2123.	1.0	23
195	Sahlgrenska Academy Self-reported Cognitive Impairment Questionnaire (SASCI-Q) – a research tool discriminating between subjectively cognitively impaired patients and healthy controls. <i>International Psychogeriatrics</i> , 2013, 25, 420-430.	0.6	23
196	International pooled study on diet and bladder cancer: the bladder cancer, epidemiology and nutritional determinants (BLEND) study: design and baseline characteristics. <i>Archives of Public Health</i> , 2016, 74, 30.	1.0	23
197	Urinary bladder dose-response relationships for patient-reported genitourinary morbidity domains following prostate cancer radiotherapy. <i>Radiotherapy and Oncology</i> , 2016, 119, 117-122.	0.3	23
198	90-Day readmission after radical prostatectomy – a prospective comparison between robot-assisted and open surgery. <i>Scandinavian Journal of Urology</i> , 2019, 53, 26-33.	0.6	23

#	ARTICLE	IF	CITATIONS
199	Pain and Mean Absorbed Dose to the Pubic Bone After Radiotherapy Among Gynecological Cancer Survivors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 80, 1171-1180.	0.4	22
200	Supplementary iron intake and risk of cancer: reversed causality?. <i>Cancer Letters</i> , 1997, 114, 215-216.	3.2	21
201	Influence of GSTM1, GSTT1, GSTP1 and NAT2 genotypes on the p53 mutational spectrum in bladder tumours. <i>International Journal of Cancer</i> , 2005, 113, 761-768.	2.3	21
202	Social support after stillbirth for prevention of maternal depression. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 1358-1364.	1.3	21
203	Diagnostic random bladder biopsies: Reflections from a population-based cohort of 538 patients. <i>Scandinavian Journal of Urology and Nephrology</i> , 2010, 44, 11-19.	1.4	21
204	Loose stools lead to fecal incontinence among gynecological cancer survivors. <i>Acta Oncologica</i> , 2011, 50, 233-242.	0.8	21
205	Psychological needs when diagnosed with testicular cancer: findings from a population-based study with long-term follow-up. <i>BJU International</i> , 2013, 111, 1287-1293.	1.3	21
206	Association Between Personality Characteristics and the Prevalence and Extinction of Conditioned Nausea After Chemotherapy. <i>Journal of Psychosocial Oncology</i> , 1992, 10, 59-77.	0.6	20
207	Single high-dose dexamethasone improves the effect of ondansetron on acute chemotherapy-induced nausea and vomiting but impairs the control of delayed symptoms. <i>Supportive Care in Cancer</i> , 1996, 4, 440-446.	1.0	20
208	Dose to the anal sphincter region and risk of fecal leakage. <i>Acta Oncologica</i> , 2004, 43, 117-118.	0.8	20
209	Insulin glargine use and short-term incidence of breast cancer – a four-year population-based observation. <i>Acta Oncologica</i> , 2012, 51, 400-402.	0.8	20
210	Patient and tumour-related factors for prediction of urinary incontinence after radical prostatectomy. <i>Scandinavian Journal of Urology</i> , 2013, 47, 272-281.	0.6	20
211	The Virtual Clinic: Two-sided Affordances in Consultation Practice. <i>Computer Supported Cooperative Work</i> , 2019, 28, 435-468.	1.9	20
212	Shift in translations: Data work with patient-generated health data in clinical practice. <i>Health Informatics Journal</i> , 2019, 25, 577-586.	1.1	20
213	Colorectal Cancer in Sweden a Descriptive Epidemiologic Study. <i>Acta Oncologica</i> , 1990, 29, 855-861.	0.8	19
214	A single-nucleotide polymorphism in the XPG gene, and tumour stage, grade, and clinical course in patients with nonmuscle-invasive neoplasms of the urinary bladder. <i>BJU International</i> , 2006, 97, 847-851.	1.3	19
215	Radical Prostatectomy, Sparing of the Seminal Vesicles, and Painful Orgasm. <i>Journal of Sexual Medicine</i> , 2013, 10, 1417-1423.	0.3	19
216	Patient-reported sexual toxicity after radiation therapy in long-term prostate cancer survivors. <i>British Journal of Cancer</i> , 2015, 113, 802-808.	2.9	19

#	ARTICLE	IF	CITATIONS
217	p53 intron 7 polymorphisms in urinary bladder cancer patients and controls. <i>Mutagenesis</i> , 2000, 15, 57-60.	1.0	18
218	The Internet and prostate cancer patients Searching for and finding information. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007, 41, 367-374.	1.4	18
219	Bereaved siblings' perception of participating in research—a nationwide study. <i>Psycho-Oncology</i> , 2013, 22, 411-416.	1.0	18
220	Interobserver variability in the pathological assessment of radical prostatectomy specimens: Findings of the Laparoscopic Prostatectomy Robot Open (LAPPRO) study. <i>Scandinavian Journal of Urology</i> , 2014, 48, 160-167.	0.6	18
221	Outcome after BCG treatment for urinary bladder cancer may be influenced by polymorphisms in the NOS2 and NOS3 genes. <i>Redox Biology</i> , 2015, 6, 272-277.	3.9	18
222	Bladder cancer: allelic deletions at and around the retinoblastoma tumor suppressor gene in relation to stage and grade. <i>Clinical Cancer Research</i> , 2000, 6, 610-5.	3.2	18
223	Conditioned nausea after cancer chemotherapy and autonomic nervous system conditionability. <i>Scandinavian Journal of Psychology</i> , 1993, 34, 318-327.	0.8	17
224	Low IL-1 $\beta$ Expression in Bladder Cancer Tissue and Survival. <i>European Urology</i> , 2003, 43, 362-368.	0.9	17
225	Bladder Neoplasms—Regions at Chromosome 9 with Putative Tumour Suppressor Genes. <i>Scandinavian Journal of Urology and Nephrology</i> , 2003, 37, 106-111.	1.4	17
226	Towards better measurements in bereavement research: order of questions and assessed psychological morbidity. <i>Palliative Medicine</i> , 2006, 20, 11-16.	1.3	17
227	Genotypes, haplotypes and diplotypes of three XPC polymorphisms in urinary-bladder cancer patients. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2010, 694, 39-44.	0.4	17
228	Pilot Testing of Methods for Evaluation of Acupuncture for Emesis during Radiotherapy: A Randomised Single Subject Experimental Design. <i>Acupuncture in Medicine</i> , 2011, 29, 94-102.	0.4	17
229	Cancer in the respiratory organs of Swedish farmers. <i>Cancer</i> , 1988, 61, 1055-1058.	2.0	16
230	Acid phosphatase: defining a role in androgen-independent prostate cancer. <i>Urology</i> , 1996, 47, 719-726.	0.5	16
231	Stillbirth and maternal well-being. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997, 76, 849-855.	1.3	16
232	Prognostic and treatment-predictive factors—is there a difference?. <i>Prostate Cancer and Prostatic Diseases</i> , 2000, 3, 265-268.	2.0	16
233	Defecation disturbances after cystectomy for urinary bladder cancer. <i>BJU International</i> , 2011, 108, 196-203.	1.3	16
234	Relative Importance of Hip and Sacral Pain Among Long-Term Gynecological Cancer Survivors Treated With Pelvic Radiotherapy and Their Relationships to Mean Absorbed Doses. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 428-436.	0.4	16

#	ARTICLE	IF	CITATIONS
235	Low preparedness before the loss of a wife to cancer and the widower's chronic pain 4â€“5 years laterâ€”a populationâ€“based study. <i>Psycho-Oncology</i> , 2013, 22, 2763-2770.	1.0	16
236	Radiation Therapy to the Plexus Brachialis in Breast Cancer Patients: Analysis of Paresthesia in Relation to Dose and Volume. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 92, 277-283.	0.4	16
237	Physical activity before radical prostatectomy reduces sick leave after surgery - results from a prospective, non-randomized controlled clinical trial (LAPPRO). <i>BMC Urology</i> , 2016, 16, 50.	0.6	16
238	Survival Among Men at High Risk of Disseminated Prostate Cancer Receiving Initial Locally Directed Radical Treatment or Initial Androgen Deprivation Therapy. <i>European Urology</i> , 2017, 72, 345-351.	0.9	16
239	Dietary Oat Bran Reduces Systemic Inflammation in Mice Subjected to Pelvic Irradiation. <i>Nutrients</i> , 2020, 12, 2172.	1.7	16
240	Introverts give up smoking more often than extraverts. <i>Personality and Individual Differences</i> , 1995, 18, 559-560.	1.6	15
241	When death appears best for the child with severe malignancy: a nationwide parental follow-up. <i>Palliative Medicine</i> , 2006, 20, 567-577.	1.3	15
242	Psychological morbidity among suicide-bereaved and non-bereaved parents: a nationwide population survey. <i>BMJ Open</i> , 2013, 3, e003108.	0.8	15
243	Toward Restored Bowel Health in Rectal Cancer Survivors. <i>Seminars in Radiation Oncology</i> , 2016, 26, 236-250.	1.0	15
244	Losing a parent to cancer as a teenager: Family cohesion in childhood, teenage, and young adulthood as perceived by bereaved and nonâ€“bereaved youths. <i>Psycho-Oncology</i> , 2019, 28, 1845-1853.	1.0	15
245	Aspects of patient care. <i>Cancer Nursing</i> , 1992, 15, 54-60.	0.7	14
246	Psychic and Social Consequences of Women in Relation to Memories of a Stillborn Child: A Pilot Study. <i>Gynecologic and Obstetric Investigation</i> , 1996, 41, 194-198.	0.7	14
247	Prostate carcinoma and long term survival. <i>Cancer</i> , 1997, 80, 748-752.	2.0	14
248	Prevention and Treatment of Urothelial Premalignant and Malignant Lesions. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000, 34, 116-135.	1.4	14
249	Polymorphisms in NQO1 and the clinical course of urinary bladder neoplasms. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007, 41, 182-190.	1.4	14
250	Guilt after the loss of a husband to cancer: Is there a relation with the health care provided?. <i>Acta Oncologica</i> , 2008, 47, 870-878.	0.8	14
251	Worrying about one's children after breast cancer diagnosis: desired timing of psychosocial intervention. <i>Supportive Care in Cancer</i> , 2014, 22, 2987-2995.	1.0	14
252	Defecation into clothing without forewarning and mean radiation dose to bowel and anal-sphincter among gynecological cancer survivors. <i>Acta Oncologica</i> , 2016, 55, 1285-1293.	0.8	14

#	ARTICLE	IF	CITATIONS
253	Inter-institutional analysis demonstrates the importance of lower than previously anticipated dose regions to prevent late rectal bleeding following prostate radiotherapy. <i>Radiotherapy and Oncology</i> , 2018, 127, 88-95.	0.3	14
254	Intravesical BCG treatment causes a long-lasting reduction of recurrence and progression in patients with high-risk non-muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2019, 37, 155-163.	1.2	14
255	Long-term mucosal injury and repair in a murine model of pelvic radiotherapy. <i>Scientific Reports</i> , 2019, 9, 13803.	1.6	14
256	Increasing preparedness for caregiving and death in family caregivers of patients with severe illness who are cared for at home – study protocol for a web-based intervention. <i>BMC Palliative Care</i> , 2020, 19, 33.	0.8	14
257	Vesicourethral Anastomotic Stenosis After Open or Robot-assisted Laparoscopic Retropubic Prostatectomy – Results from the Laparoscopic Prostatectomy Robot Open Trial. <i>European Urology Focus</i> , 2021, 7, 317-324.	1.6	14
258	Viewing the Body after Bereavement Due to Suicide: A Population-Based Survey in Sweden. <i>PLoS ONE</i> , 2014, 9, e101799.	1.1	14
259	Impact of tumour burden on chemotherapy-induced nausea and vomiting. <i>British Journal of Cancer</i> , 1996, 74, 1114-1119.	2.9	13
260	Low interleukin-1 $\beta$ messenger RNA levels predict decreased overall survival time of patients with urinary bladder carcinoma. <i>British Journal of Cancer</i> , 2001, 84, 329-334.	2.9	13
261	Prognostic significance of homozygous deletions and multiple duplications at the CDKN2A (p16INK4a)/ARF (p14ARF) locus in urinary bladder cancer. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 363-369.	1.4	13
262	Economic conditions and marriage quality of men with prostate cancer. <i>BJU International</i> , 2007, 99, 1391-1397.	1.3	13
263	Variation in position and volume of organs at risk in the small pelvis. <i>Acta Oncologica</i> , 2010, 49, 491-499.	0.8	13
264	A population-based series of uterine carcinosarcomas with long-term follow-up. <i>Acta Oncologica</i> , 2013, 52, 759-766.	0.8	13
265	Risk structures for radiation-induced trismus in head and neck cancer. <i>Acta Oncologica</i> , 2016, 55, 788-792.	0.8	13
266	A rapid fluorescence based multiplex polymerase chain reaction – single-strand conformation polymorphism method for p53 mutation detection. <i>Electrophoresis</i> , 2000, 21, 2335-2342.	1.3	12
267	Ethnic variation in genotype frequencies of a p53 intron 7 polymorphism. <i>Mutagenesis</i> , 2001, 16, 475-478.	1.0	12
268	Need for and access to bereavement support after loss of a husband to urologic cancers: a nationwide follow-up of Swedish widows. <i>Scandinavian Journal of Urology and Nephrology</i> , 2005, 39, 271-276.	1.4	12
269	Holding a stillborn baby: mothers' feelings of tenderness and grief. <i>British Journal of Midwifery</i> , 2009, 17, 178-180.	0.1	12
270	The Nonpenetrating Telescopic Sham Needle May Blind Patients with Different Characteristics and Experiences When Treated by Several Therapists. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011, 2011, 1-12.	0.5	12

#	ARTICLE	IF	CITATIONS
271	Suicide-Bereaved Siblings' Perception of Health Services. <i>Death Studies</i> , 2015, 39, 323-331.	1.8	12
272	Psychological Well-being and Private and Professional Psychosocial Support After Prostate Cancer Surgery: A Follow-up at 3, 12, and 24 Months After Surgery. <i>European Urology Focus</i> , 2016, 2, 418-425.	1.6	12
273	Role of the Thymus in Generation of Lymphocyte Functions.. <i>Scandinavian Journal of Immunology</i> , 1976, 5, 901-907.	1.3	11
274	Conservative Management of Localized Prostatic Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1992, 15, 446.	0.6	11
275	Bisphosphonates for Men With Prostate Cancer: Sifting Through the Rubble. <i>Journal of Clinical Oncology</i> , 2003, 21, 4261-4262.	0.8	11
276	Cancer survivors'™ perception of participation in a long-term follow-up study. <i>Journal of Medical Ethics</i> , 2013, 39, 41-45.	1.0	11
277	Dose-response relationships for an atomized symptom of fecal incontinence after gynecological radiotherapy. <i>Acta OncolÁ³gica</i> , 2013, 52, 719-726.	0.8	11
278	Rationale, study protocol and the cluster randomization process in a controlled trial including 40,000 women investigating the effects of mindfetalness. <i>Sexual and Reproductive Healthcare</i> , 2016, 10, 56-61.	0.5	11
279	Quality of Life after Radical Prostatectomy or Watchful Waiting With or Without Androgen Deprivation Therapy: The SPCG-4 Randomized Trial. <i>European Urology Oncology</i> , 2018, 1, 134-142.	2.6	11
280	Spirituality and religious coping are related to cancer-bereaved siblings'™ long-term grief. <i>Palliative and Supportive Care</i> , 2019, 17, 138-142.	0.6	11
281	Urinary continence recovery and oncological outcomes after surgery for prostate cancer analysed by risk category: results from the LAParoscopic prostatectomy robot and open trial. <i>World Journal of Urology</i> , 2021, 39, 3239-3249.	1.2	11
282	Adherence to medication: A nation-wide study from the Children'™s Cancer Hospital, Egypt. <i>World Journal of Psychiatry</i> , 2013, 3, 25.	1.3	11
283	The Choice Between a Therapy-Induced Long-Term Symptom and Shortened Survival Due to Prostate Cancer. <i>European Urology</i> , 2006, 50, 280-289.	0.9	10
284	Hygiene and urinary tract infections after cystectomy in 452 Swedish survivors of bladder cancer. <i>BJU International</i> , 2010, 105, 1107-1117.	1.3	10
285	Urethral Pain Among Prostate Cancer Survivors 1 to 14 Years After Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, e29-e37.	0.4	10
286	Radiation Dose to the Penile Structures and Patient-Reported Sexual Dysfunction in Long-Term Prostate Cancer Survivors. <i>Journal of Sexual Medicine</i> , 2015, 12, 2388-2397.	0.3	10
287	A Factor Analysis Approach for Clustering Patient Reported Outcomes. <i>Methods of Information in Medicine</i> , 2016, 55, 431-439.	0.7	10
288	Preparedness for side effects and bother in symptomatic men after radical prostatectomy in a prospective, non-randomized trial, LAPPRO. <i>Acta OncolÁ³gica</i> , 2016, 55, 1467-1476.	0.8	10

#	ARTICLE	IF	CITATIONS
289	Habits and self-assessed quality of life, negative intrusive thoughts and depressed mood in patients with prostate cancer: a longitudinal study. <i>Scandinavian Journal of Urology</i> , 2017, 51, 353-359.	0.6	10
290	A novel mouse model of radiation-induced cancer survivorship diseases of the gut. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, G456-G466.	1.6	10
291	The association between coffee consumption and bladder cancer in the bladder cancer epidemiology and nutritional determinants (BLEND) international pooled study. <i>Cancer Causes and Control</i> , 2019, 30, 859-870.	0.8	10
292	The prevalence of loss of heterozygosity in chromosome 3, including FHIT, in bladder cancer, using the fluorescent multiplex polymerase chain reaction. <i>BJU International</i> , 2001, 87, 876-881.	1.3	9
293	Interviewer Variability – Quality Aspects in a Case–Control Study. <i>European Journal of Epidemiology</i> , 2006, 21, 267-277.	2.5	9
294	Regional differences in local recurrence rates after rectal cancer surgery. <i>Colorectal Disease</i> , 2010, 12, e206-15.	0.7	9
295	The (CCTTT) <sub>n</sub> Microsatellite Polymorphism in the Nitric Oxide Synthase 2 Gene May Influence Bladder Cancer Pathogenesis. <i>Journal of Urology</i> , 2010, 184, 2150-2157.	0.2	9
296	Patient-reported genitourinary toxicity for long-term prostate cancer survivors treated with radiation therapy. <i>British Journal of Cancer</i> , 2013, 108, 1964-1970.	2.9	9
297	Cancer disclosure-account from a pediatric oncology ward in Egypt. <i>Psycho-Oncology</i> , 2017, 26, 679-685.	1.0	9
298	A data mining approach to investigate food groups related to incidence of bladder cancer in the BLadder cancer Epidemiology and Nutritional Determinants International Study. <i>British Journal of Nutrition</i> , 2020, 124, 611-619.	1.2	9
299	Localized prostate cancer and 30+ years of follow-up in a population-based setting. <i>Prostate Cancer and Prostatic Diseases</i> , 2000, 3, 37-42.	2.0	8
300	Emesis and gastrointestinal problems during radiotherapy: A comparison of performance of daily activities between patients experiencing nausea and patients free from nausea. <i>European Journal of Oncology Nursing</i> , 2010, 14, 359-366.	0.9	8
301	Segmented regression, a versatile tool to analyze mRNA levels in relation to DNA copy number aberrations. <i>Genes Chromosomes and Cancer</i> , 2012, 51, 77-82.	1.5	8
302	Late radiation-induced bowel syndromes, tobacco smoking, age at treatment and time since treatment – gynecological cancer survivors. <i>Acta Oncologica</i> , 2017, 56, 682-691.	0.8	8
303	Reduced Need for Rescue Antiemetics and Improved Capacity to Eat in Patients Receiving Acupuncture Compared to Patients Receiving Sham Acupuncture or Standard Care during Radiotherapy. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-11.	0.5	8
304	Distress in the End-of-Life Care Provided to a Parent and Long-Term Negative Outcomes Among Bereaved Adolescents: A Population-Based Survey Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 3136-3142.	0.8	8
305	Agreement between patient reported outcomes and clinical reports after radical prostatectomy - a prospective longitudinal study. <i>BMC Urology</i> , 2019, 19, 35.	0.6	8
306	Perceptions of a mental health questionnaire: the ethics of using population-based controls. <i>Journal of Medical Ethics</i> , 2008, 34, 545-547.	1.0	7

#	ARTICLE	IF	CITATIONS
307	A diagnostic algorithm to identify paired tumors with clonal origin. <i>Genes Chromosomes and Cancer</i> , 2013, 52, 1007-1016.	1.5	7
308	Patient-reported gastrointestinal symptoms among long-term survivors after radiation therapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2014, 112, 237-243.	0.3	7
309	Social constraints and psychological well-being after prostate cancer: A follow-up at 12 and 24 months after surgery. <i>Psycho-Oncology</i> , 2018, 27, 668-675.	1.0	7
310	Intake of citrus fruits and vegetables and the intensity of defecation urgency syndrome among gynecological cancer survivors. <i>PLoS ONE</i> , 2019, 14, e0208115.	1.1	7
311	Modeling the Complex Exposure History of Smoking in Predicting Bladder Cancer. <i>Epidemiology</i> , 2019, 30, 458-465.	1.2	7
312	Identifying female pelvic cancer survivors with low levels of physical activity after radiotherapy: women with fecal and urinary leakage need additional support. <i>Supportive Care in Cancer</i> , 2020, 28, 2669-2681.	1.0	7
313	Risk of Recurrent Disease 6 Years After Open or Robotic-assisted Radical Prostatectomy in the Prospective Controlled Trial LAPPRO. <i>European Urology Open Science</i> , 2020, 20, 54-61.	0.2	7
314	Changing Categorical Work in Healthcare: the Use of Patient-Generated Health Data in Cancer Rehabilitation. <i>Computer Supported Cooperative Work</i> , 2020, 29, 563-586.	1.9	7
315	Risk of hernia formation after radical prostatectomy: a comparison between open and robot-assisted laparoscopic radical prostatectomy within the prospectively controlled LAPPRO trial. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2022, 26, 157-164.	0.9	7
316	Assessing the human intake of heterocyclic amines: limited loss of information using reduced sets of questions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1999, 8, 809-14.	1.1	7
317	Distinguishing prognostic and treatment-predictive information for localized prostate cancer. <i>Urology</i> , 1995, 45, 610-615.	0.5	6
318	Bias due to observation of different parts of a nonconstant hazard curve over time. <i>Urology</i> , 1996, 48, 105-109.	0.5	6
319	Low evidence of radiation therapy in prostate cancer A plea for intensified scientific activity. <i>Acta Oncologica</i> , 2004, 43, 311-315.	0.8	6
320	Long-term mental health of men who lose a wife to cancer—a population-based follow-up. <i>Psycho-Oncology</i> , 2013, 22, 352-361.	1.0	6
321	Time-dependent dose-response relation for absence of vaginal elasticity after gynecological radiation therapy. <i>Radiotherapy and Oncology</i> , 2016, 120, 537-541.	0.3	6
322	How badly did it hit? Self-assessed emotional shock upon prostate cancer diagnosis and psychological well-being: a follow-up at 3, 12, and 24 months after surgery. <i>Acta Oncologica</i> , 2017, 56, 984-990.	0.8	6
323	Prognosis, Effect Modification, and Mediation. <i>European Urology</i> , 2018, 74, 243-245.	0.9	6
324	Associations between intraoperative factors and surgeons' self-assessed operative satisfaction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 61-68.	1.3	6

#	ARTICLE	IF	CITATIONS
325	Acute and long-term grief reactions and experiences in parentally cancer-bereaved teenagers. <i>BMC Palliative Care</i> , 2021, 20, 75.	0.8	6
326	Degree of Preservation of Neurovascular Bundles in Radical Prostatectomy and Recurrence of Prostate Cancer. <i>European Urology Open Science</i> , 2021, 30, 25-33.	0.2	6
327	Distressful Symptoms and Well-being After Radical Cystectomy and Orthotopic Bladder Substitution Compared With a Matched Control Population. <i>Journal of Urology</i> , 2002, , 168-175.	0.2	6
328	Control of cisplatin induced emesis " A multidisciplinary intervention strategy. <i>Medical Oncology and Tumor Pharmacotherapy</i> , 1992, 9, 81-86.	1.0	6
329	Bladder Cancer (NMIBC) in a population-based cohort from Stockholm County with long-term follow-up; A comparative analysis of prediction models for recurrence and progression, including external validation of the updated 2021 E.A.U. model. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, ...	0.8	6
330	MESOTHELIOMA AMONG SUGAR REFINERY WORKERS. <i>Lancet, The</i> , 1983, 322, 1503.	6.3	5
331	Effect of chemotherapy on circulating gastrointestinal hormone levels in ovarian cancer patients: Relationship to nausea and vomiting. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 654-661.	0.6	5
332	Reliability of assessment of urgency and other symptoms indicating anal sphincter, large bowel or urinary dysfunction. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 397-408.	1.4	5
333	Predictors for the symptomatic prostate cancer patient's delays in seeking care. <i>European Journal of Cancer</i> , 2008, 44, 733-739.	1.3	5
334	Re: Immediate Risk of Suicide and Cardiovascular Death After a Prostate Cancer Diagnosis: Cohort Study in the United States. <i>Journal of the National Cancer Institute</i> , 2010, 102, 1447-1448.	3.0	5
335	Radiation physiology " evidence for a higher biological effect of 24%Gy in four fractions as compared to three. <i>Acta OncolÅ³gica</i> , 2017, 56, 1240-1243.	0.8	5
336	Care-related predictors for negative intrusive thoughts after prostate cancer diagnosis" data from the prospective LAPPRO trial. <i>Psycho-Oncology</i> , 2017, 26, 1749-1757.	1.0	5
337	Complementary and alternative medicine self-care strategies for nausea in patients undergoing abdominal or pelvic irradiation for cancer: A longitudinal observational study of implementation in routine care. <i>Complementary Therapies in Medicine</i> , 2017, 34, 141-148.	1.3	5
338	Patient-rating of distressful symptoms after treatment for early cervical cancer. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2002, 81, 443-443.	1.3	5
339	'Local recurrence' and 'disease-free survival'. Doubtful parameters when comparing non-randomized studies of prostate cancer. <i>Scandinavian Journal of Urology and Nephrology, Supplement</i> , 1991, 138, 121-6.	0.0	5
340	Measuring errors and non-participation in a nation-wide study of stillbirth. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1999, 78, 592-598.	1.3	4
341	Perception of body odor" an overlooked consequence of long-term gastrointestinal and urinary symptoms after radiation therapy for prostate cancer. <i>Journal of Cancer Survivorship</i> , 2013, 7, 652-658.	1.5	4
342	Corrigendum re: "Urinary Incontinence and Erectile Dysfunction After Robotic Versus Open Radical Prostatectomy: A Prospective, Controlled, Nonrandomised Trial" [Eur Urol 2015;68:216"25]. <i>European Urology</i> , 2017, 72, e81-e82.	0.9	4

#	ARTICLE	IF	CITATIONS
343	Dose-response relationships of the sigmoid for urgency syndrome after gynecological radiotherapy. <i>Acta Oncologica</i> , 2018, 57, 1352-1358.	0.8	4
344	Long-term cognitive function among testicular cancer survivors treated with chemotherapy. <i>Journal of Clinical Oncology</i> , 2008, 26, 5035-5035.	0.8	4
345	A Fiber-Rich Diet and Radiation-Induced Injury in the Murine Intestinal Mucosa. <i>International Journal of Molecular Sciences</i> , 2022, 23, 439.	1.8	4
346	1783 INDIVIDUALIZED ESTIMATION OF THE BENEFIT OF RADICAL PROSTATECTOMY: DATA FROM SPCG4, THE SCANDINAVIAN RANDOMIZED TRIAL OF RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2011, 185, .	0.2	3
347	A method to estimate composite doses for organs at risk in prostate cancer patients treated with EBRT in combination with HDR BT. <i>Acta Oncologica</i> , 2014, 53, 815-821.	0.8	3
348	Partnership status affects the association between gastrointestinal symptoms and quality of life after radiation therapy for prostate cancer. <i>Acta Oncologica</i> , 2014, 53, 378-384.	0.8	3
349	Authors' reply to Roach. <i>BMJ</i> , The, 2014, 348, g2271-g2271.	3.0	3
350	Accurate prediction tools in prostate cancer require consistent assessment of included variables. <i>Scandinavian Journal of Urology</i> , 2016, 50, 260-266.	0.6	3
351	Thinking about one's own death after prostate-cancer diagnosis. <i>Supportive Care in Cancer</i> , 2018, 26, 1665-1673.	1.0	3
352	Decision-support system for cancer rehabilitation. , 2018, , .		3
353	Cohort profile: an observational longitudinal data collection of health aspects in a cohort of female cancer survivors with a history of pelvic radiotherapy—a population-based cohort in the western region of Sweden. <i>BMJ Open</i> , 2021, 11, e049479.	0.8	3
354	DEFERRED TREATMENT OF LOCALLY ADVANCED NONMETASTATIC PROSTATE CANCER. <i>Journal of Urology</i> , 1999, , 505-508.	0.2	3
355	Depression among Parents Two to Six Years Following the Loss of a Child by Suicide: A Novel Prediction Model. <i>PLoS ONE</i> , 2016, 11, e0164091.	1.1	3
356	Aspects of patient care. Interviews with relapse-free testicular cancer patients in Stockholm. <i>Cancer Nursing</i> , 1992, 15, 54-60.	0.7	3
357	Indication for treatment can introduce bias in observational studies of surgical treatment. <i>European Journal of Surgical Oncology</i> , 1993, 19, 223-5.	0.5	3
358	Effects of Ondansetron on Chemotherapy-induced Acute and Delayed Emesis—A Pilot Study. <i>Acta Oncologica</i> , 1991, 30, 649-651.	0.8	2
359	Measuring errors and non-participation in a nation-wide study of stillbirth. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1999, 78, 592-598.	1.3	2
360	Aspects of delayed chemotherapy-induced nausea. <i>Supportive Care in Cancer</i> , 2000, 8, 431-434.	1.0	2

#	ARTICLE	IF	CITATIONS
361	786 AGE AT SURGERY AND EDUCATIONAL LEVEL AFFECT LONG-TERM URINARY INCONTINENCE AFTER RADICAL. European Urology Supplements, 2010, 9, 253.	0.1	2
362	Integrative Genomics with Mediation Analysis in a Survival Context. Computational and Mathematical Methods in Medicine, 2013, 2013, 1-8.	0.7	2
363	Identifying Groups of Patient-Reported Gastro-Intestinal Symptoms Using Factor Analysis. International Journal of Radiation Oncology Biology Physics, 2014, 90, S854.	0.4	2
364	Encountering the Body at the Site of the Suicide: A Population-Based Survey in Sweden. Suicide and Life-Threatening Behavior, 2017, 47, 38-47.	0.9	2
365	Contouring pudendal nerves. Acta Oncologica, 2018, 57, 438-439.	0.8	2
366	Supporting self-management of radiation-induced bowel and bladder dysfunction in pelvic cancer rehabilitation: An ethnographic study. Journal of Clinical Nursing, 2019, 28, 2624-2634.	1.4	2
367	Solid Science for the Upside but Lack of Solid Science for the Downside—Towards Cutting-edge Prostate-cancer Screening. European Urology, 2019, 76, 52-53.	0.9	2
368	Hospital readmissions after limited vs. extended lymph node dissection during open and robot-assisted radical prostatectomy. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 5.e1-5.e8.	0.8	2
369	Do negative intrusive thoughts at diagnosis predict impaired quality of life, depressed mood and waking up with anxiety 3, 12 and 24 months after radical prostatectomy? — a longitudinal study. Scandinavian Journal of Urology, 2020, 54, 220-226.	0.6	2
370	Nurses' work practices in design: managing the complexity of pain. Journal of Workplace Learning, 2020, 32, 135-146.	0.9	2
371	Frequent Stools Were Related to Reduced Quality of Life and Capacity in Daily Activities. Cancer Nursing, 2020, 43, 478-488.	0.7	2
372	Development and Validation of a Mobile Phone Application Developed for Measuring Dietary Fiber Intake. Nutrients, 2021, 13, 2133.	1.7	2
373	Disability pension among gynaecological cancer survivors with or without radiation-induced survivorship syndromes. Journal of Cancer Survivorship, 2022, 16, 834-843.	1.5	2
374	Irradiation Induces Tuft Cell Hyperplasia and Myenteric Neuronal Loss in the Absence of Dietary Fiber in a Mouse Model of Pelvic Radiotherapy. Gastroenterology Insights, 2022, 13, 87-102.	0.7	2
375	FACTORS MODIFYING THE RISK OF ACUTE AND CONDITIONED NAUSEA AND VOMITING IN OVARIAN-CANCER PATIENTS. International Journal of Oncology, 1994, 4, 695-701.	1.4	1
376	Integrated therapy for advanced bladder cancer. Current Opinion in Urology, 1994, 4, 281-286.	0.9	1
377	Bladder cancer in Sweden. Medical Oncology, 1997, 14, 141-143.	1.2	1
378	Deferred Treatment of Clinically Localized Low-Grade Prostate Cancer: Actual 10-Year and Projected 15-Year Follow-Up of the Karolinska Series. Journal of Urology, 1998, 159, 1396-1396.	0.2	1

#	ARTICLE	IF	CITATIONS
379	Distressful symptoms after radical radiotherapy for urinary bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2003, 21, 310-311.	0.8	1
380	Erectile function after robotic nerve sparing and semi-sparing of the neurovascular bundles. <i>Journal of Robotic Surgery</i> , 2007, 1, 191-195.	1.0	1
381	LONG-TERM FOLLOW-UP IN PATIENTS WITH T1 TRANSITIONAL CELL BLADDER NEOPLASMS: RESULTS FROM A POPULATION-BASED STUDY. <i>European Urology Supplements</i> , 2008, 7, 318.	0.1	1
382	1107 EFFECT OF RADICAL PROSTATECTOMY ON PENILE SHORTENING. <i>Journal of Urology</i> , 2011, 185, .	0.2	1
383	Modeling Costs for Prostate Surgery: Are We Close to Reality?. <i>European Urology</i> , 2013, 64, 370-371.	0.9	1
384	1000 PROGNOSTIC SIGNIFICANCE OF LENGTH OF POSITIVE SURGICAL MARGINS ON BIOCHEMICAL RECURRENCE AFTER ROBOTIC-ASSISTED RADICAL PROSTATECTOMY IN A SINGLE CENTER WITH MINIMUM FOLLOW-UP OF FIVE YEARS. <i>Journal of Urology</i> , 2013, 189, .	0.2	1
385	PO-0906: Is the anal sphincter a key structure for gastrointestinal toxicity in prostate cancer radiotherapy?. <i>Radiotherapy and Oncology</i> , 2015, 115, S467-S468.	0.3	1
386	PD15-07 ERECTILE-FUNCTION AND ONCOLOGIC OUTCOMES AFTER OPEN RETROPUBIC AND ROBOT-ASSISTED RADICAL PROSTATECTOMY: RESULTS FROM A LARGE, PROSPECTIVE SWEDISH TRIAL. <i>Journal of Urology</i> , 2017, 197, .	0.2	1
387	A Novel 18-Marker Panel Predicting Clinical Outcome in Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1619-1628.	1.1	1
388	Dietary Fiber and the Hippocampal Neurogenic Niche in a Model of Pelvic Radiotherapy. <i>Neuroscience</i> , 2021, 475, 137-147.	1.1	1
389	The unrecognised cost of cancer patients' unrelieved symptoms:a nationwide follow-up of their surviving partners. , 0, .		1
390	A Preparatory Study for a Randomized Controlled Trial of Dietary Fiber Intake During Adult Pelvic Radiotherapy. <i>Frontiers in Nutrition</i> , 2021, 8, 756485.	1.6	1
391	Lymph swelling after radical prostatectomy and pelvic lymph node dissection. <i>BJU International</i> , 2022, 129, 695-698.	1.3	1
392	Measuring errors and non-participation in a nation-wide study of stillbirth. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1999, 78, 592-8.	1.3	1
393	Meat by cooking method and colorectal cancer. <i>European Journal of Cancer Prevention</i> , 1991, 1, 18.	0.6	0
394	Recent result of management of palpable clinically localized prostate cancer. <i>Cancer</i> , 1994, 73, 2006-2008.	2.0	0
395	Comments from the authors. <i>BJU International</i> , 2003, 91, 330-330.	1.3	0
396	24 Dose-response relations for faecal leakage and blood or phlegm in stools related to anal sphincter irradiation from prostate cancer radiotherapy. <i>Radiotherapy and Oncology</i> , 2005, 76, S22-S23.	0.3	0

#	ARTICLE	IF	CITATIONS
397	Can radical prostatectomy prevent and improve lower urinary tract symptoms?. Nature Reviews Urology, 2008, 5, 304-305.	1.4	0
398	0111 Soreness and sensitivity to sun exposure 10 to 16 years after breast cancer radiotherapy - a randomized study. Breast, 2009, 18, S46-S47.	0.9	0
399	950 LONG-TERM IMPAIRED LANGUAGE AND DECREASED WELL-BEING AMONG TESTICULAR CANCER SURVIVORS WHO RECEIVED CHEMOTHERAPY " RESULTS FROM SWENOTECA. European Urology Supplements, 2009, 8, 358.	0.1	0
400	DOSE-EFFECT RELATIONSHIPS FOR ORGANS-AT-RISK RELATED TO LONG-LASTING COMPLETE FECAL EVACUATION WITHOUT PREMONITION. Radiotherapy and Oncology, 2009, 92, S39-S40.	0.3	0
401	ROBOT ASSISTED RADICAL PROSTATECTOMY HALVES THE RISK OF POST-OPERATIVE INGUINAL HERNIA FORMATION AS COMPARED TO OPEN RADICAL RETROPUBIC PROSTATECTOMY. Journal of Urology, 2009, 181, 758-758.	0.2	0
402	Dose and Volume Response of the Sigmoid in Radiotherapy of Gynecological Cancer. International Journal of Radiation Oncology Biology Physics, 2010, 78, S706.	0.4	0
403	964 POLYMORPHISMS IN NITRIC-OXIDE SYNTHASE 2 INFLUENCE URINARY-BLADDER CANCER PATHOGENESIS. Journal of Urology, 2010, 183, .	0.2	0
404	1943 AGE AT SURGERY IS THE MOST IMPORTANT PATIENT INHERENT RISK FACTOR FOR LONG-TERM URINARY LEAKAGE AFTER RADICAL PROSTATECTOMY. Journal of Urology, 2010, 183, .	0.2	0
405	DOSE RESPONSE OF THE SIGMOID IN RADIOTHERAPY OF GYNECOLOGICAL CANCER AFTER VARYING FOLLOW UP TIMES. Radiotherapy and Oncology, 2011, 98, S22-S23.	0.3	0
406	DOSE-VOLUME RESPONSE ANALYSIS OF THE PUBIC BONE BASED ON PAIN AFTER PELVIC IRRADIATION AMONG GYNAECOLOGICAL CANCER SURVIVORS. Radiotherapy and Oncology, 2011, 98, S28-S29.	0.3	0
407	Evaluation of long-term effects of radiotherapy. Radiotherapy and Oncology, 2011, 99, 99-100.	0.3	0
408	The Reference for Self-reported Complication Data – Reflections From the Swedish Program on Atomized Symptoms After Cancer Treatments (SPASACT). International Journal of Radiation Oncology Biology Physics, 2012, 84, S746-S747.	0.4	0
409	Relationships Between Rectal Dose and Patient-Reported Late Gastrointestinal Toxicity After Prostate Cancer Radiation Therapy. International Journal of Radiation Oncology Biology Physics, 2013, 87, S55.	0.4	0
410	What is the appropriate use of palliative docetaxel in castration-resistant prostate cancer?. Acta Oncologica, 2013, 52, 1589-1592.	0.8	0
411	MP70-18 MORTALITY IN MEN WITH ADVANCED PROSTATE CANCER MAY BE REDUCED WITH RADICAL TREATMENT COMPARED TO ANDROGEN DEPRIVATION ALONE. Journal of Urology, 2014, 191, .	0.2	0
412	Response and Rebuttal to Editorial Comment on "Radiation Dose to the Penile Structures and Patient-Reported Sexual Dysfunction in Long-Term Prostate Cancer Survivors" Journal of Sexual Medicine, 2015, 12, 2400.	0.3	0
413	PO-0908: Corpora cavernosa dose and patient-reported sexual dysfunction in prostate cancer radiotherapy. Radiotherapy and Oncology, 2015, 115, S469-S470.	0.3	0
414	SP-0018: Towards a scoring system built on six distinct radiation-induced illnesses producing late gastrointestinal effects. Radiotherapy and Oncology, 2016, 119, S7-S8.	0.3	0

#	ARTICLE	IF	CITATIONS
415	EP-1611: Dose-response relationships for radiation-induced urgency syndrome after gynecological radiotherapy. <i>Radiotherapy and Oncology</i> , 2017, 123, S870-S871.	0.3	0
416	PD03-11 COMORBIDITY AND PROSTATE-CANCER SPECIFIC MORTALITY. <i>Journal of Urology</i> , 2017, 197, .	0.2	0
417	Elastase as a potential biomarker for radiation-induced gut wall injury of the distal bowel in an experimental mouse model. <i>Acta Oncologica</i> , 2018, 57, 1025-1030.	0.8	0
418	Adolescent and young adult cancer survivors' perceptions of participating in a survey – Ethical and methodological considerations. <i>European Journal of Oncology Nursing</i> , 2019, 39, 55-61.	0.9	0
419	Methodology Aspects of Nausea Measuring During Pelvic Radiotherapy. <i>Cancer Nursing</i> , 2020, 43, 93-104.	0.7	0
420	20-year follow-up of the 1995-1996 Stockholm bladder cancer project. <i>European Urology Open Science</i> , 2020, 19, e1634-e1635.	0.2	0
421	Dose-response relationships of intestinal organs and excessive mucus discharge after gynaecological radiotherapy. <i>PLoS ONE</i> , 2021, 16, e0250004.	1.1	0
422	P3-13-03: Long-Term Symptoms after Radiotherapy of Supraclavicular Lymph Nodes in Breast Cancer Patients.. , 2011, , .		0
423	Quality of Life and Management of Localized Disease. , 2013, , 615-619.		0
424	Lack of Trust in the Health-Care System After Losing a Child to Suicide. <i>Crisis</i> , 2015, 36, 161-172.	0.9	0
425	THAB30401: Dose-Volume Relations for Late Rectal Bleeding in 1001 Patients From Five Prostate Cancer Cohorts. <i>Medical Physics</i> , 2015, 42, 3700-3700.	1.6	0
426	Reply to Wei Zhang So, Ziting Wang, and Ho Yee Tiong's Letter to the Editor re: Anna Lantz, David Bock, Olof Akre, et al. Functional and Oncological Outcomes After Open Versus Robot-assisted Laparoscopic Radical Prostatectomy for Localised Prostate Cancer: 8-Year Follow-up. <i>Eur Urol</i> 2021;80:650-60. <i>European Urology</i> , 2021, 81, e43-e43.	0.9	0
427	Learning curve for robot-assisted laparoscopic radical prostatectomy in a large prospective multicentre study. <i>Scandinavian Journal of Urology</i> , 2022, 56, 182-190.	0.6	0