

Gunnar Steineck

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2771770/gunnar-steineck-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

390
papers

17,358
citations

65
h-index

118
g-index

438
ext. papers

19,334
ext. citations

5.4
avg, IF

6.23
L-index

#	Paper	IF	Citations
390	Radical prostatectomy or watchful waiting in early prostate cancer. <i>New England Journal of Medicine</i> , 2014 , 370, 932-42	59.2	654
389	Radical prostatectomy versus watchful waiting in early prostate cancer. <i>New England Journal of Medicine</i> , 2011 , 364, 1708-17	59.2	639
388	Quality of life after radical prostatectomy or watchful waiting. <i>New England Journal of Medicine</i> , 2002 , 347, 790-6	59.2	573
387	Vaginal changes and sexuality in women with a history of cervical cancer. <i>New England Journal of Medicine</i> , 1999 , 340, 1383-9	59.2	536
386	Sequence variants at the TERT-CLPTM1L locus associate with many cancer types. <i>Nature Genetics</i> , 2009 , 41, 221-7	36.3	509
385	Talking about death with children who have severe malignant disease. <i>New England Journal of Medicine</i> , 2004 , 351, 1175-86	59.2	335
384	Sequence variant on 8q24 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2008 , 40, 1307-12	36.3	332
383	Insulin glargine use and short-term incidence of malignancies-a population-based follow-up study in Sweden. <i>Diabetologia</i> , 2009 , 52, 1745-54	10.3	328
382	Meat, cooking methods and colorectal cancer: a case-referent study in Stockholm. <i>International Journal of Cancer</i> , 1991 , 49, 520-5	7.5	273
381	Genetic variation in the prostate stem cell antigen gene PSCA confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2009 , 41, 991-5	36.3	270
380	Long-term quality-of-life outcomes after radical prostatectomy or watchful waiting: the Scandinavian Prostate Cancer Group-4 randomised trial. <i>Lancet Oncology</i> , 2011 , 12, 891-9	21.7	264
379	Polymorphisms in DNA repair and metabolic genes in bladder cancer. <i>Carcinogenesis</i> , 2004 , 25, 729-34	4.6	257
378	Urinary Incontinence and Erectile Dysfunction After Robotic Versus Open Radical Prostatectomy: A Prospective, Controlled, Nonrandomised Trial. <i>European Urology</i> , 2015 , 68, 216-25	10.2	252
377	TERT promoter mutations in bladder cancer affect patient survival and disease recurrence through modification by a common polymorphism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 17426-31	11.5	236
376	Dietary heterocyclic amines and cancer of the colon, rectum, bladder, and kidney: a population-based study. <i>Lancet</i> , 1999 , 353, 703-7	40	223
375	Epidemiology of urinary bladder cancer: from tumor development to patient's death. <i>World Journal of Urology</i> , 2007 , 25, 285-95	4	203
374	Bias in odds ratios by logistic regression modelling and sample size. <i>BMC Medical Research Methodology</i> , 2009 , 9, 56	4.7	202

373	Radical Prostatectomy or Watchful Waiting in Prostate Cancer - 29-Year Follow-up. <i>New England Journal of Medicine</i> , 2018 , 379, 2319-2329	59.2	199
372	Effect of cooking temperature on the formation of heterocyclic amines in fried meat products and pan residues. <i>Carcinogenesis</i> , 1995 , 16, 861-7	4.6	181
371	Anxiety and depression in parents 4-9 years after the loss of a child owing to a malignancy: a population-based follow-up. <i>Psychological Medicine</i> , 2004 , 34, 1431-41	6.9	179
370	Dietary acrylamide and cancer of the large bowel, kidney, and bladder: absence of an association in a population-based study in Sweden. <i>British Journal of Cancer</i> , 2003 , 88, 84-9	8.7	169
369	Comparative effectiveness of radical prostatectomy and radiotherapy in prostate cancer: observational study of mortality outcomes. <i>BMJ, The</i> , 2014 , 348, g1502	5.9	167
368	Polar and non-polar heterocyclic amines in cooked fish and meat products and their corresponding pan residues. <i>Food and Chemical Toxicology</i> , 1997 , 35, 555-65	4.7	154
367	Symptoms affecting children with malignancies during the last month of life: a nationwide follow-up. <i>Pediatrics</i> , 2006 , 117, 1314-20	7.4	149
366	Hormone-refractory (D3) prostate cancer: refining the concept. <i>Urology</i> , 1995 , 46, 142-8	1.6	148
365	Waning sexual function--the most important disease-specific distress for patients with prostate cancer. <i>British Journal of Cancer</i> , 1996 , 73, 1417-21	8.7	145
364	Care-related distress: a nationwide study of parents who lost their child to cancer. <i>Journal of Clinical Oncology</i> , 2005 , 23, 9162-71	2.2	143
363	Psychological complications after stillbirth--influence of memories and immediate management: population based study. <i>BMJ: British Medical Journal</i> , 1996 , 312, 1505-8		139
362	A sequence variant at 4p16.3 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2010 , 42, 415-9	36.3	138
361	Epidemiology and etiology of premalignant and malignant urothelial changes. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000 , 105-15		136
360	Vitamin A supplements, fried foods, fat and urothelial cancer. A case-referent study in Stockholm in 1985-87. <i>International Journal of Cancer</i> , 1990 , 45, 1006-11	7.5	134
359	Recent results of management of palpable clinically localized prostate cancer. <i>Cancer</i> , 1993 , 72, 310-22	6.4	126
358	Sexual desire, erection, orgasm and ejaculatory functions and their importance to elderly Swedish men: a population-based study. <i>Age and Ageing</i> , 1996 , 25, 285-91	3	125
357	Patient-rating of distressful symptoms after treatment for early cervical cancer. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002 , 81, 443-50	3.8	122
356	Intake of fried meat and risk of cancer: a follow-up study in Finland. <i>International Journal of Cancer</i> , 1994 , 59, 756-60	7.5	117

355	Assessment of the human exposure to heterocyclic amines. <i>Carcinogenesis</i> , 1997 , 18, 1931-5	4.6	114
354	Decreased sexual capacity after external radiation therapy for prostate cancer impairs quality of life. <i>International Journal of Radiation Oncology Biology Physics</i> , 1995 , 32, 33-9	4	114
353	Distressful symptoms and well-being after radical cystectomy and orthotopic bladder substitution compared with a matched control population. <i>Journal of Urology</i> , 2002 , 168, 168-74; discussion 174-5	2.5	108
352	Diet, body mass and colorectal cancer: a case-referent study in Stockholm. <i>International Journal of Cancer</i> , 1990 , 46, 832-8	7.5	107
351	European genome-wide association study identifies SLC14A1 as a new urinary bladder cancer susceptibility gene. <i>Human Molecular Genetics</i> , 2011 , 20, 4268-81	5.6	105
350	Nausea in cancer chemotherapy is inversely related to urinary cortisol excretion. <i>British Journal of Cancer</i> , 1992 , 65, 779-80	8.7	104
349	Distressful symptoms after radical radiotherapy for urinary bladder cancer. <i>Radiotherapy and Oncology</i> , 2002 , 62, 215-25	5.3	103
348	Symptom documentation in cancer survivors as a basis for therapy modifications. <i>Acta Oncologica</i> , 2002 , 41, 244-52	3.2	102
347	Polymorphisms in DNA repair genes, smoking, and bladder cancer risk: findings from the international consortium of bladder cancer. <i>Cancer Research</i> , 2009 , 69, 6857-64	10.1	94
346	Dietary acrylamide and risk of renal cell cancer. <i>International Journal of Cancer</i> , 2004 , 109, 774-6	7.5	94
345	A population-based nationwide study of parents' perceptions of a questionnaire on their child's death due to cancer. <i>Lancet, The</i> , 2004 , 364, 787-9	4.0	92
344	Physical activity and colon cancer: a case-referent study in Stockholm. <i>International Journal of Cancer</i> , 1990 , 46, 985-9	7.5	92
343	Surgery-related complications in 1253 robot-assisted and 485 open retroperitoneal radical prostatectomies at the Karolinska University Hospital, Sweden. <i>Urology</i> , 2010 , 75, 1092-7	1.6	89
342	A hierarchical step-model for causation of bias-evaluating cancer treatment with epidemiological methods. <i>Acta Oncologica</i> , 2006 , 45, 421-9	3.2	87
341	Lymphedema and bladder-emptying difficulties after radical hysterectomy for early cervical cancer and among population controls. <i>International Journal of Gynecological Cancer</i> , 2006 , 16, 1130-9	3.5	87
340	Time, symptom burden, androgen deprivation, and self-assessed quality of life after radical prostatectomy or watchful waiting: the Randomized Scandinavian Prostate Cancer Group Study Number 4 (SPCG-4) clinical trial. <i>European Urology</i> , 2009 , 55, 422-30	10.2	79
339	Detecting homozygous deletions in the CDKN2A(p16(INK4a))/ARF(p14(ARF)) gene in urinary bladder cancer using real-time quantitative PCR. <i>Clinical Cancer Research</i> , 2003 , 9, 235-42	12.9	78
338	Obesity and treatment of diabetes with glyburide may both be risk factors for acute pancreatitis. <i>Diabetes Care</i> , 2002 , 25, 298-302	14.6	77

337	Individualized estimation of the benefit of radical prostatectomy from the Scandinavian Prostate Cancer Group randomized trial. <i>European Urology</i> , 2012 , 62, 204-9	10.2	76
336	Degree of preservation of the neurovascular bundles during radical prostatectomy and urinary continence 1 year after surgery. <i>European Urology</i> , 2015 , 67, 559-68	10.2	76
335	Parents' intellectual and emotional awareness of their child's impending death to cancer: a population-based long-term follow-up study. <i>Lancet Oncology, The</i> , 2007 , 8, 706-14	21.7	76
334	Recombinant leukocyte interferon alpha-2a and medroxyprogesterone in advanced renal cell carcinoma. A randomized trial. <i>Acta Oncologica</i> , 1990 , 29, 155-62	3.2	75
333	Robot-assisted radical cystectomy (RARC) with intracorporeal neobladder - what is the effect of the learning curve on outcomes?. <i>BJU International</i> , 2014 , 113, 100-7	5.6	73
332	Suicide risk in men with prostate-specific antigen-detected early prostate cancer: a nationwide population-based cohort study from PCBaSe Sweden. <i>European Urology</i> , 2010 , 57, 390-5	10.2	73
331	The unrecognised cost of cancer patients' unrelieved symptoms:a nationwide follow-up of their surviving partners. <i>British Journal of Cancer</i> , 2002 , 86, 1540-5	8.7	73
330	Biochemical recurrence after robot-assisted radical prostatectomy in a European single-centre cohort with a minimum follow-up time of 5 years. <i>European Urology</i> , 2012 , 62, 768-74	10.2	72
329	Awareness of husband's impending death from cancer and long-term anxiety in widowhood: a nationwide follow-up. <i>Palliative Medicine</i> , 2004 , 18, 432-43	5.5	71
328	Short-term results after robot-assisted laparoscopic radical prostatectomy compared to open radical prostatectomy. <i>European Urology</i> , 2015 , 67, 660-70	10.2	69
327	Late symptoms in long-term gynaecological cancer survivors after radiation therapy: a population-based cohort study. <i>British Journal of Cancer</i> , 2011 , 105, 737-45	8.7	69
326	Mutations in TERT promoter and FGFR3 and telomere length in bladder cancer. <i>International Journal of Cancer</i> , 2015 , 137, 1621-9	7.5	65
325	Inguinal hernia after radical prostatectomy for prostate cancer: results from a randomized setting and a nonrandomized setting. <i>European Urology</i> , 2010 , 58, 719-26	10.2	65
324	How is quality of life in prostate cancer patients influenced by modern treatment? The Wallenberg Symposium. <i>Urology</i> , 1997 , 49, 66-76	1.6	65
323	Factors associated with waning sexual function among elderly men and prostate cancer patients. <i>Journal of Urology</i> , 1997 , 158, 155-9	2.5	63
322	A population-based study of 538 patients with newly detected urinary bladder neoplasms followed during 5 years. <i>Scandinavian Journal of Urology and Nephrology</i> , 2003 , 37, 195-201		63
321	One third of patients with radiotherapy-induced nausea consider their antiemetic treatment insufficient. <i>Supportive Care in Cancer</i> , 2009 , 17, 23-32	3.9	61
320	Acupuncture compared with placebo acupuncture in radiotherapy-induced nausea--a randomized controlled study. <i>Annals of Oncology</i> , 2012 , 23, 1353-1361	10.3	61

319	A Swedish case-control network for studies of drug-induced morbidity--acute pancreatitis. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 275-83	2.8	59
318	Distressful symptoms after radical cystectomy with urinary diversion for urinary bladder cancer: a Swedish population-based study. <i>European Urology</i> , 2001 , 40, 151-62	10.2	59
317	Urothelial cancer and some industry-related chemicals: an evaluation of the epidemiologic literature. <i>American Journal of Industrial Medicine</i> , 1990 , 17, 371-91	2.7	59
316	Lower limb lymphedema in gynecological cancer survivors--effect on daily life functioning. <i>Supportive Care in Cancer</i> , 2013 , 21, 3063-70	3.9	58
315	Diet, tobacco and urothelial cancer. A 14-year follow-up of 16,477 subjects. <i>Acta Oncologica</i> , 1988 , 27, 323-7	3.2	57
314	Long-term distress after radical prostatectomy versus watchful waiting in prostate cancer: a longitudinal study from the Scandinavian Prostate Cancer Group-4 randomized clinical trial. <i>European Urology</i> , 2013 , 64, 920-8	10.2	56
313	Long-term outcomes for mothers who have or have not held their stillborn baby. <i>Midwifery</i> , 2009 , 25, 422-9	2.8	55
312	Self-assessed health, sadness and happiness in relation to the total burden of symptoms from the lower urinary tract. <i>BJU International</i> , 2005 , 95, 810-5	5.6	55
311	Long-term harm of low preparedness for a wife's death from cancer--a population-based study of widowers 4-5 years after the loss. <i>American Journal of Epidemiology</i> , 2010 , 172, 389-96	3.8	54
310	Skin cancer and non-Hodgkin's lymphoma as second malignancies. markers of impaired immune function?. <i>European Journal of Cancer</i> , 2003 , 39, 223-9	7.5	53
309	Self-reported symptoms of faecal incontinence among long-term gynaecological cancer survivors and population-based controls. <i>European Journal of Cancer</i> , 2010 , 46, 606-15	7.5	52
308	LAPPRO: a prospective multicentre comparative study of robot-assisted laparoscopic and retropubic radical prostatectomy for prostate cancer. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011 , 45, 102-12		52
307	Perceptions of inadequate health care and feelings of guilt in parents after the death of a child to a malignancy: a population-based long-term follow-up. <i>Journal of Palliative Medicine</i> , 2006 , 9, 317-31	2.2	52
306	Psychiatric treatment in men with prostate cancer--results from a Nation-wide, population-based cohort study from PCBaSe Sweden. <i>European Journal of Cancer</i> , 2011 , 47, 2195-201	7.5	51
305	Tobacco smoking and long-lasting symptoms from the bowel and the anal-sphincter region after radiotherapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2011 , 101, 495-501	5.3	51
304	Erectile Function and Oncologic Outcomes Following Open Retropubic and Robot-assisted Radical Prostatectomy: Results from the LAParoscopic Prostatectomy Robot Open Trial. <i>European Urology</i> , 2018 , 73, 618-627	10.2	50
303	Occupational exposures and cancer of the colon and rectum. <i>American Journal of Industrial Medicine</i> , 1992 , 22, 291-303	2.7	50
302	Deferred treatment of clinically localized low-grade prostate cancer: actual 10-year and projected 15-year follow-up of the Karolinska series. <i>Urology</i> , 1997 , 50, 722-6	1.6	49

301	Model selection in medical research: a simulation study comparing Bayesian model averaging and stepwise regression. <i>BMC Medical Research Methodology</i> , 2010 , 10, 108	4.7	48
300	Neutral third party versus treating institution for evaluating quality of life after radical cystectomy. <i>European Urology</i> , 2004 , 46, 195-9	10.2	48
299	Dose-response relations for anal sphincter regarding fecal leakage and blood or phlegm in stools after radiotherapy for prostate cancer. Radiobiological study of 65 consecutive patients. <i>Strahlentherapie Und Onkologie</i> , 2005 , 181, 293-306	4.3	47
298	Similarities and differences in assessing nausea on a verbal category scale and a visual analogue scale. <i>Cancer Nursing</i> , 1997 , 20, 260-6	2.6	47
297	The impact of length and location of positive margins in predicting biochemical recurrence after robot-assisted radical prostatectomy with a minimum follow-up of 5 years. <i>BJU International</i> , 2015 , 115, 106-13	5.6	46
296	Psychological health in siblings who lost a brother or sister to cancer 2 to 9 years earlier. <i>Psycho-Oncology</i> , 2013 , 22, 683-91	3.9	46
295	Feelings of loss and uneasiness or shame after removal of a testicle by orchidectomy: a population-based long-term follow-up of testicular cancer survivors. <i>Journal of Developmental and Physical Disabilities</i> , 2011 , 34, 183-92		46
294	They still grieve-a nationwide follow-up of young adults 2-9 years after losing a sibling to cancer. <i>Psycho-Oncology</i> , 2014 , 23, 658-64	3.9	45
293	'A no means no'--measuring depression using a single-item question versus Hospital Anxiety and Depression Scale (HADS-D). <i>Annals of Oncology</i> , 2010 , 21, 1905-1909	10.3	45
292	Thromboembolic complications in 3,544 patients undergoing radical prostatectomy with or without lymph node dissection. <i>Journal of Urology</i> , 2015 , 193, 117-25	2.5	44
291	Influence of polymorphism in DNA repair and defence genes on p53 mutations in bladder tumours. <i>Cancer Letters</i> , 2006 , 241, 142-9	9.9	43
290	Relative importance of sources of symptom-induced distress in urinary bladder cancer survivors. <i>European Urology</i> , 2003 , 43, 651-62	10.2	43
289	Toward a definition of a threshold for harmless doses to the anal-sphincter region and the rectum. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 61, 1035-44	4	43
288	The epidemiological evidence concerning intake of mutagenic activity from the fried surface and the risk of cancer cannot justify preventive measures. <i>European Journal of Cancer Prevention</i> , 1993 , 2, 293-300	2	43
287	Interferon therapy in disseminated renal cell carcinoma. <i>Radiotherapy and Oncology</i> , 1985 , 4, 21-6	5.3	41
286	A definition of bias founded on the concept of the study base. <i>Epidemiology</i> , 1992 , 3, 477-82	3.1	40
285	Impact of social support on bereaved siblings' anxiety: a nationwide follow-up. <i>Journal of Pediatric Oncology Nursing</i> , 2013 , 30, 301-10	2	39
284	Measuring anxiety and depression in the oncology setting using visual-digital scales. <i>Acta Oncologica</i> , 2007 , 46, 810-6	3.2	39

283	Hip fractures in men with prostate cancer treated with orchiectomy. <i>Journal of Urology</i> , 2004 , 172, 2208-13	8.7	39
282	Endogenous cortisol exerts antiemetic effect similar to that of exogenous corticosteroids. <i>British Journal of Cancer</i> , 1993 , 68, 112-4	8.7	39
281	Preparatory studies to a population-based survey of suicide-bereaved parents in Sweden. <i>Crisis</i> , 2013 , 34, 200-10	2.8	39
280	Orgasm-associated urinary incontinence and sexual life after radical prostatectomy. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2632-9	1.1	38
279	Long-term effects of widowhood after terminal cancer: a Swedish nationwide follow-up. <i>Scandinavian Journal of Public Health</i> , 2003 , 31, 31-6	3	38
278	Stillbirth is no longer managed as a nonevent: a nationwide study in Sweden. <i>Birth</i> , 1996 , 23, 209-15	3.1	38
277	Self-injury in teenagers who lost a parent to cancer: a nationwide, population-based, long-term follow-up. <i>JAMA Pediatrics</i> , 2013 , 167, 133-40	8.3	37
276	Fecal incontinence affecting quality of life and social functioning among long-term gynecological cancer survivors. <i>International Journal of Gynecological Cancer</i> , 2010 , 20, 449-60	3.5	37
275	Ala228 variant of trail receptor 1 affecting the ligand binding site is associated with chronic lymphocytic leukemia, mantle cell lymphoma, prostate cancer, head and neck squamous cell carcinoma and bladder cancer. <i>International Journal of Cancer</i> , 2006 , 118, 1831-5	7.5	37
274	The natural history of untreated muscle-invasive bladder cancer. <i>BJU International</i> , 2020 , 125, 270-275	5.6	37
273	Long-term symptoms after external beam radiation therapy for prostate cancer with three or four fields. <i>Acta Oncologica</i> , 2002 , 41, 532-42	3.2	36
272	p53 mutations in urinary bladder cancer. <i>British Journal of Cancer</i> , 2001 , 84, 1505-11	8.7	36
271	Getting the grip on nonspecific treatment effects: emesis in patients randomized to acupuncture or sham compared to patients receiving standard care. <i>PLoS ONE</i> , 2011 , 6, e14766	3.7	35
270	Home care of a child dying of a malignancy and parental awareness of a child's impending death. <i>Palliative Medicine</i> , 2006 , 20, 161-9	5.5	35
269	Emotional isolation: prevalence and the effect on well-being among 50-80-year-old prostate cancer patients. <i>Scandinavian Journal of Urology and Nephrology</i> , 2001 , 35, 97-101		35
268	Cytotoxic treatment of aggressive prostate tumors with or without neuroendocrine elements. <i>Acta Oncologica</i> , 2002 , 41, 668-74	3.2	35
267	Methodology and utility of a job-exposure matrix. <i>American Journal of Industrial Medicine</i> , 1993 , 23, 491-502	5.02	35
266	Functional and Oncologic Outcomes Between Open and Robotic Radical Prostatectomy at 24-month Follow-up in the Swedish LAPPRO Trial. <i>European Urology Oncology</i> , 2018 , 1, 353-360	6.7	35

265	Reduced vaginal elasticity, reduced lubrication, and deep and superficial dyspareunia in irradiated gynecological cancer survivors. <i>Acta Oncologica</i> , 2015 , 54, 772-9	3.2	34
264	The ethics of doing nothing. Suicide-bereavement and research: ethical and methodological considerations. <i>Psychological Medicine</i> , 2014 , 44, 3409-20	6.9	34
263	Communication and trust in the care provided to a dying parent: a nationwide study of cancer-bereaved youths. <i>Journal of Clinical Oncology</i> , 2013 , 31, 2886-94	2.2	34
262	Anxiety is contagious-symptoms of anxiety in the terminally ill child affect long-term psychological well-being in bereaved parents. <i>Pediatric Blood and Cancer</i> , 2010 , 54, 751-7	3	34
261	Industry-related urothelial carcinogens: application of a job-exposure matrix to census data. <i>American Journal of Industrial Medicine</i> , 1989 , 16, 209-24	2.7	34
260	Siblings' experiences of their brother's or sister's cancer death: a nationwide follow-up 2-9 years later. <i>Psycho-Oncology</i> , 2016 , 25, 435-40	3.9	33
259	Symptoms 10-17 years after breast cancer radiotherapy data from the randomised SWEBORG91-RT trial. <i>Radiotherapy and Oncology</i> , 2010 , 97, 281-7	5.3	33
258	Time after surgery, symptoms and well-being in survivors of urinary bladder cancer. <i>BJU International</i> , 2003 , 91, 325-30; discussion 330	5.6	33
257	Acetaminophen, some other drugs, some diseases and the risk of transitional cell carcinoma. A population-based case-control study. <i>Acta Oncologica</i> , 1995 , 34, 741-8	3.2	33
256	Teenagers want to be told when a parent's death is near: A nationwide study of cancer-bereaved youths' opinions and experiences. <i>Acta Oncologica</i> , 2015 , 54, 944-50	3.2	32
255	Risk factors of developing long-lasting breast pain after breast cancer radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 71-8	4	32
254	Insulin glargine use and short-term incidence of malignancies - a three-year population-based observation. <i>Acta Oncologica</i> , 2011 , 50, 685-93	3.2	32
253	Can individuals identify if needling was performed with an acupuncture needle or a non-penetrating sham needle?. <i>Complementary Therapies in Medicine</i> , 2008 , 16, 288-94	3.5	32
252	Self-injury in youths who lost a parent to cancer: nationwide study of the impact of family-related and health-care-related factors. <i>Psycho-Oncology</i> , 2014 , 23, 989-97	3.9	31
251	A comparison of women's memories of care during pregnancy, labour and delivery after stillbirth or live birth. <i>Midwifery</i> , 1998 , 14, 111-7	2.8	31
250	Polymorphisms in XPD, XPC and the risk of death in patients with urinary bladder neoplasms. <i>Acta Oncologica</i> , 2007 , 46, 31-41	3.2	31
249	Long-term symptoms after radiotherapy of supraclavicular lymph nodes in breast cancer patients. <i>Radiotherapy and Oncology</i> , 2012 , 103, 155-60	5.3	30
248	Increased risk of urothelial cancer in Stockholm during 1985-87 after exposure to benzene and exhausts. <i>International Journal of Cancer</i> , 1990 , 45, 1012-7	7.5	30

247	Clinical course of bladder neoplasms and single nucleotide polymorphisms in the CDKN2A gene. <i>International Journal of Cancer</i> , 2003 , 104, 98-103	7.5	29
246	Multiple myeloma in Swedish agricultural workers. <i>International Journal of Epidemiology</i> , 1986 , 15, 321-57.8		29
245	Relationships between dose to the gastro-intestinal tract and patient-reported symptom domains after radiotherapy for localized prostate cancer. <i>Acta Oncologica</i> , 2015 , 54, 1326-34	3.2	28
244	Parental trust in health care--a prospective study from the Children's Cancer Hospital in Egypt. <i>Psycho-Oncology</i> , 2013 , 22, 548-54	3.9	28
243	Age at surgery, educational level and long-term urinary incontinence after radical prostatectomy. <i>BJU International</i> , 2011 , 108, 1572-7	5.6	28
242	'Potency': the validation of information from a self-administered questionnaire using objective measurements of night-time erections and test-retest reliability. <i>BJU International</i> , 1998 , 81, 135-41	5.6	28
241	Events after stillbirth in relation to maternal depressive symptoms: a brief report. <i>Birth</i> , 2008 , 35, 153-7	3.1	28
240	Improving the preservation of erectile function after external beam radiation therapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2000 , 57, 201-6	5.3	28
239	A comprehensive clinical epidemiological theory based on the concept of the source person-time and four distinct study stages. <i>Acta Oncologica</i> , 1998 , 37, 15-23	3.2	28
238	Delayed chemotherapy-induced nausea is augmented by high levels of endogenous noradrenaline. <i>British Journal of Cancer</i> , 1994 , 70, 642-5	8.7	28
237	Health care-related predictors of husbands' preparedness for the death of a wife to cancer--a population-based follow-up. <i>Annals of Oncology</i> , 2010 , 21, 354-361	10.3	27
236	Self-perceived penile shortening after radical prostatectomy. <i>International Journal of Impotence Research</i> , 2012 , 24, 179-84	2.3	27
235	Expression of UPA and UPAR is associated with the clinical course of urinary bladder neoplasms. <i>International Journal of Cancer</i> , 2002 , 99, 721-6	7.5	27
234	Urinary and bowel symptoms in men with and without prostate cancer: results from an observational study in the Stockholm area. <i>European Urology</i> , 1998 , 33, 11-6	10.2	27
233	DEFERRED TREATMENT OF LOCALLY ADVANCED NONMETASTATIC PROSTATE CANCER: A LONG-TERM FOLLOWUP. <i>Journal of Urology</i> , 1999 , 161, 505-508	2.5	27
232	Results from the Scandinavian Prostate Cancer Group Trial Number 4: a randomized controlled trial of radical prostatectomy versus watchful waiting. <i>Journal of the National Cancer Institute Monographs</i> , 2012 , 2012, 230-3	4.8	26
231	Disclosure of incurable illness to spouses: do they want to know? A Swedish population-based follow-up study. <i>Journal of Clinical Oncology</i> , 2008 , 26, 3372-9	2.2	26
230	Distress due to unwanted side-effects of prostate cancer treatment is related to impaired well-being (quality of life). <i>Prostate Cancer and Prostatic Diseases</i> , 1998 , 1, 128-133	6.2	25

229	A population-based dietary inventory of cooked meat and assessment of the daily intake of food mutagens. <i>Food Additives and Contaminants</i> , 1999 , 16, 215-25		25
228	Oncologic Outcomes After Robot-assisted Radical Prostatectomy: A Large European Single-centre Cohort with Median 10-Year Follow-up. <i>European Urology Focus</i> , 2018 , 4, 351-359	5.1	24
227	Care at End of Life Influences Grief: A Nationwide Long-Term Follow-Up among Young Adults Who Lost a Brother or Sister to Childhood Cancer. <i>Journal of Palliative Medicine</i> , 2018 , 21, 156-162	2.2	24
226	Synergy between sexual abuse and cervical cancer in causing sexual dysfunction. <i>Journal of Sex and Marital Therapy</i> , 2005 , 31, 361-83	2.7	24
225	Aspects of misclassification of confounding factors. <i>American Journal of Industrial Medicine</i> , 1992 , 21, 107-12	2.7	24
224	Unresolved grief and its consequences. A nationwide follow-up of teenage loss of a parent to cancer 6-9 years earlier. <i>Supportive Care in Cancer</i> , 2016 , 24, 3095-103	3.9	23
223	Mean absorbed dose to the anal-sphincter region and fecal leakage among irradiated prostate cancer survivors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, e181-5	4	23
222	Testicular-cancer survivors experience compromised language following chemotherapy: findings in a Swedish population-based study 3-26 years after treatment. <i>Acta Oncologica</i> , 2012 , 51, 185-97	3.2	23
221	Identifying radiation-induced survivorship syndromes affecting bowel health in a cohort of gynecological cancer survivors. <i>PLoS ONE</i> , 2017 , 12, e0171461	3.7	23
220	Pursuing Quality in the Application of Bladder Cancer Quality of Life Research. <i>Bladder Cancer</i> , 2016 , 2, 139-149	1	23
219	Oncological and functional outcomes 1 year after radical prostatectomy for very-low-risk prostate cancer: results from the prospective LAPPRO trial. <i>BJU International</i> , 2016 , 118, 205-12	5.6	23
218	Insufficient communication and anxiety in cancer-bereaved siblings: A nationwide long-term follow-up. <i>Palliative and Supportive Care</i> , 2016 , 14, 488-94	2.5	23
217	Radiotherapy-induced vaginal fibrosis in cervical cancer survivors. <i>Acta Oncologica</i> , 2017 , 56, 661-666	3.2	22
216	Intrusive thoughts and quality of life among men with prostate cancer before and three months after surgery. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 154	3	22
215	Reply: Dietary acrylamide and cancer risk: additional data on coffee. <i>British Journal of Cancer</i> , 2003 , 89, 775-776	8.7	22
214	Body Mass Index, Diet-Related Factors, and Bladder Cancer Prognosis: A Systematic Review and Meta-Analysis. <i>Bladder Cancer</i> , 2018 , 4, 91-112	1	21
213	Pain and mean absorbed dose to the pubic bone after radiotherapy among gynecological cancer survivors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 1171-80	4	21
212	Effect of Comorbidity on Prostate Cancer-Specific Mortality: A Prospective Observational Study. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3566-3574	2.2	20

211	Sleep disturbances decrease self-assessed quality of life in individuals who have undergone cystectomy. <i>Journal of Urology</i> , 2010 , 184, 198-202	2.5	20
210	Unrelieved symptoms of female cancer patients during their last months of life and long-term psychological morbidity in their widowers: a nationwide population-based study. <i>European Journal of Cancer</i> , 2009 , 45, 1839-45	7.5	20
209	Lymphedema and bladder-emptying difficulties after radical hysterectomy for early cervical cancer and among population controls. <i>International Journal of Gynecological Cancer</i> , 2006 , 16, 1130-1139	3.5	20
208	Treatment of nausea and emesis during cancer chemotherapy. Discrepancies between antiemetic effect and well-being. <i>Journal of Pain and Symptom Management</i> , 2002 , 24, 345-58	4.8	20
207	Influence of GSTM1, GSTT1, GSTP1 and NAT2 genotypes on the p53 mutational spectrum in bladder tumours. <i>International Journal of Cancer</i> , 2005 , 113, 761-8	7.5	20
206	Urinary bladder dose-response relationships for patient-reported genitourinary morbidity domains following prostate cancer radiotherapy. <i>Radiotherapy and Oncology</i> , 2016 , 119, 117-22	5.3	20
205	Sexual function in adolescent and young adult cancer survivors-a population-based study. <i>Journal of Cancer Survivorship</i> , 2018 , 12, 450-459	5.1	19
204	Supplementary iron intake and risk of cancer: reversed causality?. <i>Cancer Letters</i> , 1997 , 114, 215-6	9.9	19
203	Dose to the anal sphincter region and risk of fecal leakage. <i>Acta Oncologica</i> , 2004 , 43, 117-8	3.2	19
202	Single high-dose dexamethasone improves the effect of ondansetron on acute chemotherapy-induced nausea and vomiting but impairs the control of delayed symptoms. <i>Supportive Care in Cancer</i> , 1996 , 4, 440-6	3.9	19
201	Sahlgrenska Academy Self-reported Cognitive Impairment Questionnaire (SASCI-Q)--a research tool discriminating between subjectively cognitively impaired patients and healthy controls. <i>International Psychogeriatrics</i> , 2013 , 25, 420-30	3.4	18
200	Loose stools lead to fecal incontinence among gynecological cancer survivors. <i>Acta Oncologica</i> , 2011 , 50, 233-42	3.2	18
199	Social support after stillbirth for prevention of maternal depression. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 1358-64	3.8	18
198	A single-nucleotide polymorphism in the XPG gene, and tumour stage, grade, and clinical course in patients with nonmuscle-invasive neoplasms of the urinary bladder. <i>BJU International</i> , 2006 , 97, 847-51	5.6	18
197	Quality of Life After Open Radical Prostatectomy Compared with Robot-assisted Radical Prostatectomy. <i>European Urology Focus</i> , 2019 , 5, 389-398	5.1	18
196	Pad use and patient reported bother from urinary leakage after radical prostatectomy. <i>Journal of Urology</i> , 2012 , 187, 196-200	2.5	17
195	Couples' communication before the wife's death to cancer and the widower's feelings of guilt or regret after the loss - a population-based investigation. <i>European Journal of Cancer</i> , 2011 , 47, 1564-70	7.5	17
194	Hematopoietic stem cell transplantation in children with cancer and the risk of long-term psychological morbidity in the bereaved parents. <i>Bone Marrow Transplantation</i> , 2011 , 46, 1063-70	4.4	17

193	Insulin glargine use and short-term incidence of breast cancer - a four-year population-based observation. <i>Acta Oncologica</i> , 2012 , 51, 400-2	3.2	17
192	Worry about one's own children, psychological well-being, and interest in psychosocial intervention. <i>Psycho-Oncology</i> , 2013 , 22, 2117-23	3.9	16
191	Patient and tumour-related factors for prediction of urinary incontinence after radical prostatectomy. <i>Scandinavian Journal of Urology</i> , 2013 , 47, 272-81	1.6	16
190	Diagnostic random bladder biopsies: reflections from a population-based cohort of 538 patients. <i>Scandinavian Journal of Urology and Nephrology</i> , 2010 , 44, 11-9		16
189	Pilot testing of methods for evaluation of acupuncture for emesis during radiotherapy: a randomised single subject experimental design. <i>Acupuncture in Medicine</i> , 2011 , 29, 94-102	1.9	16
188	Dietary supplement use patterns in men with prostate cancer: the Cancer Prostate Sweden study. <i>Annals of Oncology</i> , 2011 , 22, 967-972	10.3	16
187	Genotypes, haplotypes and diplotypes of three XPC polymorphisms in urinary-bladder cancer patients. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2010 , 694, 39-44	3.3	16
186	Towards better measurements in bereavement research: order of questions and assessed psychological morbidity. <i>Palliative Medicine</i> , 2006 , 20, 11-6	5.5	16
185	Bladder neoplasms--regions at chromosome 9 with putative tumour suppressor genes. <i>Scandinavian Journal of Urology and Nephrology</i> , 2003 , 37, 106-11		16
184	Low IL-1alpha expression in bladder cancer tissue and survival. <i>European Urology</i> , 2003 , 43, 362-8	10.2	16
183	Acid phosphatase: defining a role in androgen-independent prostate cancer. <i>Urology</i> , 1996 , 47, 719-26	1.6	16
182	International pooled study on diet and bladder cancer: the bladder cancer, epidemiology and nutritional determinants (BLEND) study: design and baseline characteristics. <i>Archives of Public Health</i> , 2016 , 74, 30	2.6	16
181	Bladder cancer: allelic deletions at and around the retinoblastoma tumor suppressor gene in relation to stage and grade. <i>Clinical Cancer Research</i> , 2000 , 6, 610-5	12.9	16
180	Co-designing a digital platform with boundary objects: bringing together heterogeneous users in healthcare. <i>Health and Technology</i> , 2019 , 9, 425-438	2.1	15
179	Patient-reported sexual toxicity after radiation therapy in long-term prostate cancer survivors. <i>British Journal of Cancer</i> , 2015 , 113, 802-8	8.7	15
178	Interobserver variability in the pathological assessment of radical prostatectomy specimens: findings of the Laparoscopic Prostatectomy Robot Open (LAPPRO) study. <i>Scandinavian Journal of Urology</i> , 2014 , 48, 160-7	1.6	15
177	Relative importance of hip and sacral pain among long-term gynecological cancer survivors treated with pelvic radiotherapy and their relationships to mean absorbed doses. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, 428-36	4	15
176	The Internet and prostate cancer patients: searching for and finding information. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007 , 41, 367-74		15

175	Introverts give up smoking more often than extraverts. <i>Personality and Individual Differences</i> , 1995 , 18, 559-560	3.3	15
174	Conditioned nausea after cancer chemotherapy and autonomic nervous system conditionability. <i>Scandinavian Journal of Psychology</i> , 1993 , 34, 318-27	2.2	15
173	Association Between Personality Characteristics and the Prevalence and Extinction of Conditioned Nausea After Chemotherapy. <i>Journal of Psychosocial Oncology</i> , 1992 , 10, 59-77	2.8	15
172	Colorectal cancer in Sweden. A descriptive epidemiologic study. <i>Acta Oncologica</i> , 1990 , 29, 855-61	3.2	15
171	90-Day readmission after radical prostatectomy—a prospective comparison between robot-assisted and open surgery. <i>Scandinavian Journal of Urology</i> , 2019 , 53, 26-33	1.6	15
170	The Virtual Clinic: Two-sided Affordances in Consultation Practice. <i>Computer Supported Cooperative Work</i> , 2019 , 28, 435-468	2.4	14
169	Radical prostatectomy, sparing of the seminal vesicles, and painful orgasm. <i>Journal of Sexual Medicine</i> , 2013 , 10, 1417-23	1.1	14
168	Polymorphisms in NQO1 and the clinical course of urinary bladder neoplasms. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007 , 41, 182-90		14
167	p53 intron 7 polymorphisms in urinary bladder cancer patients and controls. Stockholm Bladder Cancer Group. <i>Mutagenesis</i> , 2000 , 15, 57-60	2.8	14
166	Cancer in the respiratory organs of Swedish farmers. <i>Cancer</i> , 1988 , 61, 1055-8	6.4	14
165	Toward Restored Bowel Health in Rectal Cancer Survivors. <i>Seminars in Radiation Oncology</i> , 2016 , 26, 236-50	5.5	14
164	Mindfulness to increase women's awareness of fetal movements and pregnancy outcomes: a cluster-randomised controlled trial including 39865 women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 829-837	3.7	13
163	Physical activity before radical prostatectomy reduces sick leave after surgery - results from a prospective, non-randomized controlled clinical trial (LAPPRO). <i>BMC Urology</i> , 2016 , 16, 50	2.2	13
162	Psychological needs when diagnosed with testicular cancer: findings from a population-based study with long-term follow-up. <i>BJU International</i> , 2013 , 111, 1287-93	5.6	13
161	Bereaved siblings' perception of participating in research—a nationwide study. <i>Psycho-Oncology</i> , 2013 , 22, 411-6	3.9	13
160	Stillbirth and maternal well-being. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997 , 76, 849-55	3.8	13
159	When death appears best for the child with severe malignancy: a nationwide parental follow-up. <i>Palliative Medicine</i> , 2006 , 20, 567-77	5.5	13
158	Survival Among Men at High Risk of Disseminated Prostate Cancer Receiving Initial Locally Directed Radical Treatment or Initial Androgen Deprivation Therapy. <i>European Urology</i> , 2017 , 72, 345-351	10.2	12

157	Shift in translations: Data work with patient-generated health data in clinical practice. <i>Health Informatics Journal</i> , 2019 , 25, 577-586	3	12
156	Worrying about one's children after breast cancer diagnosis: desired timing of psychosocial intervention. <i>Supportive Care in Cancer</i> , 2014 , 22, 2987-95	3.9	12
155	Defecation disturbances after cystectomy for urinary bladder cancer. <i>BJU International</i> , 2011 , 108, 196-208	3.9	12
154	The nonpenetrating telescopic sham needle may blind patients with different characteristics and experiences when treated by several therapists. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 185034	2.3	12
153	Prostate carcinoma and long term survival. <i>Cancer</i> , 1997 , 80, 748-752	6.4	12
152	Prognostic significance of homozygous deletions and multiple duplications at the CDKN2A (p16INK4a)/ARF (p14ARF) locus in urinary bladder cancer. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006 , 40, 363-9		12
151	Prognostic and treatment-predictive factors-is there a difference?. <i>Prostate Cancer and Prostatic Diseases</i> , 2000 , 3, 265-268	6.2	12
150	Prevention and treatment of urothelial premalignant and malignant lesions. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000 , 116-35		12
149	Functional and Oncological Outcomes After Open Versus Robot-assisted Laparoscopic Radical Prostatectomy for Localised Prostate Cancer: 8-Year Follow-up. <i>European Urology</i> , 2021 , 80, 650-660	10.2	12
148	Inter-institutional analysis demonstrates the importance of lower than previously anticipated dose regions to prevent late rectal bleeding following prostate radiotherapy. <i>Radiotherapy and Oncology</i> , 2018 , 127, 88-95	5.3	11
147	Cancer survivors' perception of participation in a long-term follow-up study. <i>Journal of Medical Ethics</i> , 2013 , 39, 41-5	2.5	11
146	Psychological morbidity among suicide-bereaved and non-bereaved parents: a nationwide population survey. <i>BMJ Open</i> , 2013 , 3, e003108	3	11
145	A population-based series of uterine carcinosarcomas with long-term follow-up. <i>Acta Oncologica</i> , 2013 , 52, 759-66	3.2	11
144	Low preparedness before the loss of a wife to cancer and the widower's chronic pain 4-5 years later-a population-based study. <i>Psycho-Oncology</i> , 2013 , 22, 2763-70	3.9	11
143	Variation in position and volume of organs at risk in the small pelvis. <i>Acta Oncologica</i> , 2010 , 49, 491-9	3.2	11
142	Guilt after the loss of a husband to cancer: is there a relation with the health care provided?. <i>Acta Oncologica</i> , 2008 , 47, 870-8	3.2	11
141	Economic conditions and marriage quality of men with prostate cancer. <i>BJU International</i> , 2007 , 99, 1391-7	3.7	11
140	Need for and access to bereavement support after loss of a husband to urologic cancers: a nationwide follow-up of Swedish widows. <i>Scandinavian Journal of Urology and Nephrology</i> , 2005 , 39, 271-6		11

139	Ethnic variation in genotype frequencies of a p53 intron 7 polymorphism. <i>Mutagenesis</i> , 2001 , 16, 475-8	2.8	11
138	A rapid fluorescence based multiplex polymerase chain reaction--single-strand conformation polymorphism method for p53 mutation detection. <i>Electrophoresis</i> , 2000 , 21, 2335-42	3.6	11
137	Impact of tumour burden on chemotherapy-induced nausea and vomiting. <i>British Journal of Cancer</i> , 1996 , 74, 1114-9	8.7	11
136	Psychic and social consequences of women in relation to memories of a stillborn child: a pilot study. <i>Gynecologic and Obstetric Investigation</i> , 1996 , 41, 194-8	2.5	11
135	Aspects of patient care. <i>Cancer Nursing</i> , 1992 , 15, 54-60	2.6	11
134	Role of the thymus in generation of lymphocyte functions. I. Demonstration of lymphocytes reactive to mitogens and allogeneic cells in the embryonic mouse thymus in organ culture. <i>Scandinavian Journal of Immunology</i> , 1976 , 5, 901-7	3.4	11
133	Rationale, study protocol and the cluster randomization process in a controlled trial including 40,000 women investigating the effects of mindfetalness. <i>Sexual and Reproductive Healthcare</i> , 2016 , 10, 56-61	2.4	11
132	Psychological Well-being and Private and Professional Psychosocial Support After Prostate Cancer Surgery: A Follow-up at 3, 12, and 24 Months After Surgery. <i>European Urology Focus</i> , 2016 , 2, 418-425	5.1	11
131	Self-Perceived Physical Attractiveness in Relation to Scars Among Adolescent and Young Adult Cancer Survivors: A Population-Based Study. <i>Journal of Adolescent and Young Adult Oncology</i> , 2018 , 7, 358-366	2.2	10
130	Dose-response relationships for an atomized symptom of fecal incontinence after gynecological radiotherapy. <i>Acta Oncologica</i> , 2013 , 52, 719-26	3.2	10
129	The choice between a therapy-induced long-term symptom and shortened survival due to prostate cancer. <i>European Urology</i> , 2006 , 50, 280-9	10.2	10
128	Low interleukin-1alpha messenger RNA levels predict decreased overall survival time of patients with urinary bladder carcinoma. <i>British Journal of Cancer</i> , 2001 , 84, 329-34	8.7	10
127	Conservative management of localized prostatic cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1992 , 15, 446-52	2.7	10
126	Viewing the body after bereavement due to suicide: a population-based survey in Sweden. <i>PLoS ONE</i> , 2014 , 9, e101799	3.7	10
125	Defecation into clothing without forewarning and mean radiation dose to bowel and anal-sphincter among gynecological cancer survivors. <i>Acta Oncologica</i> , 2016 , 55, 1285-1293	3.2	10
124	Habits and self-assessed quality of life, negative intrusive thoughts and depressed mood in patients with prostate cancer: a longitudinal study. <i>Scandinavian Journal of Urology</i> , 2017 , 51, 353-359	1.6	9
123	Outcome after BCG treatment for urinary bladder cancer may be influenced by polymorphisms in the NOS2 and NOS3 genes. <i>Redox Biology</i> , 2015 , 6, 272-277	11.3	9
122	Losing a parent to cancer as a teenager: Family cohesion in childhood, teenage, and young adulthood as perceived by bereaved and non-bereaved youths. <i>Psycho-Oncology</i> , 2019 , 28, 1845-1853	3.9	9

121	Urethral pain among prostate cancer survivors 1 to 14 years after radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 85, e29-37	4	9
120	Hygiene and urinary tract infections after cystectomy in 452 Swedish survivors of bladder cancer. <i>BJU International</i> , 2010 , 105, 1107-17	5.6	9
119	Holding a stillborn baby: mothers' feelings of tenderness and grief. <i>British Journal of Midwifery</i> , 2009 , 17, 178-180	0.3	9
118	The prevalence of loss of heterozygosity in chromosome 3, including FHIT, in bladder cancer, using the fluorescent multiplex polymerase chain reaction. <i>BJU International</i> , 2001 , 87, 876-81	5.6	9
117	Surgeon heterogeneity significantly affects functional and oncological outcomes after radical prostatectomy in the Swedish LAPPRO trial. <i>BJU International</i> , 2021 , 127, 361-368	5.6	9
116	The association between coffee consumption and bladder cancer in the bladder cancer epidemiology and nutritional determinants (BLEND) international pooled study. <i>Cancer Causes and Control</i> , 2019 , 30, 859-870	2.8	8
115	Suicide-bereaved siblings' perception of health services. <i>Death Studies</i> , 2015 , 39, 323-31	3.9	8
114	Segmented regression, a versatile tool to analyze mRNA levels in relation to DNA copy number aberrations. <i>Genes Chromosomes and Cancer</i> , 2012 , 51, 77-82	5	8
113	A novel mouse model of radiation-induced cancer survivorship diseases of the gut. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, G456-G466	5.1	8
112	Radiation Therapy to the Plexus Brachialis in Breast Cancer Patients: Analysis of Paresthesia in Relation to Dose and Volume. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 277-83	4	8
111	Radiation Dose to the Penile Structures and Patient-Reported Sexual Dysfunction in Long-Term Prostate Cancer Survivors. <i>Journal of Sexual Medicine</i> , 2015 , 12, 2388-97	1.1	8
110	Patient-reported genitourinary toxicity for long-term prostate cancer survivors treated with radiation therapy. <i>British Journal of Cancer</i> , 2013 , 108, 1964-70	8.7	8
109	Regional differences in local recurrence rates after rectal cancer surgery. <i>Colorectal Disease</i> , 2010 , 12, e206-15	2.1	8
108	Interviewer variability - quality aspects in a case-control study. <i>European Journal of Epidemiology</i> , 2006 , 21, 267-77	12.1	8
107	Adherence to medication: A nation-wide study from the Children's Cancer Hospital, Egypt. <i>World Journal of Psychiatry</i> , 2013 , 3, 25-33	3	8
106	Risk structures for radiation-induced trismus in head and neck cancer. <i>Acta Oncologica</i> , 2016 , 55, 788-92	3.2	8
105	Reduced Need for Rescue Antiemetics and Improved Capacity to Eat in Patients Receiving Acupuncture Compared to Patients Receiving Sham Acupuncture or Standard Care during Radiotherapy. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 5806351	2.3	7
104	Social constraints and psychological well-being after prostate cancer: A follow-up at 12 and 24 months after surgery. <i>Psycho-Oncology</i> , 2018 , 27, 668-675	3.9	7

103	Cancer disclosure-account from a pediatric oncology ward in Egypt. <i>Psycho-Oncology</i> , 2017 , 26, 679-685	3.9	7
102	A diagnostic algorithm to identify paired tumors with clonal origin. <i>Genes Chromosomes and Cancer</i> , 2013 , 52, 1007-16	5	7
101	The (CCTTT) _n microsatellite polymorphism in the nitric oxide synthase 2 gene may influence bladder cancer pathogenesis. <i>Journal of Urology</i> , 2010 , 184, 2150-7	2.5	7
100	Emesis and gastrointestinal problems during radiotherapy: a comparison of performance of daily activities between patients experiencing nausea and patients free from nausea. <i>European Journal of Oncology Nursing</i> , 2010 , 14, 359-66	2.8	7
99	Dietary Oat Bran Reduces Systemic Inflammation in Mice Subjected to Pelvic Irradiation. <i>Nutrients</i> , 2020 , 12,	6.7	7
98	A Factor Analysis Approach for Clustering Patient Reported Outcomes. <i>Methods of Information in Medicine</i> , 2016 , 55, 431-439	1.5	7
97	Preparedness for side effects and bother in symptomatic men after radical prostatectomy in a prospective, non-randomized trial, LAPPRO. <i>Acta Oncologica</i> , 2016 , 55, 1467-1476	3.2	7
96	Spirituality and religious coping are related to cancer-bereaved siblings' long-term grief. <i>Palliative and Supportive Care</i> , 2019 , 17, 138-142	2.5	7
95	Assessing the human intake of heterocyclic amines: limited loss of information using reduced sets of questions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1999 , 8, 809-14	4	7
94	Late radiation-induced bowel syndromes, tobacco smoking, age at treatment and time since treatment - gynecological cancer survivors. <i>Acta Oncologica</i> , 2017 , 56, 682-691	3.2	6
93	Long-term mucosal injury and repair in a murine model of pelvic radiotherapy. <i>Scientific Reports</i> , 2019 , 9, 13803	4.9	6
92	Distrust in the End-of-Life Care Provided to a Parent and Long-Term Negative Outcomes Among Bereaved Adolescents: A Population-Based Survey Study. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3136-3142	2.2	6
91	Intravesical BCG treatment causes a long-lasting reduction of recurrence and progression in patients with high-risk non-muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2019 , 37, 155-163	4	6
90	Perceptions of a mental health questionnaire: the ethics of using population-based controls. <i>Journal of Medical Ethics</i> , 2008 , 34, 545-7	2.5	6
89	Localized prostate cancer and 30 years of follow-up in a population-based setting. <i>Prostate Cancer and Prostatic Diseases</i> , 2000 , 3, 37-42	6.2	6
88	Control of cisplatin induced emesis--a multidisciplinary intervention strategy. <i>Medical Oncology and Tumor Pharmacotherapy</i> , 1992 , 9, 81-6		6
87	Vesicourethral Anastomotic Stenosis After Open or Robot-assisted Laparoscopic Retropubic Prostatectomy-Results from the Laparoscopic Prostatectomy Robot Open Trial. <i>European Urology Focus</i> , 2021 , 7, 317-324	5.1	6
86	Quality of Life after Radical Prostatectomy or Watchful Waiting With or Without Androgen Deprivation Therapy: The SPCG-4 Randomized Trial. <i>European Urology Oncology</i> , 2018 , 1, 134-142	6.7	6

85	Intake of citrus fruits and vegetables and the intensity of defecation urgency syndrome among gynecological cancer survivors. <i>PLoS ONE</i> , 2019 , 14, e0208115	3.7	5
84	Patient-reported gastrointestinal symptoms among long-term survivors after radiation therapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2014 , 112, 237-43	5.3	5
83	Long-term mental health of men who lose a wife to cancer--a population-based follow-up. <i>Psycho-Oncology</i> , 2013 , 22, 352-61	3.9	5
82	Reliability of assessment of urgency and other symptoms indicating anal sphincter, large bowel or urinary dysfunction. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006 , 40, 397-408		5
81	Effect of chemotherapy on circulating gastrointestinal hormone levels in ovarian cancer patients: relationship to nausea and vomiting. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 654-61	2.4	5
80	Distinguishing prognostic and treatment-predictive information for localized prostate cancer. <i>Urology</i> , 1995 , 45, 610-5	1.6	5
79	Bias due to observation of different parts of a nonconstant hazard curve over time. <i>Urology</i> , 1996 , 48, 105-9	1.6	5
78	Distressful Symptoms and Well-being After Radical Cystectomy and Orthotopic Bladder Substitution Compared With a Matched Control Population. <i>Journal of Urology</i> , 2002 , 168-175	2.5	5
77	Modeling the Complex Exposure History of Smoking in Predicting Bladder Cancer: A Pooled Analysis of 15 Case-Control Studies. <i>Epidemiology</i> , 2019 , 30, 458-465	3.1	5
76	How badly did it hit? Self-assessed emotional shock upon prostate cancer diagnosis and psychological well-being: a follow-up at 3, 12, and 24 months after surgery. <i>Acta Oncologica</i> , 2017 , 56, 984-990	3.2	4
75	Care-related predictors for negative intrusive thoughts after prostate cancer diagnosis-data from the prospective LAPPRO trial. <i>Psycho-Oncology</i> , 2017 , 26, 1749-1757	3.9	4
74	Time-dependent dose-response relation for absence of vaginal elasticity after gynecological radiation therapy. <i>Radiotherapy and Oncology</i> , 2016 , 120, 537-541	5.3	4
73	Perception of body odor-an overlooked consequence of long-term gastrointestinal and urinary symptoms after radiation therapy for prostate cancer. <i>Journal of Cancer Survivorship</i> , 2013 , 7, 652-8	5.1	4
72	'Local recurrence' and 'disease-free survival'. Doubtful parameters when comparing non-randomized studies of prostate cancer. <i>Scandinavian Journal of Urology and Nephrology, Supplement</i> , 1991 , 138, 121-6		4
71	Patient-rating of distressful symptoms after treatment for early cervical cancer 2002 , 81, 443		4
70	Identifying female pelvic cancer survivors with low levels of physical activity after radiotherapy: women with fecal and urinary leakage need additional support. <i>Supportive Care in Cancer</i> , 2020 , 28, 2669-2681	3.9	4
69	Corrigendum re: "Urinary Incontinence and Erectile Dysfunction After Robotic Versus Open Radical Prostatectomy: A Prospective, Controlled, Nonrandomised Trial" [Eur Urol 2015;68:216-25]. <i>European Urology</i> , 2017 , 72, e81-e82	10.2	3
68	Radiation physiology - evidence for a higher biological effect of 24 Gy in four fractions as compared to three. <i>Acta Oncologica</i> , 2017 , 56, 1240-1243	3.2	3

67	Agreement between patient reported outcomes and clinical reports after radical prostatectomy - a prospective longitudinal study. <i>BMC Urology</i> , 2019 , 19, 35	2.2	3
66	Increasing preparedness for caregiving and death in family caregivers of patients with severe illness who are cared for at home - study protocol for a web-based intervention. <i>BMC Palliative Care</i> , 2020 , 19, 33	3	3
65	Authors' reply to Roach. <i>BMJ, The</i> , 2014 , 348, g2271	5.9	3
64	Complementary and alternative medicine self-care strategies for nausea in patients undergoing abdominal or pelvic irradiation for cancer: A longitudinal observational study of implementation in routine care. <i>Complementary Therapies in Medicine</i> , 2017 , 34, 141-148	3.5	3
63	Thinking about one's own death after prostate-cancer diagnosis. <i>Supportive Care in Cancer</i> , 2018 , 26, 1665-1673	3.9	3
62	A method to estimate composite doses for organs at risk in prostate cancer patients treated with EBRT in combination with HDR BT. <i>Acta Oncologica</i> , 2014 , 53, 815-21	3.2	3
61	1783 INDIVIDUALIZED ESTIMATION OF THE BENEFIT OF RADICAL PROSTATECTOMY: DATA FROM SPCG4, THE SCANDINAVIAN RANDOMIZED TRIAL OF RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2011 , 185,	2.5	3
60	Predictors for the symptomatic prostate cancer patient's delays in seeking care. <i>European Journal of Cancer</i> , 2008 , 44, 733-9	7.5	3
59	Measuring errors and non-participation in a nation-wide study of stillbirth. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1999 , 78, 592-598	3.8	3
58	Mesothelioma among sugar refinery workers. <i>Lancet, The</i> , 1983 , 2, 1503	4.0	3
57	Aspects of patient care. Interviews with relapse-free testicular cancer patients in Stockholm. <i>Cancer Nursing</i> , 1992 , 15, 54-60	2.6	3
56	Accurate prediction tools in prostate cancer require consistent assessment of included variables. <i>Scandinavian Journal of Urology</i> , 2016 , 50, 260-6	1.6	3
55	Decision-support system for cancer rehabilitation 2018 ,		3
54	Encountering the Body at the Site of the Suicide: A Population-Based Survey in Sweden. <i>Suicide and Life-Threatening Behavior</i> , 2017 , 47, 38-47	3.9	2
53	A data mining approach to investigate food groups related to incidence of bladder cancer in the BLadder cancer Epidemiology and Nutritional Determinants International Study. <i>British Journal of Nutrition</i> , 2020 , 124, 611-619	3.6	2
52	Dose-response relationships of the sigmoid for urgency syndrome after gynecological radiotherapy. <i>Acta Oncologica</i> , 2018 , 57, 1352-1358	3.2	2
51	Identifying Groups of Patient-Reported Gastro-Intestinal Symptoms Using Factor Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, S854	4	2
50	Integrative genomics with mediation analysis in a survival context. <i>Computational and Mathematical Methods in Medicine</i> , 2013 , 2013, 413783	2.8	2

49	Re: Immediate risk of suicide and cardiovascular death after a prostate cancer diagnosis: cohort study in the United States. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 1447-8; author reply 1448	9.7	2
48	Aspects of delayed chemotherapy-induced nausea. Dexamethasone and adrenal response patterns in patients and healthy volunteers. <i>Supportive Care in Cancer</i> , 2000 , 8, 431-4	3.9	2
47	Effects of ondansetron on chemotherapy-induced acute and delayed emesis--a pilot study. <i>Acta Oncologica</i> , 1991 , 30, 649-51	3.2	2
46	Long-term cognitive function among testicular cancer survivors treated with chemotherapy. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5035-5035	2.2	2
45	Depression among Parents Two to Six Years Following the Loss of a Child by Suicide: A Novel Prediction Model. <i>PLoS ONE</i> , 2016 , 11, e0164091	3.7	2
44	Risk of Recurrent Disease 6 Years After Open or Robotic-assisted Radical Prostatectomy in the Prospective Controlled Trial LAPPRO. <i>European Urology Open Science</i> , 2020 , 20, 54-61	0.9	2
43	Urinary continence recovery and oncological outcomes after surgery for prostate cancer analysed by risk category: results from the LAParoscopic prostatectomy robot and open trial. <i>World Journal of Urology</i> , 2021 , 39, 3239-3249	4	2
42	Associations between intraoperative factors and surgeons' self-assessed operative satisfaction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 61-68	5.2	2
41	Risk of hernia formation after radical prostatectomy: a comparison between open and robot-assisted laparoscopic radical prostatectomy within the prospectively controlled LAPPRO trial. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2020 , 1	3.2	2
40	Degree of Preservation of Neurovascular Bundles in Radical Prostatectomy and Recurrence of Prostate Cancer. <i>European Urology Open Science</i> , 2021 , 30, 25-33	0.9	2
39	PD15-07 ERECTILE-FUNCTION AND ONCOLOGIC OUTCOMES AFTER OPEN RETROPUBIC AND ROBOT-ASSISTED RADICAL PROSTATECTOMY: RESULTS FROM A LARGE, PROSPECTIVE SWEDISH TRIAL. <i>Journal of Urology</i> , 2017 , 197,	2.5	1
38	Supporting self-management of radiation-induced bowel and bladder dysfunction in pelvic-cancer rehabilitation: An ethnographic study. <i>Journal of Clinical Nursing</i> , 2019 , 28, 2624-2634	3.2	1
37	Contouring pudendal nerves. <i>Acta Oncologica</i> , 2018 , 57, 438-439	3.2	1
36	1000 PROGNOSTIC SIGNIFICANCE OF LENGTH OF POSITIVE SURGICAL MARGINS ON BIOCHEMICAL RECURRENCE AFTER ROBOTIC-ASSISTED RADICAL PROSTATECTOMY IN A SINGLE CENTER WITH MINIMUM FOLLOW-UP OF FIVE YEARS. <i>Journal of Urology</i> , 2013 , 189,	2.5	1
35	A Novel 18-Marker Panel Predicting Clinical Outcome in Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1619-1628	4	1
34	Partnership status affects the association between gastrointestinal symptoms and quality of life after radiation therapy for prostate cancer. <i>Acta Oncologica</i> , 2014 , 53, 378-84	3.2	1
33	1107 EFFECT OF RADICAL PROSTATECTOMY ON PENILE SHORTENING. <i>Journal of Urology</i> , 2011 , 185,	2.5	1
32	Bladder cancer in Sweden. <i>Medical Oncology</i> , 1997 , 14, 141-3	3.7	1

31	Factors modifying the risk of acute and conditioned nausea and vomiting in ovarian-cancer patients. <i>International Journal of Oncology</i> , 1994 , 4, 695-701	1	1
30	The unrecognised cost of cancer patients' unrelieved symptoms:a nationwide follow-up of their surviving partners		1
29	DEFERRED TREATMENT OF LOCALLY ADVANCED NONMETASTATIC PROSTATE CANCER. <i>Journal of Urology</i> , 1999 , 505-508	2.5	1
28	Hospital readmissions after limited vs. extended lymph node dissection during open and robot-assisted radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 5.e1-5.e8	2.8	1
27	Do negative intrusive thoughts at diagnosis predict impaired quality of life, depressed mood and waking up with anxiety 3, 12 and 24 months after radical prostatectomy? - a longitudinal study. <i>Scandinavian Journal of Urology</i> , 2020 , 54, 220-226	1.6	1
26	Nurses' work practices in design: managing the complexity of pain. <i>Journal of Workplace Learning</i> , 2020 , 32, 135-146	1.4	1
25	Acute and long-term grief reactions and experiences in parentally cancer-bereaved teenagers. <i>BMC Palliative Care</i> , 2021 , 20, 75	3	1
24	Development and Validation of a Mobile Phone Application Developed for Measuring Dietary Fiber Intake. <i>Nutrients</i> , 2021 , 13,	6.7	1
23	Cohort profile: an observational longitudinal data collection of health aspects in a cohort of female cancer survivors with a history of pelvic radiotherapy-a population-based cohort in the western region of Sweden. <i>BMJ Open</i> , 2021 , 11, e049479	3	1
22	Dietary Fiber and the Hippocampal Neurogenic Niche in a Model of Pelvic Radiotherapy. <i>Neuroscience</i> , 2021 , 475, 137-147	3.9	1
21	Measuring errors and non-participation in a nation-wide study of stillbirth. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1999 , 78, 592-8	3.8	1
20	Changing Categorical Work in Healthcare: the Use of Patient-Generated Health Data in Cancer Rehabilitation. <i>Computer Supported Cooperative Work</i> , 2020 , 29, 563-586	2.4	0
19	Erectile function after robotic nerve sparing and semi-sparing of the neurovascular bundles. <i>Journal of Robotic Surgery</i> , 2007 , 1, 191-5	2.9	0
18	A Preparatory Study for a Randomized Controlled Trial of Dietary Fiber Intake During Adult Pelvic Radiotherapy.. <i>Frontiers in Nutrition</i> , 2021 , 8, 756485	6.2	0
17	Frequent Stools Were Related to Reduced Quality of Life and Capacity in Daily Activities: Weekly Observations During and After Pelvic or Abdominal Radiotherapy. <i>Cancer Nursing</i> , 2020 , 43, 478-488	2.6	0
16	Adolescent and young adult cancer survivors' perceptions of participating in a survey - Ethical and methodological considerations. <i>European Journal of Oncology Nursing</i> , 2019 , 39, 55-61	2.8	
15	Elastase as a potential biomarker for radiation-induced gut wall injury of the distal bowel in an experimental mouse model. <i>Acta Oncologica</i> , 2018 , 57, 1025-1030	3.2	
14	Response and Rebuttal to Editorial Comment on Radiation Dose to the Penile Structures and Patient-Reported Sexual Dysfunction in Long-Term Prostate Cancer Survivors. <i>Journal of Sexual Medicine</i> , 2015 , 12, 2400	1.1	

- 13 Evaluation of long-term effects of radiotherapy. *Radiotherapy and Oncology*, **2011**, 99, 99-100 5.3
- 12 Can radical prostatectomy prevent and improve lower urinary tract symptoms?. *Nature Reviews Urology*, **2008**, 5, 304-5
- 11 Comments from the authors. *BJU International*, **2003**, 91, 330-330 5.6
- 10 Measuring errors and non-participation in a nation-wide study of stillbirth. *Acta Obstetrica Et Gynecologica Scandinavica*, **1999**, 78, 592-598 3.8
- 9 Recent results of management of palpable clinically localized prostate cancer. *Cancer*, **1994**, 73, 2006-8 6.4
- 8 Reply to Wei Zhang So, Ziting Wang, and Ho Yee Tiong's Letter to the Editor re: Anna Lantz, David Bock, Olof Akre, et al. Functional and Oncological Outcomes After Open Versus Robot-assisted Laparoscopic Radical Prostatectomy for Localised Prostate Cancer: 8-Year Follow-up. *Eur Urol* **2021**, *80*:650-60. *European Urology*, **2021**, 81, e43-e43 10.2
- 7 Lack of Trust in the Health-Care System After Losing a Child to Suicide. *Crisis*, **2015**, 36, 161-72 2.8
- 6 Quality of Life and Management of Localized Disease **2013**, 615-619
- 5 Methodology Aspects of Nausea Measuring During Pelvic Radiotherapy: Daily Nausea Measuring Is Successful to Identify Patients Experiencing Nausea. *Cancer Nursing*, **2020**, 43, 93-104 2.6
- 4 Dose-response relationships of intestinal organs and excessive mucus discharge after gynaecological radiotherapy. *PLoS ONE*, **2021**, 16, e0250004 3.7
- 3 Disability pension among gynaecological cancer survivors with or without radiation-induced survivorship syndromes. *Journal of Cancer Survivorship*, **2021**, 1 5.1
- 2 Irradiation Induces Tuft Cell Hyperplasia and Myenteric Neuronal Loss in the Absence of Dietary Fiber in a Mouse Model of Pelvic Radiotherapy. *Gastroenterology Insights*, **2022**, 13, 87-102 2.1
- 1 Learning curve for robot-assisted laparoscopic radical prostatectomy in a large prospective multicentre study.. *Scandinavian Journal of Urology*, **2022**, 1-9 1.6