Gunnar Steineck

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2771770/gunnar-steineck-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65 118 17,358 390 h-index g-index citations papers 6.23 438 19,334 5.4 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
390	Irradiation Induces Tuft Cell Hyperplasia and Myenteric Neuronal Loss in the Absence of Dietary Fiber in a Mouse Model of Pelvic Radiotherapy. <i>Gastroenterology Insights</i> , 2022 , 13, 87-102	2.1	
389	Learning curve for robot-assisted laparoscopic radical prostatectomy in a large prospective multicentre study <i>Scandinavian Journal of Urology</i> , 2022 , 1-9	1.6	
388	A Preparatory Study for a Randomized Controlled Trial of Dietary Fiber Intake During Adult Pelvic Radiotherapy <i>Frontiers in Nutrition</i> , 2021 , 8, 756485	6.2	О
387	Reply to Wei Zhang So, Ziting Wang, and Ho Yee Tiong's Letter to the Editor re: Anna Lantz, David Bock, Olof Akre, et al. Functional and Oncological Outcomes After Open Versus Robot-assisted Laparoscopic Radical Prostatectomy for Localised Prostate Cancer: 8-Year Follow-up. Eur Urol	10.2	
386	Urinary continence recovery and oncological outcomes after surgery for prostate cancer analysed by risk category: results from the LAParoscopic prostatectomy robot and open trial. <i>World Journal of Urology</i> , 2021 , 39, 3239-3249	4	2
385	Dose-response relationships of intestinal organs and excessive mucus discharge after gynaecological radiotherapy. <i>PLoS ONE</i> , 2021 , 16, e0250004	3.7	
384	Acute and long-term grief reactions and experiences in parentally cancer-bereaved teenagers. <i>BMC Palliative Care</i> , 2021 , 20, 75	3	1
383	Development and Validation of a Mobile Phone Application Developed for Measuring Dietary Fiber Intake. <i>Nutrients</i> , 2021 , 13,	6.7	1
382	Cohort profile: an observational longitudinal data collection of health aspects in a cohort of female cancer survivors with a history of pelvic radiotherapy-a population-based cohort in the western region of Sweden. <i>BMJ Open</i> , 2021 , 11, e049479	3	1
381	Surgeon heterogeneity significantly affects functional and oncological outcomes after radical prostatectomy in the Swedish LAPPRO trial. <i>BJU International</i> , 2021 , 127, 361-368	5.6	9
380	Vesicourethral Anastomotic Stenosis After Open or Robot-assisted Laparoscopic Retropubic Prostatectomy-Results from the Laparoscopic Prostatectomy Robot Open Trial. <i>European Urology Focus</i> , 2021 , 7, 317-324	5.1	6
379	Degree of Preservation of Neurovascular Bundles in Radical Prostatectomy and Recurrence of Prostate Cancer. <i>European Urology Open Science</i> , 2021 , 30, 25-33	0.9	2
378	Disability pension among gynaecological cancer survivors with or without radiation-induced survivorship syndromes. <i>Journal of Cancer Survivorship</i> , 2021 , 1	5.1	
377	Functional and Oncological Outcomes After Open Versus Robot-assisted Laparoscopic Radical Prostatectomy for Localised Prostate Cancer: 8-Year Follow-up. <i>European Urology</i> , 2021 , 80, 650-660	10.2	12
376	Dietary Fiber and the Hippocampal Neurogenic Niche in a Model of Pelvic Radiotherapy. <i>Neuroscience</i> , 2021 , 475, 137-147	3.9	1
375	Changing Categorical Work in Healthcare: the Use of Patient-Generated Health Data in Cancer Rehabilitation. <i>Computer Supported Cooperative Work</i> , 2020 , 29, 563-586	2.4	O
374	Increasing preparedness for caregiving and death in family caregivers of patients with severe illness who are cared for at home - study protocol for a web-based intervention. <i>BMC Palliative Care</i> , 2020 , 19, 33	3	3

(2019-2020)

Mindfetalness to increase women's awareness of fetal movements and pregnancy outcomes: a cluster-randomised controlled trial including 39 1865 women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 829-837	3.7	13
A data mining approach to investigate food groups related to incidence of bladder cancer in the BLadder cancer Epidemiology and Nutritional Determinants International Study. <i>British Journal of Nutrition</i> , 2020 , 124, 611-619	3.6	2
Identifying female pelvic cancer survivors withllow levels of physical activity after radiotherapy: women with Fecal and urinary leakage need additional support. Supportive Care in Cancer, 2020, 28, 2669	³ 2681	4
Hospital readmissions after limited vs. extended lymph node dissection during open and robot-assisted radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 5.e1-5.e8	2.8	1
Methodology Aspects of Nausea Measuring During Pelvic Radiotherapy: Daily Nausea Measuring Is Successful to Identify Patients Experiencing Nausea. <i>Cancer Nursing</i> , 2020 , 43, 93-104	2.6	
Do negative intrusive thoughts at diagnosis predict impaired quality of life, depressed mood and waking up with anxiety 3, 12 and 24 months after radical prostatectomy? - a longitudinal study. <i>Scandinavian Journal of Urology</i> , 2020 , 54, 220-226	1.6	1
Risk of Recurrent Disease 6 Years After Open or Robotic-assisted Radical Prostatectomy in the Prospective Controlled Trial LAPPRO. <i>European Urology Open Science</i> , 2020 , 20, 54-61	0.9	2
NursesIwork practices in design: managing the complexity of pain. <i>Journal of Workplace Learning</i> , 2020 , 32, 135-146	1.4	1
Frequent Stools Were Related to Reduced Quality of Life and Capacity in Daily Activities: Weekly Observations During and After Pelvic or Abdominal Radiotherapy. <i>Cancer Nursing</i> , 2020 , 43, 478-488	2.6	0
Dietary Oat Bran Reduces Systemic Inflammation in Mice Subjected to Pelvic Irradiation. <i>Nutrients</i> , 2020 , 12,	6.7	7
Associations between intraoperative factors and surgeons' self-assessed operative satisfaction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 61-68	5.2	2
The natural history of untreated muscle-invasive bladder cancer. <i>BJU International</i> , 2020 , 125, 270-275	5.6	37
Risk of hernia formation after radical prostatectomy: a comparison between open and robot-assisted laparoscopic radical prostatectomy within the prospectively controlled LAPPRO trial. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2020 , 1	3.2	2
Co-designing a digital platform with boundary objects: bringing together heterogeneous users in healthcare. <i>Health and Technology</i> , 2019 , 9, 425-438	2.1	15
Long-term mucosal injury and repair in a murine model of pelvic radiotherapy. <i>Scientific Reports</i> , 2019 , 9, 13803	4.9	6
Intake of citrus fruits and vegetables and the intensity of defecation urgency syndrome among gynecological cancer survivors. <i>PLoS ONE</i> , 2019 , 14, e0208115	3.7	5
The association between coffee consumption and bladder cancer in the bladder cancer epidemiology and nutritional determinants (BLEND) international pooled study. <i>Cancer Causes and Control</i> , 2019 , 30, 859-870	2.8	8
Agreement between patient reported outcomes and clinical reports after radical prostatectomy - a prospective longitudinal study. <i>BMC Urology</i> , 2019 , 19, 35	2.2	3
	cluster-randomised controlled trial including 39/86s women. <i>BJOG:</i> an international Journal of Obstetrics and Cynaecology, 2020, 127, 829-837 A data mining approach to investigate food groups related to incidence of bladder cancer in the BLadder cancer Epidemiology and Nutritional Determinants International Study. <i>British Journal of Nutrition</i> , 2020, 124, 611-619 Identifying female pelvic cancer survivors withflow levels offphysical activity after radiotherapy: women withfrecal andfurinary leakage need additional support. <i>Supportive Care in Cancer</i> , 2020, 28, 2669 Hospital readmissions after limited vs. extended lymph node dissection during open and robot-assisted radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 5-e1-5-e8 Methodology Aspects of Nausea Measuring During Pelvic Radiotherapy: Daily Nausea Measuring Is Successful to Identify Patients Experiencing Nausea. <i>Cancer Nursing</i> , 2020, 43, 93-104 Do negative intrusive thoughts at diagnosis predict impaired quality of life, depressed mood and waking up with anxiety 3, 12 and 24 months after radical prostatectomy? - a longitudinal study. <i>Scandinavian Journal of Urology</i> , 2020, 54, 220-226 Risk of Recurrent Disease 6 Years After Open or Robotic-assisted Radical Prostatectomy in the Prospective Controlled Trial LAPPRO. <i>European Urology Open Science</i> , 2020, 20, 54-61 Frequent Stools Were Related to Reduced Quality of Life and Capacity in Daily Activities: Weekly Observations During and After Pelvic or Abdominal Radiotherapy. <i>Cancer Nursing</i> , 2020, 43, 478-488 Dietary Oat Bran Reduces Systemic Inflammation in Mice Subjected to Pelvic Irradiation. <i>Nutrients</i> , 2020, 12, 315-146 The natural history of untreated muscle-invasive bladder cancer. <i>BJU International</i> , 2020, 125, 270-275 Risk of hernia formation after radical prostatectomy within the prospectively controlled LAPPRO trial. <i>Hernia: the Journal of Hernics and Abdominal Wall Surgery</i> , 2020, 1 Co-designing a digital platform with boundary objects: b	cluster-randomised controlled trial including 39/856 women. <i>BJOG: an International Journal of Obstetrics and Cynaecology</i> , 2020, 127, 829-837 A data mining approach to investigate food groups related to incidence of bladder cancer in the BLadder cancer Epidemiology and Nutritional Determinants International Study. <i>British Journal of Nutrition</i> , 2020, 124, 611-619 Identifying female pelvic cancer survivors withlow levels of physical activity after radiotherapy: women with fecal and dirrinary leakage need additional support. <i>Supportive Care in Cancer</i> , 2020, 28, 2669-2681 Hospital readmissions after limited vs. extended lymph node dissection during open and robot-assisted radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 28, 38, 5-e1-5-88 Methodology Aspects of Nausea Measuring During Pelvic Radiotherapy: Daily Nausea Measuring Is Successful to Identify Patients Experiencing Nausea. <i>Cancer Nursing</i> , 2020, 43, 93-104 Do negative intrusive thoughts at diagnosis predict impaired quality of life, depressed mood and waking up with anxiety 3, 12 and 24 months after radical prostatectomy? – a longitudinal study. <i>Scandinavian Journal of Urology</i> , 2020, 54, 220-226 Risk of Recurrent Disease 6 Years After Open or Robotic-assisted Radical Prostatectomy in the Prospective Controlled Trial LAPPRO. <i>European Urology Open Science</i> , 2020, 20, 54-61 Nurses@vork practices in design: managing the complexity of pain. <i>Journal of Workplace Learning</i> , 2020, 32, 135-146 Frequent Stools Were Related to Reduced Quality of Life and Capacity in Daily Activities: Weekly Observations During and After Pelvic or Abdominal Radiotherapy. <i>Cancer Nursing</i> , 2020, 43, 478-488 Dietary Oat Bran Reduces Systemic Inflammation in Mice Subjected to Pelvic Irradiation. <i>Nutrients</i> , 2-2 Associations between intraoperative factors and surgeons' self-assessed operative satisfaction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 61-68 The natural history of untreated muscle-invasive b

355	Supporting self-management of radiation-induced bowel and bladder dysfunction in pelvic-cancer rehabilitation: An ethnographic study. <i>Journal of Clinical Nursing</i> , 2019 , 28, 2624-2634	3.2	1
354	Adolescent and young adult cancer survivors' perceptions of participating in a survey - Ethical and methodological considerations. <i>European Journal of Oncology Nursing</i> , 2019 , 39, 55-61	2.8	
353	Intravesical BCG treatment causes a long-lasting reduction of recurrence and progression in patients with high-risk non-muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2019 , 37, 155-163	4	6
352	Losing a parent to cancer as a teenager: Family cohesion in childhood, teenage, and young adulthood as perceived by bereaved and non-bereaved youths. <i>Psycho-Oncology</i> , 2019 , 28, 1845-1853	3.9	9
351	The Virtual Clinic: Two-sided Affordances in Consultation Practice. <i>Computer Supported Cooperative Work</i> , 2019 , 28, 435-468	2.4	14
350	Shift in translations: Data work with patient-generated health data in clinical practice. <i>Health Informatics Journal</i> , 2019 , 25, 577-586	3	12
349	90-Day readmission after radical prostatectomy-a prospective comparison between robot-assisted and open surgery. <i>Scandinavian Journal of Urology</i> , 2019 , 53, 26-33	1.6	15
348	Modeling the Complex Exposure History of Smoking in Predicting Bladder Cancer: A Pooled Analysis of 15 Case-Control Studies. <i>Epidemiology</i> , 2019 , 30, 458-465	3.1	5
347	Quality of Life After Open Radical Prostatectomy Compared with Robot-assisted Radical Prostatectomy. <i>European Urology Focus</i> , 2019 , 5, 389-398	5.1	18
346	Spirituality and religious coping are related to cancer-bereaved siblings' long-term grief. <i>Palliative and Supportive Care</i> , 2019 , 17, 138-142	2.5	7
345	Elastase as a potential biomarker for radiation-induced gut wall injury of the distal bowel in an experimental mouse model. <i>Acta Oncològica</i> , 2018 , 57, 1025-1030	3.2	
344	Body Mass Index, Diet-Related Factors, and Bladder Cancer Prognosis: A Systematic Review and Meta-Analysis. <i>Bladder Cancer</i> , 2018 , 4, 91-112	1	21
343	Sexual function in adolescent and young adult cancer survivors-a population-based study. <i>Journal of Cancer Survivorship</i> , 2018 , 12, 450-459	5.1	19
342	Contouring pudendal nerves. Acta Oncolgica, 2018, 57, 438-439	3.2	1
341	Self-Perceived Physical Attractiveness in Relation to Scars Among Adolescent and Young Adult Cancer Survivors: A Population-Based Study. <i>Journal of Adolescent and Young Adult Oncology</i> , 2018 , 7, 358-366	2.2	10
340	Inter-institutional analysis demonstrates the importance of lower than previously anticipated dose regions to prevent late rectal bleeding following prostate radiotherapy. <i>Radiotherapy and Oncology</i> , 2018 , 127, 88-95	5.3	11
339	Oncologic Outcomes After Robot-assisted Radical Prostatectomy: A Large European Single-centre Cohort with Median 10-Year Follow-up. <i>European Urology Focus</i> , 2018 , 4, 351-359	5.1	24
338	Social constraints and psychological well-being after prostate cancer: A follow-up at 12 and 24 months after surgery. <i>Psycho-Oncology</i> , 2018 , 27, 668-675	3.9	7

337	Care at End of Life Influences Grief: A Nationwide Long-Term Follow-Up among Young Adults Who Lost a Brother or Sister to Childhood Cancer. <i>Journal of Palliative Medicine</i> , 2018 , 21, 156-162	2.2	24
336	Erectile Function and Oncologic Outcomes Following Open Retropubic and Robot-assisted Radical Prostatectomy: Results from the LAParoscopic Prostatectomy Robot Open Trial. <i>European Urology</i> , 2018 , 73, 618-627	10.2	50
335	Dose-response relationships of the sigmoid for urgency syndrome after gynecological radiotherapy. <i>Acta Oncolgica</i> , 2018 , 57, 1352-1358	3.2	2
334	Thinking about one's own death after prostate-cancer diagnosis. <i>Supportive Care in Cancer</i> , 2018 , 26, 1665-1673	3.9	3
333	Radical Prostatectomy or Watchful Waiting in Prostate Cancer - 29-Year Follow-up. <i>New England Journal of Medicine</i> , 2018 , 379, 2319-2329	59.2	199
332	Decision-support system for cancer rehabilitation 2018,		3
331	Quality of Life after Radical Prostatectomy or Watchful Waiting With or Without Androgen Deprivation Therapy: The SPCG-4 Randomized Trial. <i>European Urology Oncology</i> , 2018 , 1, 134-142	6.7	6
330	Functional and Oncologic Outcomes Between Open and Robotic Radical Prostatectomy at 24-month Follow-up in the Swedish LAPPRO Trial. <i>European Urology Oncology</i> , 2018 , 1, 353-360	6.7	35
329	Encountering the Body at the Site of the Suicide: A Population-Based Survey in Sweden. <i>Suicide and Life-Threatening Behavior</i> , 2017 , 47, 38-47	3.9	2
328	Radiotherapy-induced vaginal fibrosis in cervical cancer survivors. <i>Acta Oncolgica</i> , 2017 , 56, 661-666	3.2	22
327	Survival Among Men at High Risk of Disseminated Prostate Cancer Receiving Initial Locally Directed Radical Treatment or Initial Androgen Deprivation Therapy. <i>European Urology</i> , 2017 , 72, 345-351	10.2	12
326	Late radiation-induced bowel syndromes, tobacco smoking, age at treatment and time since treatment - gynecological cancer survivors. <i>Acta Oncolgica</i> , 2017 , 56, 682-691	3.2	6
325	Habits and self-assessed quality of life, negative intrusive thoughts and depressed mood in patients with prostate cancer: a longitudinal study. <i>Scandinavian Journal of Urology</i> , 2017 , 51, 353-359	1.6	9
324	Corrigendum re: "Urinary Incontinence and Erectile Dysfunction After Robotic Versus Open Radical Prostatectomy: A Prospective, Controlled, Nonrandomised Trial" [Eur Urol 2015;68:216-25]. <i>European Urology</i> , 2017 , 72, e81-e82	10.2	3
323	PD15-07 ERECTILE-FUNCTION AND ONCOLOGIC OUTCOMES AFTER OPEN RETROPUBIC AND ROBOT-ASSISTED RADICAL PROSTATECTOMY: RESULTS FROM A LARGE, PROSPECTIVE SWEDISH TRIAL. <i>Journal of Urology</i> , 2017 , 197,	2.5	1
322	Radiation physiology - evidence for a higher biological effect of 24 Gy in four fractions as compared to three. <i>Acta Oncolgica</i> , 2017 , 56, 1240-1243	3.2	3
321	How badly did it hit? Self-assessed emotional shock upon prostate cancer diagnosis and psychological well-being: a follow-up at 3, 12, and 24 months after surgery. <i>Acta Oncolgica</i> , 2017 , 56, 984-990	3.2	4
320	Care-related predictors for negative intrusive thoughts after prostate cancer diagnosis-data from the prospective LAPPRO trial. <i>Psycho-Oncology</i> , 2017 , 26, 1749-1757	3.9	4

319	Reduced Need for Rescue Antiemetics and Improved Capacity to Eat in Patients Receiving Acupuncture Compared to Patients Receiving Sham Acupuncture or Standard Care during Radiotherapy. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 5806351	2.3	7
318	Effect of Comorbidity on Prostate Cancer-Specific Mortality: A Prospective Observational Study. Journal of Clinical Oncology, 2017 , 35, 3566-3574	2.2	20
317	Distrust in the End-of-Life Care Provided to a Parent and Long-Term Negative Outcomes Among Bereaved Adolescents: A Population-Based Survey Study. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3136-31	142	6
316	Complementary and alternative medicine self-care strategies for nausea in patients undergoing abdominal or pelvic irradiation for cancer: A longitudinal observational study of implementation in routine care. Complementary Therapies in Medicine, 2017, 34, 141-148	3.5	3
315	A Novel 18-Marker Panel Predicting Clinical Outcome in Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1619-1628	4	1
314	A novel mouse model of radiation-induced cancer survivorship diseases of the gut. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, G456-G466	5.1	8
313	Cancer disclosure-account from a pediatric oncology ward in Egypt. <i>Psycho-Oncology</i> , 2017 , 26, 679-685	3.9	7
312	Identifying radiation-induced survivorship syndromes affecting bowel health in a cohort of gynecological cancer survivors. <i>PLoS ONE</i> , 2017 , 12, e0171461	3.7	23
311	Physical activity before radical prostatectomy reduces sick leave after surgery - results from a prospective, non-randomized controlled clinical trial (LAPPRO). <i>BMC Urology</i> , 2016 , 16, 50	2.2	13
310	Siblings' experiences of their brother's or sister's cancer death: a nationwide follow-up 2-9 years later. <i>Psycho-Oncology</i> , 2016 , 25, 435-40	3.9	33
309	Time-dependent dose-response relation for absence of vaginal elasticity after gynecological radiation therapy. <i>Radiotherapy and Oncology</i> , 2016 , 120, 537-541	5.3	4
308	Unresolved grief and its consequences. A nationwide follow-up of teenage loss of a parent to cancer 6-9 years earlier. <i>Supportive Care in Cancer</i> , 2016 , 24, 3095-103	3.9	23
307	Depression among Parents Two to Six Years Following the Loss of a Child by Suicide: A Novel Prediction Model. <i>PLoS ONE</i> , 2016 , 11, e0164091	3.7	2
306	A Factor Analysis Approach for Clustering Patient Reported Outcomes. <i>Methods of Information in Medicine</i> , 2016 , 55, 431-439	1.5	7
305	Pursuing Quality in the Application of Bladder Cancer Quality of Life Research. <i>Bladder Cancer</i> , 2016 , 2, 139-149	1	23
304	Oncological and functional outcomes 1 year after radical prostatectomy for very-low-risk prostate cancer: results from the prospective LAPPRO trial. <i>BJU International</i> , 2016 , 118, 205-12	5.6	23
303	Preparedness for side effects and bother in symptomatic men after radical prostatectomy in a prospective, non-randomized trial, LAPPRO. <i>Acta Oncolgica</i> , 2016 , 55, 1467-1476	3.2	7
302	Insufficient communication and anxiety in cancer-bereaved siblings: A nationwide long-term follow-up. <i>Palliative and Supportive Care</i> , 2016 , 14, 488-94	2.5	23

(2015-2016)

301	Rationale, study protocol and the cluster randomization process in a controlled trial including 40,000 women investigating the effects of mindfetalness. <i>Sexual and Reproductive Healthcare</i> , 2016 , 10, 56-61	2.4	11
300	International pooled study on diet and bladder cancer: the bladder cancer, epidemiology and nutritional determinants (BLEND) study: design and baseline characteristics. <i>Archives of Public Health</i> , 2016 , 74, 30	2.6	16
299	Psychological Well-being and Private and Professional Psychosocial Support After Prostate Cancer Surgery: A Follow-up at 3, 12, and 24 Months After Surgery. <i>European Urology Focus</i> , 2016 , 2, 418-425	5.1	11
298	Toward Restored Bowel Health in Rectal Cancer Survivors. <i>Seminars in Radiation Oncology</i> , 2016 , 26, 236-50	5.5	14
297	Risk structures for radiation-induced trismus in head and neck cancer. <i>Acta Oncològica</i> , 2016 , 55, 788-92	3.2	8
296	Urinary bladder dose-response relationships for patient-reported genitourinary morbidity domains following prostate cancer radiotherapy. <i>Radiotherapy and Oncology</i> , 2016 , 119, 117-22	5.3	20
295	Defecation into clothing without forewarning and mean radiation dose to bowel and anal-sphincter among gynecological cancer survivors. <i>Acta Oncolgica</i> , 2016 , 55, 1285-1293	3.2	10
294	Accurate prediction tools in prostate cancer require consistent assessment of included variables. <i>Scandinavian Journal of Urology</i> , 2016 , 50, 260-6	1.6	3
293	Teenagers want to be told when a parent's death is near: A nationwide study of cancer-bereaved youths' opinions and experiences. <i>Acta Oncolgica</i> , 2015 , 54, 944-50	3.2	32
292	Urinary Incontinence and Erectile Dysfunction After Robotic Versus Open Radical Prostatectomy: A Prospective, Controlled, Nonrandomised Trial. <i>European Urology</i> , 2015 , 68, 216-25	10.2	252
291	Reduced vaginal elasticity, reduced lubrication, and deep and superficial dyspareunia in irradiated gynecological cancer survivors. <i>Acta Oncolgica</i> , 2015 , 54, 772-9	3.2	34
2 90	Suicide-bereaved siblings' perception of health services. <i>Death Studies</i> , 2015 , 39, 323-31	3.9	8
289	Patient-reported sexual toxicity after radiation therapy in long-term prostate cancer survivors. British Journal of Cancer, 2015 , 113, 802-8	8.7	15
288	Outcome after BCG treatment for urinary bladder cancer may be influenced by polymorphisms in the NOS2 and NOS3 genes. <i>Redox Biology</i> , 2015 , 6, 272-277	11.3	9
287	Relationships between dose to the gastro-intestinal tract and patient-reported symptom domains after radiotherapy for localized prostate cancer. <i>Acta Oncologica</i> , 2015 , 54, 1326-34	3.2	28
286	Short-term results after robot-assisted laparoscopic radical prostatectomy compared to open radical prostatectomy. <i>European Urology</i> , 2015 , 67, 660-70	10.2	69
285	Thromboembolic complications in 3,544 patients undergoing radical prostatectomy with or without lymph node dissection. <i>Journal of Urology</i> , 2015 , 193, 117-25	2.5	44
284	The impact of length and location of positive margins in predicting biochemical recurrence after robot-assisted radical prostatectomy with a minimum follow-up of 5 years. <i>BJU International</i> , 2015 , 115, 106-13	5.6	46

283	Response and Rebuttal to Editorial Comment on Radiation Dose to the Penile Structures and Patient-Reported Sexual Dysfunction in Long-Term Prostate Cancer Survivors[] <i>Journal of Sexual Medicine</i> , 2015 , 12, 2400	1.1	
282	Mutations in TERT promoter and FGFR3 and telomere length in bladder cancer. <i>International Journal of Cancer</i> , 2015 , 137, 1621-9	7.5	65
281	Radiation Therapy to the Plexus Brachialis in Breast Cancer Patients: Analysis of Paresthesia in Relation to Dose and Volume. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 277	-83	8
280	Radiation Dose to the Penile Structures and Patient-Reported Sexual Dysfunction in Long-Term Prostate Cancer Survivors. <i>Journal of Sexual Medicine</i> , 2015 , 12, 2388-97	1.1	8
279	Degree of preservation of the neurovascular bundles during radical prostatectomy and urinary continence 1 year after surgery. <i>European Urology</i> , 2015 , 67, 559-68	10.2	76
278	Lack of Trust in the Health-Care System After Losing a Child to Suicide. <i>Crisis</i> , 2015 , 36, 161-72	2.8	
277	Radical prostatectomy or watchful waiting in early prostate cancer. <i>New England Journal of Medicine</i> , 2014 , 370, 932-42	59.2	654
276	Patient-reported gastrointestinal symptoms among long-term survivors after radiation therapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2014 , 112, 237-43	5-3	5
275	Robot-assisted radical cystectomy (RARC) with intracorporeal neobladder - what is the effect of the learning curve on outcomes?. <i>BJU International</i> , 2014 , 113, 100-7	5.6	73
274	Worrying about one's children after breast cancer diagnosis: desired timing of psychosocial intervention. <i>Supportive Care in Cancer</i> , 2014 , 22, 2987-95	3.9	12
273	Identifying Groups of Patient-Reported Gastro-Intestinal Symptoms Using Factor Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, S854	4	2
272	Authors' reply to Roach. <i>BMJ, The</i> , 2014 , 348, g2271	5.9	3
271	Comparative effectiveness of radical prostatectomy and radiotherapy in prostate cancer: observational study of mortality outcomes. <i>BMJ, The</i> , 2014 , 348, g1502	5.9	167
270	A method to estimate composite doses for organs at risk in prostate cancer patients treated with EBRT in combination with HDR BT. <i>Acta Oncolgica</i> , 2014 , 53, 815-21	3.2	3
269	Partnership status affects the association between gastrointestinal symptoms and quality of life after radiation therapy for prostate cancer. <i>Acta Oncolgica</i> , 2014 , 53, 378-84	3.2	1
268	Interobserver variability in the pathological assessment of radical prostatectomy specimens: findings of the Laparoscopic Prostatectomy Robot Open (LAPPRO) study. <i>Scandinavian Journal of Urology</i> , 2014 , 48, 160-7	1.6	15
267	Self-injury in youths who lost a parent to cancer: nationwide study of the impact of family-related and health-care-related factors. <i>Psycho-Oncology</i> , 2014 , 23, 989-97	3.9	31
266	They still grieve-a nationwide follow-up of young adults 2-9 years after losing a sibling to cancer. <i>Psycho-Oncology</i> , 2014 , 23, 658-64	3.9	45

(2013-2014)

265	The ethics of doing nothing. Suicide-bereavement and research: ethical and methodological considerations. <i>Psychological Medicine</i> , 2014 , 44, 3409-20	6.9	34
264	Viewing the body after bereavement due to suicide: a population-based survey in Sweden. <i>PLoS ONE</i> , 2014 , 9, e101799	3.7	10
263	Parental trust in health carea prospective study from the Children's Cancer Hospital in Egypt. <i>Psycho-Oncology</i> , 2013 , 22, 548-54	3.9	28
262	Psychological health in siblings who lost a brother or sister to cancer 2 to 9 years earlier. <i>Psycho-Oncology</i> , 2013 , 22, 683-91	3.9	46
261	Lower limb lymphedema in gynecological cancer survivorseffect on daily life functioning. <i>Supportive Care in Cancer</i> , 2013 , 21, 3063-70	3.9	58
2 60	1000 PROGNOSTIC SIGNIFICANCE OF LENGTH OF POSITIVE SURGICAL MARGINS ON BIOCHEMICAL RECURRENCE AFTER ROBOTIC-ASSISTED RADICAL PROSTATECTOMY IN A SINGLE CENTER WITH MINIMUM FOLLOW-UP OF FIVE YEARS. <i>Journal of Urology</i> , 2013 , 189,	2.5	1
259	Intrusive thoughts and quality of life among men with prostate cancer before and three months after surgery. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 154	3	22
258	Perception of body odor-an overlooked consequence of long-term gastrointestinal and urinary symptoms after radiation therapy for prostate cancer. <i>Journal of Cancer Survivorship</i> , 2013 , 7, 652-8	5.1	4
257	Worry about one's own children, psychological well-being, and interest in psychosocial intervention. <i>Psycho-Oncology</i> , 2013 , 22, 2117-23	3.9	16
256	Cancer survivors' perception of participation in a long-term follow-up study. <i>Journal of Medical Ethics</i> , 2013 , 39, 41-5	2.5	11
255	Patient and tumour-related factors for prediction of urinary incontinence after radical prostatectomy. <i>Scandinavian Journal of Urology</i> , 2013 , 47, 272-81	1.6	16
254	Urethral pain among prostate cancer survivors 1 to 14 years after radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 85, e29-37	4	9
253	Long-term distress after radical prostatectomy versus watchful waiting in prostate cancer: a longitudinal study from the Scandinavian Prostate Cancer Group-4 randomized clinical trial. <i>European Urology</i> , 2013 , 64, 920-8	10.2	56
252	Psychological needs when diagnosed with testicular cancer: findings from a population-based study with long-term follow-up. <i>BJU International</i> , 2013 , 111, 1287-93	5.6	13
251	Psychological morbidity among suicide-bereaved and non-bereaved parents: a nationwide population survey. <i>BMJ Open</i> , 2013 , 3, e003108	3	11
250	Dose-response relationships for an atomized symptom of fecal incontinence after gynecological radiotherapy. <i>Acta Oncolgica</i> , 2013 , 52, 719-26	3.2	10
249	A population-based series of uterine carcinosarcomas with long-term follow-up. <i>Acta Oncolgica</i> , 2013 , 52, 759-66	3.2	11
248	Communication and trust in the care provided to a dying parent: a nationwide study of cancer-bereaved youths. <i>Journal of Clinical Oncology</i> , 2013 , 31, 2886-94	2.2	34

247	Self-injury in teenagers who lost a parent to cancer: a nationwide, population-based, long-term follow-up. <i>JAMA Pediatrics</i> , 2013 , 167, 133-40	8.3	37
246	Impact of social support on bereaved siblings' anxiety: a nationwide follow-up. <i>Journal of Pediatric Oncology Nursing</i> , 2013 , 30, 301-10	2	39
245	TERT promoter mutations in bladder cancer affect patient survival and disease recurrence through modification by a common polymorphism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 17426-31	11.5	236
244	Radical prostatectomy, sparing of the seminal vesicles, and painful orgasm. <i>Journal of Sexual Medicine</i> , 2013 , 10, 1417-23	1.1	14
243	Low preparedness before the loss of a wife to cancer and the widower's chronic pain 4-5 years later-a population-based study. <i>Psycho-Oncology</i> , 2013 , 22, 2763-70	3.9	11
242	A diagnostic algorithm to identify paired tumors with clonal origin. <i>Genes Chromosomes and Cancer</i> , 2013 , 52, 1007-16	5	7
241	Patient-reported genitourinary toxicity for long-term prostate cancer survivors treated with radiation therapy. <i>British Journal of Cancer</i> , 2013 , 108, 1964-70	8.7	8
240	Sahlgrenska Academy Self-reported Cognitive Impairment Questionnaire (SASCI-Q)a research tool discriminating between subjectively cognitively impaired patients and healthy controls. <i>International Psychogeriatrics</i> , 2013 , 25, 420-30	3.4	18
239	Integrative genomics with mediation analysis in a survival context. <i>Computational and Mathematical Methods in Medicine</i> , 2013 , 2013, 413783	2.8	2
238	Long-term mental health of men who lose a wife to cancera population-based follow-up. <i>Psycho-Oncology</i> , 2013 , 22, 352-61	3.9	5
237	Bereaved siblings' perception of participating in researcha nationwide study. <i>Psycho-Oncology</i> , 2013 , 22, 411-6	3.9	13
236	Adherence to medication: A nation-wide study from the Children's Cancer Hospital, Egypt. <i>World Journal of Psychiatry</i> , 2013 , 3, 25-33	3	8
235	Preparatory studies to a population-based survey of suicide-bereaved parents in Sweden. <i>Crisis</i> , 2013 , 34, 200-10	2.8	39
234	Quality of Life and Management of Localized Disease 2013 , 615-619		
233	Individualized estimation of the benefit of radical prostatectomy from the Scandinavian Prostate Cancer Group randomized trial. <i>European Urology</i> , 2012 , 62, 204-9	10.2	76
232	Segmented regression, a versatile tool to analyze mRNA levels in relation to DNA copy number aberrations. <i>Genes Chromosomes and Cancer</i> , 2012 , 51, 77-82	5	8
231	Biochemical recurrence after robot-assisted radical prostatectomy in a European single-centre cohort with a minimum follow-up time of 5 years. <i>European Urology</i> , 2012 , 62, 768-74	10.2	72
230	Risk factors of developing long-lasting breast pain after breast cancer radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 71-8	4	32

(2011-2012)

229	with pelvic radiotherapy and their relationships to mean absorbed doses. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, 428-36	4	15
228	Mean absorbed dose to the anal-sphincter region and fecal leakage among irradiated prostate cancer survivors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, e181-5	4	23
227	Pad use and patient reported bother from urinary leakage after radical prostatectomy. <i>Journal of Urology</i> , 2012 , 187, 196-200	2.5	17
226	Long-term symptoms after radiotherapy of supraclavicular lymph nodes in breast cancer patients. <i>Radiotherapy and Oncology</i> , 2012 , 103, 155-60	5.3	30
225	Results from the Scandinavian Prostate Cancer Group Trial Number 4: a randomized controlled trial of radical prostatectomy versus watchful waiting. <i>Journal of the National Cancer Institute Monographs</i> , 2012 , 2012, 230-3	4.8	26
224	Insulin glargine use and short-term incidence of breast cancer - a four-year population-based observation. <i>Acta Oncolgica</i> , 2012 , 51, 400-2	3.2	17
223	Testicular-cancer survivors experience compromised language following chemotherapy: findings in a Swedish population-based study 3-26 years after treatment. <i>Acta Oncologica</i> , 2012 , 51, 185-97	3.2	23
222	Self-perceived penile shortening after radical prostatectomy. <i>International Journal of Impotence Research</i> , 2012 , 24, 179-84	2.3	27
221	Acupuncture compared with placebo acupuncture in radiotherapy-induced nauseaa randomized controlled study. <i>Annals of Oncology</i> , 2012 , 23, 1353-1361	10.3	61
220	1107 EFFECT OF RADICAL PROSTATECTOMY ON PENILE SHORTENING. <i>Journal of Urology</i> , 2011 , 185,	2.5	1
219	1783 INDIVIDUALIZED ESTIMATION OF THE BENEFIT OF RADICAL PROSTATECTOMY: DATA FROM SPCG4, THE SCANDINAVIAN RANDOMIZED TRIAL OF RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2011 , 185,	2.5	3
218	Late symptoms in long-term gynaecological cancer survivors after radiation therapy: a population-based cohort study. <i>British Journal of Cancer</i> , 2011 , 105, 737-45	8.7	69
217	Couples' communication before the wife's death to cancer and the widower's feelings of guilt or regret after the loss - a population-based investigation. <i>European Journal of Cancer</i> , 2011 , 47, 1564-70	7·5	17
216	Psychiatric treatment in men with prostate cancerresults from a Nation-wide, population-based cohort study from PCBaSe Sweden. <i>European Journal of Cancer</i> , 2011 , 47, 2195-201	7.5	51
215	Insulin glargine use and short-term incidence of malignancies - a three-year population-based observation. <i>Acta Oncolgica</i> , 2011 , 50, 685-93	3.2	32
214	Long-term quality-of-life outcomes after radical prostatectomy or watchful waiting: the Scandinavian Prostate Cancer Group-4 randomised trial. <i>Lancet Oncology, The</i> , 2011 , 12, 891-9	21.7	264
213	Evaluation of long-term effects of radiotherapy. <i>Radiotherapy and Oncology</i> , 2011 , 99, 99-100	5.3	
212	Tobacco smoking and long-lasting symptoms from the bowel and the anal-sphincter region after radiotherapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2011 , 101, 495-501	5.3	51

211	Getting the grip on nonspecific treatment effects: emesis in patients randomized to acupuncture or sham compared to patients receiving standard care. <i>PLoS ONE</i> , 2011 , 6, e14766	3.7	35
210	Defecation disturbances after cystectomy for urinary bladder cancer. <i>BJU International</i> , 2011 , 108, 196	-2୍ରମଞ	12
209	Age at surgery, educational level and long-term urinary incontinence after radical prostatectomy. <i>BJU International</i> , 2011 , 108, 1572-7	5.6	28
208	Feelings of loss and uneasiness or shame after removal of a testicle by orchidectomy: a population-based long-term follow-up of testicular cancer survivors. <i>Journal of Developmental and Physical Disabilities</i> , 2011 , 34, 183-92		46
207	Orgasm-associated urinary incontinence and sexual life after radical prostatectomy. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2632-9	1.1	38
206	Pain and mean absorbed dose to the pubic bone after radiotherapy among gynecological cancer survivors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 1171-80	4	21
205	Loose stools lead to fecal incontinence among gynecological cancer survivors. <i>Acta Oncolgica</i> , 2011 , 50, 233-42	3.2	18
204	Hematopoietic stem cell transplantation in children with cancer and the risk of long-term psychological morbidity in the bereaved parents. <i>Bone Marrow Transplantation</i> , 2011 , 46, 1063-70	4.4	17
203	Radical prostatectomy versus watchful waiting in early prostate cancer. <i>New England Journal of Medicine</i> , 2011 , 364, 1708-17	59.2	639
202	LAPPRO: a prospective multicentre comparative study of robot-assisted laparoscopic and retropubic radical prostatectomy for prostate cancer. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011 , 45, 102-12		52
201	European genome-wide association study identifies SLC14A1 as a new urinary bladder cancer susceptibility gene. <i>Human Molecular Genetics</i> , 2011 , 20, 4268-81	5.6	105
200	The nonpenetrating telescopic sham needle may blind patients with different characteristics and experiences when treated by several therapists. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 185034	2.3	12
199	Pilot testing of methods for evaluation of acupuncture for emesis during radiotherapy: a randomised single subject experimental design. <i>Acupuncture in Medicine</i> , 2011 , 29, 94-102	1.9	16
198	Dietary supplement use patterns in men with prostate cancer: the Cancer Prostate Sweden study. <i>Annals of Oncology</i> , 2011 , 22, 967-972	10.3	16
197	A sequence variant at 4p16.3 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2010 , 42, 415-9	36.3	138
196	Regional differences in local recurrence rates after rectal cancer surgery. <i>Colorectal Disease</i> , 2010 , 12, e206-15	2.1	8
195	Hygiene and urinary tract infections after cystectomy in 452 Swedish survivors of bladder cancer. <i>BJU International</i> , 2010 , 105, 1107-17	5.6	9
194	'A no means no'measuring depression using a single-item question versus Hospital Anxiety and Depression Scale (HADS-D). <i>Annals of Oncology</i> , 2010 , 21, 1905-1909	10.3	45

(2009-2010)

193	Re: Immediate risk of suicide and cardiovascular death after a prostate cancer diagnosis: cohort study in the United States. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 1447-8; author reply 1448	₃ 9·7	2	
192	Long-term harm of low preparedness for a wife's death from cancera population-based study of widowers 4-5 years after the loss. <i>American Journal of Epidemiology</i> , 2010 , 172, 389-96	3.8	54	
191	Diagnostic random bladder biopsies: reflections from a population-based cohort of 538 patients. <i>Scandinavian Journal of Urology and Nephrology</i> , 2010 , 44, 11-9		16	
190	Health care-related predictors of husbands' preparedness for the death of a wife to cancera population-based follow-up. <i>Annals of Oncology</i> , 2010 , 21, 354-361	10.3	27	
189	The (CCTTT)n microsatellite polymorphism in the nitric oxide synthase 2 gene may influence bladder cancer pathogenesis. <i>Journal of Urology</i> , 2010 , 184, 2150-7	2.5	7	
188	Self-reported symptoms of faecal incontinence among long-term gynaecological cancer survivors and population-based controls. <i>European Journal of Cancer</i> , 2010 , 46, 606-15	7.5	52	
187	Emesis and gastrointestinal problems during radiotherapy: a comparison of performance of daily activities between patients experiencing nausea and patients free from nausea. <i>European Journal of Oncology Nursing</i> , 2010 , 14, 359-66	2.8	7	
186	Surgery-related complications in 1253 robot-assisted and 485 open retropubic radical prostatectomies at the Karolinska University Hospital, Sweden. <i>Urology</i> , 2010 , 75, 1092-7	1.6	89	
185	Symptoms 10-17 years after breast cancer radiotherapy data from the randomised SWEBCG91-RT trial. <i>Radiotherapy and Oncology</i> , 2010 , 97, 281-7	5.3	33	
184	Sleep disturbances decrease self-assessed quality of life in individuals who have undergone cystectomy. <i>Journal of Urology</i> , 2010 , 184, 198-202	2.5	20	
183	Variation in position and volume of organs at risk in the small pelvis. Acta Oncolgica, 2010, 49, 491-9	3.2	11	
182	Fecal incontinence affecting quality of life and social functioning among long-term gynecological cancer survivors. <i>International Journal of Gynecological Cancer</i> , 2010 , 20, 449-60	3.5	37	
181	Genotypes, haplotypes and diplotypes of three XPC polymorphisms in urinary-bladder cancer patients. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2010 , 694, 39-44	3.3	16	
180	Model selection in medical research: a simulation study comparing Bayesian model averaging and stepwise regression. <i>BMC Medical Research Methodology</i> , 2010 , 10, 108	4.7	48	
179	Suicide risk in men with prostate-specific antigen-detected early prostate cancer: a nationwide population-based cohort study from PCBaSe Sweden. <i>European Urology</i> , 2010 , 57, 390-5	10.2	73	
178	Inguinal hernia after radical prostatectomy for prostate cancer: results from a randomized setting and a nonrandomized setting. <i>European Urology</i> , 2010 , 58, 719-26	10.2	65	
177	Anxiety is contagious-symptoms of anxiety in the terminally ill child affect long-term psychological well-being in bereaved parents. <i>Pediatric Blood and Cancer</i> , 2010 , 54, 751-7	3	34	
176	Polymorphisms in DNA repair genes, smoking, and bladder cancer risk: findings from the international consortium of bladder cancer. <i>Cancer Research</i> , 2009 , 69, 6857-64	10.1	94	

175	Bias in odds ratios by logistic regression modelling and sample size. <i>BMC Medical Research Methodology</i> , 2009 , 9, 56	4.7	202
174	Time, symptom burden, androgen deprivation, and self-assessed quality of life after radical prostatectomy or watchful waiting: the Randomized Scandinavian Prostate Cancer Group Study Number 4 (SPCG-4) clinical trial. <i>European Urology</i> , 2009 , 55, 422-30	10.2	79
173	One third of patients with radiotherapy-induced nausea consider their antiemetic treatment insufficient. <i>Supportive Care in Cancer</i> , 2009 , 17, 23-32	3.9	61
172	Insulin glargine use and short-term incidence of malignancies-a population-based follow-up study in Sweden. <i>Diabetologia</i> , 2009 , 52, 1745-54	10.3	328
171	Sequence variants at the TERT-CLPTM1L locus associate with many cancer types. <i>Nature Genetics</i> , 2009 , 41, 221-7	36.3	509
170	Genetic variation in the prostate stem cell antigen gene PSCA confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2009 , 41, 991-5	36.3	270
169	Long-term outcomes for mothers who have or have not held their stillborn baby. <i>Midwifery</i> , 2009 , 25, 422-9	2.8	55
168	Social support after stillbirth for prevention of maternal depression. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2009 , 88, 1358-64	3.8	18
167	Unrelieved symptoms of female cancer patients during their last months of life and long-term psychological morbidity in their widowers: a nationwide population-based study. <i>European Journal of Cancer</i> , 2009 , 45, 1839-45	7.5	20
166	Holding a stillborn baby: mothers' feelings of tenderness and grief. <i>British Journal of Midwifery</i> , 2009 , 17, 178-180	0.3	9
165	Sequence variant on 8q24 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2008 , 40, 1307-12	36.3	332
164	Events after stillbirth in relation to maternal depressive symptoms: a brief report. <i>Birth</i> , 2008 , 35, 153-7	3.1	28
163	Predictors for the symptomatic prostate cancer patient's delays in seeking care. <i>European Journal of Cancer</i> , 2008 , 44, 733-9	7.5	3
162	Can individuals identify if needling was performed with an acupuncture needle or a non-penetrating sham needle?. <i>Complementary Therapies in Medicine</i> , 2008 , 16, 288-94	3.5	32
161	Guilt after the loss of a husband to cancer: is there a relation with the health care provided?. <i>Acta Oncolgica</i> , 2008 , 47, 870-8	3.2	11
160	Disclosure of incurable illness to spouses: do they want to know? A Swedish population-based follow-up study. <i>Journal of Clinical Oncology</i> , 2008 , 26, 3372-9	2.2	26
159	Perceptions of a mental health questionnaire: the ethics of using population-based controls. Journal of Medical Ethics, 2008, 34, 545-7	2.5	6
158	Can radical prostatectomy prevent and improve lower urinary tract symptoms?. <i>Nature Reviews Urology</i> , 2008 , 5, 304-5		

(2006-2008)

157	Long-term cognitive function among testicular cancer survivors treated with chemotherapy. Journal of Clinical Oncology, 2008 , 26, 5035-5035	2.2	2
156	The Internet and prostate cancer patients: searching for and finding information. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007 , 41, 367-74		15
155	Economic conditions and marriage quality of men with prostate cancer. <i>BJU International</i> , 2007 , 99, 13	91 5 .76	11
154	Epidemiology of urinary bladder cancer: from tumor development to patient's death. <i>World Journal of Urology</i> , 2007 , 25, 285-95	4	203
153	Erectile function after robotic nerve sparing and semi-sparing of the neurovascular bundles. <i>Journal of Robotic Surgery</i> , 2007 , 1, 191-5	2.9	O
152	Polymorphisms in XPD, XPC and the risk of death in patients with urinary bladder neoplasms. <i>Acta Oncolgica</i> , 2007 , 46, 31-41	3.2	31
151	Measuring anxiety and depression in the oncology setting using visual-digital scales. <i>Acta Oncolgica</i> , 2007 , 46, 810-6	3.2	39
150	Parents' intellectual and emotional awareness of their child's impending death to cancer: a population-based long-term follow-up study. <i>Lancet Oncology, The</i> , 2007 , 8, 706-14	21.7	76
149	Polymorphisms in NQO1 and the clinical course of urinary bladder neoplasms. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007 , 41, 182-90		14
148	The choice between a therapy-induced long-term symptom and shortened survival due to prostate cancer. <i>European Urology</i> , 2006 , 50, 280-9	10.2	10
147	Ala228 variant of trail receptor 1 affecting the ligand binding site is associated with chronic lymphocytic leukemia, mantle cell lymphoma, prostate cancer, head and neck squamous cell carcinoma and bladder cancer. <i>International Journal of Cancer</i> , 2006 , 118, 1831-5	7.5	37
146	A hierarchical step-model for causation of bias-evaluating cancer treatment with epidemiological methods. <i>Acta Oncolgica</i> , 2006 , 45, 421-9	3.2	87
145	Symptoms affecting children with malignancies during the last month of life: a nationwide follow-up. <i>Pediatrics</i> , 2006 , 117, 1314-20	7.4	149
144	Towards better measurements in bereavement research: order of questions and assessed psychological morbidity. <i>Palliative Medicine</i> , 2006 , 20, 11-6	5.5	16
143	When death appears best for the child with severe malignancy: a nationwide parental follow-up. <i>Palliative Medicine</i> , 2006 , 20, 567-77	5.5	13
142	Home care of a child dying of a malignancy and parental awareness of a child's impending death. <i>Palliative Medicine</i> , 2006 , 20, 161-9	5.5	35
141	Reliability of assessment of urgency and other symptoms indicating anal sphincter, large bowel or urinary dysfunction. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006 , 40, 397-408		5
140	Perceptions of inadequate health care and feelings of guilt in parents after the death of a child to a malignancy: a population-based long-term follow-up. <i>Journal of Palliative Medicine</i> , 2006 , 9, 317-31	2.2	52

139	Prognostic significance of homozygous deletions and multiple duplications at the CDKN2A (p16INK4a)/ARF (p14ARF) locus in urinary bladder cancer. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006 , 40, 363-9		12
138	Influence of polymorphism in DNA repair and defence genes on p53 mutations in bladder tumours. <i>Cancer Letters</i> , 2006 , 241, 142-9	9.9	43
137	Lymphedema and bladder-emptying difficulties after radical hysterectomy for early cervical cancer and among population controls. <i>International Journal of Gynecological Cancer</i> , 2006 , 16, 1130-1139	3.5	20
136	A single-nucleotide polymorphism in the XPG gene, and tumour stage, grade, and clinical course in patients with nonmuscle-invasive neoplasms of the urinary bladder. <i>BJU International</i> , 2006 , 97, 847-51	5.6	18
135	Lymphedema and bladder-emptying difficulties after radical hysterectomy for early cervical cancer and among population controls. <i>International Journal of Gynecological Cancer</i> , 2006 , 16, 1130-9	3.5	87
134	Interviewer variability - quality aspects in a case-control study. <i>European Journal of Epidemiology</i> , 2006 , 21, 267-77	12.1	8
133	Synergy between sexual abuse and cervical cancer in causing sexual dysfunction. <i>Journal of Sex and Marital Therapy</i> , 2005 , 31, 361-83	2.7	24
132	Toward a definition of a threshold for harmless doses to the anal-sphincter region and the rectum. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 61, 1035-44	4	43
131	Self-assessed health, sadness and happiness in relation to the total burden of symptoms from the lower urinary tract. <i>BJU International</i> , 2005 , 95, 810-5	5.6	55
130	Influence of GSTM1, GSTT1, GSTP1 and NAT2 genotypes on the p53 mutational spectrum in bladder tumours. <i>International Journal of Cancer</i> , 2005 , 113, 761-8	7.5	20
129	Dose-response relations for anal sphincter regarding fecal leakage and blood or phlegm in stools after radiotherapy for prostate cancer. Radiobiological study of 65 consecutive patients. <i>Strahlentherapie Und Onkologie</i> , 2005 , 181, 293-306	4.3	47
128	Need for and access to bereavement support after loss of a husband to urologic cancers: a nationwide follow-up of Swedish widows. <i>Scandinavian Journal of Urology and Nephrology</i> , 2005 , 39, 27	1-6	11
127	Care-related distress: a nationwide study of parents who lost their child to cancer. <i>Journal of Clinical Oncology</i> , 2005 , 23, 9162-71	2.2	143
126	Effect of chemotherapy on circulating gastrointestinal hormone levels in ovarian cancer patients: relationship to nausea and vomiting. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 654-61	2.4	5
125	Awareness of husband's impending death from cancer and long-term anxiety in widowhood: a nationwide follow-up. <i>Palliative Medicine</i> , 2004 , 18, 432-43	5.5	71
124	Dose to the anal sphincter region and risk of fecal leakage. <i>Acta Oncolgica</i> , 2004 , 43, 117-8	3.2	19
123	Neutral third party versus treating institution for evaluating quality of life after radical cystectomy. <i>European Urology</i> , 2004 , 46, 195-9	10.2	48
122	Dietary acrylamide and risk of renal cell cancer. <i>International Journal of Cancer</i> , 2004 , 109, 774-6	7.5	94

(2002-2004)

121	Talking about death with children who have severe malignant disease. <i>New England Journal of Medicine</i> , 2004 , 351, 1175-86	59.2	335
120	Polymorphisms in DNA repair and metabolic genes in bladder cancer. <i>Carcinogenesis</i> , 2004 , 25, 729-34	4.6	257
119	Hip fractures in men with prostate cancer treated with orchiectomy. Journal of Urology, 2004, 172, 220	8-21.3	39
118	A population-based nationwide study of parents' perceptions of a questionnaire on their child's death due to cancer. <i>Lancet, The</i> , 2004 , 364, 787-9	40	92
117	Anxiety and depression in parents 4-9 years after the loss of a child owing to a malignancy: a population-based follow-up. <i>Psychological Medicine</i> , 2004 , 34, 1431-41	6.9	179
116	Reply: Dietary acrylamide and cancer risk: additional data on coffee. <i>British Journal of Cancer</i> , 2003 , 89, 775-776	8.7	22
115	Bladder neoplasmsregions at chromosome 9 with putative tumour suppressor genes. <i>Scandinavian Journal of Urology and Nephrology</i> , 2003 , 37, 106-11		16
114	Low IL-1alpha expression in bladder cancer tissue and survival. European Urology, 2003, 43, 362-8	10.2	16
113	Relative importance of sources of symptom-induced distress in urinary bladder cancer survivors. <i>European Urology</i> , 2003 , 43, 651-62	10.2	43
112	Clinical course of bladder neoplasms and single nucleotide polymorphisms in the CDKN2A gene. <i>International Journal of Cancer</i> , 2003 , 104, 98-103	7.5	29
111	Time after surgery, symptoms and well-being in survivors of urinary bladder cancer. <i>BJU International</i> , 2003 , 91, 325-30; discussion 330	5.6	33
110	Comments from the authors. <i>BJU International</i> , 2003 , 91, 330-330	5.6	
109	Skin cancer and non-Hodgkin's lymphoma as second malignancies. markers of impaired immune function?. <i>European Journal of Cancer</i> , 2003 , 39, 223-9	7.5	53
108	Long-term effects of widowhood after terminal cancer: a Swedish nationwide follow-up. <i>Scandinavian Journal of Public Health</i> , 2003 , 31, 31-6	3	38
107	Dietary acrylamide and cancer of the large bowel, kidney, and bladder: absence of an association in a population-based study in Sweden. <i>British Journal of Cancer</i> , 2003 , 88, 84-9	8.7	169
106	A population-based study of 538 patients with newly detected urinary bladder neoplasms followed during 5 years. <i>Scandinavian Journal of Urology and Nephrology</i> , 2003 , 37, 195-201		63
105	Detecting homozygous deletions in the CDKN2A(p16(INK4a))/ARF(p14(ARF)) gene in urinary bladder cancer using real-time quantitative PCR. <i>Clinical Cancer Research</i> , 2003 , 9, 235-42	12.9	78
104	Treatment of nausea and emesis during cancer chemotherapy. Discrepancies between antiemetic effect and well-being. <i>Journal of Pain and Symptom Management</i> , 2002 , 24, 345-58	4.8	20

103	Expression of UPA and UPAR is associated with the clinical course of urinary bladder neoplasms. <i>International Journal of Cancer</i> , 2002 , 99, 721-6	7.5	27
102	Patient-rating of distressful symptoms after treatment for early cervical cancer. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2002 , 81, 443-50	3.8	122
101	A Swedish case-control network for studies of drug-induced morbidityacute pancreatitis. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 275-83	2.8	59
100	The unrecognised cost of cancer patients' unrelieved symptoms:a nationwide follow-up of their surviving partners. <i>British Journal of Cancer</i> , 2002 , 86, 1540-5	8.7	73
99	Long-term symptoms after external beam radiation therapy for prostate cancer with three or four fields. <i>Acta Oncolgica</i> , 2002 , 41, 532-42	3.2	36
98	Symptom documentation in cancer survivors as a basis for therapy modifications. <i>Acta Oncolgica</i> , 2002 , 41, 244-52	3.2	102
97	Cytotoxic treatment of aggressive prostate tumors with or without neuroendocrine elements. <i>Acta Oncolgica</i> , 2002 , 41, 668-74	3.2	35
96	Obesity and treatment of diabetes with glyburide may both be risk factors for acute pancreatitis. <i>Diabetes Care</i> , 2002 , 25, 298-302	14.6	77
95	Quality of life after radical prostatectomy or watchful waiting. <i>New England Journal of Medicine</i> , 2002 , 347, 790-6	59.2	573
94	Distressful symptoms after radical radiotherapy for urinary bladder cancer. <i>Radiotherapy and Oncology</i> , 2002 , 62, 215-25	5.3	103
93	Distressful symptoms and well-being after radical cystectomy and orthotopic bladder substitution compared with a matched control population. <i>Journal of Urology</i> , 2002 , 168, 168-74; discussion 174-5	2.5	108
92	Patient-rating of distressful symptoms after treatment for early cervical cancer 2002 , 81, 443		4
91	Distressful Symptoms and Well-being After Radical Cystectomy and Orthotopic Bladder Substitution Compared With a Matched Control Population. <i>Journal of Urology</i> , 2002 , 168-175	2.5	5
90	Distressful symptoms after radical cystectomy with urinary diversion for urinary bladder cancer: a Swedish population-based study. <i>European Urology</i> , 2001 , 40, 151-62	10.2	59
89	The prevalence of loss of heterozygosity in chromosome 3, including FHIT, in bladder cancer, using the fluorescent multiplex polymerase chain reaction. <i>BJU International</i> , 2001 , 87, 876-81	5.6	9
88	Ethnic variation in genotype frequencies of a p53 intron 7 polymorphism. <i>Mutagenesis</i> , 2001 , 16, 475-8	2.8	11
87	Low interleukin-1alpha messenger RNA levels predict decreased overall survival time of patients with urinary bladder carcinoma. <i>British Journal of Cancer</i> , 2001 , 84, 329-34	8.7	10
86	Emotional isolation: prevalence and the effect on well-being among 50-80-year-old prostate cancer patients. <i>Scandinavian Journal of Urology and Nephrology</i> , 2001 , 35, 97-101		35

85	p53 mutations in urinary bladder cancer. British Journal of Cancer, 2001, 84, 1505-11	8.7	36
84	A rapid fluorescence based multiplex polymerase chain reactionsingle-strand conformation polymorphism method for p53 mutation detection. <i>Electrophoresis</i> , 2000 , 21, 2335-42	3.6	11
83	Localized prostate cancer and 30 years of follow-up in a population-based setting. <i>Prostate Cancer and Prostatic Diseases</i> , 2000 , 3, 37-42	6.2	6
82	Prognostic and treatment-predictive factors-is there a difference?. <i>Prostate Cancer and Prostatic Diseases</i> , 2000 , 3, 265-268	6.2	12
81	Aspects of delayed chemotherapy-induced nausea. Dexamethasone and adrenal response patterns in patients and healthy volunteers. <i>Supportive Care in Cancer</i> , 2000 , 8, 431-4	3.9	2
80	Prevention and treatment of urothelial premalignant and malignant lesions. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000 , 116-35		12
79	p53 intron 7 polymorphisms in urinary bladder cancer patients and controls. Stockholm Bladder Cancer Group. <i>Mutagenesis</i> , 2000 , 15, 57-60	2.8	14
78	Epidemiology and etiology of premalignant and malignant urothelial changes. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000 , 105-15		136
77	Improving the preservation of erectile function after external beam radiation therapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2000 , 57, 201-6	5.3	28
76	Bladder cancer: allelic deletions at and around the retinoblastoma tumor suppressor gene in relation to stage and grade. <i>Clinical Cancer Research</i> , 2000 , 6, 610-5	12.9	16
76 75		12.9 3.8	1 6
	relation to stage and grade. <i>Clinical Cancer Research</i> , 2000 , 6, 610-5 Measuring errors and non-participation in a nation-wide study of stillbirth. <i>Acta Obstetricia Et</i>		
75	relation to stage and grade. Clinical Cancer Research, 2000, 6, 610-5 Measuring errors and non-participation in a nation-wide study of stillbirth. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 592-598 A population-based dietary inventory of cooked meat and assessment of the daily intake of food		3
75 74	relation to stage and grade. Clinical Cancer Research, 2000, 6, 610-5 Measuring errors and non-participation in a nation-wide study of stillbirth. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 592-598 A population-based dietary inventory of cooked meat and assessment of the daily intake of food mutagens. Food Additives and Contaminants, 1999, 16, 215-25 Dietary heterocyclic amines and cancer of the colon, rectum, bladder, and kidney: a	3.8	3 25
75 74 73	relation to stage and grade. Clinical Cancer Research, 2000, 6, 610-5 Measuring errors and non-participation in a nation-wide study of stillbirth. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 592-598 A population-based dietary inventory of cooked meat and assessment of the daily intake of food mutagens. Food Additives and Contaminants, 1999, 16, 215-25 Dietary heterocyclic amines and cancer of the colon, rectum, bladder, and kidney: a population-based study. Lancet, The, 1999, 353, 703-7 DEFERRED TREATMENT OF LOCALLY ADVANCED NONMETASTATIC PROSTATE CANCER: A	3.8	3 25 223
75 74 73 72	relation to stage and grade. Clinical Cancer Research, 2000, 6, 610-5 Measuring errors and non-participation in a nation-wide study of stillbirth. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 592-598 A population-based dietary inventory of cooked meat and assessment of the daily intake of food mutagens. Food Additives and Contaminants, 1999, 16, 215-25 Dietary heterocyclic amines and cancer of the colon, rectum, bladder, and kidney: a population-based study. Lancet, The, 1999, 353, 703-7 DEFERRED TREATMENT OF LOCALLY ADVANCED NONMETASTATIC PROSTATE CANCER: A LONG-TERM FOLLOWUP. Journal of Urology, 1999, 161, 505-508 Measuring errors and non-participation in a nation-wide study of stillbirth. Acta Obstetricia Et	3.8 40 2.5	3 25 223 27
75 74 73 72 71	relation to stage and grade. Clinical Cancer Research, 2000, 6, 610-5 Measuring errors and non-participation in a nation-wide study of stillbirth. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 592-598 A population-based dietary inventory of cooked meat and assessment of the daily intake of food mutagens. Food Additives and Contaminants, 1999, 16, 215-25 Dietary heterocyclic amines and cancer of the colon, rectum, bladder, and kidney: a population-based study. Lancet, The, 1999, 353, 703-7 DEFERRED TREATMENT OF LOCALLY ADVANCED NONMETASTATIC PROSTATE CANCER: A LONG-TERM FOLLOWUP. Journal of Urology, 1999, 161, 505-508 Measuring errors and non-participation in a nation-wide study of stillbirth. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 592-598 Vaginal changes and sexuality in women with a history of cervical cancer. New England Journal of	3.8 40 2.5 3.8	3 25 223 27

67	Assessing the human intake of heterocyclic amines: limited loss of information using reduced sets of questions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1999 , 8, 809-14	4	7
66	Distress due to unwanted side-effects of prostate cancer treatment is related to impaired well-being (quality of life). <i>Prostate Cancer and Prostatic Diseases</i> , 1998 , 1, 128-133	6.2	25
65	'Potency': the validation of information from a self-administered questionnaire using objective measurements of night-time erections and test-retest reliability. <i>BJU International</i> , 1998 , 81, 135-41	5.6	28
64	A comparison of women's memories of care during pregnancy, labour and delivery after stillbirth or live birth. <i>Midwifery</i> , 1998 , 14, 111-7	2.8	31
63	A comprehensive clinical epidemiological theory based on the concept of the source person-time and four distinct study stages. <i>Acta Oncolgica</i> , 1998 , 37, 15-23	3.2	28
62	Urinary and bowel symptoms in men with and without prostate cancer: results from an observational study in the Stockholm area. <i>European Urology</i> , 1998 , 33, 11-6	10.2	27
61	Assessment of the human exposure to heterocyclic amines. <i>Carcinogenesis</i> , 1997 , 18, 1931-5	4.6	114
60	Deferred treatment of clinically localized low-grade prostate cancer: actual 10-year and projected 15-year follow-up of the Karolinska series. <i>Urology</i> , 1997 , 50, 722-6	1.6	49
59	How is quality of life in prostate cancer patients influenced by modern treatment? The Wallenberg Symposium. <i>Urology</i> , 1997 , 49, 66-76	1.6	65
58	Factors associated with waning sexual function among elderly men and prostate cancer patients. <i>Journal of Urology</i> , 1997 , 158, 155-9	2.5	63
57	Polar and non-polar heterocyclic amines in cooked fish and meat products and their corresponding pan residues. <i>Food and Chemical Toxicology</i> , 1997 , 35, 555-65	4.7	154
56	Supplementary iron intake and risk of cancer: reversed causality?. Cancer Letters, 1997, 114, 215-6	9.9	19
55	Stillbirth and maternal well-being. Acta Obstetricia Et Gynecologica Scandinavica, 1997, 76, 849-55	3.8	13
54	Bladder cancer in Sweden. <i>Medical Oncology</i> , 1997 , 14, 141-3	3.7	1
53	Prostate carcinoma and long term survival. <i>Cancer</i> , 1997 , 80, 748-752	6.4	12
52	Similarities and differences in assessing nausea on a verbal category scale and a visual analogue scale. <i>Cancer Nursing</i> , 1997 , 20, 260-6	2.6	47
51	Sexual desire, erection, orgasm and ejaculatory functions and their importance to elderly Swedish men: a population-based study. <i>Age and Ageing</i> , 1996 , 25, 285-91	3	125
50	Waning sexual functionthe most important disease-specific distress for patients with prostate cancer. <i>British Journal of Cancer</i> , 1996 , 73, 1417-21	8.7	145

49	Acid phosphatase: defining a role in androgen-independent prostate cancer. <i>Urology</i> , 1996 , 47, 719-26	1.6	16
48	Bias due to observation of different parts of a nonconstant hazard curve over time. <i>Urology</i> , 1996 , 48, 105-9	1.6	5
47	Impact of tumour burden on chemotherapy-induced nausea and vomiting. <i>British Journal of Cancer</i> , 1996 , 74, 1114-9	8.7	11
46	Psychic and social consequences of women in relation to memories of a stillborn child: a pilot study. <i>Gynecologic and Obstetric Investigation</i> , 1996 , 41, 194-8	2.5	11
45	Single high-dose dexamethasone improves the effect of ondansetron on acute chemotherapy-induced nausea and vomiting but impairs the control of delayed symptoms. <i>Supportive Care in Cancer</i> , 1996 , 4, 440-6	3.9	19
44	Stillbirth is no longer managed as a nonevent: a nationwide study in Sweden. <i>Birth</i> , 1996 , 23, 209-15	3.1	38
43	Psychological complications after stillbirthinfluence of memories and immediate management: population based study. <i>BMJ: British Medical Journal</i> , 1996 , 312, 1505-8		139
42	Decreased sexual capacity after external radiation therapy for prostate cancer impairs quality of life. <i>International Journal of Radiation Oncology Biology Physics</i> , 1995 , 32, 33-9	4	114
41	Effect of cooking temperature on the formation of heterocyclic amines in fried meat products and pan residues. <i>Carcinogenesis</i> , 1995 , 16, 861-7	4.6	181
40	Introverts give up smoking more often than extraverts. <i>Personality and Individual Differences</i> , 1995 , 18, 559-560	3.3	15
39	Distinguishing prognostic and treatment-predictive information for localized prostate cancer. <i>Urology</i> , 1995 , 45, 610-5	1.6	5
38	Acetaminophen, some other drugs, some diseases and the risk of transitional cell carcinoma. A population-based case-control study. <i>Acta Oncolgica</i> , 1995 , 34, 741-8	3.2	33
37	Hormone-refractory (D3) prostate cancer: refining the concept. <i>Urology</i> , 1995 , 46, 142-8	1.6	148
36	Factors modifying the risk of acute and conditioned nausea and vomiting in ovarian-cancer patients. <i>International Journal of Oncology</i> , 1994 , 4, 695-701	1	1
35	Recent results of management of palpable clinically localized prostate cancer. <i>Cancer</i> , 1994 , 73, 2006-8	6.4	
34	Intake of fried meat and risk of cancer: a follow-up study in Finland. <i>International Journal of Cancer</i> , 1994 , 59, 756-60	7.5	117
33	Delayed chemotherapy-induced nausea is augmented by high levels of endogenous noradrenaline. <i>British Journal of Cancer</i> , 1994 , 70, 642-5	8.7	28
32	Conditioned nausea after cancer chemotherapy and autonomic nervous system conditionability. <i>Scandinavian Journal of Psychology</i> , 1993 , 34, 318-27	2.2	15

31	Endogenous cortisol exerts antiemetic effect similar to that of exogenous corticosteroids. <i>British Journal of Cancer</i> , 1993 , 68, 112-4	8.7	39
30	The epidemiological evidence concerning intake of mutagenic activity from the fried surface and the risk of cancer cannot justify preventive measures. <i>European Journal of Cancer Prevention</i> , 1993 , 2, 293-300	2	43
29	Recent results of management of palpable clinically localized prostate cancer. <i>Cancer</i> , 1993 , 72, 310-22	6.4	126
28	Methodology and utility of a job-exposure matrix. American Journal of Industrial Medicine, 1993, 23, 491	- <u>5.9</u> 2	35
27	A definition of bias founded on the concept of the study base. <i>Epidemiology</i> , 1992 , 3, 477-82	3.1	40
26	Association Between Personality Characteristics and the Prevalence and Extinction of Conditioned Nausea After Chemotherapy. <i>Journal of Psychosocial Oncology</i> , 1992 , 10, 59-77	2.8	15
25	Nausea in cancer chemotherapy is inversely related to urinary cortisol excretion. <i>British Journal of Cancer</i> , 1992 , 65, 779-80	8.7	104
24	Aspects of patient care. Cancer Nursing, 1992, 15, 54???60	2.6	11
23	Conservative management of localized prostatic cancer. <i>American Journal of Clinical Oncology:</i> Cancer Clinical Trials, 1992 , 15, 446-52	2.7	10
22	Aspects of misclassification of confounding factors. <i>American Journal of Industrial Medicine</i> , 1992 , 21, 107-12	2.7	24
21	Occupational exposures and cancer of the colon and rectum. <i>American Journal of Industrial Medicine</i> , 1992 , 22, 291-303	2.7	50
20	Aspects of patient care. Interviews with relapse-free testicular cancer patients in Stockholm. <i>Cancer Nursing</i> , 1992 , 15, 54-60	2.6	3
19	Control of cisplatin induced emesisa multidisciplinary intervention strategy. <i>Medical Oncology and Tumor Pharmacotherapy</i> , 1992 , 9, 81-6		6
18	Effects of ondansetron on chemotherapy-induced acute and delayed emesisa pilot study. <i>Acta Oncolgica</i> , 1991 , 30, 649-51	3.2	2
17	Meat, cooking methods and colorectal cancer: a case-referent study in Stockholm. <i>International Journal of Cancer</i> , 1991 , 49, 520-5	7.5	273
16	'Local recurrence' and 'disease-free survival'. Doubtful parameters when comparing non-randomized studies of prostate cancer. <i>Scandinavian Journal of Urology and Nephrology, Supplement</i> , 1991 , 138, 121-6		4
15	Colorectal cancer in Sweden. A descriptive epidemiologic study. <i>Acta Oncolgica</i> , 1990 , 29, 855-61	3.2	15
14	Urothelial cancer and some industry-related chemicals: an evaluation of the epidemiologic literature. <i>American Journal of Industrial Medicine</i> , 1990 , 17, 371-91	2.7	59

LIST OF PUBLICATIONS

-	13	Vitamin A supplements, fried foods, fat and urothelial cancer. A case-referent study in Stockholm in 1985-87. <i>International Journal of Cancer</i> , 1990 , 45, 1006-11	7.5	134
	12	Increased risk of urothelial cancer in Stockholm during 1985-87 after exposure to benzene and exhausts. <i>International Journal of Cancer</i> , 1990 , 45, 1012-7	7.5	30
-	11	Diet, body mass and colorectal cancer: a case-referent study in Stockholm. <i>International Journal of Cancer</i> , 1990 , 46, 832-8	7.5	107
	10	Physical activity and colon cancer: a case-referent study in Stockholm. <i>International Journal of Cancer</i> , 1990 , 46, 985-9	7.5	92
9	9	Recombinant leukocyte interferon alpha-2a and medroxyprogesterone in advanced renal cell carcinoma. A randomized trial. <i>Acta Oncolgica</i> , 1990 , 29, 155-62	3.2	75
8	8	Industry-related urothelial carcinogens: application of a job-exposure matrix to census data. <i>American Journal of Industrial Medicine</i> , 1989 , 16, 209-24	2.7	34
7	7	Cancer in the respiratory organs of Swedish farmers. <i>Cancer</i> , 1988 , 61, 1055-8	6.4	14
(6	Diet, tobacco and urothelial cancer. A 14-year follow-up of 16,477 subjects. <i>Acta Oncolgica</i> , 1988 , 27, 323-7	3.2	57
	5	Multiple myeloma in Swedish agricultural workers. International Journal of Epidemiology, 1986, 15, 321-	5 7.8	29
4	4	Interferon therapy in disseminated renal cell carcinoma. <i>Radiotherapy and Oncology</i> , 1985 , 4, 21-6	5.3	41
Ĵ	3	Mesothelioma among sugar refinery workers. <i>Lancet, The</i> , 1983 , 2, 1503	40	3
1	2	Role of the thymus in generation of lymphocyte functions. I. Demonstration of lymphocytes reactive to mitogens and allogeneic cells in the embryonic mouse thymus in organ culture. <i>Scandinavian Journal of Immunology</i> , 1976 , 5, 901-7	3.4	11
-	1	The unrecognised cost of cancer patients' unrelieved symptoms:a nationwide follow-up of their surviving partners		1