Wei Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2772906/publications.pdf

Version: 2024-02-01

840776 752698 23 450 11 20 citations h-index g-index papers 23 23 23 573 docs citations all docs times ranked citing authors

#	Article	IF	CITATIONS
1	Free volume dependence of dielectric behaviour in sandwich-structured high dielectric performances of poly(vinylidene fluoride) composite films. Nanoscale, 2021, 13, 300-310.	5.6	26
2	The effective strategies of preparing black F-Tilll-codoping TiO2 anchored on sepiolite for enhanced photodegradation. Applied Clay Science, 2021, 209, 106116.	5.2	9
3	Recent advances in Ti3+ self-doped nanostructured TiO2 visible light photocatalysts for environmental and energy applications. Chemical Engineering Journal, 2020, 382, 123011.	12.7	122
4	Large Quadratic Electro-Optic Effect of the PLZT Thin Films for Optical Communication Integrated Devices. ACS Photonics, 2020, 7, 3166-3176.	6.6	6
5	Na incorporation controlled single phase kesterite Cu2ZnSnS4 solar cell material. Materials Letters, 2020, 265, 127355.	2.6	7
6	Lanthanum modified lead zirconate titanate thin films by sol-gel and plasma annealing for integrated passive nanophotonic devices. Optical Materials Express, 2019, 9, 2279.	3.0	3
7	Structure dependence of water vapor permeation in polymer nanocomposite membranes investigated by positron annihilation lifetime spectroscopy. Journal of Membrane Science, 2018, 549, 581-587.	8.2	52
8	Effects of electrical conductivity on the formation and annihilation of positronium in porous materials. Physical Chemistry Chemical Physics, 2017, 19, 7659-7667.	2.8	17
9	Synthesis and magnetoelectric properties of multiferroic composites of lead lanthanum zirconate titanate and mesoporous cobalt ferrite. Scripta Materialia, 2017, 136, 29-32.	5.2	14
10	The effect of the Zn/Sn ratio on the formation of single phase kesterite Cu 2 ZnSnS 4 solar cell material. Ceramics International, 2017, 43, 8103-8108.	4.8	10
11	Effect of preparation process on properties of PLZT (9/65/35) transparent ceramics. Journal of Alloys and Compounds, 2017, 723, 602-610.	5.5	25
12	Improved mobility of sol-gel method processed transparent tin sulfide thin films. Materials Letters, 2016, 178, 231-234.	2.6	13
13	Glucose-assisted reduction achieved transparent p-type cuprous oxide thin film by a solution method. Europhysics Letters, 2016, 115, 37005.	2.0	6
14	<i>In-situ</i> characterization of free-volume holes in polymer thin films under controlled humidity conditions with an atmospheric positron probe microanalyzer. Applied Physics Letters, 2012, 101, .	3.3	25
15	Subnanoscopic Holes in Composite Membranes for Desalination Elucidated by Energy-Tunable Positron Annihilation. Kobunshi Ronbunshu, 2012, 69, 443-447.	0.2	6
16	Investigation of interfacial interaction and structural transition for epoxy/nanotube composites by positron annihilation lifetime spectroscopy. Applied Physics Letters, 2009, 94, 021904.	3.3	32
17	Effect of Surface Decoration of CNTs on the Interfacial Interaction and Microstructure of Epoxy/MWNT Nanocomposites. ChemPhysChem, 2008, 9, 1046-1052.	2.1	26
18	Effect of the dispersion of organic rectorite on the nonisothermal crystallization kinetics and melting behaviors of nylon 6 nanocomposites. Journal of Applied Polymer Science, 2008, 110, 3149-3155.	2.6	4

Wei Zhou

#	Article	IF	CITATIONS
19	Study on Damping Mechanism Based on the Free Volume for CIIR by PALS. Journal of Physical Chemistry B, 2007, 111, 11388-11392.	2.6	41
20	Influence of MMT content on the microstructure and miscibility for PU/EP IPN nanocomposites by positron. Physica Status Solidi C: Current Topics in Solid State Physics, 2007, 4, 3780-3784.	0.8	5
21	Investigation of Interfacial Interaction and Microstructure for Epoxy/CNTs Nanocomposites by PALS. Materials Science Forum, 0, 607, 183-185.	0.3	0
22	Influence of Free Volume on Damping Properties for CIIR and CIIR/PEA Investigated by Positron. Materials Science Forum, 0, 607, 91-93.	0.3	1
23	Investigation of Free Volume Size and Mechanical Properties for PolymethylMethacrylate/Organic Rectorite Composites by PALS. Advanced Materials Research, 0, 233-235, 1868-1871.	0.3	0