Claire Williams

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2773831/publications.pdf

Version: 2024-02-01

19	1,157	14	18
papers	citations	h-index	g-index
19	19	19	1574
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Impact of consuming a milk drink containing a probiotic on mood and cognition. European Journal of Clinical Nutrition, 2007, 61, 355-361.	1.3	460
2	The influence of the glycaemic load of breakfast on the behaviour of children in school. Physiology and Behavior, 2007, 92, 717-724.	1.0	109
3	Alexithymia and emotional empathy following traumatic brain injury. Journal of Clinical and Experimental Neuropsychology, 2010, 32, 259-267.	0.8	107
4	Inability to empathize following traumatic brain injury. Journal of the International Neuropsychological Society, 2008, 14, 289-96.	1.2	82
5	Neuropsychological correlates of organic alexithymia. Journal of the International Neuropsychological Society, 2007, 13, 471-9.	1.2	67
6	Getting to the heart of the matter: Does aberrant interoceptive processing contribute towards emotional eating?. PLoS ONE, 2017, 12, e0186312.	1.1	47
7	Role of alexithymia in suicide ideation after traumatic brain injury. Journal of the International Neuropsychological Society, 2010, 16, 1108-1114.	1.2	40
8	Impairment in the recognition of emotion across different media following traumatic brain injury. Journal of Clinical and Experimental Neuropsychology, 2010, 32, 113-122.	0.8	36
9	The use of repetitive transcranial magnetic stimulation (rTMS) following traumatic brain injury (TBI): A scoping review. Neuropsychological Rehabilitation, 2021, 31, 479-505.	1.0	35
10	The impact of alexithymia on somatization after traumatic brain injury. Brain Injury, 2009, 23, 649-654.	0.6	34
11	The Impact of Alexithymia on Relationship Quality and Satisfaction Following Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2013, 28, E21-E30.	1.0	29
12	Assessment of neurobehavioural disability: A review of existing measures and recommendations for a comprehensive assessment tool. Brain Injury, 2008, 22, 905-918.	0.6	27
13	The development of the St Andrew's-Swansea Neurobehavioural Outcome Scale: Validity and reliability of a new measure of neurobehavioural disability and social handicap. Brain Injury, 2011, 25, 83-100.	0.6	26
14	A serial mediation model of the relationship between alexithymia and BMI: The role of negative affect, negative urgency and emotional eating. Appetite, 2019, 133, 270-278.	1.8	24
15	Affective modulation of the startle reflex following traumatic brain injury. Journal of Clinical and Experimental Neuropsychology, 2012, 34, 948-961.	0.8	12
16	Alexithymia is associated with aggressive tendencies following traumatic brain injury. Brain Injury, 2019, 33, 69-77.	0.6	12
17	Does childbirth experience affect infant behaviour? Exploring the perceptions of maternity care providers. Midwifery, 2019, 78, 131-139.	1.0	6
18	Measuring misconceptions about traumatic brain injury: are existing scales misconceived?. Brain Injury, 2020, 34, 1150-1158.	0.6	4

#	Article	IF	CITATIONS
19	Using the St Andrew's – Swansea Neurobehavioural Outcome Scale (SASNOS) to determine prevalence and predictors of neurobehavioural disability amongst survivors with traumatic brain injury in the community. Neuropsychological Rehabilitation, 2021, , 1-28.	1.0	0