

Claire Williams

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2773831/claire-williams-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19
papers

918
citations

13
h-index

19
g-index

19
ext. papers

1,032
ext. citations

2.8
avg, IF

4.42
L-index

#	Paper	IF	Citations
19	Using the St Andrews - Swansea Neurobehavioural Outcome Scale (SASNOS) to determine prevalence and predictors of neurobehavioural disability amongst survivors with traumatic brain injury in the community. <i>Neuropsychological Rehabilitation</i> , 2021 , 1-28	3.1	
18	The use of repetitive transcranial magnetic stimulation (rTMS) following traumatic brain injury (TBI): A scoping review. <i>Neuropsychological Rehabilitation</i> , 2021 , 31, 479-505	3.1	15
17	Measuring misconceptions about traumatic brain injury: are existing scales misconceived?. <i>Brain Injury</i> , 2020 , 34, 1150-1158	2.1	2
16	Does childbirth experience affect infant behaviour? Exploring the perceptions of maternity care providers. <i>Midwifery</i> , 2019 , 78, 131-139	2.8	3
15	A serial mediation model of the relationship between alexithymia and BMI: The role of negative affect, negative urgency and emotional eating. <i>Appetite</i> , 2019 , 133, 270-278	4.5	12
14	Alexithymia is associated with aggressive tendencies following traumatic brain injury. <i>Brain Injury</i> , 2018 , 1-9	2.1	9
13	Getting to the heart of the matter: Does aberrant interoceptive processing contribute towards emotional eating?. <i>PLoS ONE</i> , 2017 , 12, e0186312	3.7	29
12	The impact of alexithymia on relationship quality and satisfaction following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2013 , 28, E21-30	3	22
11	Affective modulation of the startle reflex following traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012 , 34, 948-61	2.1	9
10	The development of the St Andrews-Swansea Neurobehavioural Outcome Scale: validity and reliability of a new measure of neurobehavioural disability and social handicap. <i>Brain Injury</i> , 2011 , 25, 83-100	2.1	24
9	Role of alexithymia in suicide ideation after traumatic brain injury. <i>Journal of the International Neuropsychological Society</i> , 2010 , 16, 1108-14	3.1	33
8	Impairment in the recognition of emotion across different media following traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010 , 32, 113-22	2.1	29
7	Alexithymia and emotional empathy following traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010 , 32, 259-67	2.1	86
6	The impact of alexithymia on somatization after traumatic brain injury. <i>Brain Injury</i> , 2009 , 23, 649-54	2.1	31
5	Assessment of neurobehavioural disability: a review of existing measures and recommendations for a comprehensive assessment tool. <i>Brain Injury</i> , 2008 , 22, 905-18	2.1	25
4	Inability to empathize following traumatic brain injury. <i>Journal of the International Neuropsychological Society</i> , 2008 , 14, 289-96	3.1	68
3	Impact of consuming a milk drink containing a probiotic on mood and cognition. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 355-61	5.2	366

- 2 Neuropsychological correlates of organic alexithymia. *Journal of the International Neuropsychological Society*, **2007**, 13, 471-9 3.1 63
- 1 The influence of the glycaemic load of breakfast on the behaviour of children in school. *Physiology and Behavior*, **2007**, 92, 717-24 3.5 92